




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 709 of 817

Test mode:	802.11ac(HT20)	Frequency(MHz):	5320	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG

Mode : 5320 Band edge

: Ant 1+2 5G WIFI 11AC CH64

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5320.000	8.58	34.43	38.17	91.43	96.27	68.20	28.07	Peak
2	5350.020	8.63	34.43	38.16	45.94	50.84	74.00	-23.16	Peak
3	5367.796	8.66	34.43	38.16	47.57	52.50	74.00	-21.50	Peak




SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM180100021702

Page: 710 of 817

Test mode:	802.11ac(HT20)	Frequency(MHz):	5320	Average	Vertical
------------	----------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 0217RG

Mode : 5320 Band edge

: Ant 1+2 5G WIFI 11AC CH64

	Freq	Cable Loss	Ant Factor	Preamplifier Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5320.000	8.58	34.43	38.17	83.58	88.42	-----	-----	Average
2 pp	5350.020	8.63	34.43	38.16	38.30	43.20	54.00	-10.80	Average
3	5351.467	8.63	34.43	38.16	38.21	43.11	54.00	-10.89	Average




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 711 of 817

Test mode:	802.11ac(HT20)	Frequency(MHz):	5320	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG

Mode : 5320 Band edge

: Ant 1+2 5G WIFI 11AC CH64

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5320.000	8.58	34.43	38.17	92.55	97.39	68.20	29.19	peak
2	5350.020	8.63	34.43	38.16	46.04	50.94	74.00	-23.06	peak
3	5362.481	8.65	34.43	38.16	47.88	52.80	74.00	-21.20	peak




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 712 of 817

Test mode:	802.11ac(HT20)	Frequency(MHz):	5320	Average	Horizontal
------------	----------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG

Mode : 5320 Band edge

: Ant 1+2 5G WIFI 11AC CH64

	Freq	Cable Loss	Ant Factor	Preamplifier Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5320.000	8.58	34.43	38.17	85.24	90.08	-----	-----	Average
2	pp 5350.020	8.63	34.43	38.16	38.40	43.30	54.00	-10.70	Average
3	5351.566	8.63	34.43	38.16	38.36	43.26	54.00	-10.74	Average




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 713 of 817

Test mode:	802.11ac(HT20)	Frequency(MHz):	5500	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG

Mode : 5500 Band edge

: Ant 1+2 5G WIFI 11AC CH100

	Freq	Cable Loss	Ant Factor	Preamplifier Factor	Read Level	Level	Limit	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5457.151	8.79	34.41	38.15	48.21	53.26	74.00	-20.74	Peak
2	5469.399	8.81	34.41	38.15	48.45	53.52	68.20	-14.68	peak
3 pp	5500.000	8.85	34.40	38.15	92.52	97.62	68.20	29.42	Peak




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 714 of 817

Test mode:	802.11ac(HT20)	Frequency(MHz):	5500	Average	Vertical
------------	----------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 0217RG

Mode : 5500 Band edge

: Ant 1+2 5G WIFI 11AC CH100

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5456.072	8.79	34.41	38.15	37.83	42.88	54.00	-11.12	Average
2	5500.000	8.85	34.40	38.15	84.97	90.07	-----	-----	Average




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 715 of 817

Test mode:	802.11ac(HT20)	Frequency(MHz):	5500	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG

Mode : 5500 Band edge

: Ant 1+2 5G WIFI 11AC CH100

	Freq	Cable Loss	Ant Factor	Preamplifier Factor	Read Level	Level	Limit	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5454.393	8.78	34.41	38.15	48.42	53.46	74.00	-20.54	peak
2	5468.437	8.80	34.41	38.15	48.69	53.75	68.20	-14.45	peak
3 pp	5500.000	8.85	34.40	38.15	93.18	98.28	68.20	30.08	peak




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 716 of 817

Test mode:	802.11ac(HT20)	Frequency(MHz):	5500	Average	Horizontal
------------	----------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG

Mode : 5500 Band edge

: Ant 1+2 5G WIFI 11AC CH100

		Cable	Ant	Preamp	Read	Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5455.352	8.79	34.41	38.15	37.83	42.88	54.00	-11.12 Average
2	5500.000	8.85	34.40	38.15	86.95	92.05	-----	----- Average




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 717 of 817

Test mode:	802.11ac(HT20)	Frequency(MHz):	5700	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG

Mode : 5700 Band edge

: Ant 1+2 5G WIFI 11AC CH140

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5700.000	9.56	34.52	38.13	94.41	100.36	68.20	32.16	Peak
2	5725.000	9.64	34.54	38.13	50.31	56.36	68.20	-11.84	Peak
3	5735.584	9.68	34.54	38.12	49.38	55.48	68.20	-12.72	Peak




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 718 of 817

Test mode:	802.11ac(HT20)	Frequency(MHz):	5700	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG

Mode : 5700 Band edge

: Ant 1+2 5G WIFI 11AC CH140

		Cable	Ant	Preamp	Read	Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	pp 5700.000	9.56	34.52	38.13	93.50	99.45	68.20	31.25 peak
2	5725.000	9.64	34.54	38.13	47.99	54.04	68.20	-14.16 peak
3	5727.183	9.65	34.54	38.13	50.24	56.30	68.20	-11.90 peak




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 719 of 817

Test mode:	802.11ac(HT20)	Frequency(MHz):	5745	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG

Mode : 5745 Band edge

: Ant 1+2 5G WIFI 11AC CH149

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5715.000	9.61	34.53	38.13	57.11	63.12	109.40	-46.28	peak
2	5725.000	9.64	34.54	38.13	67.65	73.70	122.20	-48.50	peak
3 pp	5745.000	9.71	34.55	38.12	97.38	103.52	125.20	-21.68	peak




SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM180100021702

Page: 720 of 817

Test mode:	802.11ac(HT20)	Frequency(MHz):	5745	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG

Mode : 5745 Band edge

: Ant 1+2 5G WIFI 11AC CH149

		Cable	Ant	Preamp	Read	Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5715.000	9.61	34.53	38.13	61.75	67.76	109.40	-41.64 peak
2	5725.000	9.64	34.54	38.13	65.39	71.44	122.20	-50.76 peak
3 pp	5745.000	9.71	34.55	38.12	97.55	103.69	125.20	-21.51 peak




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 721 of 817

Test mode:	802.11ac(HT20)	Frequency(MHz):	5825	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG

Mode : 5825 Band edge

: Ant 1+2 5G WIFI 11AC CH165

		Cable	Ant	Preamp	Read	Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	pp 5825.000	9.98	34.60	38.12	96.94	103.40	125.20	-21.80 peak
2	5850.000	10.07	34.61	38.11	58.09	64.66	122.20	-57.54 peak
3	5860.000	10.10	34.62	38.11	53.07	59.68	109.40	-49.72 peak




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 722 of 817

Test mode:	802.11ac(HT20)	Frequency(MHz):	5825	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG

Mode : 5825 Band edge

: Ant 1+2 5G WIFI 11AC CH165

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5825.000	9.98	34.60	38.12	95.95	102.41	125.20	-22.79	peak
2	5850.000	10.07	34.61	38.11	58.06	64.63	122.20	-57.57	peak
3	5860.000	10.10	34.62	38.11	52.05	58.66	109.40	-50.74	peak




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 723 of 817

Test mode:	802.11n(HT40)	Frequency(MHz):	5190	Peak	Vertical
------------	---------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG

Mode : 5190 Band edge

: Ant 1+2 5G WIFI 11N(40) CH38

		Cable	Ant	Preamp	Read	Limit	Over	
	Freq	Loss	Factor	Factor	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5146.708	8.32	34.47	38.18	49.75	54.36	74.00	-19.64 Peak
2	5149.980	8.33	34.47	38.18	47.43	52.05	74.00	-21.95 Peak
3 pp	5190.000	8.39	34.46	38.18	85.91	90.58	68.20	22.38 Peak




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 724 of 817

Test mode:	802.11n(HT40)	Frequency(MHz):	5190	Average	Vertical
------------	---------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 0217RG

Mode : 5190 Band edge

: Ant 1+2 5G WIFI 11N(40) CH38

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5149.461	8.32	34.47	38.18	38.40	43.01	54.00	-10.99 Average
2 pp	5149.980	8.33	34.47	38.18	38.51	43.13	54.00	-10.87 Average
3	5190.000	8.39	34.46	38.18	78.18	82.85	-----	----- Average




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 725 of 817

Test mode:	802.11n(HT40)	Frequency(MHz):	5190	Peak	Horizontal
------------	---------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG

Mode : 5190 Band edge

: Ant 1+2 5G WIFI 11N(40) CH38

	Freq	Cable Loss	Ant Factor	Preamplifier Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5149.222	8.32	34.47	38.18	49.42	54.03	74.00	-19.97 peak
2	5149.980	8.33	34.47	38.18	48.06	52.68	74.00	-21.32 peak
3 pp	5190.000	8.39	34.46	38.18	88.47	93.14	68.20	24.94 peak




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 726 of 817

Test mode:	802.11n(HT40)	Frequency(MHz):	5190	Average	Horizontal
------------	---------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG

Mode : 5190 Band edge

: Ant 1+2 5G WIFI 11N(40) CH38

		Cable	Ant	Preamp	Read	Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5148.863	8.32	34.47	38.18	40.13	44.74	54.00	-9.26 Average
2 pp	5149.980	8.33	34.47	38.18	40.33	44.95	54.00	-9.05 Average
3	5190.000	8.39	34.46	38.18	80.86	85.53	-----	----- Average




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 727 of 817

Test mode:	802.11n(HT40)	Frequency(MHz):	5230	Peak	Vertical
------------	---------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG

Mode : 5230 Band edge

: Ant 1+2 5G WIFI 11N(40) CH46

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5230.000	8.45	34.45	38.18	88.28	93.00	68.20	24.80 Peak
2	5350.020	8.63	34.43	38.16	45.96	50.86	74.00	-23.14 Peak
3	5367.085	8.65	34.43	38.16	47.35	52.27	74.00	-21.73 Peak




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 728 of 817

Test mode:	802.11n(HT40)	Frequency(MHz):	5230	Average	Vertical
------------	---------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 0217RG

Mode : 5230 Band edge

: Ant 1+2 5G WIFI 11N(40) CH46

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5230.000	8.45	34.45	38.18	80.64	85.36	-----	-----	Average
2	pp 5350.020	8.63	34.43	38.16	36.99	41.89	54.00	-12.11	Average
3	5354.138	8.64	34.43	38.16	36.90	41.81	54.00	-12.19	Average




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 729 of 817

Test mode:	802.11n(HT40)	Frequency(MHz):	5230	Peak	Horizontal
------------	---------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG

Mode : 5230 Band edge

: Ant 1+2 5G WIFI 11N(40) CH46

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5230.000	8.45	34.45	38.18	89.63	94.35	68.20	26.15 peak
2	5350.020	8.63	34.43	38.16	45.91	50.81	74.00	-23.19 peak
3	5375.802	8.67	34.42	38.16	46.69	51.62	74.00	-22.38 peak




SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM180100021702

Page: 730 of 817

Test mode:	802.11n(HT40)	Frequency(MHz):	5230	Average	Horizontal
------------	---------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG

Mode : 5230 Band edge

: Ant 1+2 5G WIFI 11N(40) CH46

		Cable	Ant	Preamp	Read	Limit	Over	
	Freq	Loss	Factor	Factor	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5230.000	8.45	34.45	38.18	82.65	87.37	-----	Average
2	5350.020	8.63	34.43	38.16	36.87	41.77	54.00	-12.23 Average
3 pp	5350.905	8.63	34.43	38.16	36.88	41.78	54.00	-12.22 Average




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 731 of 817

Test mode:	802.11n(HT40)	Frequency(MHz):	5270	Peak	Vertical
------------	---------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG

Mode : 5270 Band edge

: Ant 1+2 5G WIFI 11N(40) CH54

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5124.778	8.29	34.47	38.19	47.23	51.80	74.00	-22.20 Peak
2	5149.980	8.33	34.47	38.18	45.87	50.49	74.00	-23.51 Peak
3 pp	5270.000	8.51	34.44	38.17	89.05	93.83	68.20	25.63 Peak




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 732 of 817

Test mode:	802.11n(HT40)	Frequency(MHz):	5270	Average	Vertical
------------	---------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 0217RG

Mode : 5270 Band edge

: Ant 1+2 5G WIFI 11N(40) CH54

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5145.123	8.32	34.47	38.18	37.10	41.71	54.00	-12.29 Average
2	5149.980	8.33	34.47	38.18	36.99	41.61	54.00	-12.39 Average
3	5270.000	8.51	34.44	38.17	81.19	85.97	-----	----- Average




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 733 of 817

Test mode:	802.11n(HT40)	Frequency(MHz):	5270	Peak	Horizontal
------------	---------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG

Mode : 5270 Band edge

: Ant 1+2 5G WIFI 11N(40) CH54

	Freq	Cable Loss	Ant Factor	Preamplifier Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5132.472	8.30	34.47	38.19	47.31	51.89	74.00	-22.11	peak
2	5149.980	8.33	34.47	38.18	44.83	49.45	74.00	-24.55	peak
3 pp	5270.000	8.51	34.44	38.17	90.17	94.95	68.20	26.75	peak




SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM180100021702

Page: 734 of 817

Test mode:	802.11n(HT40)	Frequency(MHz):	5270	Average	Horizontal
------------	---------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG

Mode : 5270 Band edge

: Ant 1+2 5G WIFI 11N(40) CH54

		Cable	Ant	Preamp	Read	Limit	Over	
	Freq	Loss	Factor	Factor	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5145.717	8.32	34.47	38.18	37.00	41.61	54.00	-12.39 Average
2	5149.980	8.33	34.47	38.18	36.85	41.47	54.00	-12.53 Average
3	5270.000	8.51	34.44	38.17	81.44	86.22	-----	----- Average




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 735 of 817

Test mode:	802.11n(HT40)	Frequency(MHz):	5310	Peak	Vertical
------------	---------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG

Mode : 5310 Band edge

: Ant 1+2 5G WIFI 11N(40) CH62

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5310.000	8.57	34.44	38.17	86.39	91.23	68.20	23.03	Peak
2	5350.020	8.63	34.43	38.16	46.83	51.73	74.00	-22.27	Peak
3	5369.867	8.66	34.43	38.16	47.33	52.26	74.00	-21.74	Peak




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 736 of 817

Test mode:	802.11n(HT40)	Frequency(MHz):	5310	Average	Vertical
------------	---------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 0217RG

Mode : 5310 Band edge

: Ant 1+2 5G WIFI 11N(40) CH62

	Freq	Cable Loss	Ant Factor	Preamplifier Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5310.000	8.57	34.44	38.17	78.80	83.64	-----	-----	Average
2	5350.020	8.63	34.43	38.16	37.50	42.40	54.00	-11.60	Average
3 pp	5351.556	8.63	34.43	38.16	37.60	42.50	54.00	-11.50	Average




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 737 of 817

Test mode:	802.11n(HT40)	Frequency(MHz):	5310	Peak	Horizontal
------------	---------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG

Mode : 5310 Band edge

: Ant 1+2 5G WIFI 11N(40) CH62

		Freq	Cable Loss	Ant Factor	Preamplifier	Read Level	Limit Line	Over Limit	Remark
		MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	pp	5310.000	8.57	34.44	38.17	87.78	92.62	68.20	24.42 peak
2		5350.020	8.63	34.43	38.16	45.86	50.76	74.00	-23.24 peak
3		5372.040	8.66	34.42	38.16	48.25	53.17	74.00	-20.83 peak




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 738 of 817

Test mode:	802.11n(HT40)	Frequency(MHz):	5310	Average	Horizontal
------------	---------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG

Mode : 5310 Band edge

: Ant 1+2 5G WIFI 11N(40) CH62

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5310.000	8.57	34.44	38.17	80.84	85.68	-----	-----	Average
2	5350.020	8.63	34.43	38.16	38.08	42.98	54.00	-11.02	Average
3 pp	5351.195	8.63	34.43	38.16	38.31	43.21	54.00	-10.79	Average




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 739 of 817

Test mode:	802.11n(HT40)	Frequency(MHz):	5510	Peak	Vertical
------------	---------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG

Mode : 5510 Band edge

: Ant 1+2 5G WIFI 11N(40) CH102

	Freq	Cable Loss	Ant Factor	Preamplifier Factor	Read Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dB	
1	5449.848	8.78	34.41	38.15	49.96	55.00	-19.00	Peak
2	5469.972	8.81	34.41	38.15	54.54	59.61	-8.59	peak
3 pp	5510.000	8.89	34.41	38.15	88.92	94.07	25.87	Peak




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 740 of 817

Test mode:	802.11n(HT40)	Frequency(MHz):	5510	Average	Vertical
------------	---------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 0217RG

Mode : 5510 Band edge

: Ant 1+2 5G WIFI 11N(40) CH102

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5459.761	8.79	34.41	38.15	38.83	43.88	54.00	-10.12 Average
2	5510.000	8.89	34.41	38.15	80.91	86.06	-----	----- Average




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 741 of 817

Test mode:	802.11n(HT40)	Frequency(MHz):	5510	Peak	Horizontal
------------	---------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG

Mode : 5510 Band edge

: Ant 1+2 5G WIFI 11N(40) CH102

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5459.481	8.79	34.41	38.15	51.18	56.23	74.00	-17.77	peak
2	5467.453	8.80	34.41	38.15	54.07	59.13	68.20	-9.07	peak
3 pp	5510.000	8.89	34.41	38.15	90.75	95.90	68.20	27.70	peak




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 742 of 817

Test mode:	802.11n(HT40)	Frequency(MHz):	5510	Average	Horizontal
------------	---------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG

Mode : 5510 Band edge

: Ant 1+2 5G WIFI 11N(40) CH102

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dB	
1 pp	5459.901	8.79	34.41	38.15	39.55	44.60	54.00	-9.40 Average
2	5510.000	8.89	34.41	38.15	82.47	87.62	-----	----- Average




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 743 of 817

Test mode:	802.11n(HT40)	Frequency(MHz):	5670	Peak	Vertical
------------	---------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG

Mode : 5670 Band edge

: Ant 1+2 5G WIFI 11N(40) CH134

	Freq	Cable Loss	Ant Factor	Preamplifier Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5670.000	9.45	34.50	38.13	91.33	97.15	68.20	28.95	Peak
2	5725.000	9.64	34.54	38.13	50.25	56.30	68.20	-11.90	Peak
3	5727.238	9.65	34.54	38.13	50.89	56.95	68.20	-11.25	Peak




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 744 of 817

Test mode:	802.11n(HT40)	Frequency(MHz):	5670	Peak	Horizontal
------------	---------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG

Mode : 5670 Band edge

: Ant 1+2 5G WIFI 11N(40) CH134

	Freq	Cable Loss	Ant Factor	Preamplifier Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5670.000	9.45	34.50	38.13	91.01	96.83	68.20	28.63 peak
2	5725.000	9.64	34.54	38.13	49.04	55.09	68.20	-13.11 peak
3	5735.811	9.68	34.54	38.12	51.21	57.31	68.20	-10.89 peak




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 745 of 817

Test mode:	802.11n(HT40)	Frequency(MHz):	5755	Peak	Vertical
------------	---------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG

Mode : 5755 Band edge

: Ant 1+2 5G WIFI 11N(40) CH151

		Cable	Ant	Preamp	Read	Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5715.000	9.61	34.53	38.13	58.36	64.37	109.40	-45.03 peak
2	5725.000	9.64	34.54	38.13	60.83	66.88	122.20	-55.32 peak
3 pp	5755.000	9.75	34.56	38.12	91.75	97.94	125.20	-27.26 peak




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 746 of 817

Test mode:	802.11n(HT40)	Frequency(MHz):	5755	Peak	Horizontal
------------	---------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG

Mode : 5755 Band edge

: Ant 1+2 5G WIFI 11N(40) CH151

		Cable	Ant	Preamp	Read	Limit	Over	
	Freq	Loss	Factor	Factor	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5715.000	9.61	34.53	38.13	56.40	62.41	109.40	-46.99 peak
2	5725.000	9.64	34.54	38.13	60.27	66.32	122.20	-55.88 peak
3 pp	5755.000	9.75	34.56	38.12	92.13	98.32	125.20	-26.88 peak




SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM180100021702

Page: 747 of 817

Test mode:	802.11n(HT40)	Frequency(MHz):	5795	Peak	Vertical
------------	---------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG

Mode : 5795 Band edge

: Ant 1+2 5G WIFI 11N(40) CH159

		Cable	Ant	Preamp	Read	Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	pp 5795.000	9.88	34.58	38.12	91.93	98.27	125.20	-26.93 peak
2	5850.000	10.07	34.61	38.11	48.26	54.83	122.20	-67.37 peak
3	5860.000	10.10	34.62	38.11	46.18	52.79	109.40	-56.61 peak




SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM180100021702

Page: 748 of 817

Test mode:	802.11n(HT40)	Frequency(MHz):	5795	Peak	Horizontal
------------	---------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG

Mode : 5795 Band edge

: Ant 1+2 5G WIFI 11N(40) CH159

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5795.000	9.88	34.58	38.12	91.47	97.81	125.20	-27.39	peak
2	5850.000	10.07	34.61	38.11	48.27	54.84	122.20	-67.36	peak
3	5860.000	10.10	34.62	38.11	48.47	55.08	109.40	-54.32	peak




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 749 of 817

Test mode:	802.11ac(HT40)	Frequency(MHz):	5190	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG

Mode : 5190 Band edge

: Ant 1+2 5G WIFI 11AC(40) CH38

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5147.306	8.32	34.47	38.18	50.17	54.78	74.00	-19.22	Peak
2	5149.980	8.33	34.47	38.18	47.70	52.32	74.00	-21.68	Peak
3 pp	5190.000	8.39	34.46	38.18	85.08	89.75	68.20	21.55	Peak




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 750 of 817

Test mode:	802.11ac(HT40)	Frequency(MHz):	5190	Average	Vertical
------------	----------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 0217RG

Mode : 5190 Band edge

: Ant 1+2 5G WIFI 11AC(40) CH38

		Cable	Ant	Preamp	Read	Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5148.982	8.32	34.47	38.18	38.48	43.09	54.00	-10.91 Average
2	pp 5149.980	8.33	34.47	38.18	38.75	43.37	54.00	-10.63 Average
3	5190.000	8.39	34.46	38.18	77.40	82.07	-----	----- Average




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 751 of 817

Test mode:	802.11ac(HT40)	Frequency(MHz):	5190	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG

Mode : 5190 Band edge

: Ant 1+2 5G WIFI 11AC(40) CH38

	Freq	Cable Loss	Ant Factor	Preamplifier Factor	Read Level	Level	Limit	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5148.024	8.32	34.47	38.18	50.19	54.80	74.00	-19.20	peak
2	5149.980	8.33	34.47	38.18	48.56	53.18	74.00	-20.82	peak
3 pp	5190.000	8.39	34.46	38.18	86.48	91.15	68.20	22.95	peak




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 752 of 817

Test mode:	802.11ac(HT40)	Frequency(MHz):	5190	Average	Horizontal
------------	----------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG

Mode : 5190 Band edge

: Ant 1+2 5G WIFI 11AC(40) CH38

		Cable	Ant	Preamp	Read	Limit	Over	
	Freq	Loss	Factor	Factor	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	pp 5148.264	8.32	34.47	38.18	39.09	43.70	54.00	-10.30 Average
2	5149.980	8.33	34.47	38.18	38.98	43.60	54.00	-10.40 Average
3	5190.000	8.39	34.46	38.18	79.36	84.03	-----	----- Average




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 753 of 817

Test mode:	802.11ac(HT40)	Frequency(MHz):	5230	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG

Mode : 5230 Band edge

: Ant 1+2 5G WIFI 11AC(40) CH46

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5230.000	8.45	34.45	38.18	88.21	92.93	68.20	24.73 Peak
2	5350.020	8.63	34.43	38.16	45.36	50.26	74.00	-23.74 Peak
3	5354.542	8.64	34.43	38.16	46.50	51.41	74.00	-22.59 Peak




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 754 of 817

Test mode:	802.11ac(HT40)	Frequency(MHz):	5230	Average	Vertical
------------	----------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 0217RG

Mode : 5230 Band edge

: Ant 1+2 5G WIFI 11AC(40) CH46

	Freq	Cable Loss	Ant Factor	Preamplifier Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5230.000	8.45	34.45	38.18	79.82	84.54	-----	-----	Average
2	5350.020	8.63	34.43	38.16	36.75	41.65	54.00	-12.35	Average
3 pp	5350.501	8.63	34.43	38.16	36.80	41.70	54.00	-12.30	Average




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 755 of 817

Test mode:	802.11ac(HT40)	Frequency(MHz):	5230	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG

Mode : 5230 Band edge

: Ant 1+2 5G WIFI 11AC(40) CH46

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5230.000	8.45	34.45	38.18	88.33	93.05	68.20	24.85	peak
2	5350.020	8.63	34.43	38.16	45.93	50.83	74.00	-23.17	peak
3	5372.152	8.66	34.42	38.16	47.12	52.04	74.00	-21.96	peak




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 757 of 817

Test mode:	802.11ac(HT40)	Frequency(MHz):	5270	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG

Mode : 5270 Band edge

: Ant 1+2 5G WIFI 11AC(40) CH54

	Freq	Cable Loss	Ant Factor	Preamplifier Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5142.551	8.31	34.47	38.18	46.68	51.28	74.00	-22.72 Peak
2	5149.980	8.33	34.47	38.18	45.99	50.61	74.00	-23.39 Peak
3 pp	5270.000	8.51	34.44	38.17	87.83	92.61	68.20	24.41 Peak




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 758 of 817

Test mode:	802.11ac(HT40)	Frequency(MHz):	5270	Average	Vertical
------------	----------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 0217RG

Mode : 5270 Band edge

: Ant 1+2 5G WIFI 11AC(40) CH54

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dB	
1 pp	5143.540	8.32	34.47	38.18	36.81	41.42	54.00	-12.58 Average
2	5149.980	8.33	34.47	38.18	36.51	41.13	54.00	-12.87 Average
3	5270.000	8.51	34.44	38.17	80.10	84.88	-----	----- Average




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 759 of 817

Test mode:	802.11ac(HT40)	Frequency(MHz):	5270	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG

Mode : 5270 Band edge

: Ant 1+2 5G WIFI 11AC(40) CH54

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5122.808	8.28	34.47	38.19	47.17	51.73	74.00	-22.27 peak
2	5149.980	8.33	34.47	38.18	45.32	49.94	74.00	-24.06 peak
3 pp	5270.000	8.51	34.44	38.17	88.17	92.95	68.20	24.75 peak




SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM180100021702

Page: 760 of 817

Test mode:	802.11ac(HT40)	Frequency(MHz):	5270	Average	Horizontal
------------	----------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG

Mode : 5270 Band edge

: Ant 1+2 5G WIFI 11AC(40) CH54

		Cable	Ant	Preamp	Read	Limit	Over	
	Freq	Loss	Factor	Factor	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5143.342	8.32	34.47	38.18	36.70	41.31	54.00	-12.69 Average
2	5149.980	8.33	34.47	38.18	36.45	41.07	54.00	-12.93 Average
3	5270.000	8.51	34.44	38.17	81.03	85.81	-----	----- Average




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 761 of 817

Test mode:	802.11ac(HT40)	Frequency(MHz):	5310	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG

Mode : 5310 Band edge

: Ant 1+2 5G WIFI 11AC(40) CH62

		Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Line	Over Limit	Remark
		MHz	dB	dB/m	dB	dBuV	dBuV/m	dB	
1	pp	5310.000	8.57	34.44	38.17	85.61	90.45	68.20	22.25 Peak
2		5350.020	8.63	34.43	38.16	47.21	52.11	74.00	-21.89 Peak
3		5351.556	8.63	34.43	38.16	47.30	52.20	74.00	-21.80 Peak




SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM180100021702

Page: 762 of 817

Test mode:	802.11ac(HT40)	Frequency(MHz):	5310	Average	Vertical
------------	----------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 0217RG

Mode : 5310 Band edge

: Ant 1+2 5G WIFI 11AC(40) CH62

	Freq	Cable Loss	Ant Factor	Preamplifier Factor	Read Level	Level	Limit	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5310.000	8.57	34.44	38.17	77.89	82.73	-----	-----	Average
2	5350.020	8.63	34.43	38.16	37.50	42.40	54.00	-11.60	Average
3 pp	5350.714	8.63	34.43	38.16	37.51	42.41	54.00	-11.59	Average




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 763 of 817

Test mode:	802.11ac(HT40)	Frequency(MHz):	5310	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG

Mode : 5310 Band edge

: Ant 1+2 5G WIFI 11AC(40) CH62

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5310.000	8.57	34.44	38.17	86.96	91.80	68.20	23.60	peak
2	5350.020	8.63	34.43	38.16	45.66	50.56	74.00	-23.44	peak
3	5366.610	8.65	34.43	38.16	47.30	52.22	74.00	-21.78	peak




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 764 of 817

Test mode:	802.11ac(HT40)	Frequency(MHz):	5310	Average	Horizontal
------------	----------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG

Mode : 5310 Band edge

: Ant 1+2 5G WIFI 11AC(40) CH62

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5310.000	8.57	34.44	38.17	79.18	84.02	-----	-----	Average
2	pp 5350.020	8.63	34.43	38.16	38.10	43.00	54.00	-11.00	Average
3	5350.474	8.63	34.43	38.16	38.05	42.95	54.00	-11.05	Average




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 765 of 817

Test mode:	802.11ac(HT40)	Frequency(MHz):	5510	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG

Mode : 5510 Band edge

: Ant 1+2 5G WIFI 11AC(40) CH102

	Freq	Cable Loss	Ant Factor	Preamplifier Factor	Read Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5457.805	8.79	34.41	38.15	48.76	53.81	74.00	-20.19 Peak
2	5468.712	8.80	34.41	38.15	53.50	58.56	68.20	-9.64 peak
3 pp	5510.000	8.89	34.41	38.15	88.25	93.40	68.20	25.20 Peak




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 766 of 817

Test mode:	802.11ac(HT40)	Frequency(MHz):	5510	Average	Vertical
------------	----------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 0217RG

Mode : 5510 Band edge

: Ant 1+2 5G WIFI 11AC(40) CH102

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5458.923	8.79	34.41	38.15	38.32	43.37	54.00	-10.63 Average
2	5510.000	8.89	34.41	38.15	80.43	85.58	-----	----- Average




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 767 of 817

Test mode:	802.11ac(HT40)	Frequency(MHz):	5510	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG

Mode : 5510 Band edge

: Ant 1+2 5G WIFI 11AC(40) CH102

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5451.662	8.78	34.41	38.15	48.91	53.95	74.00	-20.05 peak
2	5468.432	8.80	34.41	38.15	53.93	58.99	68.20	-9.21 peak
3 pp	5510.000	8.89	34.41	38.15	89.77	94.92	68.20	26.72 peak




SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM180100021702

Page: 768 of 817

Test mode:	802.11ac(HT40)	Frequency(MHz):	5510	Average	Horizontal
------------	----------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG

Mode : 5510 Band edge

: Ant 1+2 5G WIFI 11AC(40) CH102

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5459.901	8.79	34.41	38.15	39.15	44.20	54.00	-9.80	Average
2	5510.000	8.89	34.41	38.15	82.06	87.21	-----	-----	Average




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 769 of 817

Test mode:	802.11ac(HT40)	Frequency(MHz):	5670	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG

Mode : 5670 Band edge

: Ant 1+2 5G WIFI 11AC(40) CH134

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5670.000	9.45	34.50	38.13	90.49	96.31	68.20	28.11	Peak
2	5725.000	9.64	34.54	38.13	48.17	54.22	68.20	-13.98	Peak
3	5736.373	9.68	34.55	38.12	49.47	55.58	68.20	-12.62	Peak




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 770 of 817

Test mode:	802.11ac(HT40)	Frequency(MHz):	5670	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG

Mode : 5670 Band edge

: Ant 1+2 5G WIFI 11AC(40) CH134

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5670.000	9.45	34.50	38.13	90.99	96.81	68.20	28.61	peak
2	5725.000	9.64	34.54	38.13	48.73	54.78	68.20	-13.42	peak
3	5730.188	9.66	34.54	38.13	50.08	56.15	68.20	-12.05	peak




SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM180100021702

Page: 771 of 817

Test mode:	802.11ac(HT40)	Frequency(MHz):	5755	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG

Mode : 5755 Band edge

: Ant 1+2 5G WIFI 11AC(40) CH151

		Cable	Ant	Preamp	Read	Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5715.000	9.61	34.53	38.13	55.92	61.93	109.40	-47.47 peak
2	5725.000	9.64	34.54	38.13	61.74	67.79	122.20	-54.41 peak
3 pp	5755.000	9.75	34.56	38.12	92.06	98.25	125.20	-26.95 peak




SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM180100021702

Page: 772 of 817

Test mode:	802.11ac(HT40)	Frequency(MHz):	5755	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG

Mode : 5755 Band edge

: Ant 1+2 5G WIFI 11AC(40) CH151

		Cable	Ant	Preamp	Read	Limit	Over	
	Freq	Loss	Factor	Factor	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5715.000	9.61	34.53	38.13	59.50	65.51	109.40	-43.89 peak
2	5725.000	9.64	34.54	38.13	60.63	66.68	122.20	-55.52 peak
3 pp	5755.000	9.75	34.56	38.12	91.53	97.72	125.20	-27.48 peak




SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM180100021702

Page: 773 of 817

Test mode:	802.11ac(HT40)	Frequency(MHz):	5795	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG

Mode : 5795 Band edge

: Ant 1+2 5G WIFI 11AC(40) CH159

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5795.000	9.88	34.58	38.12	91.61	97.95	125.20	-27.25	peak
2	5850.000	10.07	34.61	38.11	48.43	55.00	122.20	-67.20	peak
3	5860.000	10.10	34.62	38.11	47.06	53.67	109.40	-55.73	peak




SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM180100021702

Page: 774 of 817

Test mode:	802.11ac(HT40)	Frequency(MHz):	5795	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG

Mode : 5795 Band edge

: Ant 1+2 5G WIFI 11AC(40) CH159

		Cable	Ant	Preamp	Read	Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5795.000	9.88	34.58	38.12	91.89	98.23	125.20	-26.97 peak
2	5850.000	10.07	34.61	38.11	49.04	55.61	122.20	-66.59 peak
3	5860.000	10.10	34.62	38.11	46.87	53.48	109.40	-55.92 peak




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 775 of 817

Test mode:	802.11ac(HT80)	Frequency(MHz):	5210	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG

Mode : 5210 Band edge

: Ant 1+2 5G WIFI 11AC(80) CH42

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5149.503	8.32	34.47	38.18	47.19	51.80	74.00	-22.20	Peak
2	pp 5210.000	8.42	34.46	38.18	82.19	86.89	68.20	18.69	Peak
3	5352.064	8.63	34.43	38.16	46.69	51.59	74.00	-22.41	Peak




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 776 of 817

Test mode:	802.11ac(HT80)	Frequency(MHz):	5210	Average	Vertical
------------	----------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 0217RG

Mode : 5210 Band edge

: Ant 1+2 5G WIFI 11AC(80) CH42

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5146.267	8.32	34.47	38.18	38.32	42.93	54.00	-11.07	Average
2	5210.000	8.42	34.46	38.18	73.78	78.48	-----	-----	Average
3	5351.452	8.63	34.43	38.16	36.96	41.86	54.00	-12.14	Average




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 777 of 817

Test mode:	802.11ac(HT80)	Frequency(MHz):	5210	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG

Mode : 5210 Band edge

: Ant 1+2 5G WIFI 11AC(80) CH42

	Freq	Cable Loss	Ant Factor	Preamplifier Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5139.506	8.31	34.47	38.18	48.81	53.41	74.00	-20.59	peak
2 pp	5210.000	8.42	34.46	38.18	83.39	88.09	68.20	19.89	peak
3	5385.513	8.68	34.42	38.16	46.53	51.47	74.00	-22.53	peak




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 778 of 817

Test mode:	802.11ac(HT80)	Frequency(MHz):	5210	Average	Horizontal
------------	----------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG

Mode : 5210 Band edge

: Ant 1+2 5G WIFI 11AC(80) CH42

	Freq	Cable Loss	Ant Factor	Preamplifier Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5149.503	8.32	34.47	38.18	39.67	44.28	54.00	-9.72 Average
2	5210.000	8.42	34.46	38.18	76.14	80.84	-----	----- Average
3	5352.370	8.63	34.43	38.16	36.81	41.71	54.00	-12.29 Average




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 779 of 817

Test mode:	802.11ac(HT80)	Frequency(MHz):	5290	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG

Mode : 5290 Band edge

: Ant 1+2 5G WIFI 11AC(80) CH58

	Freq	Cable Loss	Ant Factor	Preamplifier Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5146.267	8.32	34.47	38.18	46.33	50.94	74.00	-23.06 Peak
2 pp	5290.000	8.54	34.44	38.17	82.22	87.03	68.20	18.83 Peak
3	5359.411	8.64	34.43	38.16	47.00	51.91	74.00	-22.09 Peak




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 780 of 817

Test mode:	802.11ac(HT80)	Frequency(MHz):	5290	Average	Vertical
------------	----------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 0217RG

Mode : 5290 Band edge

: Ant 1+2 5G WIFI 11AC(80) CH58

	Freq	Cable Loss	Ant Factor	Preamplifier Factor	Read Level	Level	Limit	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5145.973	8.32	34.47	38.18	37.05	41.66	54.00	-12.34	Average
2	5290.000	8.54	34.44	38.17	74.47	79.28	-----	-----	Average
3 pp	5351.146	8.63	34.43	38.16	37.35	42.25	54.00	-11.75	Average




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 781 of 817

Test mode:	802.11ac(HT80)	Frequency(MHz):	5290	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG

Mode : 5290 Band edge

: Ant 1+2 5G WIFI 11AC(80) CH58

	Freq	Cable Loss	Ant Factor	Preamplifier Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5138.331	8.31	34.47	38.19	46.59	51.18	74.00	-22.82	peak
2 pp	5290.000	8.54	34.44	38.17	83.60	88.41	68.20	20.21	peak
3	5359.411	8.64	34.43	38.16	46.38	51.29	74.00	-22.71	peak




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 782 of 817

Test mode:	802.11ac(HT80)	Frequency(MHz):	5290	Average	Horizontal
------------	----------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG

Mode : 5290 Band edge

: Ant 1+2 5G WIFI 11AC(80) CH58

	Freq	Cable Loss	Ant Factor	Preamplifier Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5142.150	8.31	34.47	38.18	37.07	41.67	54.00	-12.33 Average
2	5290.000	8.54	34.44	38.17	75.57	80.38	-----	----- Average
3 pp	5351.146	8.63	34.43	38.16	37.81	42.71	54.00	-11.29 Average




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 783 of 817

Test mode:	802.11ac(HT80)	Frequency(MHz):	5530	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG

Mode : 5530 Band edge

: Ant 1+2 5G WIFI 11AC(80) CH106

	Freq	Cable Loss	Ant Factor	Preamplifier Factor	Read Level	Level	Limit	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5456.244	8.79	34.41	38.15	50.51	55.56	74.00	-18.44	Peak
2	5466.451	8.80	34.41	38.15	52.03	57.09	68.20	-11.11	peak
3 pp	5530.000	8.96	34.42	38.14	84.63	89.87	68.20	21.67	Peak




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 784 of 817

Test mode:	802.11ac(HT80)	Frequency(MHz):	5530	Average	Vertical
------------	----------------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 0217RG

Mode : 5530 Band edge

: Ant 1+2 5G WIFI 11AC(80) CH106

	Freq	Cable Loss	Ant Factor	Preamplifier Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5457.138	8.79	34.41	38.15	41.97	47.02	54.00	-6.98 Average
2	5530.000	8.96	34.42	38.14	76.68	81.92	-----	----- Average




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 785 of 817

Test mode:	802.11ac(HT80)	Frequency(MHz):	5530	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG

Mode : 5530 Band edge

: Ant 1+2 5G WIFI 11AC(80) CH106

	Freq	Cable Loss	Ant Factor	Preamplifier Factor	Read Level	Level	Limit	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5459.286	8.79	34.41	38.15	51.61	56.66	74.00	-17.34	peak
2	5469.678	8.81	34.41	38.15	51.90	56.97	68.20	-11.23	peak
3 pp	5530.000	8.96	34.42	38.14	86.84	92.08	68.20	23.88	peak




SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM180100021702

Page: 786 of 817

Test mode:	802.11ac(HT80)	Frequency(MHz):	5530	Average	Horizontal
------------	----------------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG

Mode : 5530 Band edge

: Ant 1+2 5G WIFI 11AC(80) CH106

		Cable	Ant	Preamp	Read	Limit	Over	
	Freq	Loss	Factor	Factor	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5455.349	8.79	34.41	38.15	43.09	48.14	54.00	-5.86 Average
2	5530.000	8.96	34.42	38.14	78.27	83.51	-----	----- Average




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 787 of 817

Test mode:	802.11ac(HT80)	Frequency(MHz):	5610	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG

Mode : 5610 Band edge

: Ant 1+2 5G WIFI 11AC(80) CH122

		Cable	Ant	Preamp	Read	Limit	Over	
	Freq	Loss	Factor	Factor	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	pp 5610.000	9.24	34.47	38.14	85.18	90.75	68.20	22.55 Peak
2	5744.145	9.71	34.55	38.12	47.93	54.07	68.20	-14.13 Peak




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 788 of 817

Test mode:	802.11ac(HT80)	Frequency(MHz):	5610	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG

Mode : 5610 Band edge

: Ant 1+2 5G WIFI 11AC(80) CH122

		Cable	Ant	Preamp	Read	Limit	Over	
	Freq	Loss	Factor	Factor	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	pp 5610.000	9.24	34.47	38.14	85.97	91.54	68.20	23.34 peak
2	5730.560	9.66	34.54	38.13	47.33	53.40	68.20	-14.80 peak




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 789 of 817

Test mode:	802.11ac(HT80)	Frequency(MHz):	5775	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG

Mode : 5775 Band edge

: Ant 1+2 5G WIFI 11AC(80) CH155

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5722.280	9.63	34.54	38.13	54.35	60.39	116.00	-55.61	peak
2	pp 5775.000	9.81	34.57	38.12	86.23	92.49	125.20	-32.71	peak
3	5859.826	10.10	34.62	38.11	46.67	53.28	109.45	-56.17	peak




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 790 of 817

Test mode:	802.11ac(HT80)	Frequency(MHz):	5775	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG

Mode : 5775 Band edge

: Ant 1+2 5G WIFI 11AC(80) CH155

		Cable	Ant	Preamp	Read	Limit	Over	
	Freq	Loss	Factor	Factor	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5724.390	9.64	34.54	38.13	54.82	60.87	120.81	-59.94 peak
2	pp 5775.000	9.81	34.57	38.12	85.82	92.08	125.20	-33.12 peak
3	5849.958	10.07	34.61	38.11	46.36	52.93	125.20	-72.27 peak



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch


Report No.: SZEM180100021702

Page: 791 of 817

CDD

Test plot as follows:

Test mode:	802.11a	Frequency(MHz):	5180	Peak	Vertical
------------	---------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG

Mode : 5180 Band edge

: Ant CDD 5G WIFI 11A CH36

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5146.858	8.32	34.47	42.36	58.65	59.08	74.00	-14.92	Peak
2	5149.980	8.33	34.47	42.36	53.59	54.03	74.00	-19.97	Peak
3 pp	5180.000	8.37	34.46	42.33	94.13	94.63	68.20	26.43	Peak




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 792 of 817

Test mode:	802.11a	Frequency(MHz):	5180	Average	Vertical
------------	---------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 0217RG

Mode : 5180 Band edge

: Ant CDD 5G WIFI 11A CH36

	Freq	Cable Loss	Ant Factor	Preamplifier Factor	Read Level	Level	Limit	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5148.058	8.32	34.47	42.36	41.06	41.49	54.00	-12.51	Average
2	pp 5149.980	8.33	34.47	42.36	41.17	41.61	54.00	-12.39	Average
3	5180.000	8.37	34.46	42.33	87.83	88.33	-----	-----	Average




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 793 of 817

Test mode:	802.11a	Frequency(MHz):	5180	Peak	Horizontal
------------	---------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG

Mode : 5180 Band edge

: Ant CDD 5G WIFI 11A CH36

	Freq	Cable Loss	Ant Factor	Preamplifier Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5146.658	8.32	34.47	42.36	52.49	52.92	74.00	-21.08	peak
2	5149.980	8.33	34.47	42.36	50.20	50.64	74.00	-23.36	peak
3 pp	5180.000	8.37	34.46	42.33	95.89	96.39	68.20	28.19	peak




SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM180100021702

Page: 794 of 817

Test mode:	802.11a	Frequency(MHz):	5180	Average	Horizontal
------------	---------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG

Mode : 5180 Band edge

: Ant CDD 5G WIFI 11A CH36

		Cable	Ant	Preamp	Read	Limit	Over	
	Freq	Loss	Factor	Factor	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5147.458	8.32	34.47	42.36	40.28	40.71	54.00	-13.29 Average
2	5149.980	8.33	34.47	42.36	40.16	40.60	54.00	-13.40 Average
3	5180.000	8.37	34.46	42.33	89.05	89.55	-----	----- Average




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 795 of 817

Test mode:	802.11a	Frequency(MHz):	5240	Peak	Vertical
------------	---------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG

Mode : 5240 Band edge

: Ant CDD 5G WIFI 11A CH48

	Freq	Cable Loss	Ant Factor	Preamplifier Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5240.000	8.46	34.45	42.27	97.37	98.01	68.20	29.81 Peak
2	5350.020	8.63	34.43	42.17	47.01	47.90	74.00	-26.10 Peak
3	5352.974	8.63	34.43	42.17	48.69	49.58	74.00	-24.42 Peak




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 796 of 817

Test mode:	802.11a	Frequency(MHz):	5240	Average	Vertical
------------	---------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 0217RG

Mode : 5240 Band edge

: Ant CDD 5G WIFI 11A CH48

	Freq	Cable Loss	Ant Factor	Preamplifier Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5240.000	8.46	34.45	42.27	90.36	91.00	-----	-----	Average
2	5350.020	8.63	34.43	42.17	38.23	39.12	54.00	-14.88	Average
3 pp	5351.160	8.63	34.43	42.17	38.30	39.19	54.00	-14.81	Average




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 797 of 817

Test mode:	802.11a	Frequency(MHz):	5240	Peak	Horizontal
------------	---------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG

Mode : 5240 Band edge

: Ant CDD 5G WIFI 11A CH48

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5240.000	8.46	34.45	42.27	96.76	97.40	68.20	29.20	peak
2	5350.020	8.63	34.43	42.17	46.59	47.48	74.00	-26.52	peak
3	5399.451	8.70	34.42	42.12	47.61	48.61	74.00	-25.39	peak




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 798 of 817

Test mode:	802.11a	Frequency(MHz):	5240	Average	Horizontal
------------	---------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG

Mode : 5240 Band edge

: Ant CDD 5G WIFI 11A CH48

		Cable	Ant	Preamp	Read	Limit	Over	
	Freq	Loss	Factor	Factor	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5240.000	8.46	34.45	42.27	90.23	90.87	-----	Average
2	pp 5350.020	8.63	34.43	42.17	38.15	39.04	54.00	-14.96 Average
3	5350.797	8.63	34.43	42.17	38.14	39.03	54.00	-14.97 Average




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 799 of 817

Test mode:	802.11a	Frequency(MHz):	5260	Peak	Vertical
------------	---------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 0217RG

Mode : 5260 Band edge

: Ant CDD 5G WIFI 11A CH52

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5111.866	8.27	34.48	42.39	48.55	48.91	74.00	-25.09	Peak
2	5149.980	8.33	34.47	42.36	46.81	47.25	74.00	-26.75	Peak
3 pp	5260.000	8.49	34.45	42.25	97.31	98.00	68.20	29.80	Peak




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 800 of 817

Test mode:	802.11a	Frequency(MHz):	5260	Average	Vertical
------------	---------	-----------------	------	---------	----------



Condition: 3m VERTICAL

Job No : 0217RG

Mode : 5260 Band edge

: Ant CDD 5G WIFI 11A CH52

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5144.238	8.32	34.47	42.36	38.21	38.64	54.00	-15.36	Average
2	pp 5149.980	8.33	34.47	42.36	38.31	38.75	54.00	-15.25	Average
3	5260.000	8.49	34.45	42.25	90.31	91.00	-----	-----	Average




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 801 of 817

Test mode:	802.11a	Frequency(MHz):	5260	Peak	Horizontal
------------	---------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG

Mode : 5260 Band edge

: Ant CDD 5G WIFI 11A CH52

	Freq	Cable Loss	Ant Factor	Preamplifier Factor	Read Level	Level	Limit	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5126.070	8.29	34.47	42.38	47.87	48.25	74.00	-25.75	peak
2	5149.980	8.33	34.47	42.36	47.63	48.07	74.00	-25.93	peak
3 pp	5260.000	8.49	34.45	42.25	96.66	97.35	68.20	29.15	peak




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180100021702

Page: 802 of 817

Test mode:	802.11a	Frequency(MHz):	5260	Average	Horizontal
------------	---------	-----------------	------	---------	------------



Condition: 3m HORIZONTAL

Job No : 0217RG

Mode : 5260 Band edge

: Ant CDD 5G WIFI 11A CH52

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5149.058	8.32	34.47	42.36	38.08	38.51	54.00	-15.49	Average
2	5149.980	8.33	34.47	42.36	37.99	38.43	54.00	-15.57	Average
3	5260.000	8.49	34.45	42.25	89.76	90.45	-----	-----	Average