

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict			
					-10	7.77	0.00929	PASS			
					0	-1.26	-0.00151	PASS			
					10	-1.96	-0.00234	PASS			
					20	-1.10	-0.00132	PASS			
					30	-3.10	-0.00371	PASS			
					40	-1.46	-0.00175	PASS			
					50	-1.20	-0.00143	PASS			
			HCH	VN	-30	1.80	0.00212	PASS			
					-20	2.45	0.00289	PASS			
					-10	0.90	0.00106	PASS			
					0	3.93	0.00464	PASS			
					10	2.16	0.00255	PASS			
					20	-2.72	-0.00321	PASS			
					30	-4.01	-0.00473	PASS			
					40	0.73	0.00086	PASS			
		LCH	VN	-30	0.50	0.0006	PASS				
				-20	-1.59	-0.00192	PASS				
				-10	2.88	0.00348	PASS				
				0	0.64	0.00077	PASS				
				10	-1.04	-0.00126	PASS				
				20	-1.30	-0.00157	PASS				
				30	1.75	0.00212	PASS				
				40	0.11	0.00013	PASS				
				50	-2.46	-0.00298	PASS				
				MCH	VN	-30	1.87	0.00224	PASS		
						-20	-4.52	-0.0054	PASS		
						-10	-1.82	-0.00218	PASS		
		0	2.68			0.0032	PASS				
		10	3.76			0.00449	PASS				
		20	-4.76			-0.00569	PASS				
		30	-14.12			-0.01688	PASS				
		40	-3.85			-0.0046	PASS				
		HCH	VN	-30	1.54	0.00182	PASS				
				-20	0.44	0.00052	PASS				
				-10	-4.79	-0.00566	PASS				
				0	0.13	0.00015	PASS				
				10	-0.84	-0.00099	PASS				
				5							
				5							



Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict			
					20	-0.76	-0.0009	PASS			
					30	-0.70	-0.00083	PASS			
					40	0.67	0.00079	PASS			
					50	3.72	0.00439	PASS			
		10		LCH	VN	-30	2.47	0.00298	PASS		
						-20	1.02	0.00123	PASS		
						-10	-0.51	-0.00062	PASS		
						0	2.50	0.00302	PASS		
						10	0.51	0.00062	PASS		
						20	0.72	0.00087	PASS		
						30	0.39	0.00047	PASS		
						40	1.10	0.00133	PASS		
						50	0.54	0.00065	PASS		
						MCH	VN	-30	-0.59	-0.00071	PASS
								-20	0.64	0.00077	PASS
								-10	-0.83	-0.00099	PASS
								0	-5.05	-0.00604	PASS
								10	0.23	0.00027	PASS
								20	-0.53	-0.00063	PASS
								30	-0.34	-0.00041	PASS
				40	2.29			0.00274	PASS		
				HCH	VN	50	0.77	0.00092	PASS		
						-30	10.97	0.013	PASS		
						-20	-3.08	-0.00365	PASS		
						-10	-2.56	-0.00303	PASS		
						0	-1.54	-0.00182	PASS		
						10	-3.95	-0.00468	PASS		
						20	-3.19	-0.00378	PASS		
						30	-0.39	-0.00046	PASS		
				40	1.20	0.00142	PASS				
				50	1.02	0.00121	PASS				

END