

Report No.: HR/2018/C000201

Page: 31 of 61




Report No.: HR/2018/C000201

Page: 32 of 61




Report No.: HR/2018/C000201

Page: 33 of 61




Report No.: HR/2018/C000201

Page: 34 of 61




Report No.: HR/2018/C000201

Page: 35 of 61




Report No.: HR/2018/C000201

Page: 36 of 61




Report No.: HR/2018/C000201

Page: 37 of 61




Report No.: HR/2018/C000201

Page: 38 of 61




Report No.: HR/2018/C000201

Page: 39 of 61




Report No.: HR/2018/C000201

Page: 40 of 61




Report No.: HR/2018/C000201

Page: 41 of 61




Report No.: HR/2018/C000201

Page: 42 of 61




Report No.: HR/2018/C000201

Page: 43 of 61




Report No.: HR/2018/C000201

Page: 44 of 61




Report No.: HR/2018/C000201

Page: 45 of 61



Report No.: HR/2018/C000201

Page: 46 of 61



Report No.: HR/2018/C000201

Page: 47 of 61


### 6 Spurious Emission at Antenna Terminal

NOTE: For the averaged unwanted emissions measurements, the measurement points in each sweep is greater than twice the Span/RBW in order to ensure bin-to-bin spacing of < RBW/2 so that narrowband signals are not lost between frequency bins. As to the present test item, the "Measurement Points = k \* (Span / RBW)" with k = 4 and k = 6, which results in an acceptable level error of less than k = 6.

Part I - Test Plots

#### 6.1 For LTE


#### 6.1.1 Test Band = LTE Band CA 2C





Report No.: HR/2018/C000201


Page: 48 of 61





Report No.: HR/2018/C000201


Page: 49 of 61





Report No.: HR/2018/C000201


Page: 50 of 61





Report No.: HR/2018/C000201

Page: 51 of 61



Report No.: HR/2018/C000201

Page: 52 of 61

### 7 Field Strength of Spurious Radiation


#### 7.1 For LTE

#### 7.1.1 Test Band = LTE Band CA 2C Main Antenna


#### 7.1.1.1 Test Mode = LTE/QPSK 100RB+100RB

#### 7.1.1.1.1 Test Channel = LCH-Vertical

Full Spectrum



#### 7.1.1.1.1 Test Channel = LCH-Horizontal




<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions.aspx">https://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/en/Terms-and-Conditions/Term

Report No.: HR/2018/C000201


Page: 53 of 61

#### 7.1.1.1.2 Test Channel = MCH-Vertical

Full Spectrum



#### 7.1.1.1.3 Test Channel = MCH-Horizontal




Report No.: HR/2018/C000201


Page: 54 of 61

#### 7.1.1.1.4 Test Channel = HCH-Vertical

Full Spectrum



#### 7.1.1.1.5 Test Channel = HCH-Horizontal



Report No.: HR/2018/C000201


Page: 55 of 61

#### 7.1.2 Test Band = LTE Band CA\_2C\_Secdondary Antenna


#### 7.1.2.1 Test Mode =LTE/QPSK 100RB+100RB

#### 7.1.2.1.1 Test Channel = LCH-Vertical

Full Spectrum



#### 7.1.2.1.2 Test Channel = LCH-Horizontal




<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions/Ferm

Report No.: HR/2018/C000201


Page: 56 of 61

#### 7.1.2.1.3 Test Channel = MCH-Vertical

Full Spectrum



#### 7.1.2.1.4 Test Channel = MCH-Horizontal




Report No.: HR/2018/C000201

Page: 57 of 61


#### 7.1.2.1.5 Test Channel = HCH-Vertical

Full Spectrum



#### 7.1.2.1.6 Test Channel = HCH-Horizontal

Full Spectrum



#### NOTE:

- 1) The disturbance above 13GHz and below 30MHz was very low, and the above harmonics were the highest point could be found when testing, so only the above harmonics had been displayed.
- 2) We have tested all combinations and all modulations, but only the worst case data presented in this report.

<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions.aspx">https://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/en/Terms-and-Conditions/Terms-and-Document.aspx">https://www.sgs.com/en/Terms-and-Conditions/Terms-and-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of his document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Report No.: HR/2018/C000201

Page: 58 of 61

### 8 Frequency Stability

### 8.1 Frequency Error VS. Voltage

Test Band	Test Mode	Test Channel	RB Config	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
CA_2C	QPSK	18633-18750	100RB#0/100RB#0	TN	NV	-2.70	-0.001452	PASS
CA_2C	QPSK	18808-18925	100RB#0/100RB#0	TN	NV	15.56	0.008319	PASS
CA_2C	QPSK	18983-19100	100RB#0/100RB#0	TN	NV	-2.84	-0.001512	PASS
CA_2C	QPSK	18750-18633	100RB#0/100RB#0	TN	NV	8.88	0.004722	PASS
CA_2C	QPSK	18925-18808	100RB#0/100RB#0	TN	NV	12.66	0.006697	PASS
CA_2C	QPSK	19100-18983	100RB#0/100RB#0	TN	NV	10.14	0.005335	PASS
CA_2C	16QAM	18633-18750	100RB#0/100RB#0	TN	NV	-12.22	-0.006569	PASS
CA_2C	16QAM	18808-18925	100RB#0/100RB#0	TN	NV	-1.98	-0.001058	PASS
CA_2C	16QAM	18983-19100	100RB#0/100RB#0	TN	NV	-1.52	-0.000806	PASS
CA_2C	16QAM	18750-18633	100RB#0/100RB#0	TN	NV	15.25	0.008114	PASS
CA_2C	16QAM	18925-18808	100RB#0/100RB#0	TN	NV	-2.88	-0.001524	PASS
CA_2C	16QAM	19100-18983	100RB#0/100RB#0	TN	NV	-1.64	-0.000861	PASS
CA_2C	64QAM	18633-18750	100RB#0/100RB#0	TN	NV	15.52	0.008342	PASS
CA_2C	64QAM	18808-18925	100RB#0/100RB#0	TN	NV	11.75	0.006283	PASS
CA_2C	64QAM	18983-19100	100RB#0/100RB#0	TN	NV	2.59	0.001376	PASS
CA_2C	64QAM	18750-18633	100RB#0/100RB#0	TN	NV	-2.37	-0.001259	PASS
CA_2C	64QAM	18925-18808	100RB#0/100RB#0	TN	NV	-13.40	-0.007090	PASS
CA_2C	64QAM	19100-18983	100RB#0/100RB#0	TN	NV	8.71	0.004584	PASS

### 8.2 Frequency Error VS. Temperature

		,	•					
Test Band	Test Mode	Test Channel	RB Config	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
CA_2C	QPSK	18633-18750	100RB#0/100RB#0	NV	-30	14.72	0.007914	PASS
CA_2C	QPSK	18633-18750	100RB#0/100RB#0	NV	-20	-2.36	-0.001267	PASS
CA_2C	QPSK	18633-18750	100RB#0/100RB#0	NV	-10	-0.83	-0.000444	PASS
CA_2C	QPSK	18633-18750	100RB#0/100RB#0	NV	0	-11.67	-0.006272	PASS
CA_2C	QPSK	18633-18750	100RB#0/100RB#0	NV	10	3.14	0.001689	PASS
CA_2C	QPSK	18633-18750	100RB#0/100RB#0	NV	20	4.57	0.002455	PASS
CA_2C	QPSK	18633-18750	100RB#0/100RB#0	NV	30	-8.19	-0.004406	PASS
CA_2C	QPSK	18633-18750	100RB#0/100RB#0	NV	40	11.27	0.006061	PASS
CA_2C	QPSK	18633-18750	100RB#0/100RB#0	NV	50	-7.18	-0.003860	PASS
CA_2C	QPSK	18808-18925	100RB#0/100RB#0	NV	-30	1.14	0.000609	PASS
CA_2C	QPSK	18808-18925	100RB#0/100RB#0	NV	-20	-7.30	-0.003901	PASS
CA_2C	QPSK	18808-18925	100RB#0/100RB#0	NV	-10	-0.86	-0.000460	PASS
CA_2C	QPSK	18808-18925	100RB#0/100RB#0	NV	0	-7.17	-0.003835	PASS
CA_2C	QPSK	18808-18925	100RB#0/100RB#0	NV	10	12.78	0.006837	PASS
CA_2C	QPSK	18808-18925	100RB#0/100RB#0	NV	20	-5.67	-0.003030	PASS
CA_2C	QPSK	18808-18925	100RB#0/100RB#0	NV	30	0.87	0.000467	PASS
CA_2C	QPSK	18808-18925	100RB#0/100RB#0	NV	40	-9.62	-0.005142	PASS
CA_2C	QPSK	18808-18925	100RB#0/100RB#0	NV	50	-5.32	-0.002846	PASS
CA_2C	QPSK	18983-19100	100RB#0/100RB#0	NV	-30	-11.40	-0.006063	PASS



Report No.: HR/2018/C000201

Page: 59 of 61

CA_2C	QPSK	18983-19100	100RB#0/100RB#0	NV	-20	1.11	0.000590	PASS
CA_2C	QPSK	18983-19100	100RB#0/100RB#0	NV	-10	0.74	0.000392	PASS
CA_2C	QPSK	18983-19100	100RB#0/100RB#0	NV	0	-10.34	-0.005501	PASS
CA_2C	QPSK	18983-19100	100RB#0/100RB#0	NV	10	15.84	0.008423	PASS
CA_2C	QPSK	18983-19100	100RB#0/100RB#0	NV	20	14.93	0.007942	PASS
CA_2C	QPSK	18983-19100	100RB#0/100RB#0	NV	30	14.76	0.007850	PASS
CA_2C	QPSK	18983-19100	100RB#0/100RB#0	NV	40	-12.40	-0.006596	PASS
CA_2C	QPSK	18983-19100	100RB#0/100RB#0	NV	50	-3.22	-0.001715	PASS
CA_2C	QPSK	18750-18633	100RB#0/100RB#0	NV	-30	-7.21	-0.003837	PASS
CA_2C	QPSK	18750-18633	100RB#0/100RB#0	NV	-20	-6.08	-0.003236	PASS
CA_2C	QPSK	18750-18633	100RB#0/100RB#0	NV	-10	-1.66	-0.000881	PASS
CA_2C	QPSK	18750-18633	100RB#0/100RB#0	NV	0	7.34	0.003902	PASS
CA_2C	QPSK	18750-18633	100RB#0/100RB#0	NV	10	0.20	0.000105	PASS
CA_2C	QPSK	18750-18633	100RB#0/100RB#0	NV	20	4.99	0.002656	PASS
CA_2C	QPSK	18750-18633	100RB#0/100RB#0	NV	30	-7.16	-0.003808	PASS
CA_2C	QPSK	18750-18633	100RB#0/100RB#0	NV	40	-5.30	-0.002822	PASS
CA_2C	QPSK	18750-18633	100RB#0/100RB#0	NV	50	-5.75	-0.003059	PASS
CA_2C	QPSK	18925-18808	100RB#0/100RB#0	NV	-30	14.39	0.007612	PASS
CA_2C	QPSK	18925-18808	100RB#0/100RB#0	NV	-20	-4.74	-0.002508	PASS
CA_2C	QPSK	18925-18808	100RB#0/100RB#0	NV	-10	3.37	0.001786	PASS
CA_2C	QPSK	18925-18808	100RB#0/100RB#0	NV	0	11.48	0.006075	PASS
CA_2C	QPSK	18925-18808	100RB#0/100RB#0	NV	10	-2.66	-0.001409	PASS
CA_2C	QPSK	18925-18808	100RB#0/100RB#0	NV	20	-4.03	-0.002133	PASS
CA_2C	QPSK	18925-18808	100RB#0/100RB#0	NV	30	14.68	0.007767	PASS
CA_2C	QPSK	18925-18808	100RB#0/100RB#0	NV	40	-10.46	-0.005536	PASS
CA_2C	QPSK	18925-18808	100RB#0/100RB#0	NV	50	-5.39	-0.002854	PASS
CA_2C	QPSK	19100-18983	100RB#0/100RB#0	NV	-30	-8.90	-0.004683	PASS
CA_2C	QPSK	19100-18983	100RB#0/100RB#0	NV	-20	-5.27	-0.002772	PASS
CA_2C	QPSK	19100-18983	100RB#0/100RB#0	NV	-10	-0.25	-0.000132	PASS
CA_2C	QPSK	19100-18983	100RB#0/100RB#0	NV	0	12.12	0.006379	PASS
CA_2C	QPSK	19100-18983	100RB#0/100RB#0	NV	10	9.21	0.004847	PASS
CA_2C	QPSK	19100-18983	100RB#0/100RB#0	NV	20	-0.49	-0.000260	PASS
CA_2C	QPSK	19100-18983	100RB#0/100RB#0	NV	30	-15.47	-0.008142	PASS
CA_2C	QPSK	19100-18983	100RB#0/100RB#0	NV	40	-13.69	-0.007206	PASS
CA_2C	QPSK	19100-18983	100RB#0/100RB#0	NV	50	-4.39	-0.002308	PASS
CA_2C	16QAM	18633-18750	100RB#0/100RB#0	NV	-30	-11.03	-0.005929	PASS
CA_2C	16QAM	18633-18750	100RB#0/100RB#0	NV	-20	-8.16	-0.004388	PASS
CA_2C	16QAM	18633-18750	100RB#0/100RB#0	NV	-10	6.34	0.003409	PASS
CA_2C	16QAM	18633-18750	100RB#0/100RB#0	NV	0	1.74	0.000934	PASS
CA_2C	16QAM	18633-18750	100RB#0/100RB#0	NV	10	14.17	0.007619	PASS
CA_2C	16QAM	18633-18750	100RB#0/100RB#0	NV	20	-3.10	-0.001665	PASS
CA_2C	16QAM	18633-18750	100RB#0/100RB#0	NV	30	3.10	0.001664	PASS
CA_2C	16QAM	18633-18750	100RB#0/100RB#0	NV	40	-2.60	-0.001396	PASS
CA_2C	16QAM	18633-18750	100RB#0/100RB#0	NV	50	-10.11	-0.005437	PASS
CA_2C	16QAM	18808-18925	100RB#0/100RB#0	NV	-30	5.87	0.003138	PASS
CA_2C	16QAM	18808-18925	100RB#0/100RB#0	NV	-20	-7.92	-0.004234	PASS
CA_2C	16QAM	18808-18925	100RB#0/100RB#0	NV	-10	-10.89	-0.005822	PASS
CA_2C	16QAM	18808-18925	100RB#0/100RB#0	NV	0	13.81	0.007383	PASS
			onditions of Service printed overleafavai	·				

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions/Term



Report No.: HR/2018/C000201

Page: 60 of 61

CA_2C	16QAM	18808-18925	100RB#0/100RB#0	NV	10	-9.63	-0.005147	PASS
CA_2C	16QAM	18808-18925	100RB#0/100RB#0	NV	20	-1.37	-0.000730	PASS
CA_2C	16QAM	18808-18925	100RB#0/100RB#0	NV	30	9.98	0.005337	PASS
CA_2C	16QAM	18808-18925	100RB#0/100RB#0	NV	40	12.08	0.006460	PASS
CA_2C	16QAM	18808-18925	100RB#0/100RB#0	NV	50	-4.73	-0.002530	PASS
CA_2C	16QAM	18983-19100	100RB#0/100RB#0	NV	-30	8.47	0.004507	PASS
CA_2C	16QAM	18983-19100	100RB#0/100RB#0	NV	-20	-5.03	-0.002673	PASS
CA_2C	16QAM	18983-19100	100RB#0/100RB#0	NV	-10	-11.50	-0.006117	PASS
CA_2C	16QAM	18983-19100	100RB#0/100RB#0	NV	0	6.07	0.003231	PASS
CA_2C	16QAM	18983-19100	100RB#0/100RB#0	NV	10	-12.28	-0.006533	PASS
CA_2C	16QAM	18983-19100	100RB#0/100RB#0	NV	20	-13.90	-0.007393	PASS
CA_2C	16QAM	18983-19100	100RB#0/100RB#0	NV	30	10.36	0.005511	PASS
CA_2C	16QAM	18983-19100	100RB#0/100RB#0	NV	40	14.57	0.007750	PASS
CA_2C	16QAM	18983-19100	100RB#0/100RB#0	NV	50	7.34	0.003902	PASS
CA_2C	16QAM	18750-18633	100RB#0/100RB#0	NV	-30	-5.92	-0.003151	PASS
CA_2C	16QAM	18750-18633	100RB#0/100RB#0	NV	-20	6.38	0.003396	PASS
CA_2C	16QAM	18750-18633	100RB#0/100RB#0	NV	-10	-6.07	-0.003228	PASS
CA_2C	16QAM	18750-18633	100RB#0/100RB#0	NV	0	4.24	0.002256	PASS
CA_2C	16QAM	18750-18633	100RB#0/100RB#0	NV	10	13.28	0.007062	PASS
CA_2C	16QAM	18750-18633	100RB#0/100RB#0	NV	20	13.52	0.007190	PASS
CA_2C	16QAM	18750-18633	100RB#0/100RB#0	NV	30	4.73	0.002519	PASS
CA_2C	16QAM	18750-18633	100RB#0/100RB#0	NV	40	-11.95	-0.006357	PASS
CA_2C	16QAM	18750-18633	100RB#0/100RB#0	NV	50	11.95	0.006355	PASS
CA_2C	16QAM	18925-18808	100RB#0/100RB#0	NV	-30	10.53	0.005571	PASS
CA_2C	16QAM	18925-18808	100RB#0/100RB#0	NV	-20	7.79	0.004122	PASS
CA_2C	16QAM	18925-18808	100RB#0/100RB#0	NV	-10	12.26	0.006489	PASS
CA_2C	16QAM	18925-18808	100RB#0/100RB#0	NV	0	1.75	0.000925	PASS
CA_2C	16QAM	18925-18808	100RB#0/100RB#0	NV	10	3.31	0.001753	PASS
CA_2C	16QAM	18925-18808	100RB#0/100RB#0	NV	20	-3.58	-0.001893	PASS
CA_2C	16QAM	18925-18808	100RB#0/100RB#0	NV	30	0.22	0.000115	PASS
CA_2C	16QAM	18925-18808	100RB#0/100RB#0	NV	40	4.49	0.002374	PASS
CA_2C	16QAM	18925-18808	100RB#0/100RB#0	NV	50	-15.71	-0.008313	PASS
CA_2C	16QAM	19100-18983	100RB#0/100RB#0	NV	-30	-4.93	-0.002593	PASS
CA_2C	16QAM	19100-18983	100RB#0/100RB#0	NV	-20	6.45	0.003393	PASS
CA_2C	16QAM	19100-18983	100RB#0/100RB#0	NV	-10	4.02	0.002114	PASS
CA_2C	16QAM	19100-18983	100RB#0/100RB#0	NV	0	-14.54	-0.007653	PASS
CA_2C	16QAM	19100-18983	100RB#0/100RB#0	NV	10	-10.71	-0.005636	PASS
CA_2C	16QAM	19100-18983	100RB#0/100RB#0	NV	20	1.49	0.000785	PASS
CA_2C	16QAM	19100-18983	100RB#0/100RB#0	NV	30	-9.02	-0.004745	PASS
CA_2C	16QAM	19100-18983	100RB#0/100RB#0	NV	40	-8.72	-0.004588	PASS
CA_2C	16QAM	19100-18983	100RB#0/100RB#0	NV	50	-2.15	-0.001129	PASS
CA_2C	64QAM	18633-18750	100RB#0/100RB#0	NV	-30	7.78	0.004185	PASS
CA_2C	64QAM	18633-18750	100RB#0/100RB#0	NV	-20	9.16	0.004927	PASS
CA_2C	64QAM	18633-18750	100RB#0/100RB#0	NV	-10	-14.72	-0.007914	PASS
CA_2C	64QAM	18633-18750	100RB#0/100RB#0	NV	0	14.27	0.007671	PASS
CA_2C	64QAM	18633-18750	100RB#0/100RB#0	NV	10	8.26	0.004440	PASS
CA_2C	64QAM	18633-18750	100RB#0/100RB#0	NV	20	7.07	0.003803	PASS
CA_2C	64QAM	18633-18750	100RB#0/100RB#0	NV	30	4.23	0.002275	PASS
"		·	onditions of Service printed overleafavai	·				

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions/Term



Report No.: HR/2018/C000201

Page: 61 of 61

CA_2C	64QAM	18633-18750	100RB#0/100RB#0	NV	40	-3.47	-0.001863	PASS
CA_2C	64QAM	18633-18750	100RB#0/100RB#0	NV	50	-8.32	-0.004474	PASS
CA_2C	64QAM	18808-18925	100RB#0/100RB#0	NV	-30	7.76	0.004149	PASS
CA_2C	64QAM	18808-18925	100RB#0/100RB#0	NV	-20	15.59	0.008339	PASS
CA_2C	64QAM	18808-18925	100RB#0/100RB#0	NV	-10	5.36	0.002865	PASS
CA_2C	64QAM	18808-18925	100RB#0/100RB#0	NV	0	12.23	0.006541	PASS
CA_2C	64QAM	18808-18925	100RB#0/100RB#0	NV	10	6.55	0.003503	PASS
CA 2C	64QAM	18808-18925	100RB#0/100RB#0	NV	20	-6.27	-0.003351	PASS
CA_2C	64QAM	18808-18925	100RB#0/100RB#0	NV	30	-2.08	-0.001112	PASS
CA_2C	64QAM	18808-18925	100RB#0/100RB#0	NV	40	-8.51	-0.004549	PASS
CA_2C	64QAM	18808-18925	100RB#0/100RB#0	NV	50	-13.73	-0.007343	PASS
CA 2C	64QAM	18983-19100	100RB#0/100RB#0	NV	-30	0.38	0.000200	PASS
CA_2C	64QAM	18983-19100	100RB#0/100RB#0	NV	-20	7.05	0.003749	PASS
CA_2C	64QAM	18983-19100	100RB#0/100RB#0	NV	-10	-13.51	-0.007186	PASS
CA_2C	64QAM	18983-19100	100RB#0/100RB#0	NV	0	6.17	0.003281	PASS
					_			
CA_2C	64QAM	18983-19100	100RB#0/100RB#0	NV NV	10 20	12.31	0.006545	PASS PASS
CA_2C	64QAM	18983-19100	100RB#0/100RB#0			-15.76	-0.008380	
CA_2C	64QAM	18983-19100	100RB#0/100RB#0	NV	30	-10.43	-0.005547	PASS
CA_2C	64QAM	18983-19100	100RB#0/100RB#0	NV	40	5.23	0.002781	PASS
CA_2C	64QAM	18983-19100	100RB#0/100RB#0	NV	50	2.17	0.001154	PASS
CA_2C	64QAM	18750-18633	100RB#0/100RB#0	NV	-30	-6.15	-0.003270	PASS
CA_2C	64QAM	18750-18633	100RB#0/100RB#0	NV	-20	-9.36	-0.004982	PASS
CA_2C	64QAM	18750-18633	100RB#0/100RB#0	NV	-10	-12.44	-0.006620	PASS
CA_2C	64QAM	18750-18633	100RB#0/100RB#0	NV	0	-14.85	-0.007898	PASS
CA_2C	64QAM	18750-18633	100RB#0/100RB#0	NV	10	12.63	0.006720	PASS
CA_2C	64QAM	18750-18633	100RB#0/100RB#0	NV	20	13.52	0.007191	PASS
CA_2C	64QAM	18750-18633	100RB#0/100RB#0	NV	30	-9.08	-0.004828	PASS
CA_2C	64QAM	18750-18633	100RB#0/100RB#0	NV	40	2.78	0.001481	PASS
CA_2C	64QAM	18750-18633	100RB#0/100RB#0	NV	50	6.18	0.003288	PASS
CA_2C	64QAM	18925-18808	100RB#0/100RB#0	NV	-30	-2.50	-0.001324	PASS
CA_2C	64QAM	18925-18808	100RB#0/100RB#0	NV	-20	11.44	0.006055	PASS
CA_2C	64QAM	18925-18808	100RB#0/100RB#0	NV	-10	13.48	0.007135	PASS
CA_2C	64QAM	18925-18808	100RB#0/100RB#0	NV	0	-12.60	-0.006669	PASS
CA_2C	64QAM	18925-18808	100RB#0/100RB#0	NV	10	-4.33	-0.002290	PASS
CA_2C	64QAM	18925-18808	100RB#0/100RB#0	NV	20	13.76	0.007282	PASS
CA_2C	64QAM	18925-18808	100RB#0/100RB#0	NV	30	-2.31	-0.001224	PASS
CA_2C	64QAM	18925-18808	100RB#0/100RB#0	NV	40	-4.41	-0.002335	PASS
CA_2C	64QAM	18925-18808	100RB#0/100RB#0	NV	50	-3.03	-0.001605	PASS
CA_2C	64QAM	19100-18983	100RB#0/100RB#0	NV	-30	12.41	0.006530	PASS
CA_2C	64QAM	19100-18983	100RB#0/100RB#0	NV	-20	4.16	0.002188	PASS
CA_2C	64QAM	19100-18983	100RB#0/100RB#0	NV	-10	-0.23	-0.000119	PASS
CA_2C	64QAM	19100-18983	100RB#0/100RB#0	NV	0	-5.55	-0.002919	PASS
CA_2C	64QAM	19100-18983	100RB#0/100RB#0	NV	10	2.46	0.001296	PASS
CA_2C	64QAM	19100-18983	100RB#0/100RB#0	NV	20	-2.15	-0.001131	PASS
CA_2C	64QAM	19100-18983	100RB#0/100RB#0	NV	30	-13.85	-0.007290	PASS
CA_2C	64QAM	19100-18983	100RB#0/100RB#0	NV	40	-12.97	-0.006824	PASS
CA_2C	64QAM	19100-18983	100RB#0/100RB#0	NV	50	12.79	0.006732	PASS