












6.1.1.2.3.2 Test Channel = MCH

6.1.1.2.3.2.1 Test RB = RB1#0












6.1.1.2.3.3 Test Channel = HCH

6.1.1.2.3.3.1 Test RB = RB1#0










6.1.1.2.4 Test Bandwidth = 10

6.1.1.2.4.1 Test Channel = LCH

6.1.1.2.4.1.1 Test RB = RB1#0












6.1.1.2.4.2 Test Channel = MCH

6.1.1.2.4.2.1 Test RB = RB1#0












6.1.1.2.4.3 Test Channel = HCH

6.1.1.2.4.3.1 Test RB = RB1#0










6.1.1.2.5 Test Bandwidth = 15

6.1.1.2.5.1 Test Channel = LCH

6.1.1.2.5.1.1 Test RB = RB1#0












6.1.1.2.5.2 Test Channel = MCH

6.1.1.2.5.2.1 Test RB = RB1#0












6.1.1.2.5.3 Test Channel = HCH

6.1.1.2.5.3.1 Test RB = RB1#0












6.1.1.2.6 Test Bandwidth = 20

6.1.1.2.6.1 Test Channel = LCH

6.1.1.2.6.1.1 Test RB = RB1#0












6.1.1.2.6.2 Test Channel = MCH

6.1.1.2.6.2.1 Test RB = RB1#0












6.1.1.2.6.3 Test Channel = HCH

6.1.1.2.6.3.1 Test RB = RB1#0







7Appendix_G: Field Strength of Spurious Radiation

Note:

9kHz~150kHz, VBW = 200Hz, VBW = 600 Hz, Detector: PK

150kHz~30MHz, VBW = 9kHz, VBW = 30k Hz, Detector: PK

30MHz~1GHz, RBW = 100 kHz, VBW = 300 kHz. Detector: PK

Above 1GHz, RBW = 1 MHz, VBW = 3 MHz. Detector: PK


We tested all modes, but the data presented below is the worst case.

Part I - Test Plots


7.1 For LTE

7.1.1 Test Band = BAND2


7.1.1.1 Test Bandwidth = 1.4




Copy of RSE-TX-DIRECTOR ABOVE 1.5G_L




Copy of RSE-TX-DIRECTOR ABOVE 1.5G_H








7.1.1.2 Test Bandwidth = 20



Copy of RSE-TX-DIRECTOR ABOVE 1.5G_L



Copy of RSE-TX-DIRECTOR ABOVE 1.5G_H



8Appendix_H: Frequency Stability

8.1 For LTE

8.1.1Frequency Error vs. Voltage:

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
BAND2	LTE/TM1	1.4	LCH	TN	VL	-4.81	-0.0026	PASS
					VN	-1.02	-0.00055	PASS
					VH	-0.5	-0.00027	PASS
			MCH	TN	VL	1.67	0.00089	PASS
					VN	1.33	0.00071	PASS
					VH	-3.19	-0.0017	PASS
			HCH	TN	VL	6.27	0.00328	PASS
					VN	6.27	0.00328	PASS
					VH	-2.8	-0.00147	PASS
		3	LCH	TN	VL	-0.69	-0.00037	PASS
					VN	-0.8	-0.00043	PASS
					VH	-0.67	-0.00036	PASS
			MCH	TN	VL	-0.86	-0.00046	PASS
					VN	0.37	0.0002	PASS
					VH	-0.31	-0.00016	PASS
			HCH	TN	VL	2.92	0.00153	PASS
					VN	-0.21	-0.00011	PASS
					VH	-0.7	-0.00037	PASS
		5	LCH	TN	VL	-2.06	-0.00111	PASS
					VN	-1.23	-0.00066	PASS
					VH	-1.62	-0.00087	PASS
			MCH	TN	VL	-0.37	-0.0002	PASS
					VN	1.32	0.0007	PASS
					VH	0.57	0.0003	PASS
			HCH	TN	VL	4.82	0.00253	PASS
					VN	1	0.00052	PASS
					VH	0.82	0.00043	PASS
		10	LCH	TN	VL	-2.7	-0.00146	PASS
					VN	-3.45	-0.00186	PASS
					VH	-0.87	-0.00047	PASS
			MCH	TN	VL	-0.04	-0.00002	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
	LTE/TM2		HCH	TN	VN	-1.27	-0.00068	PASS
					VH	-1.66	-0.00088	PASS
					VL	-0.33	-0.00017	PASS
					VN	0.89	0.00047	PASS
					VH	2.9	0.00152	PASS
					VL	3.02	0.00163	PASS
		15	LCH	TN	VN	-0.26	-0.00014	PASS
					VH	-0.41	-0.00022	PASS
					VL	5.52	0.00294	PASS
			MCH	TN	VN	-0.9	-0.00048	PASS
					VH	-3.86	-0.00205	PASS
					VL	1.14	0.0006	PASS
			HCH	TN	VN	0.4	0.00021	PASS
					VH	-0.41	-0.00022	PASS
					VL	-2.15	-0.00116	PASS
		20	LCH	TN	VN	-2.65	-0.00142	PASS
					VH	-1.02	-0.00055	PASS
					VL	-2.5	-0.00133	PASS
			MCH	TN	VN	-1.42	-0.00076	PASS
					VH	-0.26	-0.00014	PASS
					VL	2.5	0.00132	PASS
			HCH	TN	VN	1.2	0.00063	PASS
					VH	0.54	0.00028	PASS
					VL	0.54	0.00029	PASS
		1.4	LCH	TN	VN	-2.09	-0.00113	PASS
					VH	-6.28	-0.00339	PASS
					VL	0.9	0.00048	PASS
			MCH	TN	VN	0.4	0.00021	PASS
					VH	-0.17	-0.00009	PASS
					VL	3.56	0.00186	PASS
			HCH	TN	VN	0.62	0.00032	PASS
					VH	-1.59	-0.00083	PASS
					VL	2.05	0.00111	PASS
		3	LCH	TN	VN	1.02	0.00055	PASS
					VH	-1.42	-0.00077	PASS
					VL	7.22	0.00384	PASS
			MCH	TN	VN	1.29	0.00069	PASS
					VH	1.7	0.0009	PASS
					VL	7.22	0.00378	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					VN	3.5	0.00183	PASS
					VH	-2.73	-0.00143	PASS
		5	LCH	TN	VL	2.8	0.00151	PASS
					VN	-0.46	-0.00025	PASS
					VH	0.5	0.00027	PASS
					VL	0.94	0.0005	PASS
			MCH	TN	VN	-0.86	-0.00046	PASS
					VH	-1.59	-0.00085	PASS
					VL	6.74	0.00353	PASS
			HCH	TN	VN	1.23	0.00064	PASS
					VH	0.44	0.00023	PASS
					VL	-1.59	-0.00086	PASS
		10	LCH	TN	VN	-1.5	-0.00081	PASS
					VH	-3.4	-0.00183	PASS
					VL	-0.96	-0.00051	PASS
			MCH	TN	VN	0.19	0.0001	PASS
					VH	-0.72	-0.00038	PASS
					VL	3.13	0.00164	PASS
			HCH	TN	VN	1.1	0.00058	PASS
					VH	0.63	0.00033	PASS
					VL	2.35	0.00127	PASS
		15	LCH	TN	VN	0.3	0.00016	PASS
					VH	-0.84	-0.00045	PASS
					VL	0.56	0.0003	PASS
			MCH	TN	VN	-2.93	-0.00156	PASS
					VH	-1.12	-0.0006	PASS
					VL	1.39	0.00073	PASS
			HCH	TN	VN	-0.92	-0.00048	PASS
					VH	-0.2	-0.00011	PASS
					VL	-1.04	-0.00056	PASS
		20	LCH	TN	VN	-0.2	-0.00011	PASS
					VH	-6.25	-0.00336	PASS
					VL	0.06	0.00003	PASS
			MCH	TN	VN	-1.66	-0.00088	PASS
					VH	-0.82	-0.00044	PASS
					VL	1.43	0.00075	PASS
			HCH	TN	VN	-0.17	-0.00009	PASS
					VH	-0.1	-0.00005	PASS

8.1.2 Frequency Error vs. Temperature:

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
BAND2	LTE/TM1	1.4	LCH	VN	-30	4.36	0.00236	PASS
					-20	3.02	0.00163	PASS
					-10	-3.05	-0.00165	PASS
					0	-1.66	-0.0009	PASS
					10	-1.1	-0.00059	PASS
					20	-3.22	-0.00174	PASS
					30	-2.25	-0.00122	PASS
					40	-3.75	-0.00203	PASS
					50	0.3	0.00016	PASS
			MCH	VN	-30	3.82	0.00203	PASS
					-20	2.47	0.00131	PASS
					-10	0.93	0.00049	PASS
					0	1.14	0.00061	PASS
					10	0.14	0.00007	PASS
					20	1.7	0.0009	PASS
					30	0.49	0.00026	PASS
					40	1.65	0.00088	PASS
					50	-4.15	-0.00221	PASS
			HCH	VN	-30	-2.16	-0.00113	PASS
					-20	2.16	0.00113	PASS
					-10	-1.86	-0.00097	PASS
					0	0.57	0.0003	PASS
					10	-0.6	-0.00031	PASS
					20	-5.87	-0.00307	PASS
					30	-5.22	-0.00273	PASS
					40	-6.9	-0.00361	PASS
					50	-6.78	-0.00355	PASS
		3	LCH	VN	-30	-2.09	-0.00113	PASS
					-20	2.1	0.00113	PASS
					-10	1.82	0.00098	PASS
					0	-4.25	-0.0023	PASS
					10	-4.73	-0.00255	PASS
					20	1.8	0.00097	PASS
					30	-1.19	-0.00064	PASS
					40	-1.02	-0.00055	PASS
					50	-1.9	-0.00103	PASS
			MCH	VN	-30	0.87	0.00046	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					-20	-2.43	-0.00129	PASS
					-10	-2.98	-0.00159	PASS
					0	-0.17	-0.00009	PASS
					10	-0.49	-0.00026	PASS
					20	-1.1	-0.00059	PASS
					30	-1.72	-0.00091	PASS
					40	-0.96	-0.00051	PASS
					50	0.46	0.00024	PASS
			HCH	VN	-30	-0.06	-0.00003	PASS
					-20	2.1	0.0011	PASS
					-10	4.05	0.00212	PASS
					0	-0.27	-0.00014	PASS
					10	-2.52	-0.00132	PASS
					20	-1.26	-0.00066	PASS
					30	-0.2	-0.0001	PASS
					40	0.09	0.00005	PASS
					50	0.62	0.00032	PASS
		5	LCH	VN	-30	-4.61	-0.00249	PASS
					-20	-2.69	-0.00145	PASS
					-10	-3.78	-0.00204	PASS
					0	-1.77	-0.00096	PASS
					10	-2.27	-0.00123	PASS
					20	-4.78	-0.00258	PASS
					30	-4.55	-0.00246	PASS
					40	-2.53	-0.00137	PASS
					50	-2.88	-0.00155	PASS
			MCH	VN	-30	0.2	0.00011	PASS
					-20	0.03	0.00002	PASS
					-10	0.79	0.00042	PASS
					0	-3.38	-0.0018	PASS
					10	-2.09	-0.00111	PASS
					20	-2.88	-0.00153	PASS
					30	-2	-0.00106	PASS
					40	-1.22	-0.00065	PASS
					50	-0.87	-0.00046	PASS
			HCH	VN	-30	1.24	0.00065	PASS
					-20	-0.7	-0.00037	PASS
					-10	-2.42	-0.00127	PASS
					0	-1.95	-0.00102	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					10	-3.3	-0.00173	PASS
					20	-1.95	-0.00102	PASS
					30	-2.62	-0.00137	PASS
					40	-1.65	-0.00087	PASS
					50	-1.06	-0.00056	PASS
			LCH	VN	-30	0.57	0.00031	PASS
					-20	1.66	0.00089	PASS
					-10	-0.14	-0.00008	PASS
					0	-0.47	-0.00025	PASS
					10	2.32	0.00125	PASS
					20	-1.09	-0.00059	PASS
					30	-2.06	-0.00111	PASS
					40	-1.87	-0.00101	PASS
					50	-2.33	-0.00126	PASS
		10	MCH	VN	-30	-1.65	-0.00088	PASS
					-20	-0.4	-0.00021	PASS
					-10	1.56	0.00083	PASS
					0	-1.07	-0.00057	PASS
					10	-0.07	-0.00004	PASS
					20	-0.87	-0.00046	PASS
					30	-0.01	-0.00001	PASS
					40	-2.26	-0.0012	PASS
					50	-0.04	-0.00002	PASS
			HCH	VN	-30	2.1	0.0011	PASS
					-20	0.37	0.00019	PASS
					-10	-0.24	-0.00013	PASS
					0	1.63	0.00086	PASS
					10	1.02	0.00054	PASS
					20	0.27	0.00014	PASS
					30	0.09	0.00005	PASS
					40	0.13	0.00007	PASS
					50	-0.27	-0.00014	PASS
		15	LCH	VN	-30	3.5	0.00188	PASS
					-20	1.63	0.00088	PASS
					-10	2.3	0.00124	PASS
					0	3.76	0.00202	PASS
					10	3.49	0.00188	PASS
					20	2.19	0.00118	PASS
					30	4.71	0.00254	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					40	3.55	0.00191	PASS
					50	3.59	0.00193	PASS
			MCH	VN	-30	4.79	0.00255	PASS
					-20	0.93	0.00049	PASS
					-10	1.09	0.00058	PASS
					0	-2.22	-0.00118	PASS
					10	-2.39	-0.00127	PASS
					20	-0.69	-0.00037	PASS
					30	-0.09	-0.00005	PASS
					40	0.63	0.00034	PASS
					50	0.13	0.00007	PASS
			HCH	VN	-30	-0.7	-0.00037	PASS
					-20	1.03	0.00054	PASS
					-10	0.23	0.00012	PASS
					0	-1.54	-0.00081	PASS
					10	-0.31	-0.00016	PASS
					20	-0.93	-0.00049	PASS
					30	-0.96	-0.00005	PASS
					40	-0.19	-0.00001	PASS
					50	-1.8	-0.00095	PASS
		20	LCH	VN	-30	3.33	0.00179	PASS
					-20	0.86	0.00046	PASS
					-10	-0.86	-0.00046	PASS
					0	5.58	0.003	PASS
					10	2.03	0.00109	PASS
					20	-0.17	-0.00009	PASS
					30	-0.1	-0.00005	PASS
					40	0.24	0.00013	PASS
					50	1.06	0.00057	PASS
			MCH	VN	-30	0.01	0.00001	PASS
					-20	-3.52	-0.00187	PASS
					-10	-3.63	-0.00193	PASS
					0	-2.98	-0.00159	PASS
					10	-4.48	-0.00238	PASS
					20	-3.88	-0.00206	PASS
					30	15.85	0.00843	PASS
					40	-4.08	-0.00217	PASS
					50	5.29	0.00281	PASS
			HCH	VN	-30	0.82	0.00043	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					-20	2.46	0.00129	PASS
					-10	1.4	0.00074	PASS
					0	2.15	0.00113	PASS
					10	-1.47	-0.00077	PASS
					20	1.97	0.00104	PASS
					30	-0.07	-0.00004	PASS
					40	0.36	0.00019	PASS
					50	0.92	0.00048	PASS
	LTE/TM2	1.4	LCH	VN	-30	-0.2	-0.00011	PASS
					-20	0.13	0.00007	PASS
					-10	-5.36	-0.0029	PASS
					0	-3.83	-0.00207	PASS
					10	-6.84	-0.0037	PASS
					20	-1.96	-0.00106	PASS
					30	-6.19	-0.00334	PASS
					40	-4.13	-0.00223	PASS
					50	-2.82	-0.00152	PASS
			MCH	VN	-30	4.02	0.00214	PASS
					-20	2.92	0.00155	PASS
					-10	-0.51	-0.00027	PASS
					0	-2.36	-0.00126	PASS
					10	-3.4	-0.00181	PASS
					20	-0.64	-0.00034	PASS
					30	-0.13	-0.00007	PASS
					40	-1.66	-0.00088	PASS
					50	-1.95	-0.00104	PASS
			HCH	VN	-30	4.71	0.00247	PASS
					-20	1.83	0.00096	PASS
					-10	-2.3	-0.0012	PASS
					0	-5.42	-0.00284	PASS
					10	-2.93	-0.00153	PASS
					20	-1.56	-0.00082	PASS
					30	-6.08	-0.00318	PASS
					40	-3.32	-0.00174	PASS
					50	-3.85	-0.00202	PASS
		3	LCH	VN	-30	0.43	0.00023	PASS
					-20	-0.5	-0.00027	PASS
					-10	-1.06	-0.00057	PASS
					0	-1.1	-0.00059	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					10	-2.68	-0.00145	PASS
					20	0.13	0.00007	PASS
					30	-2.12	-0.00115	PASS
					40	-0.1	-0.00005	PASS
					50	-2.45	-0.00132	PASS
			MCH	VN	-30	2.42	0.00129	PASS
					-20	2.05	0.00109	PASS
					-10	1.87	0.00099	PASS
					0	-2.63	-0.0014	PASS
					10	-1.49	-0.00079	PASS
					20	-0.74	-0.00039	PASS
					30	-2.36	-0.00126	PASS
					40	-2.32	-0.00123	PASS
					50	-2.52	-0.00134	PASS
			HCH	VN	-30	3.43	0.0018	PASS
					-20	1.62	0.00085	PASS
					-10	1.6	0.00084	PASS
					0	2.86	0.0015	PASS
					10	2.12	0.00111	PASS
					20	-0.84	-0.00044	PASS
					30	2.17	0.00114	PASS
					40	-0.3	-0.00016	PASS
					50	2.15	0.00113	PASS
		5	LCH	VN	-30	0.33	0.00018	PASS
					-20	-0.47	-0.00025	PASS
					-10	-0.04	-0.00002	PASS
					0	3.33	0.0018	PASS
					10	-2.32	-0.00125	PASS
					20	-0.77	-0.00042	PASS
					30	-0.74	-0.0004	PASS
					40	-0.47	-0.00025	PASS
					50	0.2	0.00011	PASS
			MCH	VN	-30	1.47	0.00078	PASS
					-20	2.6	0.00138	PASS
					-10	-1.2	-0.00064	PASS
					0	-2.52	-0.00134	PASS
					10	-1.27	-0.00068	PASS
					20	-2.36	-0.00126	PASS
					30	-2.03	-0.00108	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					40	-4.21	-0.00224	PASS
					50	-1.13	-0.0006	PASS
			HCH	VN	-30	1.2	0.00063	PASS
					-20	-2.82	-0.00148	PASS
					-10	0.76	0.0004	PASS
					0	-1.32	-0.00069	PASS
					10	-2.06	-0.00108	PASS
					20	-1	-0.00052	PASS
					30	-0.97	-0.00051	PASS
					40	-0.7	-0.00037	PASS
					50	-3.36	-0.00176	PASS
		10	LCH	VN	-30	0.64	0.00035	PASS
					-20	-0.4	-0.00022	PASS
					-10	-1.26	-0.00068	PASS
					0	1.19	0.00064	PASS
					10	-1.16	-0.00063	PASS
					20	-0.13	-0.00007	PASS
					30	-0.7	-0.00038	PASS
					40	-0.19	-0.0001	PASS
					50	0.14	0.00008	PASS
			MCH	VN	-30	3.16	0.00168	PASS
					-20	-0.73	-0.00039	PASS
					-10	1.06	0.00056	PASS
					0	0.09	0.00005	PASS
					10	0.63	0.00034	PASS
					20	3.89	0.00207	PASS
					30	-2	-0.00106	PASS
					40	1.39	0.00074	PASS
					50	-1.29	-0.00069	PASS
			HCH	VN	-30	4.49	0.00236	PASS
					-20	4.35	0.00228	PASS
					-10	0.87	0.00046	PASS
					0	1.9	0.001	PASS
					10	1.36	0.00071	PASS
					20	3.08	0.00162	PASS
					30	0.84	0.00044	PASS
					40	1.33	0.0007	PASS
					50	2.05	0.00108	PASS
		15	LCH	VN	-30	1.34	0.00072	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					-20	3.82	0.00206	PASS
					-10	0.8	0.00043	PASS
					0	1.06	0.00057	PASS
					10	-0.36	-0.00019	PASS
					20	1.69	0.00091	PASS
					30	3.16	0.0017	PASS
					40	3.43	0.00185	PASS
					50	7.6	0.00409	PASS
			MCH	VN	-30	0.29	0.00015	PASS
					-20	-0.77	-0.00041	PASS
					-10	-1.16	-0.00062	PASS
					0	-0.2	-0.00011	PASS
					10	-1.52	-0.00081	PASS
					20	-3.46	-0.00184	PASS
					30	-3.08	-0.00164	PASS
					40	-0.57	-0.0003	PASS
					50	1.37	0.00073	PASS
			HCH	VN	-30	1.62	0.00085	PASS
					-20	0.04	0.00002	PASS
					-10	-0.84	-0.00044	PASS
					0	0.36	0.00019	PASS
					10	-0.13	-0.00007	PASS
					20	0.16	0.00008	PASS
					30	0.64	0.00034	PASS
					40	-0.2	-0.00011	PASS
					50	0.17	0.00009	PASS
		20	LCH	VN	-30	-7.58	-0.00408	PASS
					-20	11.87	0.00638	PASS
					-10	4.73	0.00254	PASS
					0	1.49	0.0008	PASS
					10	-2.5	-0.00134	PASS
					20	-3.73	-0.00201	PASS
					30	0.46	0.00025	PASS
					40	-2.73	-0.00147	PASS
					50	1.32	0.00071	PASS
			MCH	VN	-30	-0.41	-0.00022	PASS
					-20	-4.22	-0.00224	PASS
					-10	-3.16	-0.00168	PASS
					0	-5.36	-0.00285	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					10	-3.98	-0.00212	PASS
					20	-3.81	-0.00203	PASS
					30	-3.88	-0.00206	PASS
					40	-4.03	-0.00214	PASS
					50	-4.02	-0.00214	PASS
			HCH	VN	-30	-0.53	-0.00028	PASS
					-20	-0.43	-0.00023	PASS
					-10	1.72	0.00091	PASS
					0	2.46	0.00129	PASS
					10	3.28	0.00173	PASS
					20	2.49	0.00131	PASS
					30	0.59	0.00031	PASS
					40	2.23	0.00117	PASS
					50	1.67	0.00088	PASS

END