


Test Mode: WCDMA Band 4_TX CH1513


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
		1880.00	5.00	0.00	5.00	-15.00	20.00		

Test Mode: WCDMA Band 4_TX CH1513


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		

Test Mode: WCDMA Band 4_TX CH1513


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	3510.000	-68.55	14.27	-54.28	-13.00	-41.28	peak	

Test Mode: WCDMA Band 4_TX CH1513


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		3510.000	-67.84	10.66	-57.18	-13.00	-44.18	peak	
2	*	4725.000	-68.51	13.80	-54.71	-13.00	-41.71	peak	

Test Mode: WCDMA Band 4_TX CH1513_ HSDPA


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		

Test Mode: WCDMA Band 4_TX CH1513_HSDPA


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
		1880.00	5.00	0.00	5.00	-10.00	-15.00		

Test Mode: WCDMA Band 4_TX CH1513_ HSDPA


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		

Test Mode: WCDMA Band 4_TX CH1513_ HSDPA


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	4965.000	-63.91	14.55	-49.36	-13.00	-36.36	peak	

Test Mode: WCDMA Band 4_TX CH1513_HSUPA


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
		1880.00	5.00	0.00	5.00	-15.00	20.00		

Test Mode: WCDMA Band 4_TX CH1513_ HSUPA


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
		1800.00	5.00		5.00	-10.00	-15.00		

Test Mode: WCDMA Band 4_TX CH1513_ HSUPA


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		

Test Mode: WCDMA Band 4_TX CH1513_HSUPA


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		

Test Mode: LTE Band 4_TX CH20175_1.4M


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
		1800.00	~5		~5	~15	~10		

Test Mode: LTE Band 4_TX CH20175_1.4M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment

Test Mode: LTE Band 4_TX CH20175_1.4M


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		

Test Mode: LTE Band 4_TX CH20175_1.4M


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		

Test Mode: LTE Band 4_TX CH20175_5M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
		175.00	5.00	0.00	5.00	-13.00	18.00		

Test Mode: LTE Band 4_TX CH20175_5M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment

Test Mode: LTE Band 4_TX CH20175_5M


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		

Test Mode: LTE Band 4_TX CH20175_5M


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		

Test Mode: LTE Band 4_TX CH20175_20M


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
		1750.000	0.0		0.0	-15.0	15.0		

Test Mode: LTE Band 4_TX CH20175_20M


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
		1750.00	5.00	0.00	5.00	-15.00	20.00		

Test Mode: LTE Band 4_TX CH20175_20M


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		

Test Mode: LTE Band 4_TX CH20175_20M


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		

Test Mode: LTE Band 7_TX CH21100_5M


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
		2510.000	22.0	0.0	22.0	-12.0	34.0		

Test Mode: LTE Band 7_TX CH21100_5M


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
		2510.00	15.00	0.00	15.00	-12.00	27.00		

Test Mode: LTE Band 7_TX CH21100_5M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	5070.000	-61.69	14.79	-46.90	-25.00	-21.90	peak	

Test Mode: LTE Band 7_TX CH21100_5M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	5070.000	-66.52	14.93	-51.59	-25.00	-26.59	peak	

Test Mode: LTE Band 7_TX CH21100_5M


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		


Test Mode: LTE Band 7_TX CH21100_5M

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		


Test Mode: LTE Band 7_TX CH21350_20M



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
		2550.000	10.0	0.0	10.0	-25.0	-15.0		

Test Mode: LTE Band 7_TX CH21350_20M


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
		2580.000	0.00	0.00	0.00	-25.00	25.00		

Test Mode: LTE Band 7_TX CH21350_20M


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		


Test Mode: LTE Band 7_TX CH21350_20M

Horizontal



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment


Test Mode: LTE Band 7_TX CH21350_20M



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		

Test Mode: LTE Band 7_TX CH21350_20M


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
-----	-----	--------------	-------------------------	-------------------------	-------------------------	--------------	--------------	----------	---------

APPENDIX E - BAND EDGE


WCDMA Band 4_WCDMA



WCDMA Band 4_HSDPA



WCDMA Band 4_HSUPA



LTE Band 4_1.4M

1RB0



1RB5

Channel

19957

Channel

20393





6RB0

Channel

19957

Channel

20393



LTE Band 4_3M

1RB0



1RB14

Channel

19965

Channel

20385





15RB0

Channel

19965

Channel

20385



LTE Band 4_5M

1RB0



1RB24

Channel

19975

Channel

20375





25RB0

Channel

19975

Channel

20375



LTE Band 4_10M

1RB0



1RB49

Channel

2000

Channel

20350




50RB0

Channel

2000

Channel

20350



LTE Band 4_15M

1RB0


1RB74

Channel

20025

Channel

20325





75RB0

Channel

20025

Channel

20325



LTE Band 4_20M

1RB0

1RB99

Channel

20050

Channel

20300





100RB0

Channel

20050

Channel

20300



LTE Band 7_5M

1RB0



1RB24

Channel

20775

Channel

21425





25RB0

Channel

20775

Channel

21425



LTE Band 7_10M

1RB0



1RB49

Channel

20800

Channel

21400




50RB0

Channel

20800

Channel

21400



LTE Band 7_15M

1RB0



1RB74

Channel

20825

Channel

21375




75RB0

Channel

20825

Channel

21375



LTE Band 7_20M

1RB0



1RB99

Channel

20850

Channel

21350





100RB0

Channel

20850

Channel

21350



APPENDIX F - PEAK TO AVERAGE RATIO


WCDMA Band 4 Spectrum Plot_WCDMA



WCDMA Band 4 Spectrum Plot_HSDPA



WCDMA Band 4 Spectrum Plot_HSUPA



LTE Band 4 Spectrum Plot_1.4M



LTE Band 4 Spectrum Plot_3M



LTE Band 4 Spectrum Plot_5M



LTE Band 4 Spectrum Plot_10M



LTE Band 4 Spectrum Plot_15M



LTE Band 4 Spectrum Plot_20M



LTE Band 7 Spectrum Plot_5M




LTE Band 7 Spectrum Plot_10M



LTE Band 7 Spectrum Plot_15M



LTE Band 7 Spectrum Plot_20M



APPENDIX G - FREQUENCY STABILITY

Test Mode:	WCDMA Band 4_CH1513
------------	---------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
-30	3.36	0.001939282	±2.5
-20	2.13	0.001229366	
-10	5.33	0.003076302	
0	2.78	0.001604525	
10	3.57	0.002060487	
20	2.79	0.001610297	
30	3.48	0.002008542	
40	4.64	0.002678056	
50	5.26	0.0030359	
Max. Deviation (ppm)	5.33	0.003076302	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.2	3.41	0.00196814	±2.5
3.8	3.61	0.002083574	
3.6	5.79	0.003341798	
Max. Deviation (ppm)	5.79	0.003341798	

Test Mode:	LTE Band 4_CH20175_1.4M
------------	-------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
-30	3.23	0.001864358	±2.5
-20	-2.43	-0.001402597	
-10	-3.46	-0.001997114	
0	4.92	0.002839827	
10	-5.49	-0.003168831	
20	-3.83	-0.002210678	
30	3.92	0.002262626	
40	3.08	0.001777778	
50	-6.16	-0.003555556	
Max. Deviation (ppm)	-6.16	-0.003555556	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.2	-7.62	-0.004398268	±2.5
3.8	-3.11	-0.001795094	
3.6	-2.57	-0.001483405	
Max. Deviation (ppm)	-7.62	-0.004398268	

Test Mode:	LTE Band 4_CH20385_3M
------------	-----------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
-30	-4.48	-0.002585859	±2.5
-20	3.93	0.002268398	
-10	-4.48	-0.002585859	
0	0.87	0.000502165	
10	-6.01	-0.003468975	
20	-2.57	-0.001483405	
30	3.52	0.002031746	
40	5.97	0.003445887	
50	-6.37	-0.003676768	
Max. Deviation (ppm)	-6.37	-0.003676768	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.2	5.76	0.003324675	±2.5
3.8	-6.57	-0.003792208	
3.6	3.59	0.00207215	
Max. Deviation (ppm)	-6.57	-0.003792208	

Test Mode:	LTE Band 4_CH20175_5M
------------	-----------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
-30	-3.39	-0.00195671	±2.5
-20	5.61	0.003238095	
-10	-3.50	-0.002020202	
0	-4.82	-0.002782107	
10	4.86	0.002805195	
20	-3.19	-0.00184127	
30	-1.01	-0.000582973	
40	-6.43	-0.0037114	
50	-3.81	-0.002199134	
Max. Deviation (ppm)	-6.43	-0.0037114	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.2	4.29	0.00247619	±2.5
3.8	3.70	0.002135642	
3.6	4.46	0.002574315	
Max. Deviation (ppm)	4.46	0.002574315	

Test Mode:	LTE Band 4_CH20350_10M
------------	------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
-30	3.43	0.001979798	±2.5
-20	6.53	0.00376912	
-10	5.62	0.003243867	
0	3.96	0.002285714	
10	-6.05	-0.003492063	
20	0.53	0.000305916	
30	5.30	0.003059163	
40	0.98	0.000565657	
50	6.96	0.004017316	
Max. Deviation (ppm)	6.96	0.004017316	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.2	-2.11	-0.001217893	±2.5
3.8	-3.60	-0.002077922	
3.6	4.84	0.002793651	
Max. Deviation (ppm)	4.84	0.002793651	

Test Mode:	LTE Band 4_CH20325_15M
------------	------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
-30	4.46	0.002574315	±2.5
-20	2.27	0.001310245	
-10	-5.03	-0.002902742	
0	4.59	0.002649351	
10	-2.17	-0.001252525	
20	3.55	0.002049062	
30	-3.49	-0.00201443	
40	-2.40	-0.001385281	
50	-6.39	-0.003688312	
Max. Deviation (ppm)	-6.39	-0.003688312	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.2	6.24	0.003601732	±2.5
3.8	2.24	0.001292929	
3.6	-3.69	-0.00212987	
Max. Deviation (ppm)	6.24	0.003601732	

Test Mode:	LTE Band 4_CH20175_20M
------------	------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
-30	3.63	0.002095238	±2.5
-20	4.62	0.002666667	
-10	3.52	0.002031746	
0	-3.14	-0.00181241	
10	-7.55	-0.004357864	
20	6.51	0.003757576	
30	-2.98	-0.001720058	
40	5.13	0.002961039	
50	-3.76	-0.002170274	
Max. Deviation (ppm)	-7.55	-0.004357864	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.2	5.16	0.002978355	±2.5
3.8	-3.91	-0.002256854	
3.6	2.24	0.001292929	
Max. Deviation (ppm)	5.16	0.002978355	

Test Mode:	LTE Band 7_CH21100_5M
------------	-----------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
-30	2.53	0.000998028	±2.5
-20	6.40	0.002524655	
-10	-2.65	-0.001045365	
0	3.64	0.001435897	
10	-6.59	-0.002599606	
20	3.56	0.001404339	
30	4.65	0.00183432	
40	-2.83	-0.001116371	
50	-1.02	-0.000402367	
Max. Deviation (ppm)	-6.59	-0.002599606	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.2	-1.04	-0.000410256	±2.5
3.8	1.59	0.000627219	
3.6	2.82	0.001112426	
Max. Deviation (ppm)	2.82	0.001112426	

Test Mode:	LTE Band 7_CH21100_10M
------------	------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
-30	4.16	0.001641026	±2.5
-20	2.53	0.000998028	
-10	3.39	0.001337278	
0	1.56	0.000615385	
10	-2.62	-0.001033531	
20	3.83	0.001510848	
30	2.00	0.000788955	
40	2.41	0.00095069	
50	-2.04	-0.000804734	
Max. Deviation (ppm)	4.16	0.001641026	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.2	-2.19	-0.000863905	±2.5
3.8	4.40	0.0017357	
3.6	-2.74	-0.001080868	
Max. Deviation (ppm)	4.4	0.0017357	

Test Mode:	LTE Band 7_CH21375_15M
------------	------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
-30	5.19	0.002047337	±2.5
-20	-4.17	-0.00164497	
-10	-2.71	-0.001069034	
0	2.61	0.001029586	
10	3.01	0.001187377	
20	-2.71	-0.001069034	
30	3.73	0.0014714	
40	4.08	0.001609467	
50	2.16	0.000852071	
Max. Deviation (ppm)	5.19	0.002047337	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.2	4.15	0.001637081	±2.5
3.8	-5.41	-0.002134122	
3.6	3.26	0.001285996	
Max. Deviation (ppm)	-5.41	-0.002134122	

Test Mode:	LTE Band 7_CH21350_20M
------------	------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
-30	-5.26	-0.002074951	±2.5
-20	-3.91	-0.001542406	
-10	4.25	0.001676529	
0	2.11	0.000832347	
10	7.41	0.002923077	
20	-6.46	-0.002548323	
30	3.24	0.001278107	
40	-2.52	-0.000994083	
50	-3.48	-0.001372781	
Max. Deviation (ppm)	7.41	0.002923077	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.2	-5.20	-0.002051282	±2.5
3.8	4.29	0.001692308	
3.6	3.76	0.001483235	
Max. Deviation (ppm)	-5.2	-0.002051282	