



# Appendix for test report



# 1 Appendix\_A: Effective (Isotropic) Radiated Power Output Data

## Part I - Test Results

Test Band	Test Mode	Test Channel	Measured[dBm]	ERP[dBm]	Limit [dBm]	Verdict
GSM850	GSM/TM1	LCH	32.03	31.96	38.5	PASS
		MCH	32.25	32.18	38.5	PASS
		HCH	32.18	32.11	38.5	PASS
	GSM/TM2	LCH	25.78	25.71	38.5	PASS
		MCH	25.9	25.83	38.5	PASS
		HCH	25.88	25.81	38.5	PASS
WCDMA850	UMTS/TM1	LCH	22.43	22.36	38.5	PASS
		MCH	22.55	22.48	38.5	PASS
		HCH	22.43	22.36	38.5	PASS
Test Band	Test Mode	Test Channel	Conducted Power [dBm]	EIRP[dBm]	Limit [dBm]	Verdict
GSM1900	GSM/TM1	LCH	29.36	32.88	33	PASS
		MCH	29.01	32.53	33	PASS
		HCH	29	32.52	33	PASS
	GSM/TM2	LCH	24.79	28.31	33	PASS
		MCH	24.66	28.18	33	PASS
		HCH	24.54	28.06	33	PASS
WCDMA1900	UMTS/TM1	LCH	22.86	26.38	33	PASS
		MCH	22.24	25.76	33	PASS
		HCH	22.64	26.16	33	PASS

Note1:

a, For getting the ERP (Efficient Radiated Power) or EIRP (Efficient Isotropic Radiated Power) in substitution method, the following formula should be taken to calculate it,

$$ERP [dBm] = SGP [dBm] - Cable Loss [dB] + Gain [dBd]$$

$$EIRP [dBm] = SGP [dBm] - Cable Loss [dB] + Gain [dBi]$$

b, SGP=Signal Generator Level

Note2: RBW > emission bandwidth, VBW > 3 x RBW.

Detector: RMS

## 2Appendix\_B: Peak-to-Average Ratio

### Part I - Test Results

Test Band	Test Mode	Test Channel	Measured[dB]	Limit [dB]	Verdict
GSM1900	GSM/TM1	LCH	0.14	13	PASS
		MCH	0.15	13	PASS
		HCH	0.13	13	PASS
	GSM/TM2	LCH	3.09	13	PASS
		MCH	3.13	13	PASS
		HCH	3.18	13	PASS
Test Band	Test Mode	Test Channel	Measured[dB]	Limit [dB]	Verdict
WCDMA1900	UMTS/TM1	LCH	2.59	13	PASS
		MCH	2.97	13	PASS
		HCH	2.8	13	PASS

### 3Appendix\_C: Modulation Characteristics


#### Part I - Test Plots

#### 3.1 For GSM

#### 3.1.1 Test Band = GSM850


#### 3.1.1.1 Test Mode = GSM/TM1

#### 3.1.1.1.1 Test Channel = MCH



3.1.1.2 Test Mode = GSM/TM2


3.1.1.2.1 Test Channel = MCH



3.1.2 Test Band = GSM1900


3.1.2.1 Test Mode = GSM/TM1

3.1.2.1.1 Test Channel = MCH



3.1.2.2 Test Mode = GSM/TM2

3.1.2.2.1 Test Channel = MCH




### 3.2 For UMTS

#### 3.2.1 Test Band = WCDMA850

##### 3.2.1.1 Test Mode = UMTS/TM1


##### 3.2.1.1.1 Test Channel = MCH



### 3.2.2 Test Band = WCDMA1900

#### 3.2.2.1 Test Mode = UMTS/TM1

##### 3.2.2.1.1 Test Channel = MCH



## 4Appendix\_D: Bandwidth

### Part I - Test Results

Test Band	Test Mode	Test Channel	Occupied Bandwidth [kHz]	Emission Bandwidth [kHz]	Verdict
GSM850	GSM/TM1	LCH	245.26	314.67	Pass
		MCH	243.35	312.16	Pass
		HCH	241.35	310.82	Pass
	GSM/TM2	LCH	237.09	306.40	Pass
		MCH	238.43	286.12	Pass
		HCH	237.07	299.05	Pass
GSM1900	GSM/TM1	LCH	242.30	313.47	Pass
		MCH	244.72	311.74	Pass
		HCH	244.93	317.22	Pass
	GSM/TM2	LCH	245.91	306.42	Pass
		MCH	247.20	320.91	Pass
		HCH	247.00	314.63	Pass
Test Band	Test Mode	Test Channel	Occupied Bandwidth [MHz]	Emission Bandwidth [MHz]	Verdict
WCDMA850	UMTS/TM1	LCH	4.16	4.72	Pass
		MCH	4.16	4.73	Pass
		HCH	4.17	4.74	Pass
WCDMA1900	UMTS/TM1	LCH	4.16	4.75	Pass
		MCH	4.16	4.72	Pass
		HCH	4.17	4.72	Pass

**Part II - Test Plots**

**4.1 For GSM**


**4.1.1 Test Band = GSM850**

**4.1.1.1 Test Mode = GSM/TM1**

**4.1.1.1.1 Test Channel = LCH**




4.1.1.1.2 Test Channel = MCH





4.1.1.1.3 Test Channel = HCH





4.1.1.2 Test Mode = GSM/TM2

4.1.1.2.1 Test Channel = LCH





4.1.1.2.2 Test Channel = MCH



4.1.1.2.3 Test Channel = HCH






4.1.2 Test Band = GSM1900

4.1.2.1 Test Mode = GSM/TM1

4.1.2.1.1 Test Channel = LCH





### 4.1.2.1.2 Test Channel = MCH





### 4.1.2.1.3 Test Channel = HCH





### 4.1.2.2 Test Mode = GSM/TM2

#### 4.1.2.2.1 Test Channel = LCH






### 4.1.2.2.2 Test Channel = MCH





4.1.2.2.3 Test Channel = HCH




## 4.2 For UMTS


### 4.2.1 Test Band = WCDMA850

#### 4.2.1.1 Test Mode = UMTS/TM1


##### 4.2.1.1.1 Test Channel = LCH



4.2.1.1.2 Test Channel = MCH




4.2.1.1.3 Test Channel = HCH




4.2.2 Test Band = WCDMA1900

4.2.2.1 Test Mode = UMTS/TM1

4.2.2.1.1 Test Channel = LCH




4.2.2.1.2 Test Channel = MCH





4.2.2.1.3 Test Channel = HCH



## 5Appendix\_E: Band Edges Compliance


### Part I - Test Plots

#### 5.1 For GSM

##### 5.1.1 Test Band = GSM850

##### 5.1.1.1 Test Mode = GSM/TM1

##### 5.1.1.1.1 Test Channel = LCH




5.1.1.1.2 Test Channel = HCH



5.1.1.2 Test Mode = GSM/TM2

5.1.1.2.1 Test Channel = LCH






5.1.1.2.2 Test Channel = HCH



5.1.2 Test Band = GSM1900


5.1.2.1 Test Mode = GSM/TM1

5.1.2.1.1 Test Channel = LCH






5.1.2.1.2 Test Channel = HCH



5.1.2.2 Test Mode = GSM/TM2

5.1.2.2.1 Test Channel = LCH





5.1.2.2.2 Test Channel = HCH





## 5.2 For UMTS

### 5.2.1 Test Band = WCDMA850

#### 5.2.1.1 Test Mode = UMTS/TM1

##### 5.2.1.1.1 Test Channel = LCH





5.2.1.1.2 Test Channel = HCH



5.2.2 Test Band = WCDMA1900

5.2.2.1 Test Mode = UMTS/TM1

5.2.2.1.1 Test Channel = LCH





5.2.2.1.2 Test Channel = HCH



## 6Appendix\_F: Spurious Emission at Antenna Terminal

NOTE: For the averaged unwanted emissions measurements, the measurement points in each sweep is greater than twice the Span/RBW in order to ensure bin-to-bin spacing of  $< RBW/2$  so that narrowband signals are not lost between frequency bins. As to the present test item, the "Measurement Points =  $k * (Span / RBW)$ " with  $k$  between 4 and 5, which results in an acceptable level error of less than 0.5 dB.

### Part I - Test Plots


#### 6.1 For GSM


##### 6.1.1 Test Band = GSM850


##### 6.1.1.1 Test Mode = GSM/TM1

##### 6.1.1.1.1 Test Channel = LCH














6.1.1.1.2 Test Channel = MCH














6.1.1.1.3 Test Channel = HCH












6.1.1.2 Test Mode = GSM/TM2

6.1.1.2.1 Test Channel = LCH














6.1.1.2.2 Test Channel = MCH














### 6.1.1.2.3 Test Channel = HCH










6.1.2 Test Band = GSM1900

6.1.2.1 Test Mode = GSM/TM1

6.1.2.1.1 Test Channel = LCH










6.1.2.1.2 Test Channel = MCH










6.1.2.1.3 Test Channel = HCH










### 6.1.2.2 Test Mode = GSM/TM2

#### 6.1.2.2.1 Test Channel = LCH











6.1.2.2.2 Test Channel = MCH










6.1.2.2.3 Test Channel = HCH











## 6.2 For UMTS


### 6.2.1 Test Band = WCDMA850


#### 6.2.1.1 Test Mode = UMTS/TM1

##### 6.2.1.1.1 Test Channel = LCH















### 6.2.1.1.2 Test Channel = MCH















6.2.1.1.3 Test Channel = HCH











6.2.2 Test Band = WCDMA1900

6.2.2.1 Test Mode = UMTS/TM1

6.2.2.1.1 Test Channel = LCH













6.2.2.1.2 Test Channel = MCH









6.2.2.1.3 Test Channel = HCH







## 7Appendix\_G: Field Strength of Spurious Radiation

Note:

9kHz~150kHz, VBW = 200Hz, VBW = 600 Hz, Detector: PK

150kHz~30MHz, VBW = 9kHz, VBW = 30k Hz, Detector: PK

30MHz~1GHz, RBW = 100 kHz, VBW = 300 kHz. Detector: PK


Above 1GHz, RBW = 1 MHz, VBW = 3 MHz. Detector: PK

### Part I - Test Plots


#### 7.1 For GSM

##### 7.1.1 Test Band = GSM850


##### 7.1.1.1 Test Mode = GSM/TM1




Copy of FCC PART22 GSM850\_L




Copy of FCC PART22 GSM850\_H




### 7.1.1.2 Test Mode = GSM/TM2



Copy of FCC PART22 GSM850\_L




Copy of FCC PART22 GSM850\_H




**7.1.2 Test Band = GSM1900**



**7.1.2.1 Test Mode = GSM/TM1**




Copy of FCC PART24 GSM1900\_L




Copy of FCC PART24 GSM1900\_H





### 7.1.2.2 Test Mode = GSM/TM2



Copy of FCC PART24 GSM1900\_L




Copy of FCC PART24 GSM1900\_H




## 7.2 For UMTS

### 7.2.1 Test Band = WCDMA850


#### 7.2.1.1 Test Mode = UMTS/TM1



Copy of FCC PART22 WCDMA850\_L




Copy of FCC PART22 WCDMA850\_H




### 7.2.2 Test Band = WCDMA1900


#### 7.2.2.1 Test Mode = UMTS/TM1




Copy of FCC PART24 WCDMA1900\_L



Copy of FCC PART24 WCDMA1900\_H





## 8Appendix\_H: Frequency Stability

### 8.1 For GSM

#### 8.1.1 Frequency Error vs. Voltage:

Test Band	Test Mode	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
GSM850	GSM/TM1	LCH	TN	VL	-22.66	-0.02749	PASS
				VN	-26.93	-0.03267	PASS
				VH	-25.44	-0.03087	PASS
		MCH	TN	VL	-22.47	-0.02686	PASS
				VN	-40.62	-0.04855	PASS
				VH	-19.63	-0.02346	PASS
		HCH	TN	VL	-28.99	-0.03415	PASS
				VN	-24.67	-0.02906	PASS
				VH	-25.70	-0.03028	PASS
	GSM/TM2	LCH	TN	VL	-33.13	-0.0402	PASS
				VN	-26.25	-0.03185	PASS
				VH	-25.41	-0.03083	PASS
		MCH	TN	VL	-40.55	-0.04847	PASS
				VN	-19.50	-0.02331	PASS
				VH	-30.38	-0.03631	PASS
		HCH	TN	VL	-34.71	-0.04089	PASS
				VN	-22.60	-0.02663	PASS
				VH	-21.15	-0.02492	PASS
GSM1900	GSM/TM1	LCH	TN	VL	-73.42	-0.03968	PASS
				VN	-63.28	-0.0342	PASS
				VH	-60.57	-0.03274	PASS
		MCH	TN	VL	-37.00	-0.01968	PASS
				VN	-38.42	-0.02044	PASS
				VH	-32.93	-0.01752	PASS
		HCH	TN	VL	-50.69	-0.02654	PASS
				VN	-48.56	-0.02543	PASS
				VH	-52.88	-0.02769	PASS
	GSM/TM2	LCH	TN	VL	-80.59	-0.04356	PASS
				VN	-66.02	-0.03568	PASS
				VH	-81.46	-0.04403	PASS
		MCH	TN	VL	-35.42	-0.01884	PASS
				VN	-40.58	-0.02159	PASS
				VH	-40.58	-0.02159	PASS

Test Band	Test Mode	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
				VH	-41.75	-0.02221	PASS
		HCH	TN	VL	-60.47	-0.03166	PASS
				VN	-52.98	-0.02774	PASS
				VH	-44.49	-0.0233	PASS

**8.1.2 Frequency Error vs. Temperature:**

Test Band	Test Mode	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
GSM850	GSM/TM1	LCH	VN	-30	-24.99	-0.03032	PASS
				-20	-24.60	-0.02985	PASS
				-10	-24.21	-0.02937	PASS
				0	-28.86	-0.03502	PASS
				10	-28.09	-0.03408	PASS
				20	-26.28	-0.03189	PASS
				30	-26.22	-0.03181	PASS
				40	-26.47	-0.03212	PASS
		50	-26.02	-0.03157	PASS		
		MCH	VN	-30	-27.57	-0.03295	PASS
				-20	-24.15	-0.02887	PASS
				-10	-24.60	-0.0294	PASS
				0	-23.31	-0.02786	PASS
				10	-21.50	-0.0257	PASS
				20	-24.67	-0.02949	PASS
				30	-25.44	-0.03041	PASS
				40	-23.76	-0.0284	PASS
		50	-24.34	-0.02909	PASS		
		HCH	VN	-30	-28.80	-0.03393	PASS
				-20	-28.15	-0.03316	PASS
				-10	-23.89	-0.02815	PASS
				0	-23.57	-0.02777	PASS
				10	-25.70	-0.03028	PASS
				20	-25.51	-0.03005	PASS
	30			-27.25	-0.0321	PASS	
	40			-20.86	-0.02458	PASS	
	50	-28.86	-0.034	PASS			
	GSM/TM2	LCH	VN	-30	-33.80	-0.04101	PASS
				-20	-32.16	-0.03902	PASS
				-10	-34.22	-0.04152	PASS
				0	-37.10	-0.04501	PASS

Test Band	Test Mode	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict		
				10	-20.99	-0.02547	PASS		
				20	-29.51	-0.0358	PASS		
				30	-36.77	-0.04461	PASS		
				40	-33.96	-0.0412	PASS		
				50	-32.41	-0.03932	PASS		
		MCH	VN	-30	-33.42	-0.03995	PASS		
				-20	-35.90	-0.04291	PASS		
				-10	-33.74	-0.04033	PASS		
				0	-28.38	-0.03392	PASS		
				10	-39.16	-0.04681	PASS		
				20	-31.80	-0.03801	PASS		
				30	-28.51	-0.03408	PASS		
				40	-30.64	-0.03662	PASS		
		HCH	VN	50	-22.28	-0.02663	PASS		
				-30	-26.44	-0.03115	PASS		
				-20	-30.03	-0.03538	PASS		
				-10	-24.31	-0.02864	PASS		
				0	-22.96	-0.02705	PASS		
				10	-30.28	-0.03567	PASS		
				20	-31.16	-0.03671	PASS		
				30	-32.25	-0.03799	PASS		
		GSM1900	GSM/TM1	LCH	VN	40	-11.30	-0.01331	PASS
						50	-33.74	-0.03975	PASS
						-30	-59.15	-0.03197	PASS
-20	-60.63					-0.03277	PASS		
-10	-60.96					-0.03295	PASS		
0	-61.34					-0.03315	PASS		
10	-57.60					-0.03113	PASS		
20	-56.56					-0.03057	PASS		
MCH	VN			30	-58.31	-0.03152	PASS		
				40	-61.67	-0.03333	PASS		
				50	-60.31	-0.0326	PASS		
				-30	-52.56	-0.02796	PASS		
				-20	-30.99	-0.01648	PASS		
				-10	-42.10	-0.02239	PASS		
				0	-31.19	-0.01659	PASS		
				10	-30.74	-0.01635	PASS		
20	-36.61	-0.01947	PASS						
30	-26.67	-0.01419	PASS						
40	-33.45	-0.01779	PASS						



Test Band	Test Mode	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
		HCH	VN	50	-39.13	-0.02081	PASS
				-30	-53.01	-0.02776	PASS
				-20	-39.32	-0.02059	PASS
				-10	-52.69	-0.02759	PASS
				0	-43.59	-0.02282	PASS
				10	-45.98	-0.02408	PASS
				20	-43.39	-0.02272	PASS
				30	-46.36	-0.02427	PASS
				40	-47.98	-0.02512	PASS
				50	-49.72	-0.02603	PASS
	GSM/TM2	LCH	VN	-30	-63.31	-0.03422	PASS
				-20	-78.42	-0.04238	PASS
				-10	-66.61	-0.036	PASS
				0	-61.21	-0.03308	PASS
				10	-66.28	-0.03582	PASS
				20	-62.93	-0.03401	PASS
				30	-67.57	-0.03652	PASS
				40	-61.60	-0.03329	PASS
				50	-61.57	-0.03328	PASS
				MCH	VN	-30	-39.61
		-20	-47.01			-0.02501	PASS
		-10	-51.66			-0.02748	PASS
		0	-57.02			-0.03033	PASS
		10	-53.63			-0.02853	PASS
		20	-49.27			-0.02621	PASS
		30	-48.75			-0.02593	PASS
		40	-41.33			-0.02198	PASS
		50	-52.27			-0.0278	PASS
		HCH	VN			-30	-60.31
				-20	-56.79	-0.02974	PASS
				-10	-51.98	-0.02722	PASS
				0	-52.63	-0.02756	PASS
10	-66.73			-0.03494	PASS		
20	-49.07			-0.02569	PASS		
30	-55.50			-0.02906	PASS		
40	-62.41			-0.03268	PASS		
50	-63.73	-0.03337	PASS				

## 8.2 For UMTS

### 8.2.1 Frequency Error vs. Voltage:

Test Band	Test Mode	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
WCDMA850	UMTS/TM1	LCH	TN	VL	-3.75	-0.00454	PASS
				VN	6.07	0.00735	PASS
				VH	6.62	0.00801	PASS
		MCH	TN	VL	-7.66	-0.00916	PASS
				VN	-3.94	-0.00471	PASS
				VH	-2.85	-0.00341	PASS
		HCH	TN	VL	7.81	0.00923	PASS
				VN	-0.96	-0.00113	PASS
				VH	-15.88	-0.01876	PASS
WCDMA1900	UMTS/TM1	LCH	TN	VL	-6.65	-0.00359	PASS
				VN	-4.55	-0.00246	PASS
				VH	2.17	0.00117	PASS
		MCH	TN	VL	-0.14	-0.00007	PASS
				VN	-2.43	-0.00129	PASS
				VH	2.50	0.00133	PASS
		HCH	TN	VL	-3.75	-0.00197	PASS
				VN	-8.53	-0.00447	PASS
				VH	4.85	0.00254	PASS

### 8.2.2 Frequency Error vs. Temperature:

Test Band	Test Mode	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
WCDMA850	UMTS/TM1	LCH	VN	-30	3.75	0.00454	PASS
				-20	-16.56	-0.02004	PASS
				-10	-8.33	-0.01008	PASS
				0	-4.09	-0.00495	PASS
				10	-8.65	-0.01047	PASS
				20	-15.88	-0.01922	PASS
				30	3.60	0.00436	PASS
				40	4.32	0.00523	PASS
				50	23.57	0.02852	PASS
		MCH	VN	-30	-16.51	-0.01974	PASS
				-20	-5.11	-0.00611	PASS
				-10	-17.09	-0.02043	PASS

Test Band	Test Mode	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict										
				0	8.79	0.01051	PASS										
				10	-24.77	-0.02962	PASS										
				20	1.85	0.00221	PASS										
				30	9.75	0.01166	PASS										
				40	-22.89	-0.02737	PASS										
				50	-9.25	-0.01106	PASS										
		HCH	VN			-30	-24.75	-0.02923	PASS								
						-20	12.36	0.0146	PASS								
						-10	-4.97	-0.00587	PASS								
						0	-5.71	-0.00674	PASS								
						10	-8.87	-0.01048	PASS								
						20	-4.39	-0.00519	PASS								
						30	7.45	0.0088	PASS								
						40	6.52	0.0077	PASS								
						50	11.89	0.01404	PASS								
						WCDMA1900	UMTS/TM1	LCH	VN								
														-30	-3.25	-0.00175	PASS
														-20	1.37	0.00074	PASS
-10	6.50	0.00351	PASS														
0	2.49	0.00134	PASS														
10	-6.33	-0.00342	PASS														
20	-4.39	-0.00237	PASS														
30	-5.83	-0.00315	PASS														
40	-0.34	-0.00018	PASS														
50	-0.26	-0.00014	PASS														
MCH	VN																
										-30	-2.06	-0.0011	PASS				
										-20	0.50	0.00027	PASS				
										-10	-0.81	-0.00043	PASS				
										0	-7.61	-0.00405	PASS				
										10	-3.04	-0.00162	PASS				
										20	-5.00	-0.00266	PASS				
										30	-9.05	-0.00481	PASS				
										40	-7.58	-0.00403	PASS				
50	-2.37	-0.00126	PASS														
HCH	VN																
										-30	-3.08	-0.00161	PASS				
										-20	-2.91	-0.00153	PASS				
										-10	1.66	0.00087	PASS				
						0	-1.39			-0.00073	PASS						
						10	-4.94			-0.00259	PASS						
20	0.41	0.00021	PASS														
30	-0.61	-0.00032	PASS														



---

Test Band	Test Mode	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
				40	2.30	0.00121	PASS
				50	-6.70	-0.00351	PASS

---

END