

6.2.1.2.5 Test Bandwidth = 15

6.2.1.2.5.1 Test Channel = LCH

6.2.1.2.5.1.1 Test RB = RB1#0










6.2.1.2.5.2 Test Channel = MCH

6.2.1.2.5.2.1 Test RB = RB1#0








6.2.1.2.5.3 Test Channel = HCH

6.2.1.2.5.3.1 Test RB = RB1#0










6.2.1.2.6 Test Bandwidth = 20

6.2.1.2.6.1 Test Channel = LCH

6.2.1.2.6.1.1 Test RB = RB1#0








6.2.1.2.6.2 Test Channel = MCH

6.2.1.2.6.2.1 Test RB = RB1#0








6.2.1.2.6.3 Test Channel = HCH

6.2.1.2.6.3.1 Test RB = RB1#0







7Appendix_G: Field Strength of Spurious Radiation

Note: We tested all modes, but the data presented below is the worst case.

9kHz~150kHz, RBW = 200Hz, VBW = 600 Hz, Detector: PK

150kHz~30MHz, RBW = 9kHz, VBW = 30k Hz, Detector: PK

30MHz~1GHz, RBW = 100 kHz, VBW = 300 kHz. Detector: PK

Above 1GHz, RBW = 1 MHz, VBW = 3 MHz. Detector: PK

Part I - Test Plots


7.1 For LTE

7.1.1 Test Band = Band2_ANT1

7.1.1.1 Test Bandwidth = 1.4




Data: 73




Site : 03CH01-SZ
Condition : -13DBM
: RBW:9.000KHz VBW:30.000KHz


LTE FDD RSE-TX-DIRECTOR ABOVE 1.5G_L




LTE FDD RSE-TX-DIRECTOR ABOVE 1.5G_H



18G- 26.5G RSE-TX-DIRECT OR ABOVE 1.5G PK




7.1.1.2 Test Bandwidth = 20




Site : 03CH01-SZ
Condition : -13DBM
: RBW:9.000KHz VBW:30.000KHz


LTE FDD RSE-TX-DIRECTOR ABOVE 1.5G_L



LTE FDD RSE-TX-DIRECTOR ABOVE 1.5G_H



18G-26.5G R SE-TX-DIRECT OR ABOVE 1.5G PK




7.1.2 Test Band = Band2_ANT2

7.1.2.1 Test Bandwidth = 1.4




Data: 73

Date: 2018-12-12




Site : 03CH01-SZ
Condition : -13DBM
: RBW:9.000KHz VBW:30.000KHz


LTE FDD RSE-TX-DIRECTOR ABOVE 1.5G_L



LTE FDD RSE-TX-DIRECTOR ABOVE 1.5G_H




18G-26.5G R SE-TX-DIRECTOR ABOVE 1.5G PK



7.1.2.2 Test Bandwidth = 20




Data: 73




Site : 03CH01-SZ
Condition : -13DBM
: RBW:9.000KHz VBW:30.000KHz


LTE FDD RSE-TX-DIRECTOR ABOVE 1.5G_L



LTE FDD RSE-TX-DIRECTOR ABOVE 1.5G_H



18G-26.5G R SE-TX-DIRECTOR ABOVE 1.5G PK



8Appendix_H: Frequency Stability

8.1 For LTE

8.1.1Frequency Error vs. Voltage:

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
Band2	LTE/TM1	1.4	LCH	TN	VL	-9.34124	-0.00505	PASS
					VN	-6.43730	-0.00348	PASS
					VH	-1.87397	-0.00101	PASS
			MCH	TN	VL	-4.43459	-0.00236	PASS
					VN	0.27180	0.00014	PASS
					VH	3.14712	0.00167	PASS
			HCH	TN	VL	-15.59258	-0.00817	PASS
					VN	10.67162	0.00559	PASS
					VH	-8.98361	-0.00471	PASS
		3	LCH	TN	VL	3.40462	0.00184	PASS
					VN	-4.16279	-0.00225	PASS
					VH	-12.11643	-0.00654	PASS
			MCH	TN	VL	-2.67506	-0.00142	PASS
					VN	-4.94957	-0.00263	PASS
					VH	-2.93255	-0.00156	PASS
			HCH	TN	VL	-1.98841	-0.00104	PASS
					VN	-0.85831	-0.00045	PASS
					VH	-3.30448	-0.00173	PASS
		5	LCH	TN	VL	-0.34332	-0.00019	PASS
					VN	-1.90258	-0.00103	PASS
					VH	-0.58651	-0.00032	PASS
			MCH	TN	VL	-1.35899	-0.00072	PASS
					VN	-4.24862	-0.00226	PASS
					VH	-2.36034	-0.00126	PASS
			HCH	TN	VL	-2.20299	-0.00115	PASS
					VN	-2.36034	-0.00124	PASS
					VH	-2.03133	-0.00106	PASS
		10	LCH	TN	VL	0.74387	0.00040	PASS
					VN	0.57220	0.00031	PASS
					VH	0.07153	0.00004	PASS
			MCH	TN	VL	-4.64916	-0.00247	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict	
					VN	-2.05994	-0.00110	PASS	
					VH	0.32902	0.00018	PASS	
					VL	-2.17438	-0.00114	PASS	
			HCH	TN	VN	-0.90122	-0.00047	PASS	
					VH	0.31471	0.00017	PASS	
					VL	-1.20163	-0.00065	PASS	
		15	LCH	TN	VN	-4.34875	-0.00234	PASS	
					VH	0.08583	0.00005	PASS	
					VL	-2.05994	-0.00110	PASS	
			MCH	TN	VN	-2.24590	-0.00119	PASS	
					VH	-2.76089	-0.00147	PASS	
					VL	-3.84808	-0.00202	PASS	
			HCH	TN	VN	-3.61919	-0.00190	PASS	
					VH	-1.30177	-0.00068	PASS	
					VL	-1.07288	-0.00058	PASS	
		20	LCH	TN	VN	-1.63078	-0.00088	PASS	
					VH	1.20163	0.00065	PASS	
					VL	0.78678	0.00042	PASS	
			MCH	TN	VN	-8.78334	-0.00467	PASS	
					VH	-1.00136	-0.00053	PASS	
					VL	-0.01431	-0.00001	PASS	
			HCH	TN	VN	0.20027	0.00011	PASS	
					VH	-0.57220	-0.00030	PASS	
					VL	30.67017	0.01657	PASS	
		LTE/TM2	1.4	LCH	TN	VN	-0.67234	-0.00036	PASS
						VH	2.18868	0.00118	PASS
						VL	-7.36713	-0.00392	PASS
				MCH	TN	VN	6.82354	0.00363	PASS
						VH	-9.84192	-0.00524	PASS
						VL	-15.97881	-0.00837	PASS
				HCH	TN	VN	-12.74586	-0.00668	PASS
						VH	6.65188	0.00348	PASS
						VL	-0.04292	-0.00002	PASS
			3	LCH	TN	VN	-5.49316	-0.00297	PASS
						VH	2.88963	0.00156	PASS
						VL	-11.05785	-0.00588	PASS
MCH	TN			VN	-4.14848	-0.00221	PASS		
				VH	0.48637	0.00026	PASS		
				VL					

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict	
		5	HCH	TN	VL	1.25885	0.00066	PASS	
					VN	-1.88827	-0.00099	PASS	
					VH	0.24319	0.00013	PASS	
			LCH	TN	VL	-1.27316	-0.00069	PASS	
					VN	-0.34332	-0.00019	PASS	
					VH	-1.71661	-0.00093	PASS	
				MCH	TN	VL	-0.72956	-0.00039	PASS
						VN	-5.50747	-0.00293	PASS
						VH	-2.70367	-0.00144	PASS
		HCH	TN	VL	-4.23431	-0.00222	PASS		
				VN	-3.87669	-0.00203	PASS		
				VH	-4.90665	-0.00257	PASS		
		10	LCH	TN	VL	1.63078	0.00088	PASS	
					VN	2.07424	0.00112	PASS	
					VH	2.80380	0.00151	PASS	
			MCH	TN	VL	-2.30312	-0.00123	PASS	
					VN	-4.16279	-0.00221	PASS	
					VH	-1.37329	-0.00073	PASS	
			HCH	TN	VL	0.18597	0.00010	PASS	
					VN	-1.61648	-0.00085	PASS	
					VH	0.17166	0.00009	PASS	
		15	LCH	TN	VL	-0.25749	-0.00014	PASS	
					VN	-1.34468	-0.00072	PASS	
					VH	-0.71526	-0.00039	PASS	
			MCH	TN	VL	-0.85831	-0.00046	PASS	
					VN	-2.50339	-0.00133	PASS	
					VH	-3.41892	-0.00182	PASS	
			HCH	TN	VL	-2.05994	-0.00108	PASS	
					VN	-4.36306	-0.00229	PASS	
					VH	-4.06265	-0.00214	PASS	
		20	LCH	TN	VL	6.10828	0.00328	PASS	
					VN	-1.81675	-0.00098	PASS	
					VH	4.37737	0.00235	PASS	
			MCH	TN	VL	-2.60353	-0.00138	PASS	
					VN	-0.81539	-0.00043	PASS	
					VH	-2.23160	-0.00119	PASS	
			HCH	TN	VL	-0.48637	-0.00026	PASS	
					VN	0.47207	0.00025	PASS	

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					VH	-0.22888	-0.00012	PASS

8.1.2 Frequency Error vs. Temperature:

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
Band2	LTE/TM1	1.4	LCH	VN	-30	-24.39022	-0.01318	PASS
					-20	-3.43323	-0.00186	PASS
					-10	-3.87669	-0.00209	PASS
					0	3.27587	0.00177	PASS
					10	-7.96795	-0.00431	PASS
					20	-6.43730	-0.00348	PASS
					30	-32.98759	-0.01782	PASS
			40	3.40462	0.00184	PASS		
			50	-12.70294	-0.00686	PASS		
			MCH	VN	-30	4.97818	0.00265	PASS
					-20	6.40869	0.00341	PASS
					-10	3.31879	0.00177	PASS
					0	-4.92096	-0.00262	PASS
					10	17.19475	0.00915	PASS
		20			0.27180	0.00014	PASS	
		30			-3.23296	-0.00172	PASS	
		40	-7.39574	-0.00393	PASS			
		50	-3.34740	-0.00178	PASS			
		HCH	VN	-30	10.85758	0.00569	PASS	
				-20	7.08103	0.00371	PASS	
				-10	-10.22816	-0.00536	PASS	
				0	3.86238	0.00202	PASS	
				10	-7.88212	-0.00413	PASS	
				20	10.67162	0.00559	PASS	
				30	-12.30240	-0.00644	PASS	
		40	-7.61032	-0.00399	PASS			
		50	21.84391	0.01144	PASS			
		3	LCH	VN	-30	-9.67026	-0.00522	PASS
-20	-3.53336				-0.00191	PASS		
-10	-5.80788				-0.00314	PASS		
0	-6.65188				-0.00359	PASS		

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict	
					10	-1.81675	-0.00098	PASS	
					20	-4.16279	-0.00225	PASS	
					30	-4.46320	-0.00241	PASS	
					40	-6.38008	-0.00345	PASS	
					50	-1.34468	-0.00073	PASS	
			MCH	VN	-30	-7.92503	-0.00422	PASS	
					-20	-10.58578	-0.00563	PASS	
					-10	-6.86646	-0.00365	PASS	
					0	-2.23160	-0.00119	PASS	
					10	-2.67506	-0.00142	PASS	
					20	-4.94957	-0.00263	PASS	
					30	-8.16822	-0.00434	PASS	
					40	-11.21521	-0.00597	PASS	
					50	-7.95364	-0.00423	PASS	
					HCH	VN	-30	-2.01702	-0.00106
			-20	-3.81947			-0.00200	PASS	
			-10	-3.57628			-0.00187	PASS	
			0	-1.15871			-0.00061	PASS	
			10	-2.34604			-0.00123	PASS	
			20	-0.85831			-0.00045	PASS	
			30	-2.04563			-0.00107	PASS	
			40	-1.23024			-0.00064	PASS	
			5	LCH	VN	50	-0.70095	-0.00037	PASS
						-30	-4.43459	-0.00239	PASS
						-20	-5.33581	-0.00288	PASS
						-10	-4.33445	-0.00234	PASS
						0	-4.76360	-0.00257	PASS
						10	-3.80516	-0.00205	PASS
						20	-1.90258	-0.00103	PASS
						30	-4.70638	-0.00254	PASS
				40	-6.48022	-0.00350	PASS		
				50	-5.27859	-0.00285	PASS		
				MCH	VN	-30	-4.39167	-0.00234	PASS
						-20	-4.19140	-0.00223	PASS
						-10	-4.24862	-0.00226	PASS
						0	-3.08990	-0.00164	PASS
10	-5.04971	-0.00269				PASS			
20	-4.24862	-0.00226	PASS						
30	-4.43459	-0.00236	PASS						

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					40	-4.44889	-0.00237	PASS
					50	-5.14984	-0.00274	PASS
			HCH	VN	-30	-3.23296	-0.00169	PASS
					-20	-1.35899	-0.00071	PASS
					-10	-3.39031	-0.00178	PASS
					0	-3.26157	-0.00171	PASS
					10	-1.88827	-0.00099	PASS
					20	-2.36034	-0.00124	PASS
					30	-0.41485	-0.00022	PASS
					40	-0.12875	-0.00007	PASS
					50	-3.04699	-0.00160	PASS
					LCH	VN	-30	2.00272
		-20	1.70231	0.00092			PASS	
		-10	1.11580	0.00060			PASS	
		0	0.68665	0.00037			PASS	
		10	-0.25749	-0.00014			PASS	
		20	0.57220	0.00031			PASS	
		30	-0.65804	-0.00035			PASS	
		40	-0.10014	-0.00005			PASS	
		50	-1.20163	-0.00065			PASS	
		MCH	VN	-30			-1.93119	-0.00103
				-20	-2.47478	-0.00132	PASS	
				-10	-3.43323	-0.00183	PASS	
				0	-1.47343	-0.00078	PASS	
				10	-1.02997	-0.00055	PASS	
				20	-2.05994	-0.00110	PASS	
				30	-4.82082	-0.00256	PASS	
				40	-3.49045	-0.00186	PASS	
				50	-1.17302	-0.00062	PASS	
				HCH	VN	-30	-1.95980	-0.00103
		-20	-2.41756			-0.00127	PASS	
		-10	-2.81811			-0.00148	PASS	
		0	-1.53065			-0.00080	PASS	
10	-1.90258	-0.00100	PASS					
20	-0.90122	-0.00047	PASS					
30	0.04292	0.00002	PASS					
40	-2.73228	-0.00143	PASS					
50	-1.68800	-0.00089	PASS					
15	LCH	VN	-30	-1.71661	-0.00092	PASS		

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					-20	-3.00407	-0.00162	PASS
					-10	-25.09117	-0.01351	PASS
					0	-2.04563	-0.00110	PASS
					10	-3.16143	-0.00170	PASS
					20	-4.34875	-0.00234	PASS
					30	-1.45912	-0.00079	PASS
					40	-1.70231	-0.00092	PASS
					50	-0.50068	-0.00027	PASS
			MCH	VN	-30	-2.04563	-0.00109	PASS
					-20	-3.60489	-0.00192	PASS
					-10	-4.10557	-0.00218	PASS
					0	-5.67913	-0.00302	PASS
					10	-4.99249	-0.00266	PASS
					20	-2.24590	-0.00119	PASS
					30	-1.17302	-0.00062	PASS
					40	-4.77791	-0.00254	PASS
			HCH	VN	-30	-0.98705	-0.00052	PASS
					-20	-1.65939	-0.00087	PASS
					-10	-2.80380	-0.00147	PASS
					0	-3.21865	-0.00169	PASS
					10	-1.80244	-0.00095	PASS
					20	-3.61919	-0.00190	PASS
					30	-3.76225	-0.00198	PASS
					40	-3.11851	-0.00164	PASS
		20	LCH	VN	-30	0.05722	0.00003	PASS
					-20	2.56062	0.00138	PASS
					-10	-198.19740	-0.10656	PASS
					0	-2.76089	-0.00148	PASS
					10	1.11580	0.00060	PASS
					20	-1.63078	-0.00088	PASS
			MCH	VN	30	-0.15736	-0.00008	PASS
					40	-0.75817	-0.00041	PASS
					50	0.57220	0.00031	PASS
					-30	-0.81539	-0.00043	PASS
					-20	-0.44346	-0.00024	PASS
					-10	-1.11580	-0.00059	PASS
					0	-6.36578	-0.00339	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict			
					10	-3.81947	-0.00203	PASS			
					20	-8.78334	-0.00467	PASS			
					30	-6.86646	-0.00365	PASS			
					40	-0.91553	-0.00049	PASS			
					50	-0.20027	-0.00011	PASS			
					HCH	VN	-30	-0.40054	-0.00021	PASS	
							-20	-1.14441	-0.00060	PASS	
							-10	0.95844	0.00050	PASS	
							0	-0.62943	-0.00033	PASS	
							10	-2.28882	-0.00120	PASS	
			20	0.20027			0.00011	PASS			
			30	0.04292			0.00002	PASS			
			40	0.45776			0.00024	PASS			
			50	-1.43051			-0.00075	PASS			
								LCH	VN	-30	-3.43323
					-20	-3.50475				-0.00189	PASS
					-10	1.10149				0.00060	PASS
					0	-21.20018				-0.01146	PASS
					10	-4.44889				-0.00240	PASS
					20	-0.67234				-0.00036	PASS
	30	-33.30231			-0.01799	PASS					
	40	-4.53472			-0.00245	PASS					
	50	-5.85079			-0.00316	PASS					
						MCH				VN	-30
			-20	-5.43594			-0.00289	PASS			
			-10	15.54966			0.00827	PASS			
			0	-8.22544			-0.00438	PASS			
			10	10.52856			0.00560	PASS			
			20	6.82354			0.00363	PASS			
			30	-4.63486			-0.00247	PASS			
			40	-1.47343			-0.00078	PASS			
			50	5.32150			0.00283	PASS			
								HCH	VN		-30
	-20	-11.95908			-0.00626	PASS					
	-10	5.89371			0.00309	PASS					
	0	29.56867			0.01549	PASS					
	10	-22.30167			-0.01168	PASS					
	20	-12.74586			-0.00668	PASS					
	30	-16.89434			-0.00885	PASS					



Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					40	-1.04427	-0.00055	PASS
					50	32.47261	0.01701	PASS
		3	LCH	VN	-30	2.24590	0.00121	PASS
					-20	-3.31879	-0.00179	PASS
					-10	0.22888	0.00012	PASS
					0	0.55790	0.00030	PASS
					10	0.81539	0.00044	PASS
					20	-5.49316	-0.00297	PASS
					30	-8.48293	-0.00458	PASS
					40	-0.52929	-0.00029	PASS
					50	-3.20435	-0.00173	PASS
			MCH	VN	-30	2.43187	0.00129	PASS
					-20	-7.56741	-0.00403	PASS
					-10	-15.86437	-0.00844	PASS
					0	-13.38959	-0.00712	PASS
					10	-3.76225	-0.00200	PASS
					20	-4.14848	-0.00221	PASS
					30	-4.11987	-0.00219	PASS
					40	-0.57220	-0.00030	PASS
					50	-5.92232	-0.00315	PASS
		HCH	VN	-30	-5.62191	-0.00295	PASS	
				-20	-2.80380	-0.00147	PASS	
				-10	-1.90258	-0.00100	PASS	
				0	-3.81947	-0.00200	PASS	
				10	0.24319	0.00013	PASS	
				20	-1.88827	-0.00099	PASS	
				30	-0.67234	-0.00035	PASS	
				40	-2.41756	-0.00127	PASS	
		5	LCH	VN	-30	-2.38895	-0.00129	PASS
					-20	-2.38895	-0.00129	PASS
					-10	-2.36034	-0.00127	PASS
					0	-3.26157	-0.00176	PASS
					10	-6.38008	-0.00344	PASS
20	-0.34332				-0.00019	PASS		
30	-2.87533				-0.00155	PASS		
40	-2.28882				-0.00124	PASS		
50	-4.99249				-0.00269	PASS		
MCH	VN		-30	-7.09534	-0.00377	PASS		

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					-20	-3.31879	-0.00177	PASS
					-10	-2.78950	-0.00148	PASS
					0	-3.74794	-0.00199	PASS
					10	-3.24726	-0.00173	PASS
					20	-5.50747	-0.00293	PASS
					30	-4.72069	-0.00251	PASS
					40	-3.84808	-0.00205	PASS
			50	-5.39303	-0.00287	PASS		
			HCH	VN	-30	-3.61919	-0.00190	PASS
					-20	-5.23567	-0.00274	PASS
					-10	-3.67641	-0.00193	PASS
					0	-5.13554	-0.00269	PASS
					10	-4.79221	-0.00251	PASS
					20	-3.87669	-0.00203	PASS
		30			-4.09126	-0.00214	PASS	
		40	-4.22001	-0.00221	PASS			
		50	-2.94685	-0.00154	PASS			
		10	LCH	VN	-30	0.48637	0.00026	PASS
					-20	0.40054	0.00022	PASS
					-10	0.91553	0.00049	PASS
					0	-0.57220	-0.00031	PASS
					10	-0.94414	-0.00051	PASS
					20	2.07424	0.00112	PASS
					30	-1.38760	-0.00075	PASS
					40	1.15871	0.00062	PASS
			50	-2.58923	-0.00140	PASS		
			MCH	VN	-30	-2.51770	-0.00134	PASS
					-20	-4.16279	-0.00221	PASS
					-10	-1.80244	-0.00096	PASS
					0	-2.10285	-0.00112	PASS
					10	-1.63078	-0.00087	PASS
					20	-4.16279	-0.00221	PASS
					30	-1.25885	-0.00067	PASS
		40	-1.00136	-0.00053	PASS			
		50	-2.28882	-0.00122	PASS			
		HCH	VN	-30	-1.33038	-0.00070	PASS	
				-20	-1.80244	-0.00095	PASS	
				-10	-2.50339	-0.00131	PASS	
				0	-0.38624	-0.00020	PASS	



Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict			
					10	-0.94414	-0.00050	PASS			
					20	-1.61648	-0.00085	PASS			
					30	-1.67370	-0.00088	PASS			
					40	-3.39031	-0.00178	PASS			
					50	-0.78678	-0.00041	PASS			
					15	LCH	VN	-30	-3.21865	-0.00173	PASS
								-20	-1.81675	-0.00098	PASS
								-10	-1.48773	-0.00080	PASS
								0	-2.36034	-0.00127	PASS
								10	-1.65939	-0.00089	PASS
		20	-1.34468	-0.00072				PASS			
		30	-0.58651	-0.00032				PASS			
		40	-3.01838	-0.00162				PASS			
		50	-1.24455	-0.00067				PASS			
		15	MCH	VN				-30	-1.70231	-0.00091	PASS
					-20	-4.00543	-4.00543	PASS			
					-10	-4.79221	-0.00255	PASS			
					0	-3.16143	-0.00168	PASS			
					10	-2.73228	-0.00145	PASS			
					20	-2.50339	-0.00133	PASS			
					30	-2.44618	-0.00130	PASS			
					40	-4.09126	-0.00218	PASS			
					50	-2.80380	-0.00149	PASS			
					15	HCH	VN	-30	-3.71933	-0.00195	PASS
		-20	-4.60625	-0.00242				PASS			
		-10	-5.39303	-0.00283				PASS			
		0	-3.06129	-0.00161				PASS			
		10	-4.80652	-0.00253				PASS			
		20	-4.36306	-0.00229				PASS			
		30	-2.97546	-0.00156				PASS			
		40	-3.99113	-0.00210				PASS			
		50	-2.66075	-0.00140				PASS			
		20	LCH	VN				-30	0.42915	0.00023	PASS
					-20	0.85831	0.00046	PASS			
					-10	94.39945	0.05075	PASS			
					0	-1.17302	-0.00063	PASS			
					10	-0.61512	-0.00033	PASS			
					20	-1.81675	-0.00098	PASS			
					30	0.30041	0.00016	PASS			



Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict	
					40	-0.48637	-0.00026	PASS	
					50	-0.54359	-0.00029	PASS	
			MCH	VN	-30	0.11444	0.00006	PASS	
						-20	-1.45912	-0.00078	PASS
						-10	-2.18868	-0.00116	PASS
						0	-1.78814	-0.00095	PASS
						10	-2.60353	-0.00138	PASS
						20	-0.81539	-0.00043	PASS
						30	0.12875	0.00007	PASS
						40	-1.64509	-0.00088	PASS
						50	-0.30041	-0.00016	PASS
					HCH	VN	-30	-0.77248	-0.00041
				-20			0.97275	0.00051	PASS
				-10			-2.40326	-0.00126	PASS
				0			0.55790	0.00029	PASS
				10			-1.98841	-0.00105	PASS
				20			0.47207	0.00025	PASS
				30			-2.17438	-0.00114	PASS
				40			-2.01702	-0.00106	PASS
				50	1.04427	0.00055	PASS		

END