

### 6.1.1.2.5 Test Bandwidth = 15

#### 6.1.1.2.5.1 Test Channel = LCH

##### 6.1.1.2.5.1.1 Test RB = RB1#0









### 6.1.1.2.5.2 Test Channel = MCH

#### 6.1.1.2.5.2.1 Test RB = RB1#0









6.1.1.2.5.3 Test Channel = HCH

6.1.1.2.5.3.1 Test RB = RB1#0









### 6.1.1.2.6 Test Bandwidth = 20

#### 6.1.1.2.6.1 Test Channel = LCH

##### 6.1.1.2.6.1.1 Test RB = RB1#0











### 6.1.1.2.6.2 Test Channel = MCH

#### 6.1.1.2.6.2.1 Test RB = RB1#0







6.1.1.2.6.3 Test Channel = HCH

6.1.1.2.6.3.1 Test RB = RB1#0









## 7Appendix\_G: Field Strength of Spurious Radiation

Note:

1. We tested all modes, but the data presented below is the worst case.
2. For Wireless charging protective case we only tested the RSE of the worst case,

9kHz~150kHz, RBW = 200Hz, VBW = 600 Hz, Detector: PK

150kHz~30MHz, RBW = 9kHz, VBW = 30k Hz, Detector: PK

30MHz~1GHz, RBW = 100 kHz, VBW = 300 kHz. Detector: PK

Above 1GHz, RBW = 1 MHz, VBW = 3 MHz. Detector: PK



### Part I - Test Plots

#### 7.1 For LTE

##### 7.1.1 Test Band = Band2


##### 7.1.1.1 Test Bandwidth = 1.4

Band2/TM1\_Ant1







FCC18-26.5G




Band2/TM1\_Ant2








Copy of FCC 18-26.5G





### 7.1.1.2 Test Bandwidth = 20






Band2/TM1\_Ant2








### 7.1.2 Test Band = Band2(Wireless charging protective case)


#### 7.1.2.1 Test Bandwidth = 1.4

Band2/TM1\_Ant1(adaptor + Wireless Charging Case) worst case



LTE FDD RSE-TX-DIRECTOR ABOVE 1.5G\_L



LTE FDD RSE-TX-DIRECTOR ABOVE 1.5G\_H




Band2/TM1\_Ant2(adaptor + Wireless Charging Case) worst case




Band2TM1\_Ant1 adaptor + Wireless charging charger+ Wireless Charging Case) worst case

LTE FDD RSE-TX-DIRECTOR ABOVE 1.5G\_L





LTE FDD RSE-TX-DIRECTOR ABOVE 1.5G\_H



Band2/TM1\_Ant2 adaptor + Wireless charging charger+ Wireless Charging Case) worst case





## 8Appendix\_H: Frequency Stability

### 8.1 For LTE

#### 8.1.1Frequency Error vs. Voltage:

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
Band2	LTE/TM1	1.4	LCH	TN	VL	-90.65151	-0.04898	PASS
					VN	-26.33572	-0.01423	PASS
					VH	-16.17908	-0.00874	PASS
			MCH	TN	VL	14.50539	0.00772	PASS
					VN	-22.85957	-0.01216	PASS
					VH	-20.17021	-0.01073	PASS
			HCH	TN	VL	-70.05215	-0.03669	PASS
					VN	-42.47189	-0.02224	PASS
					VH	-4.49181	-0.00235	PASS
		3	LCH	TN	VL	-23.13137	-0.01249	PASS
					VN	-24.10412	-0.01302	PASS
					VH	-20.89977	-0.01129	PASS
			MCH	TN	VL	-3.50475	-0.00186	PASS
					VN	-6.13689	-0.00326	PASS
					VH	2.38895	0.00127	PASS
			HCH	TN	VL	-8.85487	-0.00464	PASS
					VN	-16.25061	-0.00851	PASS
					VH	-11.07216	-0.00580	PASS
		5	LCH	TN	VL	-15.66410	-0.00846	PASS
					VN	-6.58035	-0.00355	PASS
					VH	-39.42490	-0.02128	PASS
			MCH	TN	VL	0.81539	0.00043	PASS
					VN	-1.17302	-0.00062	PASS
					VH	-0.65804	-0.00035	PASS
			HCH	TN	VL	-10.72884	-0.00562	PASS
					VN	-8.85487	-0.00464	PASS
					VH	-13.38959	-0.00702	PASS
		10	LCH	TN	VL	-13.06057	-0.00704	PASS
					VN	-1.70231	-0.00092	PASS
					VH	-20.45631	-0.01103	PASS



Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
	LTE/TM2	15	MCH	TN	VL	-0.61512	-0.00033	PASS
					VN	-3.74794	-0.00199	PASS
					VH	-0.82970	-0.00044	PASS
			HCH	TN	VL	-6.27994	-0.00330	PASS
					VN	-5.75066	-0.00302	PASS
					VH	-5.72205	-0.00300	PASS
			LCH	TN	VL	-10.11372	-0.00544	PASS
					VN	-6.26564	-0.00337	PASS
					VH	-26.22128	-0.01412	PASS
			MCH	TN	VL	-0.80109	-0.00043	PASS
					VN	-0.91553	-0.00049	PASS
					VH	1.57356	0.00084	PASS
		HCH	TN	VL	-6.33717	-0.00333	PASS	
				VN	-8.42571	-0.00443	PASS	
				VH	-10.67162	-0.00561	PASS	
		20	LCH	TN	VL	6.46591	0.00348	PASS
					VN	-1.64509	-0.00088	PASS
					VH	-6.99520	-0.00376	PASS
			MCH	TN	VL	0.50068	0.00027	PASS
					VN	-0.80109	-0.00043	PASS
					VH	1.15871	0.00062	PASS
			HCH	TN	VL	-3.79086	-0.00200	PASS
					VN	-7.00951	-0.00369	PASS
					VH	-5.53608	-0.00291	PASS
		1.4	LCH	TN	VL	33.55980	0.01813	PASS
					VN	-17.95292	-0.00970	PASS
					VH	-50.15373	-0.02710	PASS
			MCH	TN	VL	73.35663	0.03902	PASS
					VN	-74.40090	-0.03957	PASS
					VH	-36.39221	-0.01936	PASS
			HCH	TN	VL	-15.24925	-0.00799	PASS
					VN	-103.15420	-0.05403	PASS
					VH	23.44608	0.01228	PASS
		3	LCH	TN	VL	-5.02109	-0.00271	PASS
					VN	-25.73490	-0.01390	PASS
					VH	-8.68320	-0.00469	PASS
			MCH	TN	VL	0.74387	0.00040	PASS
					VN	-6.96659	-0.00371	PASS



Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict	
		5	HCH	TN	VH	-1.91688	-0.00102	PASS	
					VL	-2.41756	-0.00127	PASS	
					VN	-12.17365	-0.00638	PASS	
					VH	-15.67841	-0.00822	PASS	
			LCH	TN	VL	-22.33028	-0.01205	PASS	
					VN	-6.88076	-0.00371	PASS	
					VH	-14.44817	-0.00780	PASS	
				MCH	TN	VL	1.97411	0.00105	PASS
						VN	-16.43658	-0.00874	PASS
						VH	-0.12875	-0.00007	PASS
			HCH	TN	VL	-0.67234	-0.00035	PASS	
					VN	-22.18723	-0.01163	PASS	
		VH			-3.56197	-0.00187	PASS		
		10	LCH	TN	VL	-2.30312	-0.00124	PASS	
					VN	-2.93255	-0.00158	PASS	
					VH	-6.83784	-0.00369	PASS	
			MCH	TN	VL	-1.87397	-0.00100	PASS	
					VN	2.86102	0.00152	PASS	
					VH	-0.77248	-0.00041	PASS	
			HCH	TN	VL	2.14577	0.00113	PASS	
					VN	-4.96387	-0.00261	PASS	
					VH	-5.07832	-0.00267	PASS	
			15	LCH	TN	VL	-0.28610	-0.00015	PASS
						VN	-4.23431	-0.00228	PASS
						VH	-8.12531	-0.00437	PASS
		MCH		TN	VL	1.17302	0.00062	PASS	
					VN	-0.47207	-0.00025	PASS	
					VH	2.90394	0.00154	PASS	
		HCH		TN	VL	0.45776	0.00024	PASS	
					VN	-5.46455	-0.00287	PASS	
					VH	-3.94821	-0.00208	PASS	
		20		LCH	TN	VL	-5.53608	-0.00298	PASS
						VN	-1.23024	-0.00066	PASS
						VH	3.66211	0.00197	PASS
			MCH	TN	VL	1.05858	0.00056	PASS	
					VN	-1.38760	-0.00074	PASS	
					VH	0.25749	0.00014	PASS	
			HCH	TN	VL	1.48773	0.00078	PASS	





Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					VN	-5.09262	-0.00268	PASS
					VH	0.55790	0.00029	PASS

## 8.1.2 Frequency Error vs. Temperature:

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
Band2	LTE/TM1	1.4	LCH	VN	-30	-18.22472	-0.00985	PASS
					-20	-19.75536	-0.01067	PASS
					-10	-9.69887	-0.00524	PASS
					0	-5.40733	-0.00292	PASS
					10	-4.63486	-0.00250	PASS
					20	-26.33572	-0.01423	PASS
					30	-2.17438	-0.00117	PASS
			40	-12.76016	-0.00689	PASS		
			50	-35.11906	-0.01898	PASS		
			MCH	VN	-30	-86.88927	-0.04622	PASS
					-20	13.90457	0.00740	PASS
					-10	-16.20770	-0.00862	PASS
					0	6.86646	0.00365	PASS
					10	-86.25984	-0.04588	PASS
		20			-22.85957	-0.01216	PASS	
		30			-41.89968	-0.02229	PASS	
		40	-64.04400	-0.03407	PASS			
		50	6.17981	0.00329	PASS			
		HCH	VN	-30	-34.27505	-0.01795	PASS	
				-20	-193.43380	-0.10131	PASS	
				-10	5.92232	0.00310	PASS	
				0	-53.73001	-0.02814	PASS	
				10	28.12386	0.01473	PASS	
				20	-42.47189	-0.02224	PASS	
				30	38.05161	0.01993	PASS	
		40	-99.14875	-0.05193	PASS			
		50	-91.62426	-0.04799	PASS			
		3	LCH	VN	-30	-7.48158	-0.00404	PASS
-20	-8.48293				-0.00458	PASS		
-10	-32.20081				-0.01739	PASS		
0	-3.37601				-0.00182	PASS		



Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict	
					10	-7.00951	-0.00379	PASS	
					20	-24.10412	-0.01302	PASS	
					30	-0.07153	-0.00004	PASS	
					40	-25.46310	-0.01375	PASS	
					50	-3.13282	-0.00169	PASS	
			MCH	VN	-30	1.51634	0.00081	PASS	
					-20	-3.97682	-0.00212	PASS	
					-10	-6.06537	-0.00323	PASS	
					0	-0.10014	-0.00005	PASS	
					10	2.05994	0.00110	PASS	
					20	-6.13689	-0.00326	PASS	
					30	-2.76089	-0.00147	PASS	
					40	-9.05514	-0.00482	PASS	
			HCH	VN	50	-7.22408	-0.00384	PASS	
					-30	-16.82281	-0.00881	PASS	
					-20	-14.86301	-0.00779	PASS	
					-10	-14.92023	-0.00782	PASS	
					0	-8.76904	-0.00459	PASS	
					10	-11.00063	-0.00576	PASS	
					20	-16.25061	-0.00851	PASS	
					30	-6.79493	-0.00356	PASS	
			5	LCH	VN	40	-11.01494	-0.00577	PASS
						50	-5.23567	-0.00274	PASS
						-30	-28.02372	-0.01513	PASS
						-20	-52.29950	-0.02823	PASS
						-10	-7.79629	-0.00421	PASS
						0	-26.16405	-0.01412	PASS
						10	-29.29688	-0.01581	PASS
						20	-6.58035	-0.00355	PASS
				MCH	VN	30	-44.31725	-0.02392	PASS
40	-33.97465	-0.01834				PASS			
50	-5.65052	-0.00305				PASS			
-30	-5.86510	-0.00312				PASS			
-20	-7.12395	-0.00379				PASS			
					-10	-4.26292	-0.00227	PASS	
					0	-3.83377	-0.00204	PASS	
					10	-6.46591	-0.00344	PASS	
					20	-1.17302	-0.00062	PASS	
					30	-26.57890	-0.01414	PASS	



Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict		
					40	-15.79285	-0.00840	PASS		
					50	-0.82970	-0.00044	PASS		
					HCH	VN	-30	-18.79692	-0.00985	PASS
							-20	-29.51145	-0.01547	PASS
							-10	-10.07080	-0.00528	PASS
							0	-22.38750	-0.01174	PASS
			10	-19.86980	-0.01042	PASS				
			20	-8.85487	-0.00464	PASS				
			30	-23.53191	-0.01234	PASS				
			40	-21.31462	-0.01117	PASS				
			50	-27.43721	-0.01438	PASS				
					10	LCH	VN	-30	-21.41476	-0.01154
		-20						-5.29289	-0.00285	PASS
		-10						-23.40317	-0.01262	PASS
		0						-23.03123	-0.01242	PASS
		10						-3.61919	-0.00195	PASS
		20						-1.70231	-0.00092	PASS
		30				-3.94821	-0.00213	PASS		
		40				-5.02109	-0.00271	PASS		
		50				-20.02716	-0.01080	PASS		
		MCH				VN	-30	-2.26021	-0.00120	PASS
							-20	-1.68800	-0.00090	PASS
							-10	-3.53336	-0.00188	PASS
			0	-5.26428	-0.00280		PASS			
			10	-1.78814	-0.00095		PASS			
			20	-3.74794	-0.00199		PASS			
		30	-1.04427	-0.00056	PASS					
		40	1.50204	0.00080	PASS					
		50	-4.26292	-0.00227	PASS					
		HCH	VN	-30	-14.33372	-0.00752	PASS			
				-20	-10.49995	-0.00551	PASS			
				-10	-12.10213	-0.00635	PASS			
				0	-14.24789	-0.00748	PASS			
				10	-6.62327	-0.00348	PASS			
				20	-5.75066	-0.00302	PASS			
				30	-9.24110	-0.00485	PASS			
40	-6.16550			-0.00324	PASS					
50	-11.71589	-0.00615	PASS							
15	LCH	VN	-30	-7.32422	-0.00394	PASS				



Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					-20	-4.80652	-0.00259	PASS
					-10	-26.02100	-0.01401	PASS
					0	-5.12123	-0.00276	PASS
					10	-24.81937	-0.01336	PASS
					20	-6.26564	-0.00337	PASS
					30	-5.04971	-0.00272	PASS
					40	-26.66473	-0.01436	PASS
					50	-8.64029	-0.00465	PASS
			MCH	VN	-30	-0.01431	-0.00001	PASS
					-20	-0.35763	-0.00019	PASS
					-10	0.17166	0.00009	PASS
					0	-1.45912	-0.00078	PASS
					10	-3.76225	-0.00200	PASS
					20	-0.91553	-0.00049	PASS
					30	-2.00272	-0.00107	PASS
					40	-0.60081	-0.00032	PASS
			HCH	VN	-30	-10.38551	-0.00546	PASS
					-20	-8.95500	-0.00471	PASS
					-10	-15.64980	-0.00823	PASS
					0	-10.22816	-0.00538	PASS
					10	-14.51969	-0.00763	PASS
					20	-8.42571	-0.00443	PASS
					30	-8.33988	-0.00438	PASS
					40	-14.92023	-0.00784	PASS
		20	LCH	VN	-30	-22.30167	-0.01199	PASS
					-20	-2.11716	-0.00114	PASS
					-10	-24.90520	-0.01339	PASS
					0	-23.96107	-0.01288	PASS
					10	-22.97401	-0.01235	PASS
					20	-1.64509	-0.00088	PASS
					30	-0.92983	-0.00050	PASS
					40	-109.19090	-0.05870	PASS
			50	-4.96387	-0.00267	PASS		
MCH	VN		-30	-1.28746	-0.00068	PASS		
			-20	-0.48637	-0.00026	PASS		
			-10	-0.28610	-0.00015	PASS		
		0	-0.61512	-0.00033	PASS			





Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					10	0.07153	0.00004	PASS
					20	-0.80109	-0.00043	PASS
					30	0.82970	0.00044	PASS
					40	-1.58787	-0.00084	PASS
					50	2.16007	0.00115	PASS
			HCH	VN	-30	-14.34803	-0.00755	PASS
					-20	-7.18117	-0.00378	PASS
					-10	-13.43250	-0.00707	PASS
					0	-14.07623	-0.00741	PASS
					10	-14.13345	-0.00744	PASS
					20	-7.00951	-0.00369	PASS
					30	-8.39710	-0.00442	PASS
					40	-8.48293	-0.00446	PASS
					50	-5.85079	-0.00308	PASS
					LCH	VN	-30	7.12395
	-20	-15.03468	-0.00812	PASS				
	-10	-20.01286	-0.01081	PASS				
	0	-14.39095	-0.00778	PASS				
	10	-13.53264	-0.00731	PASS				
	20	-17.95292	-0.00970	PASS				
	30	-15.79285	-0.00853	PASS				
	40	-38.93852	-0.02104	PASS				
	50	7.99656	0.00432	PASS				
	MCH	VN	-30	-12.01630			-0.00639	PASS
			-20	-1.67370			-0.00089	PASS
			-10	-5.99384			-0.00319	PASS
			0	-88.04798			-0.04683	PASS
			10	-34.50394			-0.01835	PASS
			20	-74.40090			-0.03957	PASS
			30	-11.45840	-0.00609	PASS		
40			-63.32874	-0.03369	PASS			
HCH	VN	50	-43.58768	-0.02318	PASS			
		-30	-81.02417	-0.04244	PASS			
		-20	-115.90000	-0.06070	PASS			
		-10	13.04626	0.00683	PASS			
		0	-35.23350	-0.01845	PASS			
		10	-93.01186	-0.04872	PASS			
		20	-103.15420	-0.05403	PASS			
30	-48.92349	-0.02562	PASS					



Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
		3	LCH	VN	40	-52.72865	-0.02762	PASS
					50	4.06265	0.00213	PASS
					-30	-2.41756	-0.00131	PASS
					-20	-3.73364	-0.00202	PASS
					-10	-18.66817	-0.01008	PASS
					0	-11.05785	-0.00597	PASS
			10	-5.26428	-0.00284	PASS		
			20	-25.73490	-0.01390	PASS		
			30	-12.33101	-0.00666	PASS		
			40	-24.26147	-0.01310	PASS		
			50	-8.92639	-0.00482	PASS		
			MCH	VN	-30	-1.14441	-0.00061	PASS
		-20			-2.74658	-0.00146	PASS	
		-10			-6.89506	-0.00367	PASS	
		0			-2.67506	-0.00142	PASS	
		10			-7.61032	-0.00405	PASS	
		20			-6.96659	-0.00371	PASS	
		HCH	VN	30	-4.24862	-0.00226	PASS	
				40	-4.94957	-0.00263	PASS	
				50	1.98841	0.00106	PASS	
				-30	-6.75201	-0.00354	PASS	
				-20	-10.84328	-0.00568	PASS	
				-10	-24.71924	-0.01295	PASS	
		5	LCH	VN	0	-12.03060	-0.00630	PASS
					10	-21.35754	-0.01119	PASS
					20	-12.17365	-0.00638	PASS
					30	-9.24110	-0.00484	PASS
					40	-22.17293	-0.01162	PASS
					50	-11.25813	-0.00590	PASS
			MCH	VN	-30	-19.46926	-0.01051	PASS
					-20	-28.22399	-0.01524	PASS
					-10	-6.72340	-0.00363	PASS
					0	-38.00869	-0.02052	PASS
10	-21.40045				-0.01155	PASS		
20	-6.88076				-0.00371	PASS		
30	-20.52784	-0.01108	PASS					
40	-22.43042	-0.01211	PASS					
50	-6.99520	-0.00378	PASS					
MCH	VN	-30	-5.04971	-0.00269	PASS			



Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					-20	-10.68592	-0.00568	PASS
					-10	-0.24319	-0.00013	PASS
					0	-10.05650	-0.00535	PASS
					10	-2.08855	-0.00111	PASS
					20	-16.43658	-0.00874	PASS
					30	-5.02109	-0.00267	PASS
					40	-4.77791	-0.00254	PASS
					50	-0.78678	-0.00042	PASS
					HCH	VN	-30	-13.97610
			-20	-15.70702			-0.00823	PASS
			-10	-9.04083			-0.00474	PASS
			0	-29.28257			-0.01535	PASS
			10	-15.70702			-0.00823	PASS
			20	-22.18723			-0.01163	PASS
			30	-19.24038			-0.01009	PASS
			40	-15.07759			-0.00790	PASS
			50	-10.87189			-0.00570	PASS
			10	LCH	VN	-30	-16.52241	-0.00891
		-20				-3.13282	-0.00169	PASS
		-10				-15.50674	-0.00836	PASS
		0				-15.04898	-0.00811	PASS
		10				-5.14984	-0.00278	PASS
		20				-2.93255	-0.00158	PASS
		30				-0.30041	-0.00016	PASS
		40				-3.93391	-0.00212	PASS
		50				-14.13345	-0.00762	PASS
		MCH		VN	-30	-3.29018	-0.00175	PASS
					-20	-0.60081	-0.00032	PASS
					-10	-3.63350	-0.00193	PASS
					0	-3.00407	-0.00160	PASS
					10	-0.52929	-0.00028	PASS
					20	2.86102	0.00152	PASS
					30	0.62943	0.00033	PASS
					40	-1.81675	-0.00097	PASS
					50	-1.83106	-0.00097	PASS
		HCH	VN	-30	-10.45704	-0.00549	PASS	
-20	-8.84056			-0.00464	PASS			
-10	-9.98497			-0.00524	PASS			
0	-7.52449			-0.00395	PASS			



Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					10	-7.13825	-0.00375	PASS
					20	-4.96387	-0.00261	PASS
					30	-6.75201	-0.00354	PASS
					40	-4.50611	-0.00237	PASS
					50	-8.38280	-0.00440	PASS
		15	LCH	VN	-30	-8.64029	-0.00465	PASS
					-20	-3.86238	-0.00208	PASS
					-10	-15.19203	-0.00818	PASS
					0	-7.68185	-0.00414	PASS
					10	-13.89027	-0.00748	PASS
					20	-4.23431	-0.00228	PASS
					30	-6.86646	-0.00370	PASS
					40	-15.23495	-0.00820	PASS
					50	-4.54903	-0.00245	PASS
					MCH	VN	-30	1.53065
			-20	-3.47614			-0.00185	PASS
			-10	0.35763			0.00019	PASS
			0	-0.57220			-0.00030	PASS
			10	-0.45776			-0.00024	PASS
			20	-0.47207			-0.00025	PASS
			30	-2.24590			-0.00119	PASS
			40	-2.80380			-0.00149	PASS
			HCH	VN	50	0.35763	0.00019	PASS
					-30	-7.10964	-0.00374	PASS
					-20	-6.76632	-0.00356	PASS
					-10	-10.44273	-0.00549	PASS
					0	-6.50883	-0.00342	PASS
					10	-10.57148	-0.00556	PASS
					20	-5.46455	-0.00287	PASS
			20	LCH	VN	30	-7.25269	-0.00381
		40				-13.20362	-0.00694	PASS
		50				-6.95229	-0.00365	PASS
		-30				-14.26220	-0.00767	PASS
		-20				-5.07832	-0.00273	PASS
		-10				-11.75880	-0.00632	PASS
		0				-12.21657	-0.00657	PASS
		10				-13.67569	-0.00735	PASS
		20	-1.23024	-0.00066	PASS			
		30	-0.10014	-0.00005	PASS			



Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					40	75.75989	0.04073	PASS
					50	-1.14441	-0.00062	PASS
			MCH	VN	-30	0.40054	0.00021	PASS
					-20	0.58651	0.00031	PASS
					-10	-1.33038	-0.00071	PASS
					0	0.37193	0.00020	PASS
					10	-4.39167	-0.00234	PASS
					20	-1.38760	-0.00074	PASS
					30	-0.21458	-0.00011	PASS
					40	1.74522	0.00093	PASS
					50	0.41485	0.00022	PASS
					HCH	VN	-30	-8.32558
			-20	-4.30584			-0.00227	PASS
			-10	-6.26564			-0.00330	PASS
			0	-7.83920			-0.00413	PASS
			10	-7.19547			-0.00379	PASS
			20	-5.09262			-0.00268	PASS
			30	-5.82218			-0.00306	PASS
			40	-6.35147			-0.00334	PASS
			50	-5.82218	-0.00306	PASS		

END