

Date: June 18, 2019

Request for Modular/Limited Modular Approval

Subject: Manufacturer's Declaration for □ - Modular Approval □ - Split Modular Approval □ - Limited Modular Approval □ - Limited Split		approval
Confidentiality Request for:QISEM300-8AMC		
8 Basic Requirements – FCC Part 15.212(a)(1) For Items Marked "NO(*)", the Limited Module Description Must be Filled Out on the Fo	llowing Pages	s
Modular Approval Requirement		ment Met
1. The modular transmitter must have its own RF shielding. This is intended to ensure that the module does not have to rely upon the shielding provided by the device into which it is installed in order for all modular transmitter emissions to comply with FCC limits. It is also intended to prevent coupling between the RF circuitry of the module and any wires or circuits in the device into which the module is installed. Such coupling may result in non-compliant operation. The physical crystal and tuning capacitors may be located external to the shielded radio elements. 15.212(a)(1)(i)	⊠ - YES	□ - NO(*)
Details: Shielded.		
2. The modular transmitter must have buffered modulation/data inputs (if such inputs are provided) to ensure that the module will comply with FCC requirements under conditions of excessive data rates or over-modulation. 15.212(a)(1)(ii)	⊠ - YES	□ - NO(*)
Details: The component number is Hisilicon Hi2115.		
3. The modular transmitter must have its own power supply regulation on the module. This is intended to ensure that the module will comply with FCC requirements regardless of the design of the power supplying circuitry in the device into which the module is installed. 15.212(a)(1)(iii)	⊠ - YES	□ - NO(*)
Details: The component number is LM3241.		
4. The modular transmitter must comply with the antenna and transmission system requirements of §§ 15.203, 15.204(b), 15.204(c), 15.212(a), and 2.929(b). The antenna must either be permanently attached or employ a "unique" antenna coupler (at all connections between the module and the antenna, including the cable). The "professional installation" provision of § 15.203 is not applicable to modules but can apply to limited modular approvals under paragraph 15.212(b). 15.212(a)(1)(iv)	⊠ - YES	□ - NO(*)
Details: it uses a microstrip trace on the host's printed circuit board to an external antenna connector	RP-SMA	
5. The modular transmitter must be tested in a stand-alone configuration, i.e., the module must not be inside another device during testing. This is intended to demonstrate that the module is capable of complying with Part 15 emission limits regardless of the device into which it is eventually installed. Unless the transmitter module will be battery powered, it must comply with the AC line conducted requirements found in Section 15.207. AC or DC power lines and data input/output lines connected to the module must not contain ferrites, unless they will be marketed with the module (see Section 15.27(a)). The length of these lines shall be length typical of actual use or, if that length is unknown, at least 10 centimeters to insure that there is no coupling between the case of the module and supporting equipment. Any accessories, peripherals, or support equipment connected to the module during testing shall be unmodified or commercially available (see Section 15.31(i)). 15.212(a)(1)(v)	⊠ - YES	□ - NO(*)
Details: The module was tested in a stand-alone configuration. Please refer to Test Setup photo.		



	Modular Approval Requirement	Require	ment Met
6.	The modular transmitter must be labeled with its own FCC ID number, or use an electron display (see KDB Publication 784748). If using a permanently affixed label with its own FCC ID number, if the FCC ID is not visible when the module is installed inside another device, then the outside of the device into which the module is installed must also display a label referring to the enclosed module. This exterior label can use wording such as the following: "Contains Transmitter Module FCC ID: XYZMODEL1" or "Contains FCC ID: XYZMODEL1." Any similar wording that expresses the same meaning may be used. The Grantee may either provide such a label, an example of which must be included in the application for equipment authorization, or, must provide adequate instructions along with the module which explain this requirement. In the latter case, a copy of these instructions must be included in the application for equipment authorization. If the modular transmitter uses an electronic display of the FCC identification number, the information must be readily accessible and visible on the modular transmitter or on the device in which it is installed. If the module is installed inside another device, then the outside of the device into which the	⊠ - YES	□ - NO(*)
	module is installed must display a label referring to the enclosed module. This exterior label can use wording such as the following: "Contains FCC certified transmitter module(s)." Any similar wording that expresses the same meaning may be used. The user manual must include instructions on how to access the electronic display. A copy of these instructions must be included in the application for equipment authorization. 15.212(a)(1)(vi) Details: The module is labeled with its own FCC ID number. Please refer to Label.		
7.	The modular transmitter must comply with all specific rule or operating requirements applicable to the		
,,	transmitter, including all the conditions provided in the integration instructions by the grantee. A copy of these instructions must be included in the application for equipment authorization. For example, there are very strict operational and timing requirements that must be met before a transmitter is authorized for operation under Section 15.231. For instance, data transmission is prohibited, except for operation under Section 15.231(e), in which case there are separate field strength level and timing requirements. Compliance with these requirements must be assured. 15.212(a)(1)(vii)	⊠ - YES	□ - NO(*)
	Details: The module complies with this requirement. Please refer to user manual.		
8.	The modular transmitter must comply with any applicable RF exposure requirements. For example, FCC Rules in Sections 2.1091, 2.1093 and specific Sections of Part 15, including 15.319(i), 15.407(f), 15.253(f) and 15.255(g), require that Unlicensed PCS, UNII and millimeter wave devices perform routine environmental evaluation for RF Exposure to demonstrate compliance. In addition, spread spectrum transmitters operating under Section 15.247 are required to address RF Exposure compliance in accordance with Section 15.247(b)(4). Modular transmitters approved under other Sections of Part 15, when necessary, may also need to address certain RF Exposure concerns, typically by providing specific installation and operating instructions for users, installers and other interested parties to ensure compliance. 15.212(a)(1)(viii)	⊠ - YES	□ - NO(*)
	Details: The module complies with this requirement. Please refer to MPE report.		

□ - N/A

Cover Letter



Limited Module Description – When Applicable

* If a module does NOT meet one or more of the above 8 requirements, the applicant may request Limited Modular Approval (LMA). This Limited Modular Approval (LMA) is applied with the understanding that the applicant will demonstrate and will retain control over the final installation of the device, such that compliance of the end product is always assured. The operating condition(s) for the LMA; the module is only approved for use when installed in devices produced by grantee. A description regarding how control of the end product, into which the module will be installed, will be maintained by the applicant/manufacturer, such that full compliance of the end product is always ensured should be provided here.

Software Considerations - KDB 594280 / KDB 442812 (One of the following 2 items must be applied)

Details: <example - N/A>

Requirement		Requirement Met	
1.	For non-Software Defined Radio transmitter modules where software is used to ensure compliance of the device, technical description must be provided about how such control is implemented to ensure prevention of third-party modification; see KDB Publication 594280.	☐ - Provided in Separate Cover Letter	□ - N/A
	Details: <example adjusted="" application.="" be="" by="" can="" device="" filed="" firmware="" letter="" modified="" not="" of="" or="" the="" this="" with="" –=""></example>	e end user as described in a se	parate cover
2.	For <u>Software Defined Radio (SDR)</u> devices, transmitter module applications must provide a software security description; see KDB Publication 442812.	☐ - Provided in Separate Cover Letter	□ - N/A
	Details: <example -n="" a=""></example>		
Split Modular Requirements			
	Requirement	Provided in Man	ual
1.	For split modular transmitters, specific descriptions for secure communications between front-end and control sections, including authentication and restrictions on	☐ - Provided in Separate	□ N/A

third-party modifications; also, instructions to third-party integrators on how control is

maintained.

Details: $\langle example - N/A \rangle$



OEM Integration Manual Guidance – KDB 996369 D03 Section 2

			cribing the Conditions, Limitations, and Proced d/or integrate the module into a host device.	ures
Require	menf	_		_
Is this module sale to third pa	intended for	□ - YES	☐ - No, If No, and LMA applies, the applicant ca make the following detailed info public. to be basic integration instructions for information below must still be inclu description. If the applicant wishes to ke this will require a separate statement co module is not for sale to third partie instructions are internal confide	However there still needs a users manual and the ided in the operational eep this info confidential, over letter explaining the is and that integration
	Items	required to be in the	e manual – See KDB 996369 D03, Section 2	
applicants should in example information products and not	019, the FCC requinclude informatition on trace anterintended for sale	uires ALL the following on in their instruction on a design could indicate to third parties, the u	e manual — See KDB 990309 DU3, Section 2 ing information to be in the installation manual. ns for all these items indicating clearly when the cate "Not Applicable". Also if a module is limite user instructions may not need to be detailed anoth, but this should include a cover letter as cited	ey are not applicable. For ed to only a grantees own d the following items can
		DB 996369 D03, Section		
a. 2. Summarize the a. 3. Limited Modu a.	Only list rules relate specific operation Conditions such a systems, professionale Procedures. KD	ated to the transmitter. and use conditions. KD s limits on antennas, ca and installation info B 996369 D03, Section we means that the grant	OB 996369 D03, Section 2.3 able loss, reduction of power for point to point	
b.	When RF exposur		ary, state how control will be maintained such as II for new hosts, etc.	- All Items shown to the left are provided in
4. Trace antenna	designs. KDB 996 Layout of trace de design verification confidential, the n	6369 D03, Section 2.5 esign, parts list, antennan, and production test p		the Modular Integration Guide (or UM) for Full Modular Approval (MA) or LMA.
a.	considerations. KD: Clearly and explic Two types of instr conditions (mobil- provided to the en	B 996369 D03, Section sitly state conditions the ructions are necessary: e, portable – xx cm fround user in the host prod	nat allow host manufacturers to use the module. first to the host manufacturer to define om body) and second additional text needed to be	☐ - An LMA applies and is approved ONLY for use by the grantee in their own products, and not intended for sale to
	List of antennas in instructions when (monopole, PIFA,	ncluded in the applicati applicable. The antenr , dipole, etc – note that	ion and all applicable professional installer na list shall also identify the antenna types t "omni-directional" is not considered a type)	3 rd parties as provided in a separate cover letter. Therefore the information shown to the left is found in the
7. Label and com a.	Advice to host int	on. KDB 996369 D03, egrators that they need D: " with their finished	l to provide a physical or e-label stating	theory of operation.
a. b.	n test modes and ac Test modes that sl clarifications nece Provide information	Iditional testing require hould be taken into con essary for stand-alone a on on how to configure	rements. KDB 996369 D03, Section 2.9 nsideration by host integrators including and simultaneous configurations. e test modes for evaluation 996369 D03, Section 2.10	
Sincerely,	7	ling hou:		
By:	Zheng	ure/Title ¹)	Zhang Xinghai (Print name)	

Sincerely,	Zhong Sing how	
By:	0 0	Zhang Xinghai
•	(Signature/Title ¹)	(Print name)