

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					0	0.09	0.00011	PASS
					10	9.21	0.01101	PASS
					20	0.01	0.00001	PASS
					30	6.67	0.00797	PASS
					40	2.66	0.00318	PASS
					50	6.25	0.00747	PASS
			HCH	VN	-30	-2.83	-0.00334	PASS
					-20	-7.45	-0.00879	PASS
					-10	7.74	0.00913	PASS
					0	-1.04	-0.00123	PASS
					10	9.67	0.01141	PASS
					20	-2.32	-0.00274	PASS
					30	1.72	0.00203	PASS
					40	-7.52	-0.00887	PASS
		50	-0.77	-0.00091	PASS			
		5	LCH	VN	-30	2.52	0.00305	PASS
					-20	-1.26	-0.00152	PASS
					-10	-1.56	-0.00189	PASS
					0	-0.19	-0.00023	PASS
					10	-0.10	-0.00012	PASS
					20	-0.13	-0.00016	PASS
					30	1.40	0.00169	PASS
					40	-1.96	-0.00237	PASS
					50	-3.32	-0.00402	PASS
			MCH	VN	-30	-1.85	-0.00221	PASS
					-20	1.30	0.00155	PASS
					-10	-1.43	-0.00171	PASS
					0	0.89	0.00106	PASS
					10	0.92	0.0011	PASS
					20	1.03	0.00123	PASS
					30	-1.20	-0.00143	PASS
			40	-0.39	-0.00047	PASS		
			50	4.15	0.00496	PASS		
		HCH	VN	-30	4.84	0.00572	PASS	
				-20	9.98	0.01179	PASS	
				-10	3.81	0.0045	PASS	
				0	-1.59	-0.00188	PASS	
				10	1.06	0.00125	PASS	
				20	5.76	0.0068	PASS	

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict		
					30	0.87	0.00103	PASS		
					40	10.73	0.01268	PASS		
					50	-5.15	-0.00608	PASS		
				10	LCH	VN	-30	2.23	0.00269	PASS
							-20	1.00	0.00121	PASS
							-10	0.74	0.00089	PASS
							0	2.95	0.00356	PASS
							10	4.21	0.00508	PASS
							20	2.36	0.00285	PASS
							30	1.44	0.00174	PASS
							40	-0.04	-0.00005	PASS
							50	0.83	0.001	PASS
							MCH	VN	-30	2.63
					-20	-0.54			-0.00065	PASS
					-10	1.12			0.00134	PASS
					0	0.20			0.00024	PASS
					10	0.64			0.00077	PASS
					20	-1.07			-0.00128	PASS
					30	1.82			0.00218	PASS
					40	3.62			0.00433	PASS
					50	-1.66			-0.00198	PASS
					HCH	VN			-30	-2.39
							-20	-1.93	-0.00229	PASS
							-10	-5.81	-0.00688	PASS
							0	-3.65	-0.00432	PASS
							10	-2.56	-0.00303	PASS
							20	-0.36	-0.00043	PASS
							30	-4.02	-0.00476	PASS
							40	-1.47	-0.00174	PASS
							50	-3.63	-0.0043	PASS

END