


Report No.: SZEM180200138702

Page: 424 of 818

Test mode: 802.11n(HT20) Frequency(MHz): 5500 Peak Horizontal



Condition: 3m HORIZONTAL

Job No : 2939RG

Mode : 5500 Band edge


	Freq			Preamp Factor			Limit Line		Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5406.770	8.71	34.42	42.12	49.54	50.55	74.00	-23.45	peak
2	5467.476	8.80	34.41	42.06	49.19	50.34	68.20	-17.86	peak
3 pp	5500.000	8.85	34.40	42.03	93.68	94.90	68.20	26.70	peak



Report No.: SZEM180200138702

Page: 425 of 818

Test mode: 802.11n(HT20) Frequency(MHz): 5500 Average Horizontal



Condition: 3m HORIZONTAL

Job No : 2939RG

Mode : 5500 Band edge

: Ant 1 5G WIFI 11N CH100

Cable Ant Preamp Read Limit Over
Loss Factor Factor Level Level Line Limit Remark

MHz dB dB/m dB dBuV dBuV/m dBuV/m dBuV/m dB


1 pp 5457.271 8.79 34.41 42.07 40.03 41.16 54.00 -12.84 Average
2 5500.000 8.85 34.40 42.03 87.18 88.40 ----- Average



Report No.: SZEM180200138702

Page: 426 of 818

Test mode: 802.11n(HT20) Frequency(MHz): 5700 Peak Vertical



Condition: 3m VERTICAL

Job No : 2939RG

Mode : 5700 Band edge


		Freq			Preamp Factor					Remark
	-	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	рр	5700.000	9.56	34.52	41.86	83.55	85.77	68.20	17.57	Peak
2		5725.000	9.64	34.54	41.84	47.71	50.05	68.20	-18.15	Peak
3		5756.946	9.75	34.56	41.81	48.78	51.28	68.20	-16.92	Peak



Report No.: SZEM180200138702

Page: 427 of 818

Test mode: 802.11n(HT20) Frequency(MHz): 5700 Peak Horizontal



Condition: 3m HORIZONTAL

Job No : 2939RG

Mode : 5700 Band edge

: Ant 1 5G WIFI 11N CH140


Cable Ant Preamp Limit Over Read Loss Factor Factor Level Level Line Limit Remark Freq dBuV dBuV/m dBuV/m MHz dB/m dB dB dB 1 pp 5700.000 9.56 34.52 41.86 91.89 94.11 68.20 25.91 peak 9.64 34.54 41.84 49.70 52.04 68.20 -16.16 peak 5725.000 3 5729.882 9.66 34.54 41.83 49.42 51.79 68.20 -16.41 peak



Report No.: SZEM180200138702

Page: 428 of 818

Test mode: 802.11n(HT20	Frequency(MHz):	5745	Peak	Vertical
-------------------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 2939RG

Mode : 5745 Band edge

: Ant 2 5G WIFI 11N CH149


		Freq			Preamp Factor					Remark
	-	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	-
1		5715.000	9.61	34.53	41.85	47.09	49.38	109.40	-60.02	peak
2		5725.000	9.64	34.54	41.84	52.92	55.26	122.20	-66.94	peak
3	pp	5745.000	9.71	34.55	41.82	88.01	90.45	125.20	-34.75	peak



Report No.: SZEM180200138702

Page: 429 of 818

Test mode: 802.11n(HT20) Frequency(MHz): 5745 Peak Horizontal



Condition: 3m HORIZONTAL

Job No : 2939RG

Mode : 5745 Band edge

: Ant 2 5G WIFI 11N CH149


			Cable	Ant	Preamp	Read		Limit	Over	
		Freq			Factor					Remark
		MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1		5715.000	9.61	34.53	41.85	46.53	48.82	109.40	-60.58	peak
2		5725.000	9.64	34.54	41.84	51.37	53.71	122.20	-68.49	peak
3	pp	5745.000	9.71	34.55	41.82	88.01	90.45	125.20	-34.75	peak



Report No.: SZEM180200138702

Page: 430 of 818

Test mode: 802.11n(HT20) Frequency(MHz): 5825 Peak Vertical



Condition: 3m VERTICAL

Job No : 2939RG

Mode : 5825 Band edge

: Ant 2 5G WIFI 11N CH165


Cable Ant Preamp Read Limit Over Loss Factor Factor Level Level Line Limit Remark MHz dB dB/m dB dBuV dBuV/m dBuV/m dB 1 pp 5825.000 9.98 34.60 41.75 87.86 90.69 125.20 -34.51 peak 5850.000 10.07 34.61 41.73 47.51 50.46 122.20 -71.74 peak 2 3 5860.000 10.10 34.62 41.72 47.28 50.28 109.40 -59.12 peak



Report No.: SZEM180200138702

Page: 431 of 818

Test mode: 802.11n(HT20) Frequency(MHz): 5825 Peak Horizontal



Condition: 3m HORIZONTAL

Job No : 2939RG

Mode : 5825 Band edge

: Ant 2 5G WIFI 11N CH165


Cable Ant Preamp Limit Over Read Loss Factor Factor Level Level Line Limit Remark Freq MHz dB/m dB dBuV dBuV/m dBuV/m dB 1 pp 5825.000 9.98 34.60 41.75 87.12 89.95 125.20 -35.25 peak 5850.000 10.07 34.61 41.73 48.08 51.03 122.20 -71.17 peak 5860.000 10.10 34.62 41.72 47.44 50.44 109.40 -58.96 peak 3



Report No.: SZEM180200138702

Page: 432 of 818

Test mode: 802.11ac(HT20) Frequency(MHz): 5180 Peak Vertical



Condition: 3m VERTICAL

Job No : 2939RG

Mode : 5180 Band edge


		Freq			Preamp Factor					Remark
	-	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1		5103.765	8.25	34.48	42.40	48.45	48.78	74.00	-25.22	Peak
2		5149.980	8.33	34.47	42.36	47.92	48.36	74.00	-25.64	Peak
3	pp	5180.000	8.37	34.46	42.33	89.70	90.20	68.20	22.00	Peak



Report No.: SZEM180200138702

Page: 433 of 818

Test mode: 802.11ac(HT20) Frequency(MHz): 5180 Average Vertical



Condition: 3m VERTICAL

Job No : 2939RG

Mode : 5180 Band edge


	Freq			Preamp Factor			Limit Line		Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5149.257	8.32	34.47	42.36	39.15	39.58	54.00	-14.42	Average
2	5149.980	8.33	34.47	42.36	39.04	39.48	54.00	-14.52	Average
3	5180.000	8.37	34.46	42.33	82.87	83.37			Average



Report No.: SZEM180200138702

Page: 434 of 818

Test mode:	802.11ac(HT20)	Frequency(MHz):	5180	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 2939RG

Mode : 5180 Band edge


		207.007	Cable	Ant	Preamp	Read		Limit	Over	
		Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	-	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	-
1		5110.210	8.26	34.48	42.39	48.98	49.33	74.00	-24.67	peak
2		5149.980	8.33	34.47	42.36	47.42	47.86	74.00	-26.14	peak
3	pp	5180.000	8.37	34.46	42.33	90.38	90.88	68.20	22.68	peak



Report No.: SZEM180200138702

Page: 435 of 818

Test mode: 802.11ac(HT20) Frequency(MHz): 5180 Average Horizontal



Condition: 3m HORIZONTAL

Job No : 2939RG

Mode : 5180 Band edge

: Ant 1 5G WIFI 11AC CH36


Ant Preamp Limit Cable Read 0ver Loss Factor Factor Level Level Line Limit Remark dBuV dBuV/m dBuV/m MHz dB/m dB 5145.559 8.32 34.47 42.36 39.25 39.68 54.00 -14.32 Average 8.33 34.47 42.36 39.26 39.70 54.00 -14.30 Average 2 pp 5149.980 8.37 34.46 42.33 83.78 84.28 ----- Average 5180.000



Report No.: SZEM180200138702

Page: 436 of 818

Test mode: 802.11ac(HT20) Frequency(MHz): 5240 Peak Vertical



Condition: 3m VERTICAL

Job No : 2939RG

Mode : 5240 Band edge

: Ant 1 5G WIFI 11AC CH48


Cable Ant Preamp Read Limit 0ver Loss Factor Factor Level Level Line Limit Remark dBuV dBuV/m dBuV/m MHz dB dB/m dB dB 1 pp 5240.000 8.46 34.45 42.27 92.42 93.06 68.20 24.86 Peak 8.63 34.43 42.17 47.76 48.65 74.00 -25.35 Peak 2 5350.020 3 8.63 34.43 42.17 48.30 49.19 74.00 -24.81 Peak 5353.519



Report No.: SZEM180200138702

Page: 437 of 818

Test mode: 802.11ac(HT20) Frequency(MHz): 5240 Average Vertical



Condition: 3m VERTICAL

Job No : 2939RG

Mode : 5240 Band edge


		Freq			Preamp Factor			Limit Line		Remark
		MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1		5240.000	8.46	34.45	42.27	85.84	86.48			Average
2		5350.020	8.63	34.43	42.17	38.39	39.28	54.00	-14.72	Average
3	pp	5351.341	8.63	34.43	42.17	38.44	39.33	54.00	-14.67	Average



Report No.: SZEM180200138702

Page: 438 of 818

Test mode: 802.11ac(HT20) Frequency(MHz): 5240 Peak Horizontal



Condition: 3m HORIZONTAL

Job No : 2939RG

Mode : 5240 Band edge


		Freq			Preamp Factor			Limit Line		
	-	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	-
1	pp	5240.000	8.46	34.45	42.27	94.35	94.99	68.20	26.79	peak
2		5350.020	8.63	34.43	42.17	47.06	47.95	74.00	-26.05	peak
3		5394.694	8.70	34.42	42.13	48.84	49.83	74.00	-24.17	peak



Report No.: SZEM180200138702

Page: 439 of 818

Test mode: 802.11ac(HT20) Frequency(MHz): 5240 Average Horizontal



Condition: 3m HORIZONTAL

Job No : 2939RG

Mode : 5240 Band edge


	Freq			Preamp Factor					
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5240.000	8.46	34.45	42.27	87.41	88.05			Average
2	5350.020	8.63	34.43	42.17	38.48	39.37	54.00	-14.63	Average
3 pp	5394.694	8.70	34.42	42.13	38.42	39.41	54.00	-14.59	Average



Report No.: SZEM180200138702

Page: 440 of 818

Test mode: 802.11ac(HT20) Frequency(MHz): 5260 Peak Vertical



Condition: 3m VERTICAL

Job No : 2939RG

Mode : 5260 Band edge

: Ant 1 5G WIFI 11AC CH52


Cable Ant Preamp Read Limit Over Loss Factor Factor Level Level Line Limit Remark dB dBuV dBuV/m dBuV/m MHz dB dB/m 1 5116.833 8.27 34.48 42.39 48.25 48.61 74.00 -25.39 Peak 8.33 34.47 42.36 47.18 47.62 74.00 -26.38 Peak 2 5149.980 3 pp 5260.000 8.49 34.45 42.25 93.00 93.69 68.20 25.49 Peak



Report No.: SZEM180200138702

Page: 441 of 818

Test mode: 802.11ac(HT20) Frequency(MHz): 5260 Average Vertical



Condition: 3m VERTICAL

Job No : 2939RG

Mode : 5260 Band edge

: Ant 1 5G WIFI 11AC CH52


Cable Ant Preamp Read Limit Over Loss Factor Factor Level Level Line Limit Remark dB dBuV dBuV/m dBuV/m MHz dB dB/m 1 pp 5143.881 8.32 34.47 42.36 38.20 38.63 54.00 -15.37 Average 8.33 34.47 42.36 38.10 38.54 54.00 -15.46 Average 5149.980 2 3 8.49 34.45 42.25 85.84 86.53 ----- Average 5260.000



Report No.: SZEM180200138702

Page: 442 of 818

Test mode: 802.11ac(HT20) Frequency(MHz): 5260 Peak Horizontal



Condition: 3m HORIZONTAL

Job No : 2939RG

Mode : 5260 Band edge


		Freq			Preamp Factor	Read Level		Limit Line		Remark
		MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	-
1		5107.081	8.26	34.48	42.40	48.60	48.94	74.00	-25.06	peak
2		5149.980	8.33	34.47	42.36	47.17	47.61	74.00	-26.39	peak
3	pp	5260.000	8.49	34.45	42.25	94.88	95.57	68.20	27.37	peak



Report No.: SZEM180200138702

Page: 443 of 818

Test mode: 802.11ac(HT20) Frequency(MHz): 5260 Average Horizontal



Condition: 3m HORIZONTAL

Job No : 2939RG

Mode : 5260 Band edge


		Freq			Preamp Factor						
	-	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		_
1	pp	5144.595	8.32	34.47	42.36	38.22	38.65	54.00	-15.35	Average	
2		5149.980	8.33	34.47	42.36	38.01	38.45	54.00	-15.55	Average	
3		5260.000	8.49	34.45	42.25	87.96	88.65			Average	



Report No.: SZEM180200138702

Page: 444 of 818

Test mode: 802.11ac(HT20) Frequency(MHz): 5320 Peak Vertical



Condition: 3m VERTICAL

Job No : 2939RG

Mode : 5320 Band edge

: Ant 1 5G WIFI 11AC CH64


Cable Ant Preamp Read Limit 0ver Loss Factor Factor Level Level Line Limit Remark dBuV dBuV/m dBuV/m MHz dB dB/m dB 1 pp 5320.000 34.43 42.20 94.65 95.46 68.20 27.26 Peak 8.58 8.63 34.43 42.17 49.11 50.00 74.00 -24.00 Peak 2 5350.020 3 5375.829 8.67 34.42 42.15 50.43 51.37 74.00 -22.63 Peak



Report No.: SZEM180200138702

Page: 445 of 818

Test mode: 802.11ac(HT20) Frequency(MHz): 5320 Average Vertical



Condition: 3m VERTICAL

Job No : 2939RG

Mode : 5320 Band edge

: Ant 1 5G WIFI 11AC CH64


Cable Ant Preamp Read Limit 0ver Loss Factor Factor Level Level Line Limit Remark dBuV dBuV/m dBuV/m MHz dB dB/m dB 5320.000 8.58 34.43 42.20 87.40 88.21 ----- Average 8.63 34.43 42.17 41.15 42.04 54.00 -11.96 Average 2 pp 5350.020 5350.966 8.63 34.43 42.17 41.12 42.01 54.00 -11.99 Average



Report No.: SZEM180200138702

Page: 446 of 818

Test mode: 802.11ac(HT20) Frequency(MHz): 5320 Peak Horizontal



Condition: 3m HORIZONTAL

Job No : 2939RG

Mode : 5320 Band edge

: Ant 1 5G WIFI 11AC CH64


Cable Ant Preamp Read Limit 0ver Loss Factor Factor Level Level Line Limit Remark dBuV dBuV/m dBuV/m MHz dB dB/m dB dB 1 pp 5320.000 8.58 34.43 42.20 97.97 98.78 68.20 30.58 peak 8.63 34.43 42.17 51.46 2 5350.020 52.35 74.00 -21.65 peak 3 8.65 34.43 42.16 53.00 53.92 74.00 -20.08 peak 5363.584



Report No.: SZEM180200138702

Page: 447 of 818

Test mode: 802.11ac(HT20) Frequency(MHz): 5320 Average Horizontal



Condition: 3m HORIZONTAL

Job No : 2939RG

Mode : 5320 Band edge

: Ant 1 5G WIFI 11AC CH64


Cable Ant Preamp Read Limit 0ver Loss Factor Factor Level Level Line Limit Remark dB dBuV dBuV/m dBuV/m MHz dB dB/m dB 5320.000 8.58 34.43 42.20 91.44 92.25 ----- Average 8.63 34.43 42.17 43.61 44.50 54.00 -9.50 Average 2 pp 5350.020 8.63 34.43 42.17 43.50 44.39 54.00 -9.61 Average 5350.866



Report No.: SZEM180200138702

Page: 448 of 818

Test mode: 802.11ac(HT20) Frequency(MHz): 5500 Peak Vertical



Condition: 3m VERTICAL

Job No : 2939RG

Mode : 5500 Band edge


	Freq	Freq	Freq	Freq			Preamp Factor					
	-	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	-		
1		5435.365	8.76	34.41	42.09	49.73	50.81	74.00	-23.19	Peak		
2		5466.755	8.80	34.41	42.06	49.57	50.72	68.20	-17.48	peak		
3	pp	5500.000	8.85	34.40	42.03	93.28	94.50	68.20	26.30	Peak		



Report No.: SZEM180200138702

Page: 449 of 818

Test mode: 802.11ac(HT20) Frequency(MHz): 5500 Average Vertical



Condition: 3m VERTICAL

Job No : 2939RG

Mode : 5500 Band edge

: Ant 1 5G WIFI 11AC CH100

Cable Ant Preamp Read Limit Over
Loss Factor Factor Level Level Line Limit Remark

MHz dB dB/m dB dBuV dBuV/m dBuV/m dB


1 pp 5453.434 8.78 34.41 42.08 40.08 41.19 54.00 -12.81 Average
2 5500.000 8.85 34.40 42.03 86.53 87.75 ----- Average



Report No.: SZEM180200138702

Page: 450 of 818

Test mode: 802.11ac(HT20) Frequency(MHz): 5500 Peak Horizontal



Condition: 3m HORIZONTAL

Job No : 2939RG

Mode : 5500 Band edge


		Freq	Freq			Preamp Factor			Limit Line		Remark
	-	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
1		5458.230	8.79	34.41	42.07	50.80	51.93	74.00	-22.07	peak	
2		5466.274	8.80	34.41	42.06	50.60	51.75	68.20	-16.45	peak	
3	pp	5500.000	8.85	34.40	42.03	96.86	98.08	68.20	29.88	peak	



Report No.: SZEM180200138702

Page: 451 of 818

Test mode: 802.11ac(HT20) Frequency(MHz): 5500 Average Horizontal



Condition: 3m HORIZONTAL

Job No : 2939RG

Mode : 5500 Band edge

: Ant 1 5G WIFI 11AC CH100

Cable Ant Preamp Read Limit Over
Freq Loss Factor Factor Level Level Line Limit Remark

MHz dB dB/m dB dBuV dBuV/m dBuV/m dB


1 pp 5459.430 8.79 34.41 42.07 41.57 42.70 54.00 -11.30 Average
2 5500.000 8.85 34.40 42.03 90.11 91.33 ----- Average



Report No.: SZEM180200138702

Page: 452 of 818

Test mode: 802.11ac(HT20) Frequency(MHz): 5700 Peak Vertical



Condition: 3m VERTICAL

Job No : 2939RG

Mode : 5700 Band edge


		Freq	Freq	Freq				Read Level				
	-	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB			
1	pp	5700.000	9.56	34.52	41.86	90.28	92.50	68.20	24.30	Peak		
2		5725.000	9.64	34.54	41.84	48.07	50.41	68.20	-17.79	Peak		
3		5747.309	9.72	34.55	41.82	49.40	51.85	68.20	-16.35	Peak		



Report No.: SZEM180200138702

Page: 453 of 818

Test mode: 802.11ac(HT20) Frequency(MHz): 5700 Peak Horizontal



Condition: 3m HORIZONTAL

Job No : 2939RG

Mode : 5700 Band edge


	Freq	Freq	Freq			Preamp Factor			Limit Line		Remark
	-	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
1 p	р	5700.000	9.56	34.52	41.86	94.35	96.57	68.20	28.37	peak	
2		5725.000			41.84					-	
3		5725.983	9.65	34.54	41.84	50.48	52.83	68.20	-15.37	peak	



Report No.: SZEM180200138702

Page: 454 of 818

Test mode: 802.11ac(HT20) Frequency(MHz): 5745 Peak Vertical



Condition: 3m VERTICAL

Job No : 2939RG

Mode : 5745 Band edge


	Freq			Preamp Factor			Limit Line		Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5715.000	9.61	34.53	41.85	48.01	50.30	109.40	-59.10	peak
2	5725.000	9.64	34.54	41.84	59.52	61.86	122.20	-60.34	peak
3 pp	5745.000	9.71	34.55	41.82	90.14	92.58	125.20	-32.62	peak



Report No.: SZEM180200138702

Page: 455 of 818

Test mode: 802.11ac(HT20) Frequency(MHz): 5745 Peak Horizontal



Condition: 3m HORIZONTAL

Job No : 2939RG

Mode : 5745 Band edge


	Freq			Preamp Factor			Limit Line		Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5715.000	9.61	34.53	41.85	50.89	53.18	109.40	-56.22	peak
2	5725.000	9.64	34.54	41.84	62.59	64.93	122.20	-57.27	peak
3 pp	5745.000	9.71	34.55	41.82	94.45	96.89	125.20	-28.31	peak



Report No.: SZEM180200138702

Page: 456 of 818

Test mode: 802.11ac(HT20) Frequency(MHz): 5825 Peak Vertical



Condition: 3m VERTICAL

Job No : 2939RG

Mode : 5825 Band edge

: Ant 1 5G WIFI 11AC CH165


Cable Ant Preamp Read Limit Over Loss Factor Factor Level Level Line Limit Remark MHz dB dB/m dB dBuV dBuV/m dBuV/m dB 1 pp 5825.000 9.98 34.60 41.75 89.20 92.03 125.20 -33.17 peak 5850.000 10.07 34.61 41.73 51.65 54.60 122.20 -67.60 peak 2 3 5860.000 10.10 34.62 41.72 48.73 51.73 109.40 -57.67 peak



Report No.: SZEM180200138702

Page: 457 of 818

Test mode: 802.11ac(HT20) Frequency(MHz): 5825 Peak Horizontal



Condition: 3m HORIZONTAL

Job No : 2939RG

Mode : 5825 Band edge

: Ant 1 5G WIFI 11AC CH165


Cable Ant Preamp Read Limit Over Loss Factor Factor Level Level Line Limit Remark MHz dB dB/m dB dBuV dBuV/m dBuV/m dB 1 pp 5825.000 9.98 34.60 41.75 93.20 96.03 125.20 -29.17 peak 5850.000 10.07 34.61 41.73 49.24 52.19 122.20 -70.01 peak 2 3 5860.000 10.10 34.62 41.72 49.79 52.79 109.40 -56.61 peak



Report No.: SZEM180200138702

Page: 458 of 818

Test mode: 802.11n(HT40) Frequency(MHz): 5190 Peak Vertical



Condition: 3m VERTICAL

Job No : 2939RG

1 2

Mode : 5190 Band edge

: Ant 1 5G WIFI 11N(40) CH38


		. Alle			Dansan			14-4	0	
		Freq			Preamp Factor				Over Limit	Remark
		MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	1
		5143.238	8.32	34.47	42.36	48.71	49.14	74.00	-24.86	Peak
2		5149.980	8.33	34.47	42.36	48.60	49.04	74.00	-24.96	Peak
3	nn	5190 000	8 39	34 46	42 32	85 89	86 42	68 20	18 22	Peak



Report No.: SZEM180200138702

Page: 459 of 818

Test mode: 802.11n(HT40) Frequency(MHz): 5190 Average Vertical



Condition: 3m VERTICAL

Job No : 2939RG

Mode : 5190 Band edge

: Ant 1 5G WIFI 11N(40) CH38


		Freq			Preamp Factor			Limit Line		Remark
		MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	-
1		5149.102	8.32	34.47	42.36	39.71	40.14	54.00	-13.86	Average
2	pp	5149.980	8.33	34.47	42.36	39.80	40.24	54.00	-13.76	Average
3		5190.000	8.39	34.46	42.32	79.25	79.78			Average



Report No.: SZEM180200138702

Page: 460 of 818

Test mode:	802.11n(HT40)	Frequency(MHz):	5190	Peak	Horizontal
------------	---------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 2939RG

Mode : 5190 Band edge


			1 20	**** *	110(40)	C1120				
		Freq			Preamp Factor			Limit Line		Remark
	-	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1		5147.545	8.32	34.47	42.36	50.40	50.83	74.00	-23.17	peak
2		5149.980	8.33	34.47	42.36	48.87	49.31	74.00	-24.69	peak
3	pp	5190.000	8.39	34.46	42.32	87.64	88.17	68.20	19.97	peak



Report No.: SZEM180200138702

Page: 461 of 818

Test mode: 802.11n(HT40) Frequency(MHz): 5190 Average Horizontal



Condition: 3m HORIZONTAL

Job No : 2939RG

Mode : 5190 Band edge

: Ant 1 5G WIFI 11N(40) CH38


Ant Preamp Cable Read Limit Over Loss Factor Factor Level Level Line Limit Remark dB dBuV dBuV/m dBuV/m MHz dB dB/m dB 5149.461 8.32 34.47 42.36 40.12 40.55 54.00 -13.45 Average 2 pp 5149.980 8.33 34.47 42.36 40.37 40.81 54.00 -13.19 Average 5190.000 8.39 34.46 42.32 81.08 81.61 ----- Average



Report No.: SZEM180200138702

Page: 462 of 818

Test mode: 802.11n(HT40) Frequency(MHz): 5230 Peak Vertical



Condition: 3m VERTICAL

Job No : 2939RG

Mode : 5230 Band edge

: Ant 1 5G WIFI 11N(40) CH46


Cable Ant Preamp Read Limit Over Loss Factor Factor Level Level Line Limit Remark dB dBuV dBuV/m dBuV/m MHz dB dB/m 1 pp 5230.000 8.45 34.45 42.28 88.82 89.44 68.20 21.24 Peak 5350.020 8.63 34.43 42.17 46.94 47.83 74.00 -26.17 Peak 2 3 5395.926 8.70 34.42 42.13 49.01 50.00 74.00 -24.00 Peak



Report No.: SZEM180200138702

Page: 463 of 818

Test mode: 802.11n(HT40) Frequency(MHz): 5230 Average Vertical



Condition: 3m VERTICAL

Job No : 2939RG

Mode : 5230 Band edge

: Ant 1 5G WIFI 11N(40) CH46


Cable Ant Preamp Read Limit Over Loss Factor Factor Level Level Line Limit Remark dB dBuV dBuV/m dBuV/m MHz dB dB/m dB 5230.000 8.45 34.45 42.28 82.30 82.92 ----- Average 8.63 34.43 42.17 38.57 39.46 54.00 -14.54 Average 2 pp 5350.020 5351.107 8.63 34.43 42.17 38.50 39.39 54.00 -14.61 Average



Report No.: SZEM180200138702

Page: 464 of 818

Test mode: 802.11n(HT40) Frequency(MHz): 5230 Peak Horizontal



Condition: 3m HORIZONTAL

Job No : 2939RG

Mode : 5230 Band edge

: Ant 1 5G WIFI 11N(40) CH46


Cable Ant Preamp Read Limit 0ver Loss Factor Factor Level Level Line Limit Remark dB dBuV dBuV/m dBuV/m MHz dB dB/m dB 1 pp 5230.000 8.45 34.45 42.28 91.68 92.30 68.20 24.10 peak 5350.020 8.63 34.43 42.17 47.26 48.15 74.00 -25.85 peak 2 3 8.67 34.42 42.14 48.70 49.65 74.00 -24.35 peak 5376.614



Report No.: SZEM180200138702

Page: 465 of 818

Test mode: 802.11n(HT40) Frequency(MHz): 5230 Average Horizontal



Condition: 3m HORIZONTAL

Job No : 2939RG

Mode : 5230 Band edge

5350.501

: Ant 1 5G WIFI 11N(40) CH46

Cable Ant Preamp Read Limit 0ver Loss Factor Factor Level Level Line Limit Remark Freq MHz dB dB/m dB dBuV dBuV/m dBuV/m dB 5230.000 8.45 34.45 42.28 85.31 85.93 ----- Average 2 pp 5350.020 8.63 34.43 42.17 38.87 39.76 54.00 -14.24 Average


8.63 34.43 42.17 38.84 39.73 54.00 -14.27 Average



Report No.: SZEM180200138702

Page: 466 of 818

Test mode: 802.11n(HT40) Frequency(MHz): 5270 Peak Vertical



Condition: 3m VERTICAL

Job No : 2939RG

Mode : 5270 Band edge

: Ant 1 5G WIFI 11N(40) CH54


Cable Ant Preamp Read Limit Over Loss Factor Factor Level Level Line Limit Remark dB dBuV dBuV/m dBuV/m MHz dB dB/m 1 5133.064 8.30 34.47 42.37 48.70 49.10 74.00 -24.90 Peak 8.33 34.47 42.36 46.83 47.27 74.00 -26.73 Peak 2 5149.980 8.51 34.44 42.24 89.77 90.48 68.20 22.28 Peak 3 pp 5270.000



Report No.: SZEM180200138702

467 of 818 Page:

Test mode: 802.11n(HT40) Frequency(MHz): 5270 Average Vertical



Condition: 3m VERTICAL

Job No : 2939RG

2 3

Mode : 5270 Band edge

: Ant 1 5G WIFI 11N(40) CH54


Cable Ant Preamp Read Limit Over Loss Factor Factor Level Level Line Limit Remark dB dBuV dBuV/m dBuV/m MHz dB dB/m 1 pp 5147.499 8.32 34.47 42.36 38.17 38.60 54.00 -15.40 Average 8.33 34.47 42.36 38.09 38.53 54.00 -15.47 Average 5149.980 8.51 34.44 42.24 83.25 83.96 ----- Average 5270.000



Report No.: SZEM180200138702

Page: 468 of 818

Test mode: 802.11n(HT40) Frequency(MHz): 5270 Peak Horizontal



Condition: 3m HORIZONTAL

Job No : 2939RG

Mode : 5270 Band edge


		Freq			Preamp Factor				Over Limit	Remark
	-	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1		5148.687	8.32	34.47	42.36	49.03	49.46	74.00	-24.54	peak
2		5149.980	8.33	34.47	42.36	48.20	48.64	74.00	-25.36	peak
3	pp	5270.000	8.51	34.44	42.24	92.66	93.37	68.20	25.17	peak



Report No.: SZEM180200138702

469 of 818 Page:

5270 Test mode: 802.11n(HT40) Frequency(MHz): Average Horizontal



Condition: 3m HORIZONTAL

Job No : 2939RG

5270.000

3

Mode : 5270 Band edge

: Ant 1 5G WIFI 11N(40) CH54


Ant Preamp Cable Read Limit 0ver Loss Factor Factor Level Level Line Limit Remark Freq MHz dB dBuV dBuV/m dBuV/m dB/m 1 pp 5144.332 8.32 34.47 42.36 38.20 38.63 54.00 -15.37 Average 8.33 34.47 42.36 38.07 38.51 54.00 -15.49 Average 5149.980 8.51 34.44 42.24 86.05 86.76 ----- Average



Report No.: SZEM180200138702

Page: 470 of 818

Test mode: 802.11n(HT40) Frequency(MHz): 5310 Peak Vertical



Condition: 3m VERTICAL

Job No : 2939RG

Mode : 5310 Band edge


		Freq			Preamp Factor					
	-	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	-
1	рр	5310.000	8.57	34.44	42.21	87.35	88.15	68.20	19.95	Peak
2		5350.020	8.63	34.43	42.17	50.57	51.46	74.00	-22.54	Peak
3		5354.082	8.64	34.43	42.17	48.83	49.73	74.00	-24.27	Peak



Report No.: SZEM180200138702

Page: 471 of 818

Test mode: 802.11n(HT40) Frequency(MHz): 5310 Average Vertical



Condition: 3m VERTICAL

Job No : 2939RG

Mode : 5310 Band edge

: Ant 1 5G WIFI 11N(40) CH62


Cable Ant Preamp Read Limit Over Loss Factor Factor Level Level Line Limit Remark dBuV dBuV/m dBuV/m MHz dB dB/m dB dB 5310.000 8.57 34.44 42.21 80.94 81.74 ----- Average 2 pp 5350.020 8.63 34.43 42.17 39.50 40.39 54.00 -13.61 Average 5354.202 8.64 34.43 42.17 39.47 40.37 54.00 -13.63 Average



Report No.: SZEM180200138702

Page: 472 of 818

Test mode: 802.11n(HT40) Frequency(MHz): 5310 Peak Horizontal



Condition: 3m HORIZONTAL

Job No : 2939RG

Mode : 5310 Band edge


		Freq			Preamp Factor					
	-	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp	5310.000	8.57	34.44	42.21	90.58	91.38	68.20	23.18	peak
2		5350.020	8.63	34.43	42.17	50.23	51.12	74.00	-22.88	peak
3		5353.360	8.63	34.43	42.17	50.03	50.92	74.00	-23.08	peak



Report No.: SZEM180200138702

Page: 473 of 818

Test mode: 802.11n(HT40) Frequency(MHz): 5310 Average Horizontal



Condition: 3m HORIZONTAL

Job No : 2939RG

Mode : 5310 Band edge

: Ant 1 5G WIFI 11N(40) CH62


Cable Ant Preamp Read Limit 0ver Loss Factor Factor Level Level Line Limit Remark dB dBuV dBuV/m dBuV/m MHz dB dB/m dB 5310.000 8.57 34.44 42.21 84.02 84.82 ----- Average 8.63 34.43 42.17 41.02 41.91 54.00 -12.09 Average 2 pp 5350.020 8.63 34.43 42.17 40.82 41.71 54.00 -12.29 Average 5351.436



Report No.: SZEM180200138702

Page: 474 of 818

Test mode: 802.11n(HT40) Frequency(MHz): 5510 Peak Vertical



Condition: 3m VERTICAL

Job No : 2939RG

Mode : 5510 Band edge

: Ant 1 5G WIFI 11N(40) CH102


Cable Ant Preamp Read Limit Over Loss Factor Factor Level Level Line Limit Remark dB dBuV dBuV/m dBuV/m MHz dB dB/m 1 5431.049 8.75 34.41 42.10 49.23 50.29 74.00 -23.71 Peak 8.80 34.41 42.06 48.98 50.13 68.20 -18.07 peak 2 5468.572 8.89 34.41 42.02 85.87 87.15 68.20 18.95 Peak 3 pp 5510.000



Report No.: SZEM180200138702

Page: 475 of 818

Test mode: 802.11n(HT40) Frequency(MHz): 5510 Average Vertical



Condition: 3m VERTICAL

Job No : 2939RG

Mode : 5510 Band edge

: Ant 1 5G WIFI 11N(40) CH102

Cable Ant Preamp Read Limit Over
Freq Loss Factor Factor Level Level Line Limit Remark

MHz dB dB/m dB dBuV dBuV/m dBuV/m dB


1 pp 5456.688 8.79 34.41 42.07 39.00 40.13 54.00 -13.87 Average
2 5510.000 8.89 34.41 42.02 78.97 80.25 ----- Average



Report No.: SZEM180200138702

Page: 476 of 818

Test mode: 802.11n(HT40) Frequency(MHz): 5510 Peak Horizontal



Condition: 3m HORIZONTAL

Job No : 2939RG

Mode : 5510 Band edge


		Freq			Preamp Factor					
	-	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	-
1		5421.050	8.73	34.42	42.10	49.78	50.83	74.00	-23.17	peak
2		5468.712	8.80	34.41	42.06	51.02	52.17	68.20	-16.03	peak
3	pp	5510.000	8.89	34.41	42.02	90.24	91.52	68.20	23.32	peak



Report No.: SZEM180200138702

Page: 477 of 818

Test mode: 802.11n(HT40) Frequency(MHz): 5510 Average Horizontal



Condition: 3m HORIZONTAL

Job No : 2939RG

Mode : 5510 Band edge

5510.000

: Ant 1 5G WIFI 11N(40) CH102

Cable Ant Preamp Read Limit Over
Freq Loss Factor Factor Level Level Line Limit Remark

MHz dB dB/m dB dBuV dBuV/m dBuV/m dB

1 pp 5458.923 8.79 34.41 42.07 40.33 41.46 54.00 -12.54 Average


8.89 34.41 42.02 83.50 84.78 ----- Average



Report No.: SZEM180200138702

Page: 478 of 818

Test mode: 802.11n(HT40) Frequency(MHz): 5670 Peak Vertical



Condition: 3m VERTICAL

Job No : 2939RG

Mode : 5670 Band edge


		Freq			Preamp Factor					
		MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	-
1	рр	5670.000	9.45	34.50	41.88	86.93	89.00	68.20	20.80	Peak
2		5725.000	9.64	34.54	41.84	47.24	49.58	68.20	-18.62	Peak
3		5732.717	9.67	34.54	41.83	49.85	52.23	68.20	-15.97	Peak



Report No.: SZEM180200138702

Page: 479 of 818

Test mode: 802.11n(HT40) Frequency(MHz): 5670 Peak Horizontal



Condition: 3m HORIZONTAL

Job No : 2939RG

Mode : 5670 Band edge

: Ant 1 5G WIFI 11N(40) CH134


Cable Ant Preamp Read Limit Over Loss Factor Factor Level Level Line Limit Remark dB dBuV dBuV/m dBuV/m MHz dB dB/m dB 1 pp 5670.000 9.45 34.50 41.88 91.11 93.18 68.20 24.98 peak 5725.000 9.64 34.54 41.84 49.49 51.83 68.20 -16.37 peak 2 3 5731.312 9.66 34.54 41.83 52.65 55.02 68.20 -13.18 peak



Report No.: SZEM180200138702

Page: 480 of 818

Test mode: 802.11n(HT40	Frequency(MHz):	5755	Peak	Vertical
-------------------------	-----------------	------	------	----------



Condition: 3m VERTICAL

Job No : 2939RG

Mode : 5755 Band edge

: Ant 1 5G WIFI 11N(40) CH151

Cable Ant Preamp Read Limit Over
Freq Loss Factor Factor Level Level Line Limit Remark

MHz dB dB/m dB dBuV dBuV/m dBuV/m dB dB


1 5715.000 9.61 34.53 41.85 57.42 59.71 109.40 -49.69 peak
2 5725.000 9.64 34.54 41.84 58.66 61.00 122.20 -61.20 peak
3 pp 5755.000 9.75 34.56 41.81 87.28 89.78 125.20 -35.42 peak



Report No.: SZEM180200138702

Page: 481 of 818

Test mode:	802.11n(HT40)	Frequency(MHz):	5755	Peak	Horizontal
------------	---------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 2939RG

Mode : 5755 Band edge


			1 30		111/40/	CHILDI					
					Preamp				Over		
		Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
	-	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	-	-
1		5715.000	9.61	34.53	41.85	59.04	61.33	109.40	-48.07	peak	
2		5725.000			41.84						
3	pp	5755.000									



Report No.: SZEM180200138702

482 of 818 Page:

Test mode: 802.11n(HT40) Frequency(MHz): 5795 Peak Vertical



Condition: 3m VERTICAL

Job No : 2939RG

2 3

Mode : 5795 Band edge

: Ant 1 5G WIFI 11N(40) CH159


Ant Preamp Cable Read Limit 0ver Loss Factor Factor Level Level Line Limit Remark dB dBuV dBuV/m dBuV/m MHz dB dB/m dB 1 pp 5795.000 9.88 34.58 41.78 86.57 89.25 125.20 -35.95 peak 5850.000 10.07 34.61 41.73 47.89 50.84 122.20 -71.36 peak 5860.000 10.10 34.62 41.72 48.60 51.60 109.40 -57.80 peak



Report No.: SZEM180200138702

Page: 483 of 818

Test mode: 802.11n(HT40) Frequency(MHz): 5795 Peak Horizontal



Condition: 3m HORIZONTAL

Job No : 2939RG

Mode : 5795 Band edge

: Ant 1 5G WIFI 11N(40) CH159


Ant Preamp Cable Read Limit 0ver Loss Factor Factor Level Level Line Limit Remark MHz dB dB/m dB dBuV dBuV/m dBuV/m dB 1 pp 5795.000 9.88 34.58 41.78 90.39 93.07 125.20 -32.13 peak 5850.000 10.07 34.61 41.73 48.50 51.45 122.20 -70.75 peak 2 3 5860.000 10.10 34.62 41.72 50.80 53.80 109.40 -55.60 peak



Report No.: SZEM180200138702

Page: 484 of 818

Test mode: 802.11ac(HT40) Frequency(MHz): 5190 Peak Vertical



Condition: 3m VERTICAL

Job No : 2939RG

Mode : 5190 Band edge

: Ant 1 5G WIFI 11AC(40) CH38


Cable Ant Preamp Read Limit 0ver Loss Factor Factor Level Level Line Limit Remark Freq dB dBuV dBuV/m dBuV/m MHz dB/m 5148.982 8.32 34.47 42.36 49.03 49.46 74.00 -24.54 Peak 5149.980 8.33 34.47 42.36 49.11 49.55 74.00 -24.45 Peak 8.39 34.46 42.32 86.57 87.10 68.20 18.90 Peak 3 pp 5190.000



Report No.: SZEM180200138702

Page: 485 of 818

Test mode: 802.11ac(HT40)   Frequency(MHz): 5190   Average   Vertical
---



Condition: 3m VERTICAL

Job No : 2939RG

Mode : 5190 Band edge


		Freq			Preamp Factor			Limit Line		Remark
	_	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	-
1	51	148.623	8.32	34.47	42.36	39.98	40.41	54.00	-13.59	Average
2 1	op 51	149.980	8.33	34.47	42.36	40.03	40.47	54.00	-13.53	Average
3	51	190.000	8.39	34.46	42.32	80.16	80.69			Average



Report No.: SZEM180200138702

Page: 486 of 818

Test mode:	802.11ac(HT40)	Frequency(MHz):	5190	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL

Job No : 2939RG

Mode : 5190 Band edge


			Cable	Ant	Preamp Factor	Read			Over Limit	Remark
	-	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1		5142.042	8.31	34.47	42.36	51.41	51.83	74.00	-22.17	peak
2		5149.980	8.33	34.47	42.36	49.91	50.35	74.00	-23.65	peak
3	pp	5190.000	8.39	34.46	42.32	88.66	89.19	68.20	20.99	peak



Report No.: SZEM180200138702

Page: 487 of 818

Test mode: 802.11ac(HT40) Frequency(MHz): 5190 Average Horizontal



Condition: 3m HORIZONTAL

Job No : 2939RG

Mode : 5190 Band edge


		· Alle			Preamp			Limit	Over	
		Freq			Factor			Line	Limit	Remark
		MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	-
1	рр	5149.461	8.32	34.47	42.36	40.86	41.29	54.00	-12.71	Average
2	2	5149.980	8.33	34.47	42.36	40.74	41.18	54.00	-12.82	Average
-	3	5190,000	8.39	34.46	42.32	82.25	82.78			Average



Report No.: SZEM180200138702

Page: 488 of 818

Test mode: 802.11ac(HT40) Frequency(MHz): 5230 Peak Vertical



Condition: 3m VERTICAL

Job No : 2939RG

Mode : 5230 Band edge


	. Airc			Preamp			Limit	0ver	
	Freq			Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 p	p 5230.000	8.45	34.45	42.28	90.50	91.12	68.20	22.92	Peak
2	5350.020	8.63	34.43	42.17	47.15	48.04	74.00	-25.96	Peak
3	5368.503	8.66	34.43	42.15	48.91	49.85	74.00	-24.15	Peak



Report No.: SZEM180200138702

Page: 489 of 818

Test mode: 802.11ac(HT40) Frequency(MHz): 5230 Average Vertical



Condition: 3m VERTICAL

Job No : 2939RG

Mode : 5230 Band edge

: Ant 1 5G WIFI 11AC(40) CH46


Cable Ant Preamp Read Limit Over Loss Factor Factor Level Level Line Limit Remark dB dBuV dBuV/m dBuV/m MHz dB dB/m 1 5230.000 8.45 34.45 42.28 83.70 84.32 ----- Average 8.63 34.43 42.17 38.59 39.48 54.00 -14.52 Average 2 5350.020 3 pp 5352.319 8.63 34.43 42.17 38.66 39.55 54.00 -14.45 Average



Report No.: SZEM180200138702

Page: 490 of 818

Test mode: 802.11ac(HT40) Frequency(MHz): 5230 Peak Horizontal



Condition: 3m HORIZONTAL

Job No : 2939RG

Mode : 5230 Band edge

: Ant 1 5G WIFI 11AC(40) CH46


Ant Preamp Cable Read Limit 0ver Loss Factor Factor Level Level Line Limit Remark dB dBuV dBuV/m dBuV/m MHz dB dB/m dB 1 pp 5230.000 8.45 34.45 42.28 92.60 93.22 68.20 25.02 peak 8.63 34.43 42.17 47.59 48.48 74.00 -25.52 peak 2 5350.020 3 5367.491 8.66 34.43 42.15 49.19 50.13 74.00 -23.87 peak



Report No.: SZEM180200138702

Page: 491 of 818

Test mode: 802.11ac(HT40) Frequency(MHz): 5230 Average Horizontal



Condition: 3m HORIZONTAL

Job No : 2939RG

Mode : 5230 Band edge

: Ant 1 5G WIFI 11AC(40) CH46


Cable Ant Preamp Read Limit Over Loss Factor Factor Level Level Line Limit Remark Freq MHz dB dB/m dB dBuV dBuV/m dBuV/m dB 5230.000 8.45 34.45 42.28 86.12 86.74 ----- Average 2 pp 5350.020 8.63 34.43 42.17 39.00 39.89 54.00 -14.11 Average 5354.340 8.64 34.43 42.16 38.92 39.83 54.00 -14.17 Average



Report No.: SZEM180200138702

Page: 492 of 818

Test mode: 802.11ac(HT40) Frequency(MHz): 5270 Peak Vertical



Condition: 3m VERTICAL

Job No : 2939RG

Mode : 5270 Band edge

: Ant 1 5G WIFI 11AC(40) CH54


Cable Ant Preamp Read Limit Over Loss Factor Factor Level Level Line Limit Remark dB dBuV dBuV/m dBuV/m MHz dB dB/m 1 5122.414 8.28 34.47 42.38 48.80 49.17 74.00 -24.83 Peak 5149.980 8.33 34.47 42.36 47.36 47.80 74.00 -26.20 Peak 2 8.51 34.44 42.24 91.09 91.80 68.20 23.60 Peak 3 pp 5270.000



Report No.: SZEM180200138702

Page: 493 of 818

Test mode: 802.11ac(HT40) Frequency(MHz): 5270 Average Vertical



Condition: 3m VERTICAL

Job No : 2939RG

Mode : 5270 Band edge

: Ant 1 5G WIFI 11AC(40) CH54


Cable Ant Preamp Read Limit Over Loss Factor Factor Level Level Line Limit Remark dB dBuV dBuV/m dBuV/m MHz dB dB/m 1 pp 5148.885 8.32 34.47 42.36 38.42 38.85 54.00 -15.15 Average 5149.980 8.33 34.47 42.36 38.33 38.77 54.00 -15.23 Average 2 3 8.51 34.44 42.24 84.04 84.75 ----- Average 5270.000



Report No.: SZEM180200138702

Page: 494 of 818

Test mode: 802.11ac(HT40) Frequency(MHz): 5270 Peak Horizontal



Condition: 3m HORIZONTAL

Job No : 2939RG

Mode : 5270 Band edge


	Freq		Cable Ant Preamp Re Loss Factor Factor Lev						
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5119.656	8.28	34.48	42.38	49.29	49.67	74.00	-24.33	peak
2	5149.980	8.33	34.47	42.36	47.39	47.83	74.00	-26.17	peak
3 1	op 5270.000	8.51	34.44	42.24	93.81	94.52	68.20	26.32	peak



Report No.: SZEM180200138702

Page: 495 of 818

Test mode: 802.11ac(HT40) Frequency(MHz): 5270 Average Horizontal



Condition: 3m HORIZONTAL

Job No : 2939RG

5270.000

Mode : 5270 Band edge

: Ant 1 5G WIFI 11AC(40) CH54

Cable Ant Preamp Read Limit Over Loss Factor Factor Level Level Freq Line Limit Remark dBuV dBuV/m dBuV/m MHz dB dB/m dB dB 8.32 34.47 42.36 38.44 38.87 54.00 -15.13 Average 5144.529 8.33 34.47 42.36 38.44 38.88 54.00 -15.12 Average 2 pp 5149.980


8.51 34.44 42.24 86.84 87.55 ----- Average



Report No.: SZEM180200138702

Page: 496 of 818

Test mode: 802.11ac(HT40) Frequency(MHz): 5310 Peak Vertical



Condition: 3m VERTICAL

Job No : 2939RG

Mode : 5310 Band edge

: Ant 1 5G WIFI 11AC(40) CH62


Ant Preamp Cable Read Limit 0ver Loss Factor Factor Level Level Line Limit Remark dBuV dBuV/m dBuV/m MHz dB dB/m dB dB 1 pp 5310.000 8.57 34.44 42.21 88.55 89.35 68.20 21.15 Peak 5350.020 8.63 34.43 42.17 49.07 49.96 74.00 -24.04 Peak 2 3 5354.563 8.64 34.43 42.16 51.22 52.13 74.00 -21.87 Peak



Report No.: SZEM180200138702

Page: 497 of 818

Test mode: 802.11ac(HT40) Frequency(MHz): 5310 Average Vertical



Condition: 3m VERTICAL

Job No : 2939RG

Mode : 5310 Band edge

: Ant 1 5G WIFI 11AC(40) CH62


Cable Ant Preamp Read Limit Over Loss Factor Factor Level Level Line Limit Remark dB dBuV dBuV/m dBuV/m MHz dB dB/m dB 5310.000 8.57 34.44 42.21 81.87 82.67 ----- Average 8.63 34.43 42.17 39.62 40.51 54.00 -13.49 Average 2 pp 5350.020 5350.474 8.63 34.43 42.17 39.60 40.49 54.00 -13.51 Average



Report No.: SZEM180200138702

Page: 498 of 818

Test mode: 802.11ac(HT40) Frequency(MHz): 5310 Peak Horizontal



Condition: 3m HORIZONTAL

Job No : 2939RG

Mode : 5310 Band edge


		Freq			Preamp Factor					
	-	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp	5310.000	8.57	34.44	42.21	92.20	93.00	68.20	24.80	peak
2		5350.020	8.63	34.43	42.17	52.70	53.59	74.00	-20.41	peak
3		5350.474	8.63	34.43	42.17	52.18	53.07	74.00	-20.93	peak



Report No.: SZEM180200138702

Page: 499 of 818

Test mode: 802.11ac(HT40) Frequency(MHz): 5310 Average Horizontal



Condition: 3m HORIZONTAL

Job No : 2939RG

Mode : 5310 Band edge


		Freq	Freq	Freq			Preamp Factor			Limit Line	1.00	
			MHz dB	dB/m	dB/m dB	dBuV	dBuV/m	dBuV/m	dB	-		
1		5310.000	8.57	34.44	42.21	84.99	85.79			Average		
2	pp	5350.020	8.63	34.43	42.17	40.84	41.73	54.00	-12.27	Average		
3		5352.879	8.63	34.43	42.17	40.68	41.57	54.00	-12.43	Average		



Report No.: SZEM180200138702

Page: 500 of 818

Test mode: 802.11ac(HT40) Frequency(MHz): 5510 Peak Vertical



Condition: 3m VERTICAL

Job No : 2939RG

Mode : 5510 Band edge


	Freq			Preamp Factor						
	-	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1		5458.364	8.79	34.41	42.07	49.38	50.51	74.00	-23.49	Peak
2		5469.972	8.81	34.41	42.06	50.25	51.41	68.20	-16.79	peak
3	pp	5510.000	8.89	34.41	42.02	86.85	88.13	68.20	19.93	Peak



Report No.: SZEM180200138702

Page: 501 of 818

Test mode: 802.11ac(HT40) Frequency(MHz): 5510 Average Vertical



Condition: 3m VERTICAL

Job No : 2939RG

Mode : 5510 Band edge

: Ant 1 5G WIFI 11AC(40) CH102

Cable Ant Preamp Read Limit Over
Freq Loss Factor Factor Level Level Line Limit Remark

MHz dB dB/m dB dBuV dBuV/m dBuV/m dB


1 pp 5458.783 8.79 34.41 42.07 39.20 40.33 54.00 -13.67 Average
2 5510.000 8.89 34.41 42.02 80.39 81.67 ----- Average



Report No.: SZEM180200138702

Page: 502 of 818

Test mode: 802.11ac(HT40) Frequency(MHz): 5510 Peak Horizontal



Condition: 3m HORIZONTAL

Job No : 2939RG

Mode : 5510 Band edge

: Ant 1 5G WIFI 11AC(40) CH102


Cable Ant Preamp Read Limit Over Loss Factor Factor Level Level Line Limit Remark dBuV dBuV/m dBuV/m MHz dB dB/m dB dB 1 5459.342 8.79 34.41 42.07 49.42 50.55 74.00 -23.45 peak 8.80 34.41 42.06 52.22 53.37 68.20 -14.83 peak 2 5468.572 8.89 34.41 42.02 91.24 92.52 68.20 24.32 peak 3 pp 5510.000



Report No.: SZEM180200138702

Page: 503 of 818

Test mode: 802.11ac(HT40) Frequency(MHz): 5510 Average Horizontal



Condition: 3m HORIZONTAL

Job No : 2939RG

Mode : 5510 Band edge

: Ant 1 5G WIFI 11AC(40) CH102

Cable Ant Preamp Read Limit Over
Freq Loss Factor Factor Level Level Line Limit Remark

MHz dB dB/m dB dBuV dBuV/m dBuV/m dB


1 pp 5458.643 8.79 34.41 42.07 40.57 41.70 54.00 -12.30 Average
2 5510.000 8.89 34.41 42.02 84.50 85.78 ----- Average



Report No.: SZEM180200138702

Page: 504 of 818

Test mode: 802.11ac(HT40) Frequency(MHz): 5670 Peak Vertical



Condition: 3m VERTICAL

Job No : 2939RG

Mode : 5670 Band edge

: Ant 1 5G WIFI 11AC(40) CH134


Cable Ant Preamp Read Limit 0ver Loss Factor Factor Level Level Line Limit Remark dB dBuV dBuV/m dBuV/m MHz dB dB/m 1 pp 5670.000 9.45 34.50 41.88 88.32 90.39 68.20 22.19 Peak 5725.000 9.64 34.54 41.84 48.00 50.34 68.20 -17.86 Peak 2 3 5751.020 9.73 34.55 41.82 49.88 52.34 68.20 -15.86 Peak



Report No.: SZEM180200138702

Page: 505 of 818

Test mode: 802.11ac(HT40) Frequency(MHz): 5670 Peak Horizontal



Condition: 3m HORIZONTAL

Job No : 2939RG

Mode : 5670 Band edge

: Ant 1 5G WIFI 11AC(40) CH134


Cable Ant Preamp Read Limit 0ver Loss Factor Factor Level Level Line Limit Remark dB dBuV dBuV/m dBuV/m MHz dB dB/m dB 1 pp 5670.000 9.45 34.50 41.88 92.35 94.42 68.20 26.22 peak 5725.000 9.64 34.54 41.84 50.03 52.37 2 68.20 -15.83 peak 3 9.67 34.54 41.83 50.55 52.93 68.20 -15.27 peak 5732.295



Report No.: SZEM180200138702

Page: 506 of 818

Test mode: 802.11ac(HT40) Frequency(MHz): 5755 Peak Vertical



Condition: 3m VERTICAL

Job No : 2939RG

Mode : 5755 Band edge


		Freq			Preamp Factor			Limit Line		Remark
	-	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1		5715.000	9.61	34.53	41.85	53.82	56.11	109.40	-53.29	peak
2		5725.000	9.64	34.54	41.84	58.69	61.03	122.20	-61.17	peak
3	pp	5755.000	9.75	34.56	41.81	87.70	90.20	125.20	-35.00	peak



Report No.: SZEM180200138702

Page: 507 of 818

Test mode: 802.11ac(HT40) Frequency(MHz): 5755 Peak Horizontal



Condition: 3m HORIZONTAL

Job No : 2939RG

3 pp 5755.000

Mode : 5755 Band edge

: Ant 1 5G WIFI 11AC(40) CH151

Cable Ant Preamp Read Limit Over
Freq Loss Factor Factor Level Level Line Limit Remark

MHz dB dB/m dB dBuV dBuV/m dBuV/m dB

5715.000 9.61 34.53 41.85 55.16 57.45 109.40 -51.95 peak
5725.000 9.64 34.54 41.84 61.22 63.56 122.20 -58.64 peak


9.75 34.56 41.81 91.00 93.50 125.20 -31.70 peak



Report No.: SZEM180200138702

508 of 818 Page:

Test mode: 802.11ac(HT40) Frequency(MHz): 5795 Peak Vertical



Condition: 3m VERTICAL

Job No : 2939RG

2 3

Mode : 5795 Band edge

: Ant 1 5G WIFI 11AC(40) CH159


Ant Preamp Cable Read Limit 0ver Loss Factor Factor Level Level Line Limit Remark dB dBuV dBuV/m dBuV/m MHz dB dB/m dB 1 pp 5795.000 9.88 34.58 41.78 84.86 87.54 125.20 -37.66 peak 5850.000 10.07 34.61 41.73 45.86 48.81 122.20 -73.39 peak 5860.000 10.10 34.62 41.72 46.77 49.77 109.40 -59.63 peak



Report No.: SZEM180200138702

509 of 818 Page:

Test mode: 802.11ac(HT40) Frequency(MHz): 5795 Peak Horizontal



Condition: 3m HORIZONTAL

Job No : 2939RG

2 3

Mode : 5795 Band edge

: Ant 1 5G WIFI 11AC(40) CH159


Ant Preamp Cable Read Limit 0ver Loss Factor Factor Level Level Line Limit Remark dB dBuV dBuV/m dBuV/m MHz dB dB/m dB 1 pp 5795.000 9.88 34.58 41.78 84.37 87.05 125.20 -38.15 peak 5850.000 10.07 34.61 41.73 46.27 49.22 122.20 -72.98 peak 5860.000 10.10 34.62 41.72 46.88 49.88 109.40 -59.52 peak



Report No.: SZEM180200138702

Page: 510 of 818

Test mode: 802.11ac(HT80) Frequency(MHz): 5210 Peak Vertical



Condition: 3m VERTICAL

Job No : 2939RG

Mode : 5210 Band edge

: Ant 1 5G WIFI 11AC(80) CH42


Cable Ant Preamp Read Limit Over Loss Factor Factor Level Level Line Limit Remark dB dBuV dBuV/m dBuV/m MHz dB dB/m 5148.326 8.32 34.47 42.36 50.28 50.71 74.00 -23.29 Peak 8.42 34.46 42.30 82.63 83.21 68.20 15.01 Peak 2 pp 5210.000 5385.513 8.68 34.42 42.14 48.54 49.50 74.00 -24.50 Peak



Report No.: SZEM180200138702

Page: 511 of 818

Test mode: 802.11ac(HT80) Frequency(MHz): 5210 Average Vertical



Condition: 3m VERTICAL

Job No : 2939RG

Mode : 5210 Band edge

: Ant 1 5G WIFI 11AC(80) CH42


Cable Ant Preamp Read Limit Over Loss Factor Factor Level Level Line Limit Remark dB dBuV dBuV/m dBuV/m MHz dB dB/m 1 pp 5148.621 8.32 34.47 42.36 41.20 41.63 54.00 -12.37 Average 8.42 34.46 42.30 76.16 76.74 ----- Average 5210.000 2 3 8.63 34.43 42.17 39.04 39.93 54.00 -14.07 Average 5350.840



Report No.: SZEM180200138702

Page: 512 of 818

Test mode: 802.11ac(HT80) Frequency(MHz): 5210 Peak Horizontal



Condition: 3m HORIZONTAL

Job No : 2939RG

Mode : 5210 Band edge

: Ant 1 5G WIFI 11AC(80) CH42


Ant Preamp Cable Read Limit 0ver Loss Factor Factor Level Level Line Limit Remark dB dBuV dBuV/m dBuV/m MHz dB dB/m dB 5146.561 8.32 34.47 42.36 50.38 50.81 74.00 -23.19 peak 8.42 34.46 42.30 84.85 85.43 68.20 17.23 peak 2 pp 5210.000 8.70 34.42 42.13 48.99 49.98 74.00 -24.02 peak 5397.531



Report No.: SZEM180200138702

Page: 513 of 818

Test mode: 802.11ac(HT80) Frequency(MHz): 5210 Average Horizontal



Condition: 3m HORIZONTAL

Job No : 2939RG

Mode : 5210 Band edge

: Ant 1 5G WIFI 11AC(80) CH42


Cable Ant Preamp Read Limit Over Loss Factor Factor Level Level Line Limit Remark dB dBuV dBuV/m dBuV/m MHz dB dB/m 1 pp 5149.798 8.33 34.47 42.36 41.90 42.34 54.00 -11.66 Average 8.42 34.46 42.30 78.34 78.92 ----- Average 2 5210.000 3 5351.758 8.63 34.43 42.17 39.77 40.66 54.00 -13.34 Average



Report No.: SZEM180200138702

Page: 514 of 818

Test mode: 802.11ac(HT80) Frequency(MHz): 5290 Peak Vertical



Condition: 3m VERTICAL

Job No : 2939RG

Mode : 5290 Band edge

: Ant 1 5G WIFI 11AC(80) CH58


Cable Ant Preamp Read Limit Over Loss Factor Factor Level Level Line Limit Remark dB dBuV dBuV/m dBuV/m MHz dB dB/m 5131.580 8.30 34.47 42.37 48.45 48.85 74.00 -25.15 Peak 2 pp 5290.000 8.54 34.44 42.22 84.94 85.70 68.20 17.50 Peak 8.64 34.43 42.16 48.45 49.36 74.00 -24.64 Peak 5357.879



Report No.: SZEM180200138702

Page: 515 of 818

Test mode: 802.11ac(HT80) Frequency(MHz): 5290 Average Vertical



Condition: 3m VERTICAL

Job No : 2939RG

Mode : 5290 Band edge

: Ant 1 5G WIFI 11AC(80) CH58


Cable Ant Preamp Read Limit Over Loss Factor Factor Level Level Line Limit Remark dB dBuV dBuV/m dBuV/m MHz dB dB/m 1 5143.032 8.31 34.47 42.36 38.70 39.12 54.00 -14.88 Average 8.54 34.44 42.22 78.03 78.79 ----- Average 5290.000 3 pp 5351.758 8.63 34.43 42.17 39.84 40.73 54.00 -13.27 Average



Report No.: SZEM180200138702

Page: 516 of 818

Test mode: 802.11ac(HT80) Frequency(MHz): 5290 Peak Horizontal



Condition: 3m HORIZONTAL

Job No : 2939RG

Mode : 5290 Band edge

: Ant 1 5G WIFI 11AC(80) CH58


Ant Preamp Cable Read Limit Over Loss Factor Factor Level Level Line Limit Remark dB dBuV dBuV/m dBuV/m MHz dB dB/m dB 5137.156 8.31 34.47 42.37 48.91 49.32 74.00 -24.68 peak 2 pp 5290.000 8.54 34.44 42.22 86.95 87.71 68.20 19.51 peak 8.63 34.43 42.17 49.19 50.08 74.00 -23.92 peak 5351.452



Report No.: SZEM180200138702

Page: 517 of 818

Test mode: 802.11ac(HT80) Frequency(MHz): 5290 Average Horizontal



Condition: 3m HORIZONTAL

Job No : 2939RG

Mode : 5290 Band edge

: Ant 1 5G WIFI 11AC(80) CH58


Cable Ant Preamp Read Limit 0ver Loss Factor Factor Level Level Line Limit Remark dB dBuV dBuV/m dBuV/m MHz dB dB/m 1 5146.561 8.32 34.47 42.36 38.79 39.22 54.00 -14.78 Average 8.54 34.44 42.22 80.77 81.53 ----- Average 5290.000 3 pp 5350.535 8.63 34.43 42.17 41.04 41.93 54.00 -12.07 Average



Report No.: SZEM180200138702

Page: 518 of 818

Test mode: 802.11ac(HT80) Frequency(MHz): 5530 Peak Vertical



Condition: 3m VERTICAL

Job No : 2939RG

Mode : 5530 Band edge

: Ant 1 5G WIFI 11AC(80) CH106

Cable Ant Preamp Read Limit Over Loss Factor Factor Level Level Line Limit Remark dB dBuV dBuV/m dBuV/m MHz dB dB/m 1 5432.144 8.75 34.41 42.09 49.40 50.47 74.00 -23.53 Peak 8.80 34.41 42.06 49.85 51.00 68.20 -17.20 peak 2 5468.961 8.96 34.42 42.01 83.13 84.50 68.20 16.30 Peak 3 pp 5530.000