



Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict		
					10	-10.89	-0.0042	PASS		
					20	-12.92	-0.00498	PASS		
					30	-12.29	-0.00474	PASS		
					40	-13.40	-0.00516	PASS		
					50	-16.78	-0.00647	PASS		
					HCH	VN	-30	-13.73	-0.00525	PASS
							-20	-11.36	-0.00434	PASS
							-10	-15.71	-0.00601	PASS
							0	-18.67	-0.00714	PASS
			10	-19.10			-0.0073	PASS		
			20	-14.62			-0.00559	PASS		
			30	-17.40			-0.00665	PASS		
			40	-16.02			-0.00613	PASS		
			50	-15.96			-0.0061	PASS		
			15	LCH	VN	-30	-9.37	-0.00364	PASS	
						-20	-20.16	-0.00782	PASS	
						-10	-20.64	-0.00801	PASS	
						0	-22.80	-0.00885	PASS	
		10				-21.77	-0.00845	PASS		
		20				-21.69	-0.00842	PASS		
		30				-22.09	-0.00857	PASS		
		40				-18.04	-0.007	PASS		
		50				-22.02	-0.00854	PASS		
		MCH		VN	-30	-13.62	-0.00525	PASS		
					-20	-14.86	-0.00573	PASS		
					-10	-6.42	-0.00247	PASS		
					0	-10.66	-0.00411	PASS		
					10	-13.38	-0.00516	PASS		
					20	-14.41	-0.00555	PASS		
					30	-17.41	-0.00671	PASS		
					40	-14.15	-0.00545	PASS		
					50	-13.00	-0.00501	PASS		
		HCH	VN	-30	-14.98	-0.00573	PASS			
				-20	-17.05	-0.00653	PASS			
				-10	-11.34	-0.00434	PASS			
				0	-14.82	-0.00567	PASS			
				10	-9.77	-0.00374	PASS			
				20	-14.72	-0.00563	PASS			
				30	-13.59	-0.0052	PASS			



Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					40	-15.49	-0.00593	PASS
					50	-15.32	-0.00586	PASS
		20	LCH	VN	-30	-16.38	-0.00635	PASS
					-20	-18.17	-0.00704	PASS
					-10	-16.32	-0.00633	PASS
					0	-20.30	-0.00787	PASS
					10	-20.87	-0.00809	PASS
					20	-17.84	-0.00691	PASS
					30	-18.93	-0.00734	PASS
					40	-17.28	-0.0067	PASS
					50	-19.51	-0.00756	PASS
			MCH	VN	-30	-16.32	-0.00629	PASS
					-20	-15.16	-0.00584	PASS
					-10	-10.91	-0.0042	PASS
					0	-11.00	-0.00424	PASS
					10	-14.10	-0.00543	PASS
					20	-12.85	-0.00495	PASS
					30	-11.72	-0.00452	PASS
					40	-16.57	-0.00639	PASS
					50	-11.30	-0.00435	PASS
		HCH	VN	-30	-12.87	-0.00493	PASS	
				-20	-12.30	-0.00471	PASS	
				-10	-17.15	-0.00657	PASS	
				0	-12.77	-0.00489	PASS	
				10	-13.36	-0.00512	PASS	
				20	-13.65	-0.00523	PASS	
				30	-11.93	-0.00457	PASS	
				40	-17.07	-0.00654	PASS	
				50	-11.13	-0.00426	PASS	

END