

Page 1 of 70

ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT

INTENTIONAL RADIATOR CERTIFICATION TO **FCC PART 90S REQUIREMENT**

OF

Applicant: Huawei Technologies Co., Ltd.

> Administration Building, Headquarters of Huawei Technologies Co., Ltd., Bantian, Longgang District, Shenzhen, 518129,

P.R.C

Product Name: Smart Phone

Brand Name: HUAWEI Model No.: EML-L29

Model Difference: N/A

FCC ID: QISEML-L29 ER/2018/10040 **Report Number:**

FCC Rule Part: 90S

Issue Date: Jan. 22, 2018

Jan. 11, 2018~Jan. 22, 2018 **Date of Test:**

Date of EUT Received: Jan. 08, 2018

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Electronics & Communication Laboratory The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.26-2015 and the energy emitted by the sample EUT tested as described in this report is in compliance with conducted and radiated emission limits.

The test results of this report relate only to the tested sample identified in this report.

Tested By:

Marcus Tseng / Engineer

Approved By:

Jim Chang / Asst. Manager





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 www.tw.sgs.com



Page 2 of 70

Revision History

Report Number	Revision	Description	Effected Page	Issue Date	Revised By
ER/2018/10040	Rev.00	Initial creation of document	All	Jan. 22, 2018	Allen Tsai



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, WuKungRoad, New Taipeilndustrial Park, WukuDistrict, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

No.134, WuKungRoad, New Taipeilndustrial Park, WukuDistrict, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488



Page 3 of 70

Contents

1.	GENERAL PRODUCT INFORMATION	4
2.	SYSTEM TEST CONFIGURATION	7
3.	SUMMARY OF TEST RESULTS	10
4.	DESCRIPTION OF TEST MODES	10
5.	MEASUREMENT UNCERTAINTY	12
6.	RF CONDUCTED OUTPUT POWER MEASUREMENT	13
7.	EFFECTIVE RADIATED POWER AND EQUIVALENT ISOTROPIC RADIATED	
	POWER MEASUREMENT	
8.	OCCUPIED BANDWIDTH MEASUREMENT	25
9.	OUT OF BAND EMISSION AT ANTENNA TERMINALS	32
10.	FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT	55
11.	FREQUENCY STABILITY MEASUREMENT	63
12.	PEAK TO AVERAGE RATIO	66

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, WuKungRoad, New Taipeilndustrial Park, WukuDistrict, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

No.134, WuKungRoad, New Taipeilndustrial Park, WukuDistrict, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



Page 4 of 70

1. GENERAL PRODUCT INFORMATION

1.1. Product Description

General:

acriciai.	
Product Name:	Smart Phone
Brand Name:	HUAWEI
Model No.:	EML-L29
Model Difference:	N/A
Hardware Version:	HL1EMILYM
Software Version:	EML-L29 8.1.0.71(SP9C900)
Power Supply:	3.82 Vdc from Rechargeable Li-polymer Battery
IMEI:	867128030016175, 867128030023007

FCC general description

EML-L29 is subscriber equipment in the LTE/ WCDMA/GSM system. The LTE frequency band is Band 1, Band 2, Band 3, Band 4, Band 5, Band 6, Band 7, Band 8, Band 9, Band 12, Band 17, Band 18 ,Band 19, Band 20, Band 26, Band 28, Band 32,Band 34,Band 38,Band39, Band 40 and Band 41. The HSUPA/HSDPA/UMTS frequency band is Band I, Band II, Band IV, Band V, Band VI, Band VIII and Band XIX, The GSM/GPRS/EDGE frequency band includes GSM850 and GSM900 and DCS1800 and PCS1900. But only LTE Band 26(814-824) test data included in this report. The Mobile Phone implements such functions as RF signal receiving/transmitting, LTE/ WCDMA /GSM protocol processing, voice, video, MMS service, GPS, NFC and WIFI etc. Externally it provides earphone port (to provide voice service) and dual USIM card interfaces. It also provides Bluetooth module to synchronize data between a PC and the phone, or to use the built-in modem of the phone to access the Internet with a PC, or to exchange data with other Bluetooth devices.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

t (886-2) 2299-3279

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488



Page 5 of 70

1.2. WCDMA / LTE: Cellular Phone Standards Frequency Range

	Tomana Tronger					
LTE Band	BW (MHz)	Operation Frequency (MHz)				
26 Part90	1.4	814.7	-	823.3		
	3	815.5	-	822.5		
	5	816.5	-	821.5		
	10		819.0			

1.3. Type of Emission & Max ERP/EIRP Power Measurement Result:

LTE Band	BW (MHz)	Modulation	ERP / (dB		(W)	Type of Emission
	1.4	QPSK	12.55	ERP	0.018	1M10G7D
	1.4	16QAM	12.19	ERP	0.017	1M10D7W
	1.4	64QAM	12.26	ERP	0.017	1M10D7W
	3	QPSK	12.17	ERP	0.016	2M71G7D
	3	16QAM	12.37	ERP	0.017	2M73D7W
26 Part90	3	64QAM	11.92	ERP	0.016	2M71D7W
26 Part90	5	QPSK	12.52	ERP	0.018	4M54G7D
	5	16QAM	12.26	ERP	0.017	4M52D7W
	5	64QAM	12.27	ERP	0.017	4M53D7W
	10	QPSK	12.75	ERP	0.019	9M07G7D
	10	16QAM	12.05	ERP	0.016	9M03D7W
	10	64QAM	12.01	ERP	0.016	9M05D7W

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction is sused selfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488



Page 6 of 70

1.4. Test Methodology of Applied Standards

CC 47 CFR Part 2, Part 90S.

ANSI C63.26-2015

KDB971168 D01 Power Meas license Digital System v03

TS 151 010-1 is used to set, and measure the output power.

Note: All test items have been performed and record as per the above standards.

1.5. Test Facility

SGS Taiwan Ltd. Electronics & Communication Laboratory No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803 code 0513)

FCC Registration Numbers are: 735305 / TW0002

1.6. Special Accessories

No special accessories were used during testing.

1.7. Equipment Modifications

There were no modifications incorporated into the EUT.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

t (886-2) 2299-3279

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 7 of 70

2. SYSTEM TEST CONFIGURATION

2.1. EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

2.2. EUT Exercise

The EUT (Transmitter) was operated in the continuous transmission mode employed with the simulator of the Base Station that fixates at test default channels to fix the Tx frequency which was for the purpose of the measurements.

2.3. Test Procedure

2.3.1 Conducted Measurement at Antenna Port

According to measurement procured ANSI C63.26-2015, the EUT is placed on a turn table which is 0.8 m above ground plane. A low loss of RF cable was used to connect the antenna port of EUT to measurement equipment.

2.3.2 Radiated Emissions (ERP/EIRP)

According to measurement procured ANSI C63.26-2015, The EUT is a placed on as turn table, for emission measurements below 1 GHz is 0.8 m above ground plane, for emission measurements above 1 GHz, the table height shall be 1.5 m. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both Horizontal and Vertical. In order to find out the max. emission, the relative positions of this hand-held transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna according to the requirements in Section 8 and 13.

2.4. Measurement Results Explanation Example

For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 8 of 70

Note:

The spectrum analyzer offset is derived from RF cable loss and attenuator factor. Following shows an offset computation in physical test.

	RF cable loss (dB)	Attenuation factor(dB)	offset(dB)
Low Band (Below 1GHz)	5	10	15

2.5. Final Amplifier Voltage and Current Information:

Test Mode	DC voltage (V)	DC current (mA)
LTE Band 26 (Part 90S)	3.82	751

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明、此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Page 9 of 70

2.6. Configuration of Tested System

Fig. 2-1 Configuration of Tested System (Fixed Channel-Conducted)




Fig. 2-2 Configuration of Tested System (Fixed Channel-Radiated)




Table 2-1 Equipment Used in

Item	Equipment	Mfr/Brand	Model/ Type No.	Series No.	Data Cable	Power Cord
1.	Universal Radio Communication Tester	Anritsu	MT8820C	6200307563	shielded	Un-shielded

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明、此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 10 of 70

3. SUMMARY OF TEST RESULTS

FCC Rules	Description Of Test	Result
§2.1046(a)	RF Power Output	Compliant
§2.1046(a) §90.635	ERP/ EIRP measurement	Compliant
§2.1049(h)	99% & 26dB Occuupied Bandwidth	Compliant
§2.1051 §90.691	Out of Band Emissions at Antenna Ter- minals and Band Edge / Emission mask requirements	Compliant
§2.1053 §90.691(a)(1)(2)	Field Strength of Spurious Radiation	Compliant
§24.232(d)	Peak to Average Ratio	Compliant
§2.1055(a)(1) §90.213	Frequency Stability	Compliant

4. DESCRIPTION OF TEST MODES

4.1. The Worst Test Modes and Channel Details

- 1. The EUT has been tested under operating condition.
- 2. Pre-Scan has been conducted to determine the worst-case mode from all possible combinations between available modulations, data rates, X(E1)Y(E2)Z(H) axis and antenna ports. The worst case was found as listed below. Following channel(s) was (were) selected for the final test as listed below:

BAND	ERP/EIRP	RADIATED EMISSION
LTE Band 26 (Part 90S)	H-plan	H-plan

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's the company is findings at the time of its intervention only and within the limits of Client's the company is findings at the time of its intervention only and within the limits of Client's the company is findings at the time of its intervention only and within the limits of Client's the company is findings at the time of its intervention only and within the limits of Client's the company is findings at the time of its intervention only and within the limits of Client's the company is findings at the time of its intervention only and within the limits of Client's the company is company in the company is findings at the time of its intervention only and within the limits of Client's the company is company in the time of its intervention only and within the limits of Client's the company is company in the time of its intervention only and within the limits of Client's the company is company in the time of its intervention only and within the limits of Client's the company is company in the time of its intervention only and within the limits of Client's the company is company in the company in the company is time. instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488



Page 11 of 70

LTE Band 26 for 90S MODE

TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	CHANNEL BANDWIDTH	MODULATION	MODE
	26697 to 26783	26697, 26740, 26783	1.4MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,5 RB Offest
ERP	26705 to 26775	26705, 26740, 26775	3MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,14 RB Offest
LIT	26715 to 26765	26715, 26740, 26765	5MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,24 RB Offest
TPS!	26740	26740	10MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,49 RB Offest
FREQUENCY STABILITY	26697 to 26783	26740	1.4MHz	QPSK,	Full RB
	26697 to 26783	26697, 26740, 26783	1.4MHz	QPSK, 16QAM, 64QAM	Full RB
OCCUPIED	26705 to 26775	26705, 26740, 26775	3MHz	QPSK, 16QAM, 64QAM	Full RB
BANDWIDTH	26715 to 26765	26715, 26740, 26765	5MHz	QPSK, 16QAM, 64QAM	Full RB
	26740	26740	10MHz	QPSK, 16QAM, 64QAM	Full RB
		26697, 26740, 26783	1.4MHz	16QAM	Full RB
PEAK TO AV-	26705 to 26775	26705, 26740, 26775	3MHz	16QAM	Full RB
ERAGE RATIO	26715 to 26765	26715, 26740, 26765	5MHz	16QAM	Full RB
	26740	26740	10MHz	16QAM	Full RB
	26697 to 26783	26697, 26740, 26783	1.4MHz	QPSK,	1 RB/ 0,5 RB Offes Full RB
DANID EDGE	26705 to 26775	26705, 26740, 26775	3MHz	QPSK,	1 RB/ 0,14 RB Offest Full RB
BAND EDGE	26715 to 26765	26715, 26740, 26765	5MHz	QPSK,	1 RB/ 0,24 RB Offest Full RB
	26740	26740	10MHz	QPSK,	1 RB/ 0,49 RB Offest Full RB
	26697 to 26783	26697, 26740, 26783	1.4MHz	QPSK,	1 RB, 0 RB Offest
CONDCUDETED		26705, 26740, 26775	3MHz	QPSK,	1 RB, 0 RB Offest
EMISSION		26715, 26740, 26765	5MHz	QPSK,	1 RB, 0 RB Offest
21111001011	26740	26740	10MHz	QPSK,	1 RB, 0 RB Offest
RADIATED EMISSION	26740	26740	10MHz	QPSK,	1 RB, 0 RB Offest

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, WuKungRoad, New Taipeilndustrial Park, WukuDistrict, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

No.134, WuKungRoad, New Taipeilndustrial Park, WukuDistrict, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page 12 of 70

5. MEASUREMENT UNCERTAINTY

Test Items	Uncertainty	
RF Power Output	+/- 1.10 dB	
ERP/ EIRP measurement	Vertical Polarization = +/- 4.74dB Horizontal Polarization =+/- 4.62dB	
99% Occupied Bandwidth	+/- 5.19 Hz	
Out of Band Emissions at Antenna Terminals and Band Edge	+/- 0.70 dB	
Peak to Average Ratio	+/- 0.70 dB	
Frequency Stability vs. Temperature	+/- 5.19 Hz	
Frequency Stability vs. Voltage	+/- 5.19 Hz	
Temperature	+/- 0.65 °C	
Humidity	+/- 4.6 %	
DC / AC Power Source	DC= +/- 0.13%, AC=+/- 0.2%	

Radiated Spurious Emission:

	9kHz – 30MHz: +/- 2.87 dB					
Management consentaints	30MHz - 180MHz: +/- 3.37dB					
Measurement uncertainty (Polarization : Vertical)	180MHz -417MHz: +/- 3.19dB					
(1 Glanzation : Vertical)	0.417GHz-1GHz: +/- 3.19dB					
	1GHz - 18GHz: +/- 4.04dB					
	18GHz - 40GHz: +/- 4.04dB					

	9kHz – 30MHz: +/- 2.87 dB
Magaziramant un agriciati	30MHz - 167MHz: +/- 4.22dB
Measurement uncertainty (Polarization : Horizontal)	167MHz -500MHz: +/- 3.44dB
(1 olanzation : Horizontal)	0.5GHz-1GHz: +/- 3.39dB
	1GHz - 18GHz: +/- 4.08dB
	18GHz - 40GHz: +/- 4.08dB

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be presented to the fullest event of the law document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page 13 of 70

6. RF CONDUCTED OUTPUT POWER MEASUREMENT

6.1. Standard Applicable

A base station simulator was used to establish communication with the EUT. Its parameters were set to transmit the maximum power on the EUT. The measured power in the radio frequency on the transmitter output terminals.

6.2. Test Set-up



Note: Measurement setup for testing on Antenna connector

6.3. Measurement Procedure

The transmitter output was connected to a calibrated attenuator, the other end of which was connected to a power meter. Transmitter output was read off the power meter in dBm. The power output at the transmitter antenna port was determined by adding the value of the attenuator to the power meter reading. TS 151 010-1 is reference to conduct the test measurement of output power.

The Procedure of KDB 971168 D01 Power Meas License Digital System as the supplemental test methodology to adjust the proper setting obtaining the measurement results

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 14 of 70

6.4. Measurement Equipment Used

EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL. (yyyy/mm/dd)	CAL DUE. (yyyy/mm/dd)
Radio Communication Analyer	Anritsu	MT8820C	6201465317	2018/01/15	2019/1/14

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

100.00 100.00



Page 15 of 70

6.5. Measurement Result

LTE Result:

LTE Band 26 for Part 90S

		LT	E Band	26_Uplii	nk frequ	ency ba	nd : 814	to 824	MHz			
	DW DD DD		Conducted power (dBm)									
DW			QPSK			16QAM			64QAM			
BW (MHz)	RB Size	RB Offset	СН	СН	СН	СН	CH	СН	СН	CH	СН	
(1411 12)	z) Size Oliset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)		
			26697	26740	26783	26697	26740	26783	26697	26740	26783	
	1	0	23.03	22.97	23.01	22.19	22.06	22.28	21.29	21.09	21.48	
1.4	1	5	23.10	23.01	23.07	22.12	22.04	22.14	21.90	21.96	21.88	
1.4	3	2	22.77	22.91	22.98	21.83	21.76	21.86	21.98	21.85	21.99	
	6	0	21.20	21.13	21.22	20.89	20.72	20.65	20.93	20.90	20.87	

	LTE Band 26_Uplink frequency band : 814 to 824 MHz													
				Conducted power (dBm)										
DW	, DD DD	DD		QPSK			16QAM			64QAM				
BW (MHz)	RB	RB Offset	СН	СН	СН	СН	СН	СН	СН	CH	CH			
(1411 12)	(IVII IZ) SIZE OTISEL	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)				
			26705	26740	26775	26705	26740	26775	26705	26740	26775			
	1	0	23.21	23.15	23.27	22.03	22.09	22.38	21.59	21.96	21.57			
3	1	14	23.19	23.08	23.29	22.20	22.24	22.37	21.78	21.94	21.60			
3	8	4	21.18	21.21	22.16	21.02	21.11	21.00	20.59	20.66	20.88			
	15	0	22.11	21.21	21.78	21.04	21.06	21.22	20.63	20.78	20.77			

	LTE Band 26_Uplink frequency band : 814 to 824 MHz													
			Conducted power (dBm)											
	DD		QPSK			16QAM			64QAM					
BW (MHz)	RB Size	RB Offset	CH	СН	СН	СН	СН	СН	СН	СН	CH			
(1011 12)	(WIT12) Size Offset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)				
			26715	26740	26765	26715	26740	26765	26715	26740	26765			
	1	0	23.12	23.11	23.17	22.40	22.38	21.95	21.53	21.98	21.94			
_	1	24	23.20	23.25	23.21	22.22	22.51	21.64	21.93	21.96	21.59			
5	12	6	21.22	21.31	21.40	20.97	21.05	21.17	20.72	20.84	20.71			
	25	0	22.02	21.24	21.37	20.66	21.02	21.11	20.67	20.72	20.84			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, WuKungRoad, New Taipeilndustrial Park, WukuDistrict, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

No.134, WuKungRoad, New Taipeilndustrial Park, WukuDistrict, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Page 16 of 70

		LTI	E Band 26_Uplink frequ	ency band : 814 to 824	l MHz
)	
DW	DD	DD	QPSK	16QAM	64QAM
BW (MHz)	RB	RB RB Size Offset	CH	CH	CH
(1411 12)) Size Oliset	(Mid)	(Mid)	(Mid)	
			26740	26740	26740
	1	0	23.24	22.17	21.88
10	1	49	23.22	21.86	21.85
10	25	12	22.07	21.20	20.94
	50	0	21.74	21.12	20.90



Page 17 of 70

7. EFFECTIVE RADIATED POWER AND EQUIVALENT ISOTROPIC RADIATED **POWER MEASUREMENT**


7.1. Standard Applicable

According to FCC §2.1046

FCC 90.635(b) Mobile station is limited to 100W ERP


7.2. Test SET-UP

(A) Radiated Power Test Set-Up, Frequency Below1000MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明、此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488



Radiated Power Test Set-UP Frequency Over 1 GHz



(C) Substituted Method Test Set-UP



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be presented to the fullest event of the law document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



Page 19 of 70

7.3. Measurement Procedure

- The testing follows the Measurement Procedure of FCC KDB 971168 D01
- 2. The EUT was placed on a non-conductive turntable using a non-conductive support. The radiated emission at the fundamental frequency was measured at 3 m with a test antenna and EMI spectrum analyzer.
- 3. During the measurement, the EUT was communication with the station. The highest emission was recorded with the rotation of the turntable and the lowering of the test antenna from 4m to 1m. The reading was recorded and the field strength (E in dBuV/m) was calcu-
- The testing follows the Measurement Procedure of FCC KDB 971168 D01
- 5. The substitution horn antenna is substituted for EUT at the same position and signals generator export the CW signal to the substitution antenna via a tx cable. Rotated the Turn Table and moved receiving antenna to find the maximum radiation power. Adjust output power level of S.G to get a Value of spectrum reading equal to "Read Value" of step b. Record the power
- 6. ERP = S.G. output (dBm) + Antenna Gain (dBd) Cable Loss (dB)
- 7. ERP = S.G. output (dBm) + Antenna Gain (dBd) Cable Loss (dB)
- 8. Spectrum setting:
 - (1) Detector = Peak, marker the highest value of the detector by maximum hold, set RBW wide enough to capture the entire signal of emission, and VBW > =3xRBW.
 - (2) KDB 971168 D01 is adopted, and the procedure as lists under item 4, Measurement of the Average Power over the Fundamental Signal Bandwidth, is followed to set correspondingly for the acquisition of proper measurement data.

Set frequency = nominal signal center frequency;

Set span = 2 X occupied BW;

Set RBW ≈ 1~5% of the span, not to exceed 1 MHz

Set $VBW = 3 \times RBW$;

Select average power (RMS) detector

Set sweep time and number of measurement points to achieve a minimum of 1 millisecond/pt integration time (ex. Point = 601points, then sweet time = $601*10^{-3}$ = 6s.

Activate trace averaging routine over a minimum of 10 sweeps;

Activate marker/span pair and set span = signal or channel bandwidth;

Activate the band/interval power marker function;

Record the band power level;

Record adjusted value as the average signal power level. Then activate the occupied bandwidth measurement function.

The proper adjustment due to limitation of spectrum capability is given compensated to spectrum with conversion factor of 10*log (TBW/RBW), where TBW is the transmission of UE exceeding the maximum BW UE can extends, and RBW is the resolution BW in UE.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279

台灣檢驗科技股份有限公司



Page 20 of 70

7.4. Measurement Equipment Used

EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL. (YYYY.MM.DD)	CAL DUE. (YYYY.MM.DD)
Bi-log Antenna	SCHWAZBECK	VULB9168	378	2017/12/29	2018/12/28
Bi-log Antenna	SCHWAZBECK	VULB9168	300	2017/12/20	2018/12/19
Horn Antenna	Schwarzbeck	BBHA9120D	309	2018/01/04	2019/1/3
Horn Antenna	Schwarzbeck	BBHA9120D	1441	2017/08/04	2018/8/3
Spectrum Analyzer	Agilent	E4446A	MY51100003	2017/05/10	2018/5/9
EMI Test Receiver	R&S	ESCI7	100760	2017/06/06	2018/6/5
Network Analyze	Anritsu	MS4644A	1216312	2017/05/25	2018/5/24
Radio Communication Analyer	Anritsu	MT8820C	6201465317	2018/01/15	2019/1/14
Pre-Amplifier	HP	8449B	3008A00578	2018/01/02	2019/1/1
Pre-Amplifier	HP	8447D	2944A07676	2018/01/02	2019/1/1
Attenuator	Mini-Circuit	BW- S10W2+		2018/01/02	2019/1/1
Filter 800-1000	Micro-Tronics	EWT	M1	2018/01/02	2019/1/1
1GHz High Pass Filter	Micro-Tronics	HPM50108	32	2018/01/02	2019/1/1
Low Loss Cable	Huber Suhner	966_RX	9	2018/01/02	2019/1/1
Low Loss Cable	Huber Suhner	966 TX	1	2018/01/02	2019/1/1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, WuKungRoad, New Taipeilndustrial Park, WukuDistrict, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

No.134, WuKungRoad, New Taipeilndustrial Park, WukuDistrict, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Page 21 of 70

7.5. Measurement Result: (Peak) –using option of peak measurement

	EUT			Measurement							
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit			
	MHz		V/H	dBm	dBd	dB	dBm	dBm			
LTE	814.7	26697	V	11.42	3.32	-2.89	11.85	50.00			
BAND 26	014.7	20097	Н	11.89	3.32	-2.89	12.32	50.00			
BW: 1.4M	819.0	26740	V	10.83	3.32	-2.89	11.26	50.00			
QPSK	019.0	20740	Н	10.10	3.32	-2.89	10.53	50.00			
RB: 1,0	823.3	26783	V	10.65	3.32	-2.90	11.07	50.00			
110. 1,0	020.0	20700	H	11.82	3.32	-2.89	12.25	50.00			
LTE	814.7	26697	V	11.66	3.32	-2.89	12.09	50.00			
BAND 26	014.7	20031	H	10.94	3.32	-2.89	11.37	50.00			
BW: 1.4M	819.0	26740	V	12.12	3.32	-2.89	12.55	50.00			
QPSK	019.0	20740	Н	11.31	3.32	-2.89	11.74	50.00			
RB: 1,5	823.3	26783	V	10.54	3.32	-2.90	10.96	50.00			
nb. 1,5	023.3	20703	Н	12.08	3.32	-2.89	12.51	50.00			
LTE	014.7	00007	V	10.70	3.32	-2.89	11.13	50.00			
BAND 26	814.7	26697	Н	9.62	3.32	-2.89	10.05	50.00			
BW: 1.4M	819.0	26740	V	11.69	3.32	-2.89	12.12	50.00			
16QAM		20740	Н	10.29	3.32	-2.89	10.72	50.00			
	823.3	26783	V	10.08	3.32	-2.90	10.50	50.00			
RB: 1,0	023.3		Н	11.33	3.32	-2.89	11.76	50.00			
LTE	814.7	26697	V	10.97	3.32	-2.89	11.40	50.00			
BAND 26	014.7	20097	H	11.08	3.32	-2.89	11.51	50.00			
BW: 1.4M	819.0	26740	V	11.45	3.32	-2.89	11.88	50.00			
16QAM	019.0	20740	Н	11.20	3.32	-2.89	11.63	50.00			
RB: 1,5	823.3	26783	V	10.27	3.32	-2.90	10.69	50.00			
nb. 1,5	020.0	20700	Н	11.76	3.32	-2.89	12.19	50.00			
LTE	814.7	26697	V	10.88	3.32	-2.89	11.31	50.00			
BAND 26	014.7	20097	Н	11.61	3.32	-2.89	12.04	50.00			
BW: 1.4M	819.0	26740	V	11.83	3.32	-2.89	12.26	50.00			
64QAM	019.0	20740	Н	10.60	3.32	-2.89	11.03	50.00			
RB: 1,0	823.3	26783	V	10.63	3.32	-2.90	11.05	50.00			
110. 1,0	020.0	20700	Н	11.72	3.32	-2.89	12.15	50.00			
LTE	814.7	26697	V	10.85	3.32	-2.89	11.28	50.00			
BAND 26	014.7	20091	H	11.72	3.32	-2.89	12.15	50.00			
BW: 1.4M	819.0	26740	V	11.25	3.32	-2.89	11.68	50.00			
64QAM	018.0	20740	Н	9.87	3.32	-2.89	10.30	50.00			
RB: 1,5	823.3	26783	V	10.12	3.32	-2.90	10.54	50.00			
יום. ו,ט	020.0	20700	Н	11.57	3.32	-2.89	12.00	50.00			

Remark: (1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Page 22 of 70

	EUT			N	/leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
LTE	815.5	26705	V	10.53	3.32	-2.89	10.96	50.00
BAND 26	010.0	20703	Н	11.44	3.32	-2.89	11.87	50.00
BW: 3M	819.0	26740	V	11.49	3.32	-2.89	11.92	50.00
QPSK	010.0	20740	Н	10.79	3.32	-2.89	11.22	50.00
RB: 1,0	822.5	26775	V	10.57	3.32	-2.90	10.99	50.00
110. 1,0	022.0	20770	Н	11.74	3.32	-2.89	12.17	50.00
LTE	815.5	26705	V	10.56	3.32	-2.89	10.99	50.00
BAND 26		20700	H	11.66	3.32	-2.89	12.09	50.00
BW: 3M	819.0	26740	V	11.48	3.32	-2.89	11.91	50.00
QPSK	010.0	20740	H	10.69	3.32	-2.89	11.12	50.00
RB: 1,14	822.5	26775	V	10.51	3.32	-2.90	10.93	50.00
110. 1,14	022.5	20113	Н	11.21	3.32	-2.89	11.64	50.00
LTE	815.5	26705	V	10.74	3.32	-2.89	11.17	50.00
BAND 26	010.0	20703	Н	11.33	3.32	-2.89	11.76	50.00
BW: 3M	819.0	26740	V	11.51	3.32	-2.89	11.94	50.00
16QAM	019.0	207 10	Н	11.28	3.32	-2.89	11.71	50.00
RB: 1,0	822.5	26775	V	10.37	3.32	-2.90	10.79	50.00
110. 1,0	022.0	20773	Н	11.68	3.32	-2.89	12.11	50.00
LTE	815.5	26705	V	11.10	3.32	-2.89	11.53	50.00
BAND 26	010.0	20703	H	11.55	3.32	-2.89	11.98	50.00
BW: 3M	819.0	26740	V	11.94	3.32	-2.89	12.37	50.00
16QAM	013.0	20740	H	11.25	3.32	-2.89	11.68	50.00
RB: 1,14	822.5	26775	V	10.07	3.32	-2.90	10.49	50.00
110. 1,14	OLL.O	20770	Н	11.71	3.32	-2.89	12.14	50.00
LTE	815.5	26705	V	10.54	3.32	-2.89	10.97	50.00
BAND 26	010.0	20700	Н	10.98	3.32	-2.89	11.41	50.00
BW: 3M	819.0	26740	V	11.43	3.32	-2.89	11.86	50.00
64QAM	0.0.0		Н	11.07	3.32	-2.89	11.50	50.00
RB: 1,0	822.5	26775	V	10.11	3.32	-2.90	10.53	50.00
110. 1,0	522.0		Н	11.49	3.32	-2.89	11.92	50.00
LTE	815.5	26705	V	10.55	3.32	-2.89	10.98	50.00
BAND 26	3.3.3	_5,00	Н	11.11	3.32	-2.89	11.54	50.00
BW: 3M	819.0	26740	V	11.45	3.32	-2.89	11.88	50.00
64QAM	0.0.0		Н	11.33	3.32	-2.89	11.76	50.00
RB: 1,14	822.5	26775	V	9.98	3.32	-2.90	10.40	50.00
1.5. 1,11			Н	11.01	3.32	-2.89	11.44	50.00

Remark: (1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, WuKungRoad, New Taipeilndustrial Park, WukuDistrict, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

No.134, WuKungRoad, New Taipeilndustrial Park, WukuDistrict, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Page 23 of 70

	EUT			N	/leasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
LTE	816.5	26715	V	10.52	3.32	-2.89	10.95	50.00
BAND 26	010.0	207 10	Н	11.01	3.32	-2.89	11.44	50.00
BW: 5M	819.0	26740	V	12.09	3.32	-2.89	12.52	50.00
QPSK			Н	10.68	3.32	-2.89	11.11	50.00
RB: 1,0	821.5	26765	V	9.75	3.32	-2.90	10.17	50.00
1,1			Н	11.09	3.32	-2.89	11.52	50.00
LTE	816.5	26715	V	11.38	3.32	-2.89	11.81	50.00
BAND 26			Н	11.38	3.32	-2.89	11.81	50.00
BW: 5M	819.0	26740	V	12.04	3.32	-2.89	12.47	50.00
QPSK	01010	207.10	H	10.87	3.32	-2.89	11.30	50.00
RB: 1,24	821.5	26765	V	10.38	3.32	-2.90	10.80	50.00
	02110	20.00	Н	11.15	3.32	-2.89	11.58	50.00
LTE	816.5	26715	V	11.35	3.32	-2.89	11.78	50.00
BAND 26	010.0	207 10	Н	11.23	3.32	-2.89	11.66	50.00
BW: 5M	819.0	26740	V	11.83	3.32	-2.89	12.26	50.00
16QAM	010.0	20740	Н	11.09	3.32	-2.89	11.52	50.00
RB: 1,0	821.5	26765	V	10.43	3.32	-2.90	10.85	50.00
110. 1,0	021.0	20700	Н	11.44	3.32	-2.89	11.87	50.00
LTE	816.5	26715	V	11.12	3.32	-2.89	11.55	50.00
BAND 26	010.0	207 10	H	11.38	3.32	-2.89	11.81	50.00
BW: 5M	819.0	26740	V	11.57	3.32	-2.89	12.00	50.00
16QAM	010.0	207 10	H	10.86	3.32	-2.89	11.29	50.00
RB: 1,24	821.5	26765	V	10.11	3.32	-2.90	10.53	50.00
110. 1,21	02110	20,00	Н	11.02	3.32	-2.89	11.45	50.00
LTE	816.5	26715	V	10.43	3.32	-2.89	10.86	50.00
BAND 26	0.0.0		Н	11.16	3.32	-2.89	11.59	50.00
BW: 5M	819.0	26740	V	11.64	3.32	-2.89	12.07	50.00
64QAM			Н	10.73	3.32	-2.89	11.16	50.00
RB: 1,0	821.5	26765	V	10.38	3.32	-2.90	10.80	50.00
1.5. 1,0			Н	10.85	3.32	-2.89	11.28	50.00
LTE	816.5	26715	V	11.18	3.32	-2.89	11.61	50.00
BAND 26	2.0.0		H	11.84	3.32	-2.89	12.27	50.00
BW: 5M	819.0	26740	V	11.41	3.32	-2.89	11.84	50.00
64QAM			Н	10.79	3.32	-2.89	11.22	50.00
RB: 1,24	821.5	26765	V	9.84	3.32	-2.90	10.26	50.00
,			Н	11.65	3.32	-2.89	12.08	50.00

Remark: (1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, WuKungRoad, New Taipeilndustrial Park, WukuDistrict, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

No.134, WuKungRoad, New Taipeilndustrial Park, WukuDistrict, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Page 24 of 70

	EUT		Measurement						
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit	
LTE BAND 26 BW: 10M	MHz		V/H	dBm	dBd	dB	dBm	dBm	
QPSK	819.0	26740	V	12.32	3.32	-2.89	12.75	50.00	
RB: 1,0	019.0	26740	Н	10.93	3.32	-2.89	11.36	50.00	
QPSK	819.0	26740	V	11.98	3.32	-2.89	12.41	50.00	
RB: 1,49	019.0	20740	Н	10.93	3.32	-2.89	11.36	50.00	
16QAM	819.0	00740	V	11.62	3.32	-2.89	12.05	50.00	
RB: 1,0	019.0	26740	Н	11.28	3.32	-2.89	11.71	50.00	
16QAM	819.0	26740	V	10.87	3.32	-2.89	11.30	50.00	
RB: 1,49	019.0	20740	H	10.76	3.32	-2.89	11.19	50.00	
64QAM	910 N	26740	V	11.58	3.32	-2.89	12.01	50.00	
RB: 1,0	819.0	26740	Н	10.66	3.32	-2.89	11.09	50.00	
64QAM	819.0	26740	V	11.50	3.32	-2.89	11.93	50.00	
RB: 1,49	013.0	20740	Н	10.74	3.32	-2.89	11.17	50.00	

Remark: (1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

100.00 100.00

t (886-2) 2299-3279




Page 25 of 70

8. OCCUPIED BANDWIDTH MEASUREMENT

8.1. Standard Applicable

The occupied bandwidth is the frequency bandwidth such that, below its lower and above its upper frequency limits, the mean powers radiated are each equal to 0.5 percent of the total mean power.

8.2. Test Set-up



8.3. Measurement Procedure

99% &26dB Bandwidth with detector peak

The EUT's output RF connector was connected with a short cable to the spectrum analyzer, RBW was set to about 1% of emission BW, VBW= 3 times RBW, -26dBc display line was placed on the screen (or 26dB bandwidth), the occupied bandwidth is the delta frequency between the two points where the display line intersects the signal trace. Then set RBW to 99% bandwidth, RBW= 1%, VBW= 3 RBW, with span > 2 * Signal BW, set % Power = 99%.

99% Bandwidth with detector sample

The EUT's output RF connector was connected with a short cable to the spectrum analyzer, RBW was set to about $1\% \sim 5\%$ of emission BW, VBW= 3 times RBW, -20dBc display line was placed on the screen (or 20dB bandwidth). Set RBW to 99% bandwidth, RBW= $1\% \sim 5\%$, VBW= 3 RBW, with span > 2 * Signal BW, set % Power = 99%.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 26 of 70

8.4. Measurement Equipment Used

EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
Bi-log Antenna	SCHWAZBECK	VULB9168	378	2017/12/29	2018/12/28
Bi-log Antenna	SCHWAZBECK	VULB9168	300	2017/12/20	2018/12/19
Horn Antenna	Schwarzbeck	BBHA9120D	309	2018/01/04	2019/1/3
Horn Antenna	Schwarzbeck	BBHA9120D	1441	2017/08/04	2018/8/3
Spectrum Analyzer	Agilent	E4446A	MY51100003	2017/05/10	2018/5/9
EMI Test Receiver	R&S	ESCI7	100760	2017/06/06	2018/6/5
Network Analyze	Anritsu	MS4644A	1216312	2017/05/25	2018/5/24
Radio Communication Analyer	Anritsu	MT8820C	6201465317	01/15/2018	01/14/2019
Pre-Amplifier	HP	8449B	3008A00578	2018/01/02	2019/1/1
Pre-Amplifier	HP	8447D	2944A07676	2018/01/02	2019/1/1
Attenuator	Mini-Circuit	BW- S10W2+	2	2018/01/02	2019/1/1
Filter 800-1000	Filter 800-1000 Micro-Tronics		M1	2018/01/02	2019/1/1
1GHz High Pass Filter	Micro-Tronics	HPM50108	32	2018/01/02	2019/1/1
Low Loss Cable	Huber Suhner	966_RX	9	2018/01/02	2019/1/1
Low Loss Cable	Huber Suhner	966 TX	1	2018/01/02	2019/1/1

8.5. Measurement Result

LTE BAND 26 for part 90S Channel bandwidth: 1.4MHz									
Freq.	СН	99% BW (MHz)			26 dB BW (MHz)				
(MHz)	СП	QPSK	16QAM	64QAM	QPSK	16QAM	64QAM		
814.7	26697	1.1031	1.1015	1.1002	1.2430	1.2460	1.2550		
819.0	26740	1.0997	1.0994	1.0984	1.2540	1.2460	1.2400		
823.3	26783	1.0993	1.1024	1.0983	1.2570	1.2510	1.2390		

	LTE BAND 26 for part 90S Channel bandwidth: 3MHz									
Freq.	СН	99	% BW (MI	łz)	26	dB BW (I	ИHz)			
(MHz)	СП	QPSK	16QAM	64QAM	QPSK	16QAM	64QAM			
815.5	26705	2.7047	2.7113	2.7103	2.9820	2.9790	2.9840			
819.0	26740	2.7138	2.7268	2.7113	3.0010	2.9940	2.9720			
822.5	26775	2.7093	2.7239	2.7143	2.9810	2.9940	2.9750			

LTE BAND 26 for part 90S Channel bandwidth: 5MHz									
Freq.	СН	99	9% BW (MH	łz)	z) 26 dB BW (MHz)				
(MHz)	CII	QPSK	16QAM	64QAM	QPSK	16QAM	64QAM		
816.5	26715	4.5315	4.5063	4.5253	4.9920	4.9610	4.9470		
819.0	26740	4.5355	4.5207	4.5185	4.9830	4.9980	4.9720		
821.5	26765	4.5249	4.5243	4.5013	4.9540	4.9820	4.9840		

	LTE BAND 26 for part 90S Channel bandwidth: 10MHz								
١	Freq.	' I (:H	99	% BW (MI	łz)	26	dB BW (MHz)		
	(MHz)		QPSK	16QAM	64QAM	QPSK	16QAM	64QAM	
)	819.0	26740	9.0722	9.0265	9.0452	9.9750	9.9110	9.9190	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Report No.: ER/2018/10040 Page 27 of 70


Part 90_Band26_1_4MHz_QPSK_6_0_LowCH26697




Part 90_Band26_1_4MHz_16QAM_6_0_LowCH26697




Part 90 Band26 1 4MHz QPSK 6 0 MidCH26740



Part 90_Band26_1_4MHz_16QAM_6_0_MidCH26740



Part 90_Band26_1_4MHz_QPSK_6_0_HighCH26783



Part 90_Band26_1_4MHz_16QAM_6_0_HighCH26873



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated tire results smown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Fix f a right in the state of the sample state of the sa and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Report No.: ER/2018/10040 Page 28 of 70


Part 90_Band26_1_4MHz_64QAM_6_0_LowCH26697




Part 90_Band26_3MHz_QPSK_15_0_LowCH26705




Part 90 Band26 1 4MHz 64QAM 6 0 MidCH26740




Part 90_Band26_3MHz_QPSK_15_0_MidCH26740



Part 90_Band26_1_4MHz_64QAM_6_0_HighCH26783



Part 90_Band26_3MHz_QPSK_15_0_HighCH26775



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated tire results smown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Fix f a right in the state of the sample state of the sa and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.




Report No.: ER/2018/10040 Page 29 of 70


Part 90_Band26_3MHz_16QAM_15_0_LowCH26705



Part 90_Band26_3MHz_64QAM_15_0_LowCH26705




Part 90 Band26 3MHz 16QAM 15 0 MidCH26740




Part 90 Band26 3MHz 64QAM 15 0 MidCH26740



Part 90_Band26_3MHz_16QAM_15_0_HighCH26775



Part 90_Band26_3MHz_64QAM_15_0_HighCH26775



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated tire results smown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Fix f a right in the state of the sample state of the sa and offenders may be prosecuted to the fullest extent of the law.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Part 90_Band26_5MHz_QPSK_25_0_LowCH26715

Report No.: ER/2018/10040 Page 30 of 70


Part 90_Band26_5MHz_16QAM_25_0_LowCH26715




Radio Std: None Ref Offset 15 dB Ref 30.00 dB Center Fro r 816.5 MHz BW 100 kHz 4.5063 MHz 99.00 % Transmit Freq Error -5.287 kHz OBW Power 4.961 MHz -26,00 dB x dB Bandwidth x dB

Part 90 Band26 5MHz QPSK 25 0 MidCH26740


Part 90_Band26_5MHz_16QAM_25_0_MidCH26740






Part 90_Band26_5MHz_QPSK_25_0_HighCH26765

Part 90_Band26_5MHz_16QAM_25_0_HighCH26765





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated tire results smown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Fix f a right in the state of the sample state of the sa and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: ER/2018/10040 Page 31 of 70


Part 90_Band26_5MHz_64QAM_25_0_LowCH26715




Part 90_Band26_10MHz_QPSK_50_0_MidCH26740




Part 90 Band26 5MHz 64QAM 25 0 MidCH26740



Part 90 Band26 10MHz 16QAM 50 0 MidCH26740



Part 90_Band26_5MHz_64QAM_25_0_HighCH26765



Part 90_Band26_10MHz_64QAM_50_0_MidCH26740



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated tire results smown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Fix f a right in the state of the sample state of the sa and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Page 32 of 70

9. OUT OF BAND EMISSION AT ANTENNA TERMINALS

9.1. Standard Applicable

FCC §22.917(a),Out of band emissions. The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least 43 + 10 log(P) dB.

§90.691 Emission mask requirements for EA-based systems.

- (a) Out-of-band emission requirement shall apply only to the "outer" channels included in an EA license and to spectrum adjacent to interior channels used by incumbent licensees. The emission limits are as follows:
- (1) For any frequency removed from the EA licensee's frequency block by up to and including 37.5 kHz, the power of any emission shall be attenuated below the transmitter power (P) in watts by at least 116 Log10(f/6.1) decibels or 50 + 10 Log10(P) decibels or 80 decibels, whichever is the lesser attenuation, where f is the frequency removed from the center of the outer channel in the block in kilohertz and where f is greater than 12.5 kHz.
- (2) For any frequency removed from the EA licensee's frequency block greater than 37.5 kHz, the power of any emission shall be attenuated below the transmitter power (P) in watts by at least 43 + 10Log10(P) decibels or 80 decibels, whichever is the lesser attenuation, where f is the frequency removed from the center of the outer channel in the block in kilohertz and where f is greater than 37.5 kHz.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



9.2. Test SET-UP



9.3. Measurement Procedure

Conducted Emission

The RF output of the transceiver was connected to a spectrum analyzer through appropriate attenuation The resolution bandwidth of the spectrum analyzer was set at 1MHz, sufficient scans were taken to show the out of band Emissions if any up to 10th harmonic.

- 1. To connect Antenna Port of EUT to Spectrum.
- 2. Set RBW = 1MHz & VBW = 1MHz on Spectrum.
- 3. Allow trace to fully stabilize
- 4. Repeat above procedures until all default test channel measured were complete.

Band Edge

- To connect Antenna Port of EUT to Spectrum.
- 2. The band edge of low and high channels for the highest RF powers was measured. Setting RBW ≥ 1% EBW.
- 3. Allow trace to fully stabilize
- Repeat above procedures until all default test channel measured were complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

For \$1.50 and \$ any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd.



Page 34 of 70

9.4. Measurement Equipment Used

EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL. (YYYY.MM.DD)	CAL DUE. (YYYY.MM.DD)
EXA Spectrum Analyzer	Agilent	N9010A	MY54200716	2017/10/16	2018/10/15
Radio Communication Analyer	Anritsu	MT8820C	6201465317	2018/01/15	2019/1/14
Attenuator	Mini-Circuit	BW- S10W2+	2	2018/01/02	2019/1/1
DC Block	Mini-Circuits	BLK-18-S+	1	2018/01/02	2019/1/1
Splitter	RF-LAMBAD	RFLT2W1G 18G	11-JSPF412- 018	2018/01/02	2019/1/1
Coaxial Cable	Huber Suhner	SUCOFLEX 102EPA	MY2616/2	2018/01/02	2019/1/1

9.5. Measurement Result:

Refer to next pages.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemrification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and officed may be presented to the fulled extent of the law. and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488

t (886-2) 2299-3279



Page 35 of 70

Part 90_Band26_1_4MHz_QPSK_1_0_LowCH26697-814.7



Part 90_Band26_1_4MHz_QPSK_6_0_HighCH26783



Part 90_Band26_1_4MHz_QPSK_1_5_HighCH26783



Part 90_Band26_3MHz_QPSK_1_0_LowCH26705



Part 90 Band26 1 4MHz QPSK 6 0 LowCH26697



Part 90 Band26 3MHz QPSK 1 14 HighCH26775



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

家子方有 就明 * 近報告話术性質測点之核必具質 * 同時記樣必性体質別大 * 多報告末整本公司者面計引 * 不可能的複製 * This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

d. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 36 of 70

Part 90_Band26_3MHz_QPSK_15_0_LowCH26705



Part 90_Band26_5MHz_QPSK_1_24_HighCH26765



Part 90_Band26_3MHz_QPSK_15_0_HighCH26775



Part 90_Band26_5MHz_QPSK_25_0_LowCH26715



Part 90 Band26 5MHz QPSK 1 0 LowCH26715




Part 90 Band26 5MHz QPSK 25 0 HighCH26765



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方角 就明 ・ 近報告話末性對河域之様态員實 ・ 同時武様态性体質別大 ・ 各報告末整本公司書面計 引 ・ 不可能的複复 。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

l. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號





Part 90_Band26_10MHz_QPSK_1_0_LowCH26740



Part 90_Band26_10MHz_QPSK_50_0_HighCH26740



Part 90_Band26_10MHz_QPSK_1_49_HighCH26740




Part 90 Band26 10MHz QPSK 50 0 LowCH26740



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and the proportion of the content or appearance of this document is unlawful and the proportion of the content or appearance of this document is unlawful and the full that the full the full that the and offenders may be prosecuted to the fullest extent of the law.





Part 90_Band 26_1.4M_QPSK_LOW_RB1,0




Part 90 Band 26 1.4M QPSK LOW RB1.5




Part 90_Band 26_1.4M_QPSK_LOW_RB6.0



Part 90_Band 26_1.4M_QPSK_MID_RB1,0



Part 90 Band 26 1.4M QPSK MID RB1,5




Part 90_Band 26_1.4M_QPSK_MID_RB6.0



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results strown in this less report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對圖式之樣品身貴,同時此樣品僅保留印入。 本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







Part 90_Band 26_1.4M_QPSK_HIGH_RB1,0



Part 90 Band 26 1.4M QPSK HIGH RB1,5



Part 90 Band 26 1.4M QPSK HIGH RB6,0



Part 90_Band 26_1.4M_16QAM_LOW_RB1,0



Part 90 Band 26 1.4M 16QAM LOW RB1,5




Part 90 Band 26 1.4M 16QAM LOW RB6,0



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留則大。本報告果經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







Part 90_Band 26_1.4M_16QAM_MID_RB1,0




Part 90 Band 26 1.4M 16QAM MID RB1,5




Part 90_Band 26_1.4M_16QAM_MID_RB6,0



Part 90_Band 26_1.4M_16QAM_HIGH_RB1,0



Part 90 Band 26 1.4M 16QAM HIGH RB1,5



Part 90_Band 26_1.4M_16QAM_HIGH_RB6,0



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


解析方角 就明 ・ 近報告話末性對河域之様态員實 ・ 同時武様态性体質別大 ・ 各報告末整本公司書面計 引 ・ 不可能的複复 。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 41 of 70




Part 90_Band 26_1.4M_64QAM_LOW_RB1,0




Part 90 Band 26 1.4M 64QAM LOW RB1.5




Part 90_Band 26_1.4M_64QAM_LOW_RB6,0




Part 90_Band 26_1.4M_64QAM_MID_RB1,0



Part 90 Band 26 1.4M 64QAM MID RB1.5



Part 90 Band 26 1.4M 64QAM MID RB6,0




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方角 規則・近報告話末性對例成之樣态員實 '问時武樣态性体質別大"多本報告来整本公司書面計判' 不可能的複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions for Electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







Part 90_Band 26_1.4M_64QAM_HIGH_RB1,0




Part 90 Band 26 1.4M 64QAM HIGH RB1,5




Part 90_Band 26_1.4M_64QAM_HIGH_RB6,0




Part 90_Band 26_3M_QPSK_LOW_RB1,0



Part 90_Band 26_3M_QPSK_LOW_RB1,14



Part 90_Band 26_3M_QPSK_LOW_RB15,0




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留則大。本報告果經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 43 of 70







Part 90 Band 26 3M QPSK MID RB1.14




Part 90_Band 26_3M_QPSK_MID_RB15,0




Part 90_Band 26_3M_QPSK_HIGH_RB1,0



Part 90_Band 26_3M_QPSK_HIGH_RB1,14



Part 90 Band 26 3M QPSK HIGH RB15,0



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方角 規則・近報告話末性對例成之樣态員實 '问時武樣态性体質別大"多本報告来整本公司書面計判' 不可能的複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions for Electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 44 of 70


Part 90_Band 26_3M_16QAM_LOW_RB1,0




Part 90 Band 26 3M 16QAM LOW RB1,14




Part 90_Band 26_3M_16QAM_LOW_RB15,0




Part 90_Band 26_3M_16QAM_MID_RB1,0



Part 90 Band 26 3M 16QAM MID RB1,14




Part 90 Band 26 3M 16QAM MID RB15,0



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留則大。本報告果經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




SGS


Part 90_Band 26_3M_16QAM_HIGH_RB1,0




Part 90 Band 26 3M 16QAM HIGH RB1,14




Part 90_Band 26_3M_16QAM_HIGH_RB15,0




Part 90_Band 26_3M_64QAM_LOW_RB1,0



Part 90_Band 26_3M_64QAM_LOW_RB1,14




Part 90_Band 26_3M_64QAM_LOW_RB15,0



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留則大。本報告果經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.






Part 90_Band 26_3M_64QAM_MID_RB1,0




Part 90 Band 26 3M 64QAM MID RB1,14




Part 90_Band 26_3M_64QAM_MID_RB15,0




Part 90_Band 26_3M_16QAM_HIGH_RB1,0



Part 90 Band 26 3M 16QAM HIGH RB1,14




Part 90_Band 26_3M_16QAM_HIGH_RB15,0




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方角 就明 ・ 近報告話末性對河域之様态員實 ・ 同時武様态性体質別大 ・ 各報告末整本公司書面計 引 ・ 不可能的複复 。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.






Part 90_Band 26_5M_QPSK_LOW_RB1,0




Part 90 Band 26 5M QPSK LOW RB1,24




Part 90_Band 26_5M_QPSK_LOW_RB25,0




Part 90_Band 26_5M_QPSK_MID_RB1,0



Part 90_Band 26_5M_QPSK_MID_RB1,24



Part 90_Band 26_5M_QPSK_MID_RB25,0



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留則大。本報告果經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 48 of 70




Part 90_Band 26_5M_QPSK_HIGH_RB1,0




Part 90_Band 26_5M_QPSK HIGH RB1.24




Part 90_Band 26_5M_QPSK_HIGH_RB25,0



Part 90_Band 26_5M_16QAM_LOW_RB1,0



Part 90 Band 26 5M 16QAM LOW RB1,24




Part 90_Band 26_5M_16QAM_LOW_RB25,0




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results strown in this less report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對圖式之樣品身貴,同時此樣品僅保留印入。 本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







Part 90_Band 26_5M_16QAM_MID_RB1,0




Part 90 Band 26 5M 16QAM MID RB1,24




Part 90_Band 26_5M_16QAM_MID_RB25,0




Part 90_Band 26_5M_16QAM_HIGH_RB1,0



Part 90 Band 26 5M 16QAM HIGH RB1,24




Part 90_Band 26_5M_16QAM_HIGH_RB25,0




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results strown in this less report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對圖式之樣品身貴,同時此樣品僅保留印入。 本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







Part 90_Band 26_5M_64QAM_LOW_RB1,0




Part 90 Band 26 5M 64QAM LOW RB1,24




Part 90_Band 26_5M_64QAM_LOW_RB25,0




Part 90_Band 26_5M_64QAM_MID_RB1,0



Part 90 Band 26 5M 64QAM MID RB1,24



Part 90_Band 26_5M_64QAM_MID_RB25,0




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results strown in this less report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對圖式之樣品身貴,同時此樣品僅保留印入。 本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 51 of 70







Part 90 Band 26 5M 64QAM HIGH RB1,24




Part 90_Band 26_5M_64QAM_HIGH_RB25,0




Part 90_Band 26_10M_QPSK_MID_RB1,0



Part 90 Band 26 10M QPSK MID RB1.49




Part 90_Band 26_10M_QPSK_MID_RB50,0




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results strown in this less report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對圖式之樣品身貴,同時此樣品僅保留印入。 本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







Part 90_Band 26_10M_16QAM_MID_RB1,0




Part 90 Band 26 10M 16QAM MID RB1.49




Part 90 Band 26 10M 16QAM MID RB50,0




Part 90_Band 26_10M_64QAM_MID_RB1,0



Part 90 Band 26 10M 64QAM MID RB1.49



Part 90 Band 26 10M 64QAM MID RB50,0



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


除非另有說明,此報告結果僅對測試之株品負責;同時此株品僅保留則大。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Report No.: ER/2018/10040 Page 53 of 70

Out of Band Emission


30MHz~3GHz_Band26_1_4MHz_QPSK_1_0_LowCH26697-814.7




30MHz~3GHz_Band26_1_4MHz_QPSK_1_0_MidCH26740




30MHz~3GHz_Band26_1_4MHz_QPSK_1_0_HighCH26783




30MHz~3GHz_Band26_3MHz_QPSK_1_0_LowCH26705



30MHz~3GHz_Band26_3MHz_QPSK_1_0_MidCH26740




30MHz~3GHz_Band26_3MHz_QPSK_1_0_HighCH26775




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







30MHz~3GHz_Band26_5MHz_QPSK_1_0_LowCH26715




30MHz~3GHz_Band26_10MHz_QPSK_1_0_MidCH26740



30MHz~3GHz Band26 5MHz QPSK 1 0 MidCH26740



30MHz~3GHz_Band26_5MHz_QPSK_1_0_HighCH26765



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and the proportion of the content or appearance of this document is unlawful and the support of the content or appearance of this document is unlawful and the support of the content or appearance of this document is unlawful and the support of the content or appearance of this document is unlawful and the content or appearance of this document is unlawful and the content or appearance of this document is unlawful and the content or appearance of this document is unlawful and the content or appearance of this document is unlawful and the content or appearance of this document is unlawful and the content or appearance of this document and the content or appearance of this document and the content or appearance of this document is unlawful and the cont and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sqs.com



Page 55 of 70

FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT

10.1. Standard Applicable

According to FCC §2.1053,

FCC §22.917(a), the magnitude of each spurious and harmonic emission that can be detected when the equipment is operated under the conditions specified in the instruction manual and/or alignment procedure, shall not be less than 43 + 10 log (mean output power in watts) dBc below the mean power output outside a license's frequency block (-13dBm).

Table 2 — Unwanted Emissions for Mobile, Portable and Low-Power Fixed Subscriber **Equipment**

Frequency (MHz)	Attenuation (dB)
<2200	$43 + 10 \log_{10}(p)$
2200 - 2288	$70 + 10 \log_{10}(p)$
2288 - 2292	$67 + 10 \log_{10}(p)$
2292 - 2296	$61 + 10 \log_{10}(p)$
2296 - 2300	$55 + 10 \log_{10}(p)$
2300 - 2305	$43 + 10 \log_{10}(p)$
2305 - 2320	$43 + 10 \log_{10}(p)^{\text{Note}}$
2320 - 2324	$55 + 10 \log_{10}(p)$
2324 - 2328	$61 + 10 \log_{10}(p)$
2328 - 2337	$67 + 10 \log_{10}(p)$
2337 - 2341	$61 + 10 \log_{10}(p)$
2341 - 2345	$55 + 10 \log_{10}(p)$
2345 - 2360	$43 + 10 \log_{10}(p)^{\text{Note}}$
2360 - 2365	$43 + 10 \log_{10}(p)$
2365 - 2395	$70 + 10 \log_{10}(p)$
>2395	$43 + 10 \log_{10}(p)$

Note: Measured at the edges of the highest and lowest frequency range(s) in which the equipment is designed to operate. See Section 1.2 for the permitted frequency ranges for various equipment types.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Documents.

The first of t Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279 www.tw.sgs.com




Page 56 of 70

10.2. EUT Setup

Radiated Emission Test Set-Up, Frequency Below 1000MHz



Radiated Emission Test Set-UP Frequency Over 1 GHz



t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained hereon. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488



Page 57 of 70

10.3. Measurement Procedure:

The EUT was placed on a non-conductive; the measurement antenna was placed at a distance of 3 meters from the EUT. During the tests, the antenna height and the EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. This maximization process was repeated with the EUT positioned in each of its three orthogonal orientations.

The frequency range up to tenth harmonic was investigated for each of three fundamental frequencies (low, middle and high channels). Once spurious emission was identified, the power of the emission was determined using the substitution method.

The spurious emissions attenuation was calculated as the difference between radiated power at the fundamental frequency and the spurious emissions frequency.

ERP (dBm) = SG Level(dBm) + Antenna Gain(dBd) + Cable Loss(dB)

EIRP (dBm) = SG Level(dBm) + Antenna Gain(dBi) + Cable Loss(dB)

"F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency. Note:

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

"---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Documents at <a href="https jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 台灣檢驗科技股份有限公司 t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com



Page 58 of 70

10.4. Measurement Equipment Used:

EQUIPMENT TYPE	MFR	MODEL	SERIAL	LAST CAL.	CAL DUE.
		NUMBER VULB9168	NUMBER	(yyyy/mm/dd)	(yyyy/mm/dd)
Bi-log Antenna	Bi-log Antenna SCHWAZBECK		378	2017/12/29	2018/12/28
Bi-log Antenna	SCHWAZBECK	VULB9168	300	2017/12/20	2018/12/19
Horn Antenna	Schwarzbeck	BBHA9120D	309	2018/01/04	2019/1/3
Horn Antenna	Schwarzbeck	BBHA9120D	1441	2017/08/04	2018/8/3
Spectrum Analyzer	Agilent	E4446A	MY51100003	2017/05/10	2018/5/9
EMI Test Receiver	R&S	ESCI7	100760	2017/06/06	2018/6/5
Network Analyze	Anritsu	MS4644A	1216312	2017/05/25	2018/5/24
Radio Communication Analyer	Anritsu	MT8820C	6201465317	2018/01/05	2019/1/1
Pre-Amplifier	HP	8449B	3008A00578	2018/01/02	2019/1/1
Pre-Amplifier	HP	8447D	2944A07676	2018/01/02	2019/1/1
Attenuator	Mini-Circuit	BW- S10W2+	2	2018/01/02	2019/1/1
Filter 800-1000 Micro-Tronics		EWT	M1	2018/01/02	2019/1/1
1GHz High Pass Filter	Micro-Tronics	HPM50108	32	2018/01/02	2019/1/1
Low Loss Cable	Huber Suhner	966_RX	9	2018/01/02	2019/1/1
Low Loss Cable	Huber Suhner	966 TX	1	2018/01/02	2019/1/1

t (886-2) 2299-3279

f (886-2) 2298-0488



Page 59 of 70

10.5. Measurement Result:

Radiated Spurious Emission Measurement Result: LTE-Band 26 for Part 90S (The Worst Case)


Uplink Antenna

Operation Band :LTE B26 Temp./Humi. :22.1 deg C / 68 RH

Fundamental Frequen-:819 MHz Engineer :Tin

Operation Mode :Tx CH MID

Antenna :VERTICAL Measurement :H Plane EUT Pol. Pol.



Freq.	Note	ERP/EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	F/H/E/S	dBm	dBm	dBd/dBi	dB	dBm	dB
						1	
30.00	S	-66.15	-50.41	-14.78	-0.96	-13.00	-53.15
159.01	S	-70.43	-67.28	-1.68	-1.47	-13.00	-57.43
265.71	S	-69.63	-71.41	3.58	-1.80	-13.00	-56.63
415.09	S	-69.16	-70.56	3.77	-2.37	-13.00	-56.16
519.85	S	-66.31	-67.67	3.75	-2.39	-13.00	-53.31
584.84	S	-63.56	-64.11	3.34	-2.79	-13.00	-50.56
2457.00	Н	-47.00	-50.52	8.71	-5.19	-13.00	-34.00

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained the contained that the limits of contained the conta Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488



Page 60 of 70

Operation Band :LTE B26

Fundamental Frequen-:819 MHz

Operation Mode

EUT Pol.

:Tx CH MID

:H Plane


Temp./Humi. :22.1 deg_C / 68 RH

Engineer :Tin

Measurement

Antenna :HORIZONTAL

Pol.



Freq.	Note	ERP/EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	F/H/E/S	dBm	dBm	dBd/dBi	dB	dBm	dB
			4 6 1				
30.00	S	-53.43	-37.70	-14.78	-0.96	-13.00	-40.43
146.40	S	-73.65	-69.92	-2.31	-1.42	-13.00	-60.65
284.14	S	-74.61	-76.14	3.43	-1.89	-13.00	-61.61
418.00	S	-69.51	-70.92	3.76	-2.35	-13.00	-56.51
531.49	S	-68.32	-69.50	3.69	-2.51	-13.00	-55.32
697.36	S	-64.60	-64.75	3.08	-2.93	-13.00	-51.60
2457.00	Н	-54.27	-57.79	8.71	-5.19	-13.00	-41.27
4914.00	Н	-51.63	-54.49	10.55	-7.69	-13.00	-38.63

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on or request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and conditions.htm and conditions.htm and conditions.htm and conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and conditions for Electronic Document is subject to Terms and Conditions for Electronic Document is subject to Terms and Conditions for Electronic Document is subject to Terms and Conditions for Electronic Document is subject to Terms and Conditions for Electronic Document is subject to Terms and Conditions for Electronic Document is subject to Terms and Conditions for Electronic Document is subject to Terms and Conditions for Electronic Document is subject to Terms and Conditions for Electronic Document is subject to Terms and Conditions for Electronic Document i Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 61 of 70


Downlink Antenna

Operation Band :LTE B26 Temp./Humi. :22.1 deg_C / 68 RH

Fundamental Frequen-:819 MHz Engineer :Tin

Operation Mode :Tx CH MID

Antenna :VERTICAL Measurement EUT Pol. :H Plane Pol.



Freq.	Note	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
·			Output Level	Gain	Loss		_
MHz	F/H/E/S	dBm	dBm	dBd/dBi	dB	dBm	dB
							_
33.88	S	-72.57	-58.36	-13.61	-0.61	-13.00	-59.57
165.80	S	-72.01	-69.82	-0.88	-1.31	-13.00	-59.01
282.20	S	-70.89	-72.56	3.42	-1.75	-13.00	-57.89
432.55	S	-70.77	-72.35	3.60	-2.02	-13.00	-57.77
538.28	S	-67.47	-69.44	4.00	-2.03	-13.00	-54.47
588.72	S	-65.33	-66.74	3.63	-2.22	-13.00	-52.33
2457.00	Н	-52.00	-54.85	8.33	-5.47	-13.00	-39.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on or request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and conditions.htm and conditions.htm and conditions.htm and conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and conditions for Electronic Document is subject to Terms and Conditions for Electronic Document is subject to Terms and Conditions for Electronic Document is subject to Terms and Conditions for Electronic Document is subject to Terms and Conditions for Electronic Document is subject to Terms and Conditions for Electronic Document is subject to Terms and Conditions for Electronic Document is subject to Terms and Conditions for Electronic Document is subject to Terms and Conditions for Electronic Document is subject to Terms and Conditions for Electronic Document i Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Page 62 of 70

Operation Band :LTE B26

:819 MHz

:H Plane

:Tx CH MID

Fundamental Frequen-

Operation Mode

EUT Pol.

Temp./Humi.

:22.1 deg_C / 68 RH


Engineer

Measurement

Antenna :HORIZONTAL

:Tin

Pol.



Freq.	Note	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd/dBi	dB	dBm	dB
41.64	S	-67.17	-54.03	-12.47	-0.67	-13.00	-54.17
152.22	S	-74.71	-71.73	-1.68	-1.29	-13.00	-61.71
281.23	S	-75.90	-77.57	3.42	-1.75	-13.00	-62.90
407.33	S	-71.30	-72.85	3.69	-2.14	-13.00	-58.30
519.85	S	-68.67	-70.18	4.02	-2.51	-13.00	-55.67
682.81	S	-66.21	-66.75	3.73	-3.19	-13.00	-53.21
2457.00	H	-57.01	-59.86	8.33	-5.47	-13.00	-44.01
4914.00	Н	-54.27	-56.74	10.38	-7.92	-13.00	-41.27

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on or request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and conditions.htm and conditions.htm and conditions.htm and conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and conditions for Electronic Document is subject to Terms and Conditions for Electronic Document is subject to Terms and Conditions for Electronic Document is subject to Terms and Conditions for Electronic Document is subject to Terms and Conditions for Electronic Document is subject to Terms and Conditions for Electronic Document is subject to Terms and Conditions for Electronic Document is subject to Terms and Conditions for Electronic Document is subject to Terms and Conditions for Electronic Document is subject to Terms and Conditions for Electronic Document i Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279 台灣檢驗科技股份有限公司

f (886-2) 2298-0488

www.tw.sgs.com



Page 63 of 70


11. FREQUENCY STABILITY MEASUREMENT

11.1. Standard Applicabl

The frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block.

11.2. Test Set-up

Temperature Chamber



Variable DC Power Supply

Note: Measurement setup for testing on Antenna connector

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained the contained that the limits of contained the conta Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page 64 of 70

11.3. Measurement Procedure

The equipment under test was connected to an external AC or DC power supply and input rated voltage. RF output was connected to a frequency counter or spectrum analyzer via feed through attenuators. The EUT was placed inside the temperature chamber. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and measure EUT 25°C operating frequency as reference frequency. Turn EUT off and set the chamber temperature to -30°C. After the temperature stabilized for approximately 30 minutes recorded the frequency. Repeat step measure with 10°C increased per stage until the highest temperature of +50°C reached.

Set chamber temperature to 25 \,\[\] . Use a variable AC power supply / DC power source to power the EUT and set the voltage to rated voltage. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and recorded the frequency.

Reduce the input voltage to specify extreme voltage variation (+/- 15%) and endpoint as declared by the manufacturer, record the maximum frequency change.

11.4. Measurement Equipment Used

EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL. (yyyy/mm/dd)	CAL DUE. (yyyy/mm/dd)
EXA Spectrum Analyzer	Agilent	N9010A	MY54200716	2017/10/16	2018/10/15
Radio Communication Analyer	Anritsu	MT8820C	6201465317	2018/01/15	2019/1/14
Attenuator	Mini-Circuit	BW- S10W2+	2	2018/01/02	2019/1/1
DC Block	Mini-Circuits	BLK-18-S+	1	2018/01/02	2019/1/1
Splitter	RF-LAMBAD	RFLT2W1G 18G	11-JSPF412- 018	2018/01/02	2019/1/1
Coaxial Cable	Huber Suhner	SUCOFLEX 102EPA	MY2616/2	2018/01/02	2019/1/1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留印天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

f (886-2) 2298-0488



Page 65 of 70

11.5. Measurement Result

FREQUENCY ERROR vs. VOLTAGE (LTE B26 for Part 90S)

OR VS. VOLTAGE (LIE 620 for Part 905)										
Reference Freq.:		ΓΕ B26 Mid Channel	819	MHz 10M QPSK CH 26740						
Power Supply Vdc	Temp.	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)						
	Fre	q. ERROR vs. V	OLTAG	E						
4.5	25	819.000001	7	2091						
3.82	25	818.999994	0	2091						
3.55	25	819.000009	15	2091						
3 (End Point)	25	819.000003	9	2091						
	F	req. ERROR vs.	Temp.							
3.82	-30	819.000012	8	2091						
3.82	-20	818.999994	-10	2091						
3.82	-10	818.999992	-12	2091						
3.82	0	819.000011	7	2091						
3.82	10	819.000013	9	2091						
3.82	20	819.000004	0	2091						
3.82	30	818.999998	-6	2091						
3.82	40	818.999993	-11	2091						
3.82	50	819.000001	-3	2091						

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有说明,此概告结果僅對测试之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

14. **Waku Attaiped Att

www.tw.sgs.com




Page 66 of 70

12. PEAK TO AVERAGE RATIO

12.1. Standard Applicable

The peak-to-average ratio (PAR) of the transmission may not exceed 13dB.

12.2. Test SET-UP



12.3. **Measurement Procedure**

- 1. KDB 971168 D01 is employed as the following procedure is proper adjusted accordingly:
- 2. Set resolution/measurement bandwidth ≥ signal's occupied bandwidth; & internal =1ms
- 3. Set the number of counts to a value that stabilizes the measured CCDF curve.

12.4. **Measurement Equipment Used**

EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL. (yyyy/mm/dd)	CAL DUE. (yyyy/mm/dd)
EXA Spectrum Analyzer	Agilent	N9010A	MY54200716	2017/10/16	2018/10/15
Radio Communication Analyer	Anritsu	MT8820C	6201465317	2018/01/15	2019/1/14
Attenuator	Mini-Circuit	BW- S10W2+	2	2018/01/02	2019/1/1
DC Block	Mini-Circuits	BLK-18-S+	1	2018/01/02	2019/1/1
Splitter	RF-LAMBAD	RFLT2W1G 18G	11-JSPF412- 018	2018/01/02	2019/1/1
Coaxial Cable	Huber Suhner	SUCOFLEX 102EPA	MY2616/2	2018/01/02	2019/1/1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions of Isability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488 www.tw.sgs.com



Page 67 of 70

Measurement Result 12.5.

Tabular Results:

LTE BAND 26 for part 90S										
Channel bandwidth: 1.4MHz			Channel bandwidth: 3MHz							
	Freq.	СН	PAPR	(dB)	Freq.	СН	PAPR	(dB)		
	(MHz)	СП	64QAM	Limit	(MHz)	Сп	64QAM	Limit		
	814.7	26697	5.92	13	815.5	26705	6.03	13		
	819	26740	5.85	13	819	26740	5.89	13		
	823.3	26783	6.04	13	822.5	26775	6.15	13		

	LTE BAND 26 for part 90S										
Char	nnel ban	dwidth: 5N	ЛHz	Channe	l bandw	idth: 10Ml	Ιz				
Freq.	СН	PAPR	PAPR (dB) Freq.		Freq. CH PAPR (c		(dB)				
(MHz)	СП	64QAM	Limit	(MHz)	СП	64QAM	Limit				
816.5	26715	5.95	13	819.0	26740						
819	26740	5.93	13			6.28	13				
821.5	26765	6.04	13				VE				

Measurement Results:


Please refer to next page.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卽天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or <a href="mailto:report and the rights and obligations under the transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or <a href="mailto:report and report and repor appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.
No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488 www.tw.sgs.com




Part 90 LTE Band26 1 4MHz 64QAM 6 0 LowCH26697




Part 90 LTE Band26 3MHz 64QAM 15 0 LowCH26705




Part 90 LTE Band26 1 4MHz 64QAM 6 0 MidCH26740



Part 90 LTE Band26 3MHz 64QAM 15 0 MidCH26740



Part 90_LTE_Band26_1_4MHz_64QAM_6_0_HighCH26783



Part 90_LTE_Band26_3MHz_64QAM_15_0_HighCH26775




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsible to the company is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. sibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the

SGS Taiwan Ltd.




Part 90 LTE Band26 5MHz 64QAM 25 0 LowCH26715



Part 90 LTE Band26 10MHz 64QAM 50 0 MidCH26740



Part 90_LTE_Band26_5MHz_64QAM_25_0_MidCH26740



Part 90_LTE_Band26_5MHz_64QAM_25_0_HighCH26765



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsible of the company is the property of the company's sole responsible of the property of the company's sole responsible of the company is the company is sole responsible of the company is the company is sole responsible of the company is the company is the company is sole responsible of the company is the company i sibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page 70 of 70

~ End of Report ~

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com