

Shenzhen Academy of Information and Communications Technology

The Photos of SAR test

No. B17N01898-SAR

For

Huawei Technologies Co., Ltd.

Smart Phone

Model Name: FIG-LX2

With

Hardware Version: HL2FIGOM

Software Version: FIG-LX2 8.0.0.102 (C900)

FCC ID: QISFIG-LX2

Issued Date: 2017-12-25

Designation Number: CN1210

Note:

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of SAICT.

Test Laboratory:

Shenzhen Academy of Information and Communications Technology


Building G, Shenzhen International Innovation Center, No.1006 Shennan Road, Futian District, Shenzhen,
Guangdong, P. R. China 518026.

Tel: +86(0)755-33322000, Fax: +86(0)755-33322001


Email: yewu@caict.ac.cn, website: www.cszit.com




Picture 1: Constituents of the sample



Picture 2: Left Hand Touch Cheek Position



Picture 3: Left Hand Tilt 15° Position




Picture 4: Right Hand Touch Cheek Position




Picture 5: Right Hand Tilt 15° Position

Test positions for body:

The Body SAR is tested at the following 6 test positions all with the distance =10mm, 15mm or 17mm between the EUT and the phantom bottom.



Picture 6: Front – Side (10mm)



Picture 7: Rear – Side (10mm)



Picture 8: Left – Side (10mm)




Picture 9: Right – Side (10mm)




Picture 10: Top – Side (10mm)




Picture 11: Bottom – Side (10mm)



Picture 12: Front – Side (15mm)




Picture 13: Rear – Side (15mm)



Picture 14: Front – Side (17mm)



Picture 15: Rear – Side (17mm)



Picture 16: Bottom – Side (17mm)