


Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5310MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5312.400	48.87	40.94	89.81	54.00	35.81	AVG	NO LIMIT
2		5350.000	6.95	41.07	48.02	54.00	-5.98	AVG	
3		5350.000	15.91	41.07	56.98	68.30	-11.32	peak	
4	X	5311.000	59.30	40.94	100.24	68.30	31.94	peak	NO LIMIT

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5310MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
-----	-----	--------------	--------------------------	-------------------------	----------------------------	-----------------	--------------	----------	---------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		10620.00	37.24	14.17	51.41	74.30	-22.89	peak	
2		17952.00	39.08	23.69	62.77	74.30	-11.53	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5310MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
-----	-----	--------------	--------------------------	-------------------------	----------------------------	-----------------	--------------	----------	---------



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		39527.50	44.62	16.44	61.06	74.30	-13.24	peak	
2	*	39527.50	33.97	16.44	50.41	60.00	-9.59	AVG	


Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5260MHz




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5261.000	57.40	40.77	98.17	54.00	44.17	AVG	NO LIMIT
2	X	5258.900	66.63	40.76	107.39	68.30	39.09	peak	NO LIMIT

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5260MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
-----	-----	--------------	--------------------------	-------------------------	----------------------------	-----------------	--------------	----------	---------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		10520.00	36.12	13.75	49.87	74.30	-24.43	peak	
2		17940.00	38.26	23.65	61.91	74.30	-12.39	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5260MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
-----	-----	--------------	--------------------------	-------------------------	----------------------------	-----------------	--------------	----------	---------



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		39811.00	44.50	17.13	61.63	74.30	-12.67	peak	
2	*	39811.00	33.66	17.13	50.79	60.00	-9.21	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5260MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5261.000	52.01	40.77	92.78	54.00	38.78	AVG	NO LIMIT
2	X	5260.000	60.91	40.76	101.67	68.30	33.37	peak	NO LIMIT

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5260MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
-----	-----	--------------	--------------------------	-------------------------	----------------------------	-----------------	--------------	----------	---------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		10520.00	36.11	13.75	49.86	74.30	-24.44	peak	
2		17904.00	38.29	23.55	61.84	74.30	-12.46	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5260MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
-----	-----	--------------	--------------------------	-------------------------	----------------------------	-----------------	--------------	----------	---------



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		39892.00	43.77	17.34	61.11	74.30	-13.19	peak	
2	*	39892.00	31.75	17.34	49.09	60.00	-10.91	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5320MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5321.000	56.70	40.97	97.67	54.00	43.67	AVG	NO LIMIT
2		5350.000	7.59	41.07	48.66	54.00	-5.34	AVG	
3		5350.000	16.30	41.07	57.37	68.30	-10.93	peak	
4	X	5321.800	65.83	40.97	106.80	68.30	38.50	peak	NO LIMIT

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5320MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
-----	-----	--------------	--------------------------	-------------------------	----------------------------	-----------------	--------------	----------	---------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		10640.00	37.23	14.25	51.48	74.30	-22.82	peak	
2		17916.00	38.70	23.58	62.28	74.30	-12.02	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5320MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		39770.50	44.94	17.03	61.97	74.30	-12.33	peak	
2	*	39770.50	32.54	17.03	49.57	60.00	-10.43	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5320MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5321.100	51.62	40.97	92.59	54.00	38.59	AVG	NO LIMIT
2		5350.000	6.47	41.07	47.54	54.00	-6.46	AVG	
3		5350.000	14.32	41.07	55.39	68.30	-12.91	peak	
4	X	5319.900	61.81	40.97	102.78	68.30	34.48	peak	NO LIMIT

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5320MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10640.00	36.12	14.25	50.37	74.30	-23.93	peak	
2		17892.00	38.90	23.51	62.41	74.30	-11.89	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5320MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		39743.50	44.53	16.97	61.50	74.30	-12.80	peak	
2	*	39743.50	33.67	16.97	50.64	60.00	-9.36	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5270MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5272.200	55.65	40.80	96.45	54.00	42.45	AVG	NO LIMIT
2	X	5269.000	64.19	40.80	104.99	68.30	36.69	peak	NO LIMIT

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5270MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
-----	-----	--------------	--------------------------	-------------------------	----------------------------	-----------------	--------------	----------	---------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		10540.00	36.43	13.84	50.27	74.30	-24.03	peak	
2		17808.00	38.30	23.26	61.56	74.30	-12.74	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5270MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		39824.50	44.40	17.17	61.57	74.30	-12.73	peak	
2	*	39824.50	33.44	17.17	50.61	60.00	-9.39	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5270MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5272.200	55.37	40.80	96.17	54.00	42.17	AVG	NO LIMIT
2	X	5271.600	64.16	40.80	104.96	68.30	36.66	peak	NO LIMIT

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5270MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10540.00	36.69	13.84	50.53	74.30	-23.77	peak	
2		17808.00	38.48	23.26	61.74	74.30	-12.56	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5270MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		39689.50	44.38	16.85	61.23	74.30	-13.07	peak	
2	*	39689.50	33.25	16.85	50.10	60.00	-9.90	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5310MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5312.200	53.28	40.94	94.22	54.00	40.22	AVG	NO LIMIT
2		5350.000	8.18	41.07	49.25	54.00	-4.75	AVG	
3		5350.000	16.21	41.07	57.28	68.30	-11.02	peak	
4	X	5314.200	62.50	40.94	103.44	68.30	35.14	peak	NO LIMIT

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5310MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
-----	-----	--------------	--------------------------	-------------------------	----------------------------	-----------------	--------------	----------	---------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		10620.00	36.59	14.17	50.76	74.30	-23.54	peak	
2		17844.00	38.43	23.37	61.80	74.30	-12.50	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5310MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		39824.50	44.47	17.17	61.64	74.30	-12.66	peak	
2	*	39824.50	33.16	17.17	50.33	60.00	-9.67	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5310MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5312.200	52.14	40.94	93.08	54.00	39.08	AVG	NO LIMIT
2		5350.000	7.55	41.07	48.62	54.00	-5.38	AVG	
3		5350.000	17.96	41.07	59.03	68.30	-9.27	peak	
4	X	5311.400	61.09	40.94	102.03	68.30	33.73	peak	NO LIMIT

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5310MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
-----	-----	--------------	--------------------------	-------------------------	----------------------------	-----------------	--------------	----------	---------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		10620.00	36.65	14.17	50.82	74.30	-23.48	peak	
2		17868.00	39.55	23.44	62.99	74.30	-11.31	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5310MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		38528.50	47.25	13.70	60.95	74.30	-13.35	peak	
2	*	38528.50	36.43	13.70	50.13	60.00	-9.87	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC80 Mode 5290MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5294.000	48.37	40.88	89.25	54.00	35.25	AVG	NO LIMIT
2		5350.000	8.05	41.07	49.12	54.00	-4.88	AVG	
3		5350.000	17.37	41.07	58.44	68.30	-9.86	peak	
4	X	5288.000	59.97	40.86	100.83	68.30	32.53	peak	NO LIMIT

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC80 Mode 5290MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
-----	-----	--------------	--------------------------	-------------------------	----------------------------	-----------------	--------------	----------	---------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		10580.00	36.99	14.00	50.99	74.30	-23.31	peak	
2		17856.00	40.10	23.41	63.51	74.30	-10.79	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC80 Mode 5290MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
-----	-----	--------------	--------------------------	-------------------------	----------------------------	-----------------	--------------	----------	---------



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		38528.50	46.30	13.70	60.00	74.30	-14.30	peak	
2	*	38528.50	35.16	13.70	48.86	60.00	-11.14	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC80 Mode 5290MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5294.000	47.82	40.88	88.70	54.00	34.70	AVG	NO LIMIT
2		5350.000	7.46	41.07	48.53	54.00	-5.47	AVG	
3		5350.000	16.84	41.07	57.91	68.30	-10.39	peak	
4	X	5291.200	58.60	40.87	99.47	68.30	31.17	peak	NO LIMIT

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC80 Mode 5290MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10580.00	35.84	14.00	49.84	74.30	-24.46	peak	
2		17820.00	39.00	23.30	62.30	74.30	-12.00	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC80 Mode 5290MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		38542.00	47.44	13.73	61.17	74.30	-13.13	peak	
2	*	38542.00	36.92	13.73	50.65	60.00	-9.35	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5500MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5499.100	55.72	41.56	97.28	54.00	43.28	AVG	NO LIMIT
2		5470.000	6.76	41.46	48.22	54.00	-5.78	AVG	
3		5460.000	4.93	41.42	46.35	54.00	-7.65	AVG	
4		5470.000	19.57	41.46	61.03	68.30	-7.27	peak	
5		5460.000	19.41	41.42	60.83	68.30	-7.47	peak	
6	X	5498.500	65.26	41.56	106.82	68.30	38.52	peak	NO LIMIT

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5500MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11000.00	36.99	15.75	52.74	74.30	-21.56	peak	
2		17820.00	39.41	23.30	62.71	74.30	-11.59	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5500MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		39608.50	43.57	16.64	60.21	74.30	-14.09	peak	
2	*	39608.50	32.14	16.64	48.78	60.00	-11.22	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5500MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5499.100	54.82	41.56	96.38	54.00	42.38	AVG	NO LIMIT
2		5460.000	4.71	41.42	46.13	54.00	-7.87	AVG	
3		5470.000	5.84	41.46	47.30	54.00	-6.70	AVG	
4		5470.000	18.74	41.46	60.20	68.30	-8.10	peak	
5		5460.000	18.15	41.42	59.57	68.30	-8.73	peak	
6	X	5498.300	64.14	41.56	105.70	68.30	37.40	peak	NO LIMIT

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5500MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11000.00	36.48	15.75	52.23	74.30	-22.07	peak	
2		17940.00	37.85	23.65	61.50	74.30	-12.80	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5500MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		39689.50	43.91	16.85	60.76	74.30	-13.54	peak	
2	*	39689.50	32.44	16.85	49.29	60.00	-10.71	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5700MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5699.100	54.50	42.16	96.66	54.00	42.66	AVG	NO LIMIT
2		5725.000	4.17	42.24	46.41	54.00	-7.59	AVG	
3		5725.000	19.38	42.24	61.62	68.30	-6.68	peak	
4	X	5698.900	63.87	42.16	106.03	68.30	37.73	peak	NO LIMIT

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5700MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
-----	-----	--------------	--------------------------	-------------------------	----------------------------	-----------------	--------------	----------	---------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11400.00	36.96	16.70	53.66	74.30	-20.64	peak	
2		17988.00	38.12	23.80	61.92	74.30	-12.38	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5700MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		38542.00	46.95	13.73	60.68	74.30	-13.62	peak	
2	*	38542.00	35.44	13.73	49.17	60.00	-10.83	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5700MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5699.100	52.67	42.16	94.83	54.00	40.83	AVG	NO LIMIT
2		5725.000	3.25	42.24	45.49	54.00	-8.51	AVG	
3		5725.000	11.54	42.24	53.78	68.30	-14.52	peak	
4	X	5700.700	62.17	42.16	104.33	68.30	36.03	peak	NO LIMIT

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5700MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
-----	-----	--------------	--------------------------	-------------------------	----------------------------	-----------------	--------------	----------	---------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11400.00	37.07	16.70	53.77	74.30	-20.53	peak	
2		17976.00	38.53	23.76	62.29	74.30	-12.01	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5700MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		39622.00	44.46	16.68	61.14	74.30	-13.16	peak	
2	*	39622.00	32.11	16.68	48.79	60.00	-11.21	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5500MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5501.100	52.88	41.56	94.44	54.00	40.44	AVG	NO LIMIT
2		5460.000	6.53	41.42	47.95	54.00	-6.05	AVG	
3		5470.000	7.08	41.46	48.54	54.00	-5.46	AVG	
4		5460.000	14.44	41.42	55.86	68.30	-12.44	peak	
5		5470.000	19.25	41.46	60.71	68.30	-7.59	peak	
6	X	5501.200	62.05	41.56	103.61	68.30	35.31	peak	NO LIMIT

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5500MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11000.00	36.38	15.75	52.13	74.30	-22.17	peak	
2		17820.00	39.06	23.30	62.36	74.30	-11.94	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5500MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		39257.50	45.41	15.64	61.05	74.30	-13.25	peak	
2	*	39257.50	34.68	15.64	50.32	60.00	-9.68	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5500MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5499.100	53.59	41.56	95.15	54.00	41.15	AVG	NO LIMIT
2		5460.000	6.90	41.42	48.32	54.00	-5.68	AVG	
3		5470.000	7.50	41.46	48.96	54.00	-5.04	AVG	
4		5470.000	16.44	41.46	57.90	68.30	-10.40	peak	
5		5460.000	18.66	41.42	60.08	68.30	-8.22	peak	
6	X	5499.300	63.18	41.56	104.74	68.30	36.44	peak	NO LIMIT

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5500MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11000.00	35.84	15.75	51.59	74.30	-22.71	peak	
2		17856.00	38.48	23.41	61.89	74.30	-12.41	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5500MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		39892.00	44.00	17.34	61.34	74.30	-12.96	peak	
2	*	39892.00	33.46	17.34	50.80	60.00	-9.20	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5700MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5701.000	54.66	42.16	96.82	54.00	42.82	AVG	NO LIMIT
2		5725.000	6.92	42.24	49.16	54.00	-4.84	AVG	
3		5725.000	16.92	42.24	59.16	68.30	-9.14	peak	
4	X	5697.900	65.81	42.15	107.96	68.30	39.66	peak	NO LIMIT

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5700MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11400.00	35.93	16.70	52.63	74.30	-21.67	peak	
2		17796.00	39.75	23.23	62.98	74.30	-11.32	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5700MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		39919.00	44.31	17.40	61.71	74.30	-12.59	peak	
2	*	39919.00	33.17	17.40	50.57	60.00	-9.43	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5700MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5699.000	49.99	42.16	92.15	54.00	38.15	AVG	NO LIMIT
2		5725.000	6.30	42.24	48.54	54.00	-5.46	AVG	
3		5725.000	13.73	42.24	55.97	68.30	-12.33	peak	
4	X	5700.500	59.25	42.16	101.41	68.30	33.11	peak	NO LIMIT

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5700MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11400.00	37.21	16.70	53.91	74.30	-20.39	peak	
2		17820.00	38.78	23.30	62.08	74.30	-12.22	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5700MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		39622.00	44.73	16.68	61.41	74.30	-12.89	peak	
2	*	39622.00	34.63	16.68	51.31	60.00	-8.69	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5510MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	22.98	34.00	56.98	68.30	-11.32	peak	
2		5460.000	11.85	34.00	45.85	54.00	-8.15	AVG	
3		5470.000	27.20	34.03	61.23	68.30	-7.07	peak	
4		5470.000	16.27	34.03	50.30	54.00	-3.70	AVG	
5	*	5512.400	58.28	34.13	92.41	54.00	38.41	AVG	NO LIMIT
6	X	5513.800	67.96	34.13	102.09	68.30	33.79	peak	NO LIMIT

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5510MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11020.00	38.88	15.80	54.68	74.30	-19.62	peak	
2		17808.00	39.30	23.26	62.56	74.30	-11.74	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5510MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		39838.00	43.65	17.21	60.86	74.30	-13.44	peak	
2	*	39838.00	32.42	17.21	49.63	60.00	-10.37	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5510MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	20.67	34.00	54.67	68.30	-13.63	peak	
2		5460.000	10.76	34.00	44.76	54.00	-9.24	AVG	
3		5470.000	26.28	34.03	60.31	68.30	-7.99	peak	
4		5470.000	14.70	34.03	48.73	54.00	-5.27	AVG	
5	X	5511.400	66.65	34.13	100.78	68.30	32.48	peak	NO LIMIT
6	*	5512.200	57.03	34.13	91.16	54.00	37.16	AVG	NO LIMIT

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5510MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11020.00	35.80	15.80	51.60	74.30	-22.70	peak	
2		17904.00	38.74	23.55	62.29	74.30	-12.01	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5510MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		39676.00	45.00	16.80	61.80	74.30	-12.50	peak	
2	*	39676.00	34.57	16.80	51.37	60.00	-8.63	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5670MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5672.200	51.27	42.08	93.35	54.00	39.35	AVG	NO LIMIT
2		5725.000	6.47	42.24	48.71	54.00	-5.29	AVG	
3		5725.000	15.14	42.24	57.38	68.30	-10.92	peak	
4	X	5673.000	62.08	42.09	104.17	68.30	35.87	peak	NO LIMIT

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5670MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11340.00	35.94	16.56	52.50	74.30	-21.80	peak	
2		17880.00	38.77	23.47	62.24	74.30	-12.06	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5670MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		39878.50	44.02	17.30	61.32	74.30	-12.98	peak	
2	*	39878.50	33.51	17.30	50.81	60.00	-9.19	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5670MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5672.400	49.88	42.08	91.96	54.00	37.96	AVG	NO LIMIT
2		5725.000	6.45	42.24	48.69	54.00	-5.31	AVG	
3		5725.000	15.44	42.24	57.68	68.30	-10.62	peak	
4	X	5671.400	59.57	42.08	101.65	68.30	33.35	peak	NO LIMIT

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5670MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
-----	-----	--------------	--------------------------	-------------------------	----------------------------	-----------------	--------------	----------	---------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11340.00	35.54	16.56	52.10	74.30	-22.20	peak	
2		17940.00	38.35	23.65	62.00	74.30	-12.30	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5670MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		39838.00	44.93	17.21	62.14	74.30	-12.16	peak	
2	*	39838.00	34.51	17.21	51.72	60.00	-8.28	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5500MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5501.000	56.30	41.56	97.86	54.00	43.86	AVG	NO LIMIT
2		5460.000	7.49	41.42	48.91	54.00	-5.09	AVG	
3		5470.000	8.54	41.46	50.00	54.00	-4.00	AVG	
4		5460.000	16.33	41.42	57.75	68.30	-10.55	peak	
5		5470.000	24.56	41.46	66.02	68.30	-2.28	peak	
6	X	5501.600	66.18	41.56	107.74	68.30	39.44	peak	NO LIMIT

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5500MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11000.00	36.08	15.75	51.83	74.30	-22.47	peak	
2		17904.00	39.01	23.55	62.56	74.30	-11.74	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5500MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		39352.00	45.16	15.92	61.08	74.30	-13.22	peak	
2	*	39352.00	34.38	15.92	50.30	60.00	-9.70	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5500MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5501.000	53.55	41.56	95.11	54.00	41.11	AVG	NO LIMIT
2		5460.000	6.66	41.42	48.08	54.00	-5.92	AVG	
3		5470.000	7.15	41.46	48.61	54.00	-5.39	AVG	
4		5460.000	13.82	41.42	55.24	68.30	-13.06	peak	
5		5470.000	19.91	41.46	61.37	68.30	-6.93	peak	
6	X	5501.400	63.37	41.56	104.93	68.30	36.63	peak	NO LIMIT

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5500MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11000.00	36.19	15.75	51.94	74.30	-22.36	peak	
2		17988.00	38.51	23.80	62.31	74.30	-11.99	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5500MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		39905.50	45.19	17.37	62.56	74.30	-11.74	peak	
2	*	39905.50	34.58	17.37	51.95	60.00	-8.05	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5700MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5699.000	54.19	42.16	96.35	54.00	42.35	AVG	NO LIMIT
2		5725.000	6.76	42.24	49.00	54.00	-5.00	AVG	
3		5725.000	15.38	42.24	57.62	68.30	-10.68	peak	
4	X	5698.800	63.16	42.16	105.32	68.30	37.02	peak	NO LIMIT

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5700MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11400.00	36.17	16.70	52.87	74.30	-21.43	peak	
2		17784.00	38.36	23.20	61.56	74.30	-12.74	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5700MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		39689.50	44.42	16.85	61.27	74.30	-13.03	peak	
2	*	39689.50	33.22	16.85	50.07	60.00	-9.93	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5700MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5701.000	51.40	42.16	93.56	54.00	39.56	AVG	NO LIMIT
2		5725.000	6.32	42.24	48.56	54.00	-5.44	AVG	
3		5725.000	15.55	42.24	57.79	68.30	-10.51	peak	
4	X	5701.400	60.74	42.16	102.90	68.30	34.60	peak	NO LIMIT

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5700MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
-----	-----	--------------	--------------------------	-------------------------	----------------------------	-----------------	--------------	----------	---------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11400.00	37.59	16.70	54.29	74.30	-20.01	peak	
2		17892.00	38.89	23.51	62.40	74.30	-11.90	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5700MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		38542.00	49.02	13.73	62.75	74.30	-11.55	peak	
2	*	38542.00	38.54	13.73	52.27	60.00	-7.73	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5510MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	23.10	34.00	57.10	68.30	-11.20	peak	
2		5460.000	12.60	34.00	46.60	54.00	-7.40	AVG	
3		5470.000	29.87	34.03	63.90	68.30	-4.40	peak	
4		5470.000	17.75	34.03	51.78	54.00	-2.22	AVG	
5	*	5512.200	59.33	34.13	93.46	54.00	39.46	AVG	NO LIMIT
6	X	5514.000	68.70	34.13	102.83	68.30	34.53	peak	NO LIMIT

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5510MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
-----	-----	--------------	--------------------------	-------------------------	----------------------------	-----------------	--------------	----------	---------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11020.00	36.06	15.80	51.86	74.30	-22.44	peak	
2		17940.00	38.00	23.65	61.65	74.30	-12.65	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5510MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		39878.50	44.15	17.30	61.45	74.30	-12.85	peak	
2	*	39878.50	33.41	17.30	50.71	60.00	-9.29	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5510MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	22.99	34.00	56.99	68.30	-11.31	peak	
2		5460.000	11.84	34.00	45.84	54.00	-8.16	AVG	
3		5470.000	26.95	34.03	60.98	68.30	-7.32	peak	
4		5470.000	16.28	34.03	50.31	54.00	-3.69	AVG	
5	X	5508.800	66.57	34.12	100.69	68.30	32.39	peak	NO LIMIT
6	*	5512.200	57.42	34.13	91.55	54.00	37.55	AVG	NO LIMIT

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5510MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11020.00	35.83	15.80	51.63	74.30	-22.67	peak	
2		17856.00	38.51	23.41	61.92	74.30	-12.38	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5510MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		39905.50	44.57	17.37	61.94	74.30	-12.36	peak	
2	*	39905.50	34.03	17.37	51.40	60.00	-8.60	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5670MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5672.200	53.20	42.08	95.28	54.00	41.28	AVG	NO LIMIT
2		5725.000	6.96	42.24	49.20	54.00	-4.80	AVG	
3		5725.000	16.37	42.24	58.61	68.30	-9.69	peak	
4	X	5673.200	62.43	42.09	104.52	68.30	36.22	peak	NO LIMIT

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5670MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11340.00	36.13	16.56	52.69	74.30	-21.61	peak	
2		17964.00	38.45	23.72	62.17	74.30	-12.13	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5670MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		39689.50	44.32	16.85	61.17	74.30	-13.13	peak	
2	*	39689.50	33.15	16.85	50.00	60.00	-10.00	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5670MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5672.200	49.66	42.08	91.74	54.00	37.74	AVG	NO LIMIT
2		5725.000	6.36	42.24	48.60	54.00	-5.40	AVG	
3		5725.000	14.90	42.24	57.14	68.30	-11.16	peak	
4	X	5672.800	59.07	42.08	101.15	68.30	32.85	peak	NO LIMIT

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5670MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11340.00	36.89	16.56	53.45	74.30	-20.85	peak	
2		17952.00	38.15	23.69	61.84	74.30	-12.46	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5670MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		39878.50	44.44	17.30	61.74	74.30	-12.56	peak	
2	*	39878.50	33.47	17.30	50.77	60.00	-9.23	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5530MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	25.05	34.00	59.05	68.30	-9.25	peak	
2		5460.000	15.18	34.00	49.18	54.00	-4.82	AVG	
3		5470.000	23.15	34.03	57.18	68.30	-11.12	peak	
4		5470.000	16.40	34.03	50.43	54.00	-3.57	AVG	
5	X	5532.400	64.74	34.18	98.92	68.30	30.62	peak	NO LIMIT
6	*	5533.200	54.84	34.18	89.02	54.00	35.02	AVG	NO LIMIT

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5530MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11060.00	37.82	15.89	53.71	74.30	-20.59	peak	
2		17940.00	38.92	23.65	62.57	74.30	-11.73	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5530MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		39946.00	44.06	17.47	61.53	74.30	-12.77	peak	
2	*	39946.00	33.42	17.47	50.89	60.00	-9.11	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5530MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	23.24	34.00	57.24	68.30	-11.06	peak	
2		5460.000	13.84	34.00	47.84	54.00	-6.16	AVG	
3		5470.000	25.85	34.03	59.88	68.30	-8.42	peak	
4		5470.000	15.47	34.03	49.50	54.00	-4.50	AVG	
5	X	5532.000	62.54	34.18	96.72	68.30	28.42	peak	NO LIMIT
6	*	5533.200	52.52	34.18	86.70	54.00	32.70	AVG	NO LIMIT

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5530MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
-----	-----	--------------	--------------------------	-------------------------	----------------------------	-----------------	--------------	----------	---------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11060.00	36.00	15.89	51.89	74.30	-22.41	peak	
2		17880.00	38.17	23.47	61.64	74.30	-12.66	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5530MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		39811.00	44.24	17.13	61.37	74.30	-12.93	peak	
2	*	39811.00	33.46	17.13	50.59	60.00	-9.41	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5610MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5614.000	49.57	41.90	91.47	54.00	37.47	AVG	NO LIMIT
2		5725.000	6.80	42.24	49.04	54.00	-4.96	AVG	
3		5725.000	16.17	42.24	58.41	68.30	-9.89	peak	
4	X	5614.800	60.16	41.91	102.07	68.30	33.77	peak	NO LIMIT

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5610MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		11220.00	36.02	16.27	52.29	74.30	-22.01	peak	
2		17952.00	39.53	23.69	63.22	74.30	-11.08	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5610MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
-----	-----	--------------	--------------------------	-------------------------	----------------------------	-----------------	--------------	----------	---------



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		39676.00	44.34	16.80	61.14	74.30	-13.16	peak	
2	*	39676.00	33.12	16.80	49.92	60.00	-10.08	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5610MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5614.000	45.60	41.90	87.50	54.00	33.50	AVG	NO LIMIT
2		5725.000	6.19	42.24	48.43	54.00	-5.57	AVG	
3		5725.000	14.42	42.24	56.66	68.30	-11.64	peak	
4	X	5616.000	55.63	41.91	97.54	68.30	29.24	peak	NO LIMIT

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5610MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11220.00	36.31	16.27	52.58	74.30	-21.72	peak	
2		17952.00	37.94	23.69	61.63	74.30	-12.67	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5610MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		39689.50	44.70	16.85	61.55	74.30	-12.75	peak	
2	*	39689.50	33.28	16.85	50.13	60.00	-9.87	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5745MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5744.000	55.25	42.30	97.55	122.30	-24.75	AVG	
2		5715.000	6.93	42.21	49.14	109.50	-60.36	AVG	
3		5725.000	8.88	42.24	51.12	122.30	-71.18	AVG	
4		5715.000	17.13	42.21	59.34	109.50	-50.16	peak	
5		5725.000	26.59	42.24	68.83	122.30	-53.47	peak	
6	*	5745.400	64.65	42.30	106.95	122.30	-15.35	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5745MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11490.00	35.32	16.91	52.23	74.30	-22.07	peak	
2		17856.00	38.81	23.41	62.22	74.30	-12.08	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5745MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		39838.00	43.83	17.21	61.04	74.30	-13.26	peak	
2	*	39838.00	32.52	17.21	49.73	60.00	-10.27	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5745MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5744.100	51.60	42.30	93.90	122.30	-28.40	AVG	
2		5715.000	6.35	42.21	48.56	109.50	-60.94	AVG	
3		5725.000	7.32	42.24	49.56	122.30	-72.74	AVG	
4		5715.000	14.28	42.21	56.49	109.50	-53.01	peak	
5		5725.000	19.78	42.24	62.02	122.30	-60.28	peak	
6	*	5745.800	61.07	42.30	103.37	122.30	-18.93	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5745MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11490.00	36.51	16.91	53.42	74.30	-20.88	peak	
2		17892.00	39.17	23.51	62.68	74.30	-11.62	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5745MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		39689.50	43.84	16.85	60.69	74.30	-13.61	peak	
2	*	39689.50	31.46	16.85	48.31	60.00	-11.69	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5826.000	53.20	42.54	95.74	122.30	-26.56	AVG	
2		5850.000	6.54	42.62	49.16	122.30	-73.14	AVG	
3		5860.000	6.46	42.64	49.10	109.50	-60.40	AVG	
4		5850.000	14.28	42.62	56.90	122.30	-65.40	peak	
5		5860.000	15.56	42.64	58.20	109.50	-51.30	peak	
6	*	5824.400	62.27	42.54	104.81	122.30	-17.49	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11650.00	37.05	17.17	54.22	74.30	-20.08	peak	
2		17784.00	39.33	23.20	62.53	74.30	-11.77	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		39743.50	43.61	16.97	60.58	74.30	-13.72	peak	
2	*	39743.50	32.61	16.97	49.58	60.00	-10.42	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5824.100	50.74	42.54	93.28	122.30	-29.02	AVG	
2		5850.000	6.33	42.62	48.95	122.30	-73.35	AVG	
3		5860.000	6.19	42.64	48.83	109.50	-60.67	AVG	
4		5850.000	16.09	42.62	58.71	122.30	-63.59	peak	
5		5860.000	18.06	42.64	60.70	109.50	-48.80	peak	
6	*	5825.500	60.38	42.54	102.92	122.30	-19.38	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
-----	-----	--------------	--------------------------	-------------------------	----------------------------	-----------------	--------------	----------	---------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11650.00	36.30	17.17	53.47	74.30	-20.83	peak	
2		17976.00	38.46	23.76	62.22	74.30	-12.08	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
-----	-----	--------------	--------------------------	-------------------------	----------------------------	-----------------	--------------	----------	---------



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		38528.50	47.15	13.70	60.85	74.30	-13.45	peak	
2	*	38528.50	35.94	13.70	49.64	60.00	-10.36	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5744.000	53.93	42.30	96.23	122.30	-26.07	AVG	
2		5715.000	6.96	42.21	49.17	109.50	-60.33	AVG	
3		5725.000	8.64	42.24	50.88	122.30	-71.42	AVG	
4		5715.000	15.96	42.21	58.17	109.50	-51.33	peak	
5		5725.000	23.88	42.24	66.12	122.30	-56.18	peak	
6	*	5743.200	64.02	42.29	106.31	122.30	-15.99	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
-----	-----	--------------	--------------------------	-------------------------	----------------------------	-----------------	--------------	----------	---------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11490.00	34.71	16.91	51.62	74.30	-22.68	peak	
2		17784.00	38.23	23.20	61.43	74.30	-12.87	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
-----	-----	--------------	--------------------------	-------------------------	----------------------------	-----------------	--------------	----------	---------



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		39878.50	43.54	17.30	60.84	74.30	-13.46	peak	
2	*	39878.50	32.55	17.30	49.85	60.00	-10.15	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5744.100	60.37	42.30	102.67	122.30	-19.63	peak	
2		5715.000	6.37	42.21	48.58	109.50	-60.92	AVG	
3		5725.000	7.38	42.24	49.62	122.30	-72.68	AVG	
4		5715.000	14.98	42.21	57.19	109.50	-52.31	peak	
5		5725.000	19.82	42.24	62.06	122.30	-60.24	peak	
6	*	5746.400	60.37	42.30	102.67	122.30	-19.63	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
-----	-----	--------------	--------------------------	-------------------------	----------------------------	-----------------	--------------	----------	---------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11490.00	35.42	16.91	52.33	74.30	-21.97	peak	
2		17976.00	38.58	23.76	62.34	74.30	-11.96	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
-----	-----	--------------	--------------------------	-------------------------	----------------------------	-----------------	--------------	----------	---------



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		39784.00	44.06	17.07	61.13	74.30	-13.17	peak	
2	*	39784.00	32.45	17.07	49.52	60.00	-10.48	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5824.000	49.37	42.54	91.91	122.30	-30.39	AVG	
2		5850.000	6.83	42.62	49.45	122.30	-72.85	AVG	
3		5860.000	6.43	42.64	49.07	109.50	-60.43	AVG	
4		5850.000	18.69	42.62	61.31	122.30	-60.99	peak	
5		5860.000	16.71	42.64	59.35	109.50	-50.15	peak	
6	*	5825.400	64.32	42.54	106.86	122.30	-15.44	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11650.00	35.14	17.17	52.31	74.30	-21.99	peak	
2		17880.00	37.75	23.47	61.22	74.30	-13.08	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		39824.50	43.55	17.17	60.72	74.30	-13.58	peak	
2	*	39824.50	32.45	17.17	49.62	60.00	-10.38	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5824.100	50.00	42.54	92.54	122.30	-29.76	AVG	
2		5850.000	6.37	42.62	48.99	122.30	-73.31	AVG	
3		5860.000	6.20	42.64	48.84	109.50	-60.66	AVG	
4		5850.000	14.98	42.62	57.60	122.30	-64.70	peak	
5		5860.000	17.75	42.64	60.39	109.50	-49.11	peak	
6	*	5823.400	60.38	42.54	102.92	122.30	-19.38	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
-----	-----	--------------	--------------------------	-------------------------	----------------------------	-----------------	--------------	----------	---------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11650.00	35.97	17.17	53.14	74.30	-21.16	peak	
2		17832.00	38.33	23.34	61.67	74.30	-12.63	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
-----	-----	--------------	--------------------------	-------------------------	----------------------------	-----------------	--------------	----------	---------



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		39541.00	44.47	16.48	60.95	74.30	-13.35	peak	
2	*	39541.00	34.07	16.48	50.55	60.00	-9.45	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5757.400	50.83	42.34	93.17	122.30	-29.13	AVG	
2		5715.000	9.52	42.21	51.73	109.50	-57.77	AVG	
3		5725.000	11.57	42.24	53.81	122.30	-68.49	AVG	
4		5715.000	20.18	42.21	62.39	109.50	-47.11	peak	
5		5725.000	23.84	42.24	66.08	122.30	-56.22	peak	
6	*	5757.800	61.20	42.34	103.54	122.30	-18.76	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
-----	-----	--------------	--------------------------	-------------------------	----------------------------	-----------------	--------------	----------	---------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11510.00	35.87	16.96	52.83	74.30	-21.47	peak	
2		17964.00	38.42	23.72	62.14	74.30	-12.16	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		39676.00	44.52	16.80	61.32	74.30	-12.98	peak	
2	*	39676.00	33.64	16.80	50.44	60.00	-9.56	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5757.200	47.67	42.34	90.01	122.30	-32.29	AVG	
2		5715.000	8.03	42.21	50.24	109.50	-59.26	AVG	
3		5725.000	9.85	42.24	52.09	122.30	-70.21	AVG	
4		5715.000	19.07	42.21	61.28	109.50	-48.22	peak	
5		5725.000	23.81	42.24	66.05	122.30	-56.25	peak	
6	*	5759.200	58.58	42.34	100.92	122.30	-21.38	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
-----	-----	--------------	--------------------------	-------------------------	----------------------------	-----------------	--------------	----------	---------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11510.00	35.71	16.96	52.67	74.30	-21.63	peak	
2		17952.00	37.96	23.69	61.65	74.30	-12.65	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
-----	-----	--------------	--------------------------	-------------------------	----------------------------	-----------------	--------------	----------	---------



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		38542.00	47.78	13.73	61.51	74.30	-12.79	peak	
2	*	38542.00	36.74	13.73	50.47	60.00	-9.53	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5792.800	52.23	42.44	94.67	122.30	-27.63	AVG	
2		5850.000	7.32	42.62	49.94	122.30	-72.36	AVG	
3		5860.000	7.05	42.64	49.69	109.50	-59.81	AVG	
4		5850.000	15.70	42.62	58.32	122.30	-63.98	peak	
5		5860.000	17.92	42.64	60.56	109.50	-48.94	peak	
6	*	5793.400	63.53	42.44	105.97	122.30	-16.33	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
-----	-----	--------------	--------------------------	-------------------------	----------------------------	-----------------	--------------	----------	---------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11590.00	36.36	17.08	53.44	74.30	-20.86	peak	
2		17892.00	38.47	23.51	61.98	74.30	-12.32	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		39892.00	44.70	17.34	62.04	74.30	-12.26	peak	
2	*	39892.00	33.46	17.34	50.80	60.00	-9.20	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5797.200	50.29	42.45	92.74	122.30	-29.56	AVG	
2		5850.000	7.12	42.62	49.74	122.30	-72.56	AVG	
3		5860.000	6.82	42.64	49.46	109.50	-60.04	AVG	
4		5850.000	17.83	42.62	60.45	122.30	-61.85	peak	
5		5860.000	18.74	42.64	61.38	109.50	-48.12	peak	
6	*	5797.200	61.04	42.45	103.49	122.30	-18.81	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
-----	-----	--------------	--------------------------	-------------------------	----------------------------	-----------------	--------------	----------	---------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11590.00	35.71	17.08	52.79	74.30	-21.51	peak	
2		17976.00	38.73	23.76	62.49	74.30	-11.81	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
-----	-----	--------------	--------------------------	-------------------------	----------------------------	-----------------	--------------	----------	---------



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		39946.00	44.04	17.47	61.51	74.30	-12.79	peak	
2	*	39946.00	33.62	17.47	51.09	60.00	-8.91	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5745MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5744.100	53.99	42.30	96.29	122.30	-26.01	AVG	
2		5715.000	6.96	42.21	49.17	109.50	-60.33	AVG	
3		5725.000	8.62	42.24	50.86	122.30	-71.44	AVG	
4		5715.000	15.81	42.21	58.02	109.50	-51.48	peak	
5		5725.000	23.78	42.24	66.02	122.30	-56.28	peak	
6	*	5743.000	64.07	42.29	106.36	122.30	-15.94	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5745MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11490.00	36.58	16.91	53.49	74.30	-20.81	peak	
2		17928.00	39.01	23.62	62.63	74.30	-11.67	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5745MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
-----	-----	--------------	--------------------------	-------------------------	----------------------------	-----------------	--------------	----------	---------



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		39986.50	43.29	17.56	60.85	74.30	-13.45	peak	
2	*	39986.50	32.74	17.56	50.30	60.00	-9.70	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5745MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5744.100	50.86	42.30	93.16	122.30	-29.14	AVG	
2		5715.000	6.35	42.21	48.56	109.50	-60.94	AVG	
3		5725.000	7.41	42.24	49.65	122.30	-72.65	AVG	
4		5715.000	16.89	42.21	59.10	109.50	-50.40	peak	
5		5725.000	19.46	42.24	61.70	122.30	-60.60	peak	
6	*	5746.200	60.78	42.30	103.08	122.30	-19.22	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5745MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
-----	-----	--------------	--------------------------	-------------------------	----------------------------	-----------------	--------------	----------	---------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11490.00	36.29	16.91	53.20	74.30	-21.10	peak	
2		17916.00	38.19	23.58	61.77	74.30	-12.53	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5745MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		39676.00	45.11	16.80	61.91	74.30	-12.39	peak	
2	*	39676.00	34.29	16.80	51.09	60.00	-8.91	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5825MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5826.000	52.20	42.54	94.74	122.30	-27.56	AVG	
2		5850.000	6.49	42.62	49.11	122.30	-73.19	AVG	
3		5860.000	6.33	42.64	48.97	109.50	-60.53	AVG	
4		5850.000	17.40	42.62	60.02	122.30	-62.28	peak	
5		5860.000	17.12	42.64	59.76	109.50	-49.74	peak	
6	*	5822.900	62.05	42.53	104.58	122.30	-17.72	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5825MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11650.00	35.90	17.17	53.07	74.30	-21.23	peak	
2		17904.00	38.30	23.55	61.85	74.30	-12.45	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5825MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
-----	-----	--------------	--------------------------	-------------------------	----------------------------	-----------------	--------------	----------	---------



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		39284.50	46.26	15.71	61.97	74.30	-12.33	peak	
2	*	39284.50	35.82	15.71	51.53	60.00	-8.47	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5825MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5824.100	50.08	42.54	92.62	122.30	-29.68	AVG	
2		5850.000	6.33	42.62	48.95	122.30	-73.35	AVG	
3		5860.000	6.17	42.64	48.81	109.50	-60.69	AVG	
4		5850.000	16.54	42.62	59.16	122.30	-63.14	peak	
5		5860.000	17.15	42.64	59.79	109.50	-49.71	peak	
6	*	5823.700	59.34	42.54	101.88	122.30	-20.42	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5825MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11650.00	36.36	17.17	53.53	74.30	-20.77	peak	
2		17952.00	38.24	23.69	61.93	74.30	-12.37	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5825MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		39946.00	44.90	17.47	62.37	74.30	-11.93	peak	
2	*	39946.00	35.26	17.47	52.73	60.00	-7.27	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5755MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5757.200	51.85	42.34	94.19	122.30	-28.11	AVG	
2		5715.000	10.27	42.21	52.48	109.50	-57.02	AVG	
3		5725.000	12.91	42.24	55.15	122.30	-67.15	AVG	
4		5715.000	18.67	42.21	60.88	109.50	-48.62	peak	
5		5725.000	27.32	42.24	69.56	122.30	-52.74	peak	
6	*	5753.600	61.40	42.33	103.73	122.30	-18.57	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5755MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11510.00	36.37	16.96	53.33	74.30	-20.97	peak	
2		17880.00	38.98	23.47	62.45	74.30	-11.85	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5755MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
-----	-----	--------------	--------------------------	-------------------------	----------------------------	-----------------	--------------	----------	---------



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		39743.50	44.55	16.97	61.52	74.30	-12.78	peak	
2	*	39743.50	33.46	16.97	50.43	60.00	-9.57	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5755MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5757.200	48.70	42.34	91.04	122.30	-31.26	AVG	
2		5715.000	8.61	42.21	50.82	109.50	-58.68	AVG	
3		5725.000	10.85	42.24	53.09	122.30	-69.21	AVG	
4		5715.000	15.84	42.21	58.05	109.50	-51.45	peak	
5		5725.000	23.98	42.24	66.22	122.30	-56.08	peak	
6	*	5758.000	58.53	42.34	100.87	122.30	-21.43	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5755MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
-----	-----	--------------	--------------------------	-------------------------	----------------------------	-----------------	--------------	----------	---------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11510.00	36.43	16.96	53.39	74.30	-20.91	peak	
2		17952.00	37.01	23.69	60.70	74.30	-13.60	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5755MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
-----	-----	--------------	--------------------------	-------------------------	----------------------------	-----------------	--------------	----------	---------



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		39298.00	46.58	15.76	62.34	74.30	-11.96	peak	
2	*	39298.00	35.79	15.76	51.55	60.00	-8.45	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5795MHz


Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5793.000	53.13	42.44	95.57	122.30	-26.73	AVG	
2		5850.000	7.49	42.62	50.11	122.30	-72.19	AVG	
3		5860.000	7.15	42.64	49.79	109.50	-59.71	AVG	
4		5850.000	17.69	42.62	60.31	122.30	-61.99	peak	
5		5860.000	17.78	42.64	60.42	109.50	-49.08	peak	
6	*	5792.600	62.82	42.44	105.26	122.30	-17.04	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5795MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
-----	-----	--------------	--------------------------	-------------------------	----------------------------	-----------------	--------------	----------	---------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11590.00	35.53	17.08	52.61	74.30	-21.69	peak	
2		17880.00	38.74	23.47	62.21	74.30	-12.09	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5795MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		39757.00	45.40	17.00	62.40	74.30	-11.90	peak	
2	*	39757.00	34.62	17.00	51.62	60.00	-8.38	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5795MHz


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5797.200	51.08	42.45	93.53	122.30	-28.77	AVG	
2		5850.000	7.24	42.62	49.86	122.30	-72.44	AVG	
3		5860.000	6.85	42.64	49.49	109.50	-60.01	AVG	
4		5850.000	21.36	42.62	63.98	122.30	-58.32	peak	
5		5860.000	18.65	42.64	61.29	109.50	-48.21	peak	
6	*	5797.600	60.76	42.45	103.21	122.30	-19.09	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5795MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
-----	-----	--------------	--------------------------	-------------------------	----------------------------	-----------------	--------------	----------	---------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11590.00	37.12	17.08	54.20	74.30	-20.10	peak	
2		17928.00	38.54	23.62	62.16	74.30	-12.14	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5795MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
-----	-----	--------------	--------------------------	-------------------------	----------------------------	-----------------	--------------	----------	---------



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		39743.50	44.42	16.97	61.39	74.30	-12.91	peak	
2	*	39743.50	33.19	16.97	50.16	60.00	-9.84	AVG	


Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5779.000	46.17	42.40	88.57	122.30	-33.73	AVG	
2		5715.000	11.27	42.21	53.48	109.50	-56.02	AVG	
3		5725.000	11.90	42.24	54.14	122.30	-68.16	AVG	
4		5850.000	6.66	42.62	49.28	122.30	-73.02	AVG	
5		5860.000	6.44	42.64	49.08	109.50	-60.42	AVG	
6		5715.000	21.76	42.21	63.97	109.50	-45.53	peak	
7		5725.000	22.88	42.24	65.12	122.30	-57.18	peak	
8		5850.000	18.07	42.62	60.69	122.30	-61.61	peak	
9		5860.000	18.13	42.64	60.77	109.50	-48.73	peak	
10	*	5765.800	57.41	42.36	99.77	122.30	-22.53	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
-----	-----	--------------	--------------------------	-------------------------	----------------------------	-----------------	--------------	----------	---------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11550.00	35.58	17.02	52.60	74.30	-21.70	peak	
2		17964.00	37.87	23.72	61.59	74.30	-12.71	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
-----	-----	--------------	--------------------------	-------------------------	----------------------------	-----------------	--------------	----------	---------



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		39689.50	43.99	16.85	60.84	74.30	-13.46	peak	
2	*	39689.50	32.16	16.85	49.01	60.00	-10.99	AVG	


Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5778.600	43.45	42.40	85.85	122.30	-36.45	AVG	
2		5715.000	9.52	42.21	51.73	109.50	-57.77	AVG	
3		5725.000	10.31	42.24	52.55	122.30	-69.75	AVG	
4		5850.000	6.36	42.62	48.98	122.30	-73.32	AVG	
5		5860.000	6.22	42.64	48.86	109.50	-60.64	AVG	
6		5715.000	20.67	42.21	62.88	109.50	-46.62	peak	
7		5725.000	21.09	42.24	63.33	122.30	-58.97	peak	
8		5850.000	17.56	42.62	60.18	122.30	-62.12	peak	
9		5860.000	15.91	42.64	58.55	109.50	-50.95	peak	
10	*	5777.400	54.68	42.40	97.08	122.30	-25.22	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
-----	-----	--------------	--------------------------	-------------------------	----------------------------	-----------------	--------------	----------	---------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11550.00	35.45	17.02	52.47	74.30	-21.83	peak	
2		17880.00	38.72	23.47	62.19	74.30	-12.11	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
-----	-----	--------------	--------------------------	-------------------------	----------------------------	-----------------	--------------	----------	---------



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		39541.00	44.63	16.48	61.11	74.30	-13.19	peak	
2	*	39541.00	33.16	16.48	49.64	60.00	-10.36	AVG	