




Test mode:	802.11ac(HT20)	Frequency(MHz):	5320	Peak	Vertical
------------	----------------	-----------------	------	------	----------




Condition: 3m VERTICAL  
 Job No : 09260RG  
 Mode : 5320 Band edge  
       : 5G WiFi 11AC20  
       : 12

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5320.000	8.58	34.43	37.50	92.04	97.55	74.00	23.55	Peak
2	5350.000	8.63	34.43	37.52	45.60	51.14	74.00	-22.86	Peak
3	5367.094	8.65	34.43	37.53	46.02	51.57	74.00	-22.43	Peak



Test mode:	802.11ac(HT20)	Frequency(MHz):	5320	Average	Vertical
------------	----------------	-----------------	------	---------	----------



Condition: 3m VERTICAL  
 Job No : 09260RG  
 Mode : 5320 Band edge  
 : 5G WiFi 11AC20  
 : 12

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5320.000	8.58	34.43	37.50	85.60	91.11	54.00	37.11 Average
2	5350.000	8.63	34.43	37.52	36.62	42.16	54.00	-11.84 Average
3	5350.966	8.63	34.43	37.52	36.65	42.19	54.00	-11.81 Average




# SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM170800926003

Page: 323 of 411

Test mode:	802.11ac(HT20)	Frequency(MHz):	5320	Peak	Horizontal
------------	----------------	-----------------	------	------	------------




Condition: 3m HORIZONTAL  
 Job No : 09260RG  
 Mode : 5320 Band edge  
       : 5G WiFi 11AC20  
       : 12

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5320.000	8.58	34.43	37.50	87.28	92.79	74.00	18.79 peak
2	5350.000	8.63	34.43	37.52	45.48	51.02	74.00	-22.98 peak
3	5379.247	8.67	34.42	37.54	46.35	51.90	74.00	-22.10 peak

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test mode:	802.11ac(HT20)	Frequency(MHz):	5320	Average	Horizontal
------------	----------------	-----------------	------	---------	------------




Condition: 3m HORIZONTAL  
Job No : 09260RG  
Mode : 5320 Band edge  
: 5G WiFi 11AC20  
: 12

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5320.000	8.58	34.43	37.50	80.73	86.24	54.00	32.24 Average
2	5350.000	8.63	34.43	37.52	36.13	41.67	54.00	-12.33 Average
3	5350.566	8.63	34.43	37.52	36.17	41.71	54.00	-12.29 Average



Test mode:	802.11ac(HT20)	Frequency(MHz):	5500	Peak	Vertical
------------	----------------	-----------------	------	------	----------




Condition: 3m VERTICAL  
 Job No : 09260RG  
 Mode : 5500 Band edge  
       : 5G WiFi 11AC20  
       : 12

	Freq	Cable Loss	Ant Factor	Preamplifier	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5462.071	8.79	34.41	37.59	46.00	51.61	74.00	-22.39	Peak
2	5470.000	8.81	34.41	37.60	45.31	50.93	74.00	-23.07	Peak
3	pp 5500.000	8.85	34.40	37.61	98.51	104.15	74.00	30.15	Peak



Test mode:	802.11ac(HT20)	Frequency(MHz):	5500	Average	Vertical
------------	----------------	-----------------	------	---------	----------




Condition: 3m VERTICAL  
 Job No : 09260RG  
 Mode : 5500 Band edge  
       : 5G WiFi 11AC20  
       : 12

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5469.399	8.81	34.41	37.60	36.98	42.60	54.00	-11.40	Average
2	5470.000	8.81	34.41	37.60	36.96	42.58	54.00	-11.42	Average
3	pp 5500.000	8.85	34.40	37.61	90.90	96.54	54.00	42.54	Average



Test mode:	802.11ac(HT20)	Frequency(MHz):	5500	Peak	Horizontal
------------	----------------	-----------------	------	------	------------




Condition: 3m HORIZONTAL  
 Job No : 09260RG  
 Mode : 5500 Band edge  
 : 5G WiFi 11AC20  
 : 12

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5424.386	8.74	34.41	37.57	46.35	51.93	74.00	-22.07	peak
2	5470.000	8.81	34.41	37.60	44.47	50.09	74.00	-23.91	peak
3	pp 5500.000	8.85	34.40	37.61	93.67	99.31	74.00	25.31	peak



Test mode:	802.11ac(HT20)	Frequency(MHz):	5500	Average	Horizontal
------------	----------------	-----------------	------	---------	------------




Condition: 3m HORIZONTAL  
 Job No : 09260RG  
 Mode : 5500 Band edge  
       : 5G WiFi 11AC20  
       : 12

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5469.158	8.81	34.41	37.60	35.91	41.53	54.00	-12.47	Average
2	5470.000	8.81	34.41	37.60	36.02	41.64	54.00	-12.36	Average
3	pp 5500.000	8.85	34.40	37.61	86.99	92.63	54.00	38.63	Average





Test mode:	802.11ac(HT20)	Frequency(MHz):	5700	Peak	Vertical
------------	----------------	-----------------	------	------	----------




Condition: 3m VERTICAL  
 Job No : 09260RG  
 Mode : 5700 Band edge  
       : 5G WiFi 11AC20  
       : 12

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5700.000	9.56	34.52	37.73	94.76	101.11	74.00	27.11	Peak
2	5725.000	9.64	34.54	37.75	46.84	53.27	74.00	-20.73	Peak
3	5726.883	9.65	34.54	37.75	46.57	53.01	74.00	-20.99	Peak



Test mode:	802.11ac(HT20)	Frequency(MHz):	5700	Average	Vertical
------------	----------------	-----------------	------	---------	----------




Condition: 3m VERTICAL  
 Job No : 09260RG  
 Mode : 5700 Band edge  
       : 5G WiFi 11AC20  
       : 12

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5700.000	9.56	34.52	37.73	87.80	94.15	54.00	40.15	Average
2	5725.000	9.64	34.54	37.75	38.34	44.77	54.00	-9.23	Average
3	5725.583	9.64	34.54	37.75	37.68	44.11	54.00	-9.89	Average



Test mode:	802.11ac(HT20)	Frequency(MHz):	5700	Peak	Horizontal
------------	----------------	-----------------	------	------	------------




Condition: 3m HORIZONTAL  
 Job No : 09260RG  
 Mode : 5700 Band edge  
       : 5G WiFi 11AC20  
       : 12

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5700.000	9.56	34.52	37.73	92.54	98.89	74.00	24.89	peak
2	5725.000	9.64	34.54	37.75	45.48	51.91	74.00	-22.09	peak
3	5754.937	9.75	34.56	37.76	46.19	52.74	74.00	-21.26	peak



Test mode:	802.11ac(HT20)	Frequency(MHz):	5700	Average	Horizontal
------------	----------------	-----------------	------	---------	------------




Condition: 3m HORIZONTAL  
 Job No : 09260RG  
 Mode : 5700 Band edge  
       : 5G WiFi 11AC20  
       : 12

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5700.000	9.56	34.52	37.73	84.28	90.63	54.00	36.63	Average
2	5725.000	9.64	34.54	37.75	36.85	43.28	54.00	-10.72	Average
3	5725.583	9.64	34.54	37.75	36.61	43.04	54.00	-10.96	Average



Test mode:	802.11ac(HT20)	Frequency(MHz):	5745	Peak	Vertical
------------	----------------	-----------------	------	------	----------




Condition: 3m VERTICAL  
Job No : 09260RG  
Mode : 5745 Band edge  
: 5G WiFi 11AC20

	Cable	Ant	Preamp	Read	Limit	Over		
Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5715.000	9.61	34.53	37.74	43.53	49.93	109.40	-59.47 peak
2	5725.000	9.64	34.54	37.75	52.36	58.79	122.20	-63.41 peak
3 pp	5745.000	9.71	34.55	37.76	95.44	101.94	125.20	-23.26 peak



Test mode:	802.11ac(HT20)	Frequency(MHz):	5745	Peak	Horizontal
------------	----------------	-----------------	------	------	------------




Condition: 3m HORIZONTAL  
Job No : 09260RG  
Mode : 5745 Band edge  
: 5G WiFi 11AC20

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5715.000	9.61	34.53	37.74	43.21	49.61	109.40	-59.79	peak
2	5725.000	9.64	34.54	37.75	49.34	55.77	122.20	-66.43	peak
3 pp	5745.000	9.71	34.55	37.76	91.14	97.64	125.20	-27.56	peak




Test mode:	802.11ac(HT20)	Frequency(MHz):	5825	Peak	Vertical
------------	----------------	-----------------	------	------	----------



Condition: 3m VERTICAL  
Job No : 09260RG  
Mode : 5825 Band edge  
: 5G WiFi 11AC20

		Cable	Ant	Preamp	Read	Limit	Over		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5825.000	9.98	34.60	37.80	94.37	101.15	125.20	-24.05	peak
2	5850.000	10.07	34.61	37.82	46.67	53.53	122.20	-68.67	peak
3	5860.000	10.10	34.62	37.82	44.10	51.00	109.40	-58.40	peak

Test mode:	802.11ac(HT20)	Frequency(MHz):	5825	Peak	Horizontal
------------	----------------	-----------------	------	------	------------




Condition: 3m HORIZONTAL  
Job No : 09260RG  
Mode : 5825 Band edge  
: 5G WiFi 11AC20

		Cable	Ant	Preamp	Read	Limit	Over		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5825.000	9.98	34.60	37.80	91.29	98.07	125.20	-27.13	peak
2	5850.000	10.07	34.61	37.82	43.04	49.90	122.20	-72.30	peak
3	5860.000	10.10	34.62	37.82	44.18	51.08	109.40	-58.32	peak





Test mode:	802.11n(HT40)	Frequency(MHz):	5190	Peak	Vertical
------------	---------------	-----------------	------	------	----------




Condition: 3m VERTICAL  
Job No : 09260RG  
Mode : 5190 Band edge  
: 5G WiFi 11AC40  
: 12

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5148.743	8.32	34.47	37.40	49.20	54.59	74.00	-19.41 Peak
2	5150.000	8.33	34.47	37.40	46.38	51.78	74.00	-22.22 Peak
3 pp	5190.000	8.39	34.46	37.42	87.72	93.15	74.00	19.15 Peak



Test mode:	802.11n(HT40)	Frequency(MHz):	5190	Average	Vertical
------------	---------------	-----------------	------	---------	----------




Condition: 3m VERTICAL  
 Job No : 09260RG  
 Mode : 5190 Band edge  
       : 5G WiFi 11AC40  
       : 12

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5148.863	8.32	34.47	37.40	38.00	43.39	54.00	-10.61	Average
2	5150.000	8.33	34.47	37.40	38.12	43.52	54.00	-10.48	Average
3	pp 5190.000	8.39	34.46	37.42	81.11	86.54	54.00	32.54	Average



Test mode:	802.11n(HT40)	Frequency(MHz):	5190	Peak	Horizontal
------------	---------------	-----------------	------	------	------------




Condition: 3m HORIZONTAL  
 Job No : 09260RG  
 Mode : 5190 Band edge  
       : 5G WiFi 11AC40  
       : 12

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5129.978	8.29	34.47	37.38	46.35	51.73	74.00	-22.27 peak
2	5150.000	8.33	34.47	37.40	45.25	50.65	74.00	-23.35 peak
3	pp 5190.000	8.39	34.46	37.42	82.85	88.28	74.00	14.28 peak



Test mode:	802.11n(HT40)	Frequency(MHz):	5190	Average	Horizontal
------------	---------------	-----------------	------	---------	------------




Condition: 3m HORIZONTAL  
 Job No : 09260RG  
 Mode : 5190 Band edge  
       : 5G WiFi 11AC40  
       : 12

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5147.426	8.32	34.47	37.40	36.10	41.49	54.00	-12.51	Average
2	5150.000	8.33	34.47	37.40	36.06	41.46	54.00	-12.54	Average
3	pp 5190.000	8.39	34.46	37.42	75.81	81.24	54.00	27.24	Average



Test mode:	802.11n(HT40)	Frequency(MHz):	5230	Peak	Vertical
------------	---------------	-----------------	------	------	----------




Condition: 3m VERTICAL  
 Job No : 09260RG  
 Mode : 5230 Band edge  
       : 5G WiFi 11AC40  
       : 12

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5230.000	8.45	34.45	37.45	87.01	92.46	74.00	18.46	Peak
2	5350.000	8.63	34.43	37.52	45.63	51.17	74.00	-22.83	Peak
3	5353.020	8.63	34.43	37.52	45.94	51.48	74.00	-22.52	Peak



Test mode:	802.11n(HT40)	Frequency(MHz):	5230	Average	Vertical
------------	---------------	-----------------	------	---------	----------




Condition: 3m VERTICAL  
 Job No : 09260RG  
 Mode : 5230 Band edge  
       : 5G WiFi 11AC40  
       : 12

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dB	
1 pp	5230.000	8.45	34.45	37.45	80.19	85.64	54.00	31.64 Average
2	5350.000	8.63	34.43	37.52	36.07	41.61	54.00	-12.39 Average
3	5353.831	8.64	34.43	37.53	36.03	41.57	54.00	-12.43 Average



Test mode:	802.11n(HT40)	Frequency(MHz):	5230	Peak	Horizontal
------------	---------------	-----------------	------	------	------------




Condition: 3m HORIZONTAL  
 Job No : 09260RG  
 Mode : 5230 Band edge  
       : 5G WiFi 11AC40  
       : 12

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5230.000	8.45	34.45	37.45	83.43	88.88	74.00	14.88	peak
2	5350.000	8.63	34.43	37.52	45.05	50.59	74.00	-23.41	peak
3	5359.188	8.64	34.43	37.53	46.20	51.74	74.00	-22.26	peak



Test mode:	802.11n(HT40)	Frequency(MHz):	5230	Average	Horizontal
------------	---------------	-----------------	------	---------	------------




Condition: 3m HORIZONTAL  
Job No : 09260RG  
Mode : 5230 Band edge  
: 5G WiFi 11AC40  
: 12

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dB	
1 pp	5230.000	8.45	34.45	37.45	76.85	82.30	54.00	28.30 Average
2	5350.000	8.63	34.43	37.52	35.90	41.44	54.00	-12.56 Average
3	5350.911	8.63	34.43	37.52	35.97	41.51	54.00	-12.49 Average





Test mode:	802.11n(HT40)	Frequency(MHz):	5270	Peak	Vertical
------------	---------------	-----------------	------	------	----------




Condition: 3m VERTICAL  
Job No : 09260RG  
Mode : 5270 Band edge  
: 5G WiFi 11AC40  
: 12

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5112.964	8.27	34.48	37.37	45.94	51.32	74.00	-22.68	Peak
2	5150.000	8.33	34.47	37.40	43.95	49.35	74.00	-24.65	Peak
3	pp 5270.000	8.51	34.44	37.47	88.25	93.73	74.00	19.73	Peak



Test mode:	802.11n(HT40)	Frequency(MHz):	5270	Average	Vertical
------------	---------------	-----------------	------	---------	----------




Condition: 3m VERTICAL  
 Job No : 09260RG  
 Mode : 5270 Band edge  
       : 5G WiFi 11AC40  
       : 12

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5145.321	8.32	34.47	37.39	35.86	41.26	54.00	-12.74 Average
2	5150.000	8.33	34.47	37.40	35.65	41.05	54.00	-12.95 Average
3 pp	5270.000	8.51	34.44	37.47	80.52	86.00	54.00	32.00 Average



Test mode:	802.11n(HT40)	Frequency(MHz):	5270	Peak	Horizontal
------------	---------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL  
Job No : 09260RG  
Mode : 5270 Band edge  
: 5G WiFi 11AC40  
: 12

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5133.657	8.30	34.47	37.39	46.41	51.79	74.00	-22.21 peak
2	5150.000	8.33	34.47	37.40	44.64	50.04	74.00	-23.96 peak
3 pp	5270.000	8.51	34.44	37.47	85.00	90.48	74.00	16.48 peak




**SGS-CSTC Standards Technical Services Co., Ltd.**  
**Shenzhen Branch**

Report No.: SZEM170800926003

Page: 348 of 411

Test mode:	802.11n(HT40)	Frequency(MHz):	5270	Average	Horizontal
------------	---------------	-----------------	------	---------	------------




Condition: 3m HORIZONTAL  
 Job No : 09260RG  
 Mode : 5270 Band edge  
       : 5G WiFi 11AC40  
       : 12

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5146.113	8.32	34.47	37.39	35.80	41.20	54.00	-12.80 Average
2	5150.000	8.33	34.47	37.40	35.56	40.96	54.00	-13.04 Average
3	pp 5270.000	8.51	34.44	37.47	77.60	83.08	54.00	29.08 Average



Test mode:	802.11n(HT40)	Frequency(MHz):	5310	Peak	Vertical
------------	---------------	-----------------	------	------	----------




Condition: 3m VERTICAL  
 Job No : 09260RG  
 Mode : 5310 Band edge  
       : 5G WiFi 11AC40  
       : 12

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5310.000	8.57	34.44	37.50	89.70	95.21	74.00	21.21	Peak
2	5350.000	8.63	34.43	37.52	49.09	54.63	74.00	-19.37	Peak
3	5350.474	8.63	34.43	37.52	48.01	53.55	74.00	-20.45	Peak



Test mode:	802.11n(HT40)	Frequency(MHz):	5310	Average	Vertical
------------	---------------	-----------------	------	---------	----------




Condition: 3m VERTICAL  
 Job No : 09260RG  
 Mode : 5310 Band edge  
       : 5G WiFi 11AC40  
       : 12

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5310.000	8.57	34.44	37.50	82.18	87.69	54.00	33.69	Average
2	5350.000	8.63	34.43	37.52	39.28	44.82	54.00	-9.18	Average
3	5350.714	8.63	34.43	37.52	39.11	44.65	54.00	-9.35	Average



Test mode:	802.11n(HT40)	Frequency(MHz):	5310	Peak	Horizontal
------------	---------------	-----------------	------	------	------------




Condition: 3m HORIZONTAL  
Job No : 09260RG  
Mode : 5310 Band edge  
: 5G WiFi 11AC40  
: 12

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5310.000	8.57	34.44	37.50	84.76	90.27	74.00	16.27 peak
2	5350.000	8.63	34.43	37.52	44.98	50.52	74.00	-23.48 peak
3	5351.796	8.63	34.43	37.52	46.37	51.91	74.00	-22.09 peak



Test mode:	802.11n(HT40)	Frequency(MHz):	5310	Average	Horizontal
------------	---------------	-----------------	------	---------	------------




Condition: 3m HORIZONTAL  
 Job No : 09260RG  
 Mode : 5310 Band edge  
 : 5G WiFi 11AC40  
 : 12

		Cable	Ant	Preamp	Read	Limit	Over		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5310.000	8.57	34.44	37.50	77.50	83.01	54.00	29.01	Average
2	5350.000	8.63	34.43	37.52	37.06	42.60	54.00	-11.40	Average
3	5350.714	8.63	34.43	37.52	37.23	42.77	54.00	-11.23	Average





Test mode:	802.11n(HT40)	Frequency(MHz):	5510	Peak	Vertical
------------	---------------	-----------------	------	------	----------




Condition: 3m VERTICAL  
Job No : 09260RG  
Mode : 5510 Band edge  
: 5G WiFi 11AC40  
: 12

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5469.552	8.81	34.41	37.60	48.01	53.63	74.00	-20.37	Peak
2	5470.000	8.81	34.41	37.60	48.10	53.72	74.00	-20.28	Peak
3 pp	5510.000	8.89	34.41	37.62	92.75	98.43	74.00	24.43	Peak



Test mode:	802.11n(HT40)	Frequency(MHz):	5510	Average	Vertical
------------	---------------	-----------------	------	---------	----------




Condition: 3m VERTICAL  
Job No : 09260RG  
Mode : 5510 Band edge  
: 5G WiFi 11AC40  
: 12

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5469.552	8.81	34.41	37.60	37.66	43.28	54.00	-10.72	Average
2	5470.000	8.81	34.41	37.60	38.07	43.69	54.00	-10.31	Average
3 pp	5510.000	8.89	34.41	37.62	85.28	90.96	54.00	36.96	Average



Test mode:	802.11n(HT40)	Frequency(MHz):	5510	Peak	Horizontal
------------	---------------	-----------------	------	------	------------




Condition: 3m HORIZONTAL  
 Job No : 09260RG  
 Mode : 5510 Band edge  
       : 5G WiFi 11AC40  
       : 12

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5450.406	8.78	34.41	37.58	46.26	51.87	74.00	-22.13 peak
2	5470.000	8.81	34.41	37.60	44.06	49.68	74.00	-24.32 peak
3 pp	5510.000	8.89	34.41	37.62	87.77	93.45	74.00	19.45 peak



Test mode:	802.11n(HT40)	Frequency(MHz):	5510	Average	Horizontal
------------	---------------	-----------------	------	---------	------------




Condition: 3m HORIZONTAL  
 Job No : 09260RG  
 Mode : 5510 Band edge  
 : 5G WiFi 11AC40  
 : 12

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5468.712	8.80	34.41	37.59	36.16	41.78	54.00	-12.22	Average
2	5470.000	8.81	34.41	37.60	36.20	41.82	54.00	-12.18	Average
3 pp	5510.000	8.89	34.41	37.62	80.67	86.35	54.00	32.35	Average



Test mode:	802.11n(HT40)	Frequency(MHz):	5670	Peak	Vertical
------------	---------------	-----------------	------	------	----------




Condition: 3m VERTICAL  
 Job No : 09260RG  
 Mode : 5670 Band edge  
       : 5G WiFi 11AC40  
       : 12

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5670.000	9.45	34.50	37.71	91.89	98.13	74.00	24.13	Peak
2	5725.000	9.64	34.54	37.75	45.84	52.27	74.00	-21.73	Peak
3	5752.853	9.74	34.55	37.76	46.56	53.09	74.00	-20.91	Peak



Test mode:	802.11n(HT40)	Frequency(MHz):	5670	Average	Vertical
------------	---------------	-----------------	------	---------	----------




Condition: 3m VERTICAL  
 Job No : 09260RG  
 Mode : 5670 Band edge  
       : 5G WiFi 11AC40  
       : 12

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5670.000	9.45	34.50	37.71	84.04	90.28	54.00	36.28 Average
2	5725.000	9.64	34.54	37.75	36.06	42.49	54.00	-11.51 Average
3	5760.475	9.76	34.56	37.77	36.20	42.75	54.00	-11.25 Average



Test mode:	802.11n(HT40)	Frequency(MHz):	5670	Peak	Horizontal
------------	---------------	-----------------	------	------	------------




Condition: 3m HORIZONTAL  
 Job No : 09260RG  
 Mode : 5670 Band edge  
 : 5G WiFi 11AC40  
 : 12

		Cable	Ant	Preamp	Read	Limit	Over	
	Freq	Loss	Factor	Factor	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	pp 5670.000	9.45	34.50	37.71	87.11	93.35	74.00	19.35 peak
2	5725.000	9.64	34.54	37.75	44.65	51.08	74.00	-22.92 peak
3	5732.155	9.67	34.54	37.75	45.97	52.43	74.00	-21.57 peak



Test mode:	802.11n(HT40)	Frequency(MHz):	5670	Average	Horizontal
------------	---------------	-----------------	------	---------	------------




Condition: 3m HORIZONTAL  
Job No : 09260RG  
Mode : 5670 Band edge  
: 5G WiFi 11AC40  
: 12

		Cable	Ant	Preamp	Read	Limit	Over		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5670.000	9.45	34.50	37.71	80.52	86.76	54.00	32.76	Average
2	5725.000	9.64	34.54	37.75	35.70	42.13	54.00	-11.87	Average
3	5757.228	9.75	34.56	37.76	36.00	42.55	54.00	-11.45	Average





Test mode:	802.11n(HT40)	Frequency(MHz):	5755	Peak	Vertical
------------	---------------	-----------------	------	------	----------




Condition: 3m VERTICAL  
Job No : 09260RG  
Mode : 5755 Band edge  
: 5G WiFi 11AC40

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5715.000	9.61	34.53	37.74	50.48	56.88	109.40	-52.52 peak
2	5725.000	9.64	34.54	37.75	51.60	58.03	122.20	-64.17 peak
3 pp	5755.000	9.75	34.56	37.76	92.71	99.26	125.20	-25.94 peak



Test mode:	802.11n(HT40)	Frequency(MHz):	5755	Peak	Horizontal
------------	---------------	-----------------	------	------	------------




Condition: 3m HORIZONTAL  
Job No : 09260RG  
Mode : 5755 Band edge  
: 5G WiFi 11AC40

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5715.000	9.61	34.53	37.74	44.42	50.82	109.40	-58.58	peak
2	5725.000	9.64	34.54	37.75	48.44	54.87	122.20	-67.33	peak
3 pp	5755.000	9.75	34.56	37.76	89.07	95.62	125.20	-29.58	peak



Test mode:	802.11n(HT40)	Frequency(MHz):	5795	Peak	Vertical
------------	---------------	-----------------	------	------	----------




Condition: 3m VERTICAL  
Job No : 09260RG  
Mode : 5795 Band edge  
: 5G WiFi 11AC40

		Cable	Ant	Preamp	Read	Limit	Over		
	Freq	Loss	Factor	Factor	Level	Line	Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dB		
1 pp	5795.000	9.88	34.58	37.79	92.69	99.36	125.20	-25.84	peak
2	5850.000	10.07	34.61	37.82	43.40	50.26	122.20	-71.94	peak
3	5860.000	10.10	34.62	37.82	45.17	52.07	109.40	-57.33	peak



Test mode:	802.11n(HT40)	Frequency(MHz):	5795	Peak	Horizontal
------------	---------------	-----------------	------	------	------------




Condition: 3m HORIZONTAL  
Job No : 09260RG  
Mode : 5795 Band edge  
: 5G WiFi 11AC40

		Cable	Ant	Preamp	Read	Limit	Over		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5795.000	9.88	34.58	37.79	88.68	95.35	125.20	-29.85	peak
2	5850.000	10.07	34.61	37.82	45.21	52.07	122.20	-70.13	peak
3	5860.000	10.10	34.62	37.82	44.31	51.21	109.40	-58.19	peak



Test mode:	802.11ac(HT40)	Frequency(MHz):	5190	Peak	Vertical
------------	----------------	-----------------	------	------	----------




Condition: 3m VERTICAL  
 Job No : 09260RG  
 Mode : 5190 Band edge  
       : 5G WiFi 11AC40  
       : 12

	Freq	Cable Loss	Ant Factor	Preamplifier Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5148.743	8.32	34.47	37.40	49.20	54.59	74.00	-19.41	Peak
2	5150.000	8.33	34.47	37.40	46.38	51.78	74.00	-22.22	Peak
3	pp 5190.000	8.39	34.46	37.42	87.72	93.15	74.00	19.15	Peak



Test mode:	802.11ac(HT40)	Frequency(MHz):	5190	Average	Vertical
------------	----------------	-----------------	------	---------	----------




Condition: 3m VERTICAL  
 Job No : 09260RG  
 Mode : 5190 Band edge  
       : 5G WiFi 11AC40  
       : 12

	Freq	Cable Loss	Ant Factor	Preamplifier Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5148.863	8.32	34.47	37.40	38.00	43.39	54.00	-10.61	Average
2	5150.000	8.33	34.47	37.40	38.12	43.52	54.00	-10.48	Average
3	pp 5190.000	8.39	34.46	37.42	81.11	86.54	54.00	32.54	Average



Test mode:	802.11ac(HT40)	Frequency(MHz):	5190	Peak	Horizontal
------------	----------------	-----------------	------	------	------------




Condition: 3m HORIZONTAL  
 Job No : 09260RG  
 Mode : 5190 Band edge  
 : 5G WiFi 11AC40  
 : 12

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5129.978	8.29	34.47	37.38	46.35	51.73	74.00	-22.27 peak
2	5150.000	8.33	34.47	37.40	45.25	50.65	74.00	-23.35 peak
3 pp	5190.000	8.39	34.46	37.42	82.85	88.28	74.00	14.28 peak



Test mode:	802.11ac(HT40)	Frequency(MHz):	5190	Average	Horizontal
------------	----------------	-----------------	------	---------	------------




Condition: 3m HORIZONTAL  
 Job No : 09260RG  
 Mode : 5190 Band edge  
       : 5G WiFi 11AC40  
       : 12

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5147.426	8.32	34.47	37.40	36.10	41.49	54.00	-12.51 Average
2	5150.000	8.33	34.47	37.40	36.06	41.46	54.00	-12.54 Average
3	pp 5190.000	8.39	34.46	37.42	75.81	81.24	54.00	27.24 Average





Test mode:	802.11ac(HT40)	Frequency(MHz):	5230	Peak	Vertical
------------	----------------	-----------------	------	------	----------




Condition: 3m VERTICAL  
 Job No : 09260RG  
 Mode : 5230 Band edge  
       : 5G WiFi 11AC40  
       : 12

	Freq	Cable Loss	Ant Factor	Preamplifier Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5230.000	8.45	34.45	37.45	87.01	92.46	74.00	18.46	Peak
2	5350.000	8.63	34.43	37.52	45.63	51.17	74.00	-22.83	Peak
3	5353.020	8.63	34.43	37.52	45.94	51.48	74.00	-22.52	Peak



Test mode:	802.11ac(HT40)	Frequency(MHz):	5230	Average	Vertical
------------	----------------	-----------------	------	---------	----------




Condition: 3m VERTICAL  
 Job No : 09260RG  
 Mode : 5230 Band edge  
       : 5G WiFi 11AC40  
       : 12

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5230.000	8.45	34.45	37.45	80.19	85.64	54.00	31.64 Average
2	5350.000	8.63	34.43	37.52	36.07	41.61	54.00	-12.39 Average
3	5353.831	8.64	34.43	37.53	36.03	41.57	54.00	-12.43 Average



Test mode:	802.11ac(HT40)	Frequency(MHz):	5230	Peak	Horizontal
------------	----------------	-----------------	------	------	------------




Condition: 3m HORIZONTAL  
 Job No : 09260RG  
 Mode : 5230 Band edge  
       : 5G WiFi 11AC40  
       : 12

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dB	
1 pp	5230.000	8.45	34.45	37.45	83.43	88.88	14.88	peak
2	5350.000	8.63	34.43	37.52	45.05	50.59	-23.41	peak
3	5359.188	8.64	34.43	37.53	46.20	51.74	-22.26	peak



Test mode:	802.11ac(HT40)	Frequency(MHz):	5230	Average	Horizontal
------------	----------------	-----------------	------	---------	------------




Condition: 3m HORIZONTAL  
 Job No : 09260RG  
 Mode : 5230 Band edge  
       : 5G WiFi 11AC40  
       : 12

		Cable	Ant	Preamp	Read	Limit	Over		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5230.000	8.45	34.45	37.45	76.85	82.30	54.00	28.30	Average
2	5350.000	8.63	34.43	37.52	35.90	41.44	54.00	-12.56	Average
3	5350.911	8.63	34.43	37.52	35.97	41.51	54.00	-12.49	Average



Test mode:	802.11ac(HT40)	Frequency(MHz):	5270	Peak	Vertical
------------	----------------	-----------------	------	------	----------




Condition: 3m VERTICAL  
 Job No : 09260RG  
 Mode : 5270 Band edge  
       : 5G WiFi 11AC40  
       : 12

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5112.964	8.27	34.48	37.37	45.94	51.32	74.00	-22.68	Peak
2	5150.000	8.33	34.47	37.40	43.95	49.35	74.00	-24.65	Peak
3	pp 5270.000	8.51	34.44	37.47	88.25	93.73	74.00	19.73	Peak



Test mode:	802.11ac(HT40)	Frequency(MHz):	5270	Average	Vertical
------------	----------------	-----------------	------	---------	----------




Condition: 3m VERTICAL  
 Job No : 09260RG  
 Mode : 5270 Band edge  
 : 5G WiFi 11AC40  
 : 12

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5145.321	8.32	34.47	37.39	35.86	41.26	54.00	-12.74	Average
2	5150.000	8.33	34.47	37.40	35.65	41.05	54.00	-12.95	Average
3	pp 5270.000	8.51	34.44	37.47	80.52	86.00	54.00	32.00	Average



Test mode:	802.11ac(HT40)	Frequency(MHz):	5270	Peak	Horizontal
------------	----------------	-----------------	------	------	------------




Condition: 3m HORIZONTAL  
 Job No : 09260RG  
 Mode : 5270 Band edge  
 : 5G WiFi 11AC40  
 : 12

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5133.657	8.30	34.47	37.39	46.41	51.79	74.00	-22.21 peak
2	5150.000	8.33	34.47	37.40	44.64	50.04	74.00	-23.96 peak
3 pp	5270.000	8.51	34.44	37.47	85.00	90.48	74.00	16.48 peak



Test mode:	802.11ac(HT40)	Frequency(MHz):	5270	Average	Horizontal
------------	----------------	-----------------	------	---------	------------




Condition: 3m HORIZONTAL  
 Job No : 09260RG  
 Mode : 5270 Band edge  
       : 5G WiFi 11AC40  
       : 12

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5146.113	8.32	34.47	37.39	35.80	41.20	54.00	-12.80 Average
2	5150.000	8.33	34.47	37.40	35.56	40.96	54.00	-13.04 Average
3	pp 5270.000	8.51	34.44	37.47	77.60	83.08	54.00	29.08 Average





Test mode:	802.11ac(HT40)	Frequency(MHz):	5310	Peak	Vertical
------------	----------------	-----------------	------	------	----------




Condition: 3m VERTICAL  
 Job No : 09260RG  
 Mode : 5310 Band edge  
       : 5G WiFi 11AC40  
       : 12

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5310.000	8.57	34.44	37.50	89.70	95.21	74.00	21.21	Peak
2	5350.000	8.63	34.43	37.52	49.09	54.63	74.00	-19.37	Peak
3	5350.474	8.63	34.43	37.52	48.01	53.55	74.00	-20.45	Peak



Test mode:	802.11ac(HT40)	Frequency(MHz):	5310	Average	Vertical
------------	----------------	-----------------	------	---------	----------




Condition: 3m VERTICAL  
 Job No : 09260RG  
 Mode : 5310 Band edge  
       : 5G WiFi 11AC40  
       : 12

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5310.000	8.57	34.44	37.50	82.18	87.69	54.00	33.69 Average
2	5350.000	8.63	34.43	37.52	39.28	44.82	54.00	-9.18 Average
3	5350.714	8.63	34.43	37.52	39.11	44.65	54.00	-9.35 Average



Test mode:	802.11ac(HT40)	Frequency(MHz):	5310	Peak	Horizontal
------------	----------------	-----------------	------	------	------------




Condition: 3m HORIZONTAL  
 Job No : 09260RG  
 Mode : 5310 Band edge  
       : 5G WiFi 11AC40  
       : 12

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5310.000	8.57	34.44	37.50	84.76	90.27	74.00	16.27	peak
2	5350.000	8.63	34.43	37.52	44.98	50.52	74.00	-23.48	peak
3	5351.796	8.63	34.43	37.52	46.37	51.91	74.00	-22.09	peak



Test mode:	802.11ac(HT40)	Frequency(MHz):	5310	Average	Horizontal
------------	----------------	-----------------	------	---------	------------




Condition: 3m HORIZONTAL  
 Job No : 09260RG  
 Mode : 5310 Band edge  
       : 5G WiFi 11AC40  
       : 12

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5310.000	8.57	34.44	37.50	77.50	83.01	54.00	29.01 Average
2	5350.000	8.63	34.43	37.52	37.06	42.60	54.00	-11.40 Average
3	5350.714	8.63	34.43	37.52	37.23	42.77	54.00	-11.23 Average



Test mode:	802.11ac(HT40)	Frequency(MHz):	5510	Peak	Vertical
------------	----------------	-----------------	------	------	----------




Condition: 3m VERTICAL  
Job No : 09260RG  
Mode : 5510 Band edge  
: 5G WiFi 11AC40  
: 12

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5469.552	8.81	34.41	37.60	48.01	53.63	74.00	-20.37	Peak
2	5470.000	8.81	34.41	37.60	48.10	53.72	74.00	-20.28	Peak
3 pp	5510.000	8.89	34.41	37.62	92.75	98.43	74.00	24.43	Peak



Test mode:	802.11ac(HT40)	Frequency(MHz):	5510	Average	Vertical
------------	----------------	-----------------	------	---------	----------




Condition: 3m VERTICAL  
 Job No : 09260RG  
 Mode : 5510 Band edge  
       : 5G WiFi 11AC40  
       : 12

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5469.552	8.81	34.41	37.60	37.66	43.28	54.00	-10.72	Average
2	5470.000	8.81	34.41	37.60	38.07	43.69	54.00	-10.31	Average
3 pp	5510.000	8.89	34.41	37.62	85.28	90.96	54.00	36.96	Average



Test mode:	802.11ac(HT40)	Frequency(MHz):	5510	Peak	Horizontal
------------	----------------	-----------------	------	------	------------




Condition: 3m HORIZONTAL  
 Job No : 09260RG  
 Mode : 5510 Band edge  
       : 5G WiFi 11AC40  
       : 12

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5450.406	8.78	34.41	37.58	46.26	51.87	74.00	-22.13 peak
2	5470.000	8.81	34.41	37.60	44.06	49.68	74.00	-24.32 peak
3	pp 5510.000	8.89	34.41	37.62	87.77	93.45	74.00	19.45 peak



Test mode:	802.11ac(HT40)	Frequency(MHz):	5510	Average	Horizontal
------------	----------------	-----------------	------	---------	------------




Condition: 3m HORIZONTAL  
 Job No : 09260RG  
 Mode : 5510 Band edge  
       : 5G WiFi 11AC40  
       : 12

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5468.712	8.80	34.41	37.59	36.16	41.78	54.00	-12.22 Average
2	5470.000	8.81	34.41	37.60	36.20	41.82	54.00	-12.18 Average
3 pp	5510.000	8.89	34.41	37.62	80.67	86.35	54.00	32.35 Average





Test mode:	802.11ac(HT40)	Frequency(MHz):	5670	Peak	Vertical
------------	----------------	-----------------	------	------	----------




Condition: 3m VERTICAL  
Job No : 09260RG  
Mode : 5670 Band edge  
: 5G WiFi 11AC40  
: 12

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5670.000	9.45	34.50	37.71	91.89	98.13	74.00	24.13	Peak
2	5725.000	9.64	34.54	37.75	45.84	52.27	74.00	-21.73	Peak
3	5752.853	9.74	34.55	37.76	46.56	53.09	74.00	-20.91	Peak



Test mode:	802.11ac(HT40)	Frequency(MHz):	5670	Average	Vertical
------------	----------------	-----------------	------	---------	----------




Condition: 3m VERTICAL  
Job No : 09260RG  
Mode : 5670 Band edge  
: 5G WiFi 11AC40  
: 12

		Cable	Ant	Preamp	Read	Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	pp 5670.000	9.45	34.50	37.71	84.04	90.28	54.00	36.28 Average
2	5725.000	9.64	34.54	37.75	36.06	42.49	54.00	-11.51 Average
3	5760.475	9.76	34.56	37.77	36.20	42.75	54.00	-11.25 Average



Test mode:	802.11ac(HT40)	Frequency(MHz):	5670	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL  
Job No : 09260RG  
Mode : 5670 Band edge  
: 5G WiFi 11AC40  
: 12

		Cable	Ant	Preamp	Read	Limit	Over	
	Freq	Loss	Factor	Factor	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	pp 5670.000	9.45	34.50	37.71	87.11	93.35	74.00	19.35 peak
2	5725.000	9.64	34.54	37.75	44.65	51.08	74.00	-22.92 peak
3	5732.155	9.67	34.54	37.75	45.97	52.43	74.00	-21.57 peak




**SGS-CSTC Standards Technical Services Co., Ltd.**  
**Shenzhen Branch**

Report No.: SZEM170800926003

Page: 388 of 411

Test mode:	802.11ac(HT40)	Frequency(MHz):	5670	Average	Horizontal
------------	----------------	-----------------	------	---------	------------




Condition: 3m HORIZONTAL  
 Job No : 09260RG  
 Mode : 5670 Band edge  
 : 5G WiFi 11AC40  
 : 12

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5670.000	9.45	34.50	37.71	80.52	86.76	54.00	32.76	Average
2	5725.000	9.64	34.54	37.75	35.70	42.13	54.00	-11.87	Average
3	5757.228	9.75	34.56	37.76	36.00	42.55	54.00	-11.45	Average



Test mode:	802.11ac(HT40)	Frequency(MHz):	5755	Peak	Vertical
------------	----------------	-----------------	------	------	----------




Condition: 3m VERTICAL  
Job No : 09260RG  
Mode : 5755 Band edge  
: 5G WiFi 11AC40

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5715.000	9.61	34.53	37.74	50.48	56.88	109.40	-52.52	peak
2	5725.000	9.64	34.54	37.75	51.60	58.03	122.20	-64.17	peak
3 pp	5755.000	9.75	34.56	37.76	92.71	99.26	125.20	-25.94	peak



Test mode:	802.11ac(HT40)	Frequency(MHz):	5755	Peak	Horizontal
------------	----------------	-----------------	------	------	------------




Condition: 3m HORIZONTAL  
 Job No : 09260RG  
 Mode : 5755 Band edge  
 : 5G WiFi 11AC40

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5715.000	9.61	34.53	37.74	44.42	50.82	109.40	-58.58	peak
2	5725.000	9.64	34.54	37.75	48.44	54.87	122.20	-67.33	peak
3 pp	5755.000	9.75	34.56	37.76	89.07	95.62	125.20	-29.58	peak



Test mode:	802.11ac(HT40)	Frequency(MHz):	5795	Peak	Vertical
------------	----------------	-----------------	------	------	----------




Condition: 3m VERTICAL  
 Job No : 09260RG  
 Mode : 5795 Band edge  
 : 5G WiFi 11AC40

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5795.000	9.88	34.58	37.79	92.69	99.36	125.20	-25.84	peak
2	5850.000	10.07	34.61	37.82	43.40	50.26	122.20	-71.94	peak
3	5860.000	10.10	34.62	37.82	45.17	52.07	109.40	-57.33	peak



Test mode:	802.11ac(HT40)	Frequency(MHz):	5795	Peak	Horizontal
------------	----------------	-----------------	------	------	------------




Condition: 3m HORIZONTAL  
 Job No : 09260RG  
 Mode : 5795 Band edge  
       : 5G WiFi 11AC40

		Cable	Ant	Preamp	Read	Limit	Over		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5795.000	9.88	34.58	37.79	88.68	95.35	125.20	-29.85	peak
2	5850.000	10.07	34.61	37.82	45.21	52.07	122.20	-70.13	peak
3	5860.000	10.10	34.62	37.82	44.31	51.21	109.40	-58.19	peak





Test mode:	802.11ac(HT80)	Frequency(MHz):	5210	Peak	Vertical
------------	----------------	-----------------	------	------	----------




Condition: 3m VERTICAL  
 Job No : 09260RG  
 Mode : 5210 Band edge  
       : 5G WiFi 11AC80  
       : 12

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5146.363	8.32	34.47	37.39	50.29	55.69	74.00	-18.31	Peak
2	5210.000	8.42	34.46	37.44	85.95	91.39	74.00	17.39	Peak
3	5351.744	8.63	34.43	37.52	46.15	51.69	74.00	-22.31	Peak



Test mode:	802.11ac(HT80)	Frequency(MHz):	5210	Average	Vertical
------------	----------------	-----------------	------	---------	----------




Condition: 3m VERTICAL  
 Job No : 09260RG  
 Mode : 5210 Band edge  
       : 5G WiFi 11AC80  
       : 12

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5148.410	8.32	34.47	37.40	40.39	45.78	54.00	-8.22	Average
2	pp 5210.000	8.42	34.46	37.44	78.16	83.60	54.00	29.60	Average
3	5351.212	8.63	34.43	37.52	36.17	41.71	54.00	-12.29	Average



Test mode:	802.11ac(HT80)	Frequency(MHz):	5210	Peak	Horizontal
------------	----------------	-----------------	------	------	------------




Condition: 3m HORIZONTAL  
 Job No : 09260RG  
 Mode : 5210 Band edge  
       : 5G WiFi 11AC80  
       : 12

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5140.480	8.31	34.47	37.39	46.56	51.95	74.00	-22.05	peak
2	pp 5210.000	8.42	34.46	37.44	81.58	87.02	74.00	13.02	peak
3	5351.478	8.63	34.43	37.52	45.89	51.43	74.00	-22.57	peak



Test mode:	802.11ac(HT80)	Frequency(MHz):	5210	Average	Horizontal
------------	----------------	-----------------	------	---------	------------




Condition: 3m HORIZONTAL  
 Job No : 09260RG  
 Mode : 5210 Band edge  
       : 5G WiFi 11AC80  
       : 12

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5146.619	8.32	34.47	37.40	37.13	42.52	54.00	-11.48	Average
2	pp 5210.000	8.42	34.46	37.44	73.85	79.29	54.00	25.29	Average
3	5350.680	8.63	34.43	37.52	35.99	41.53	54.00	-12.47	Average



Test mode:	802.11ac(HT80)	Frequency(MHz):	5290	Peak	Vertical
------------	----------------	-----------------	------	------	----------




Condition: 3m VERTICAL  
 Job No : 09260RG  
 Mode : 5290 Band edge  
       : 5G WiFi 11AC80  
       : 12

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5134.514	8.30	34.47	37.39	45.22	50.60	74.00	-23.40	Peak
2	pp 5290.000	8.54	34.44	37.49	85.87	91.36	74.00	17.36	Peak
3	5350.229	8.63	34.43	37.52	51.31	56.85	74.00	-17.15	Peak



Test mode:	802.11ac(HT80)	Frequency(MHz):	5290	Average	Vertical
------------	----------------	-----------------	------	---------	----------




Condition: 3m VERTICAL  
 Job No : 09260RG  
 Mode : 5290 Band edge  
       : 5G WiFi 11AC80  
       : 12

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5145.090	8.32	34.47	37.39	35.93	41.33	54.00	-12.67 Average
2	5290.000	8.54	34.44	37.49	78.83	84.32	54.00	30.32 Average
3	5350.840	8.63	34.43	37.52	40.69	46.23	54.00	-7.77 Average



Test mode:	802.11ac(HT80)	Frequency(MHz):	5290	Peak	Horizontal
------------	----------------	-----------------	------	------	------------




Condition: 3m HORIZONTAL  
 Job No : 09260RG  
 Mode : 5290 Band edge  
       : 5G WiFi 11AC80  
       : 12

	Freq	Cable Loss	Ant Factor	Preamplifier	Read Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dB	
1	5113.427	8.27	34.48	37.37	45.60	50.98	74.00	-23.02 peak
2	5290.000	8.54	34.44	37.49	81.81	87.30	74.00	13.30 peak
3	5351.146	8.63	34.43	37.52	46.28	51.82	74.00	-22.18 peak



Test mode:	802.11ac(HT80)	Frequency(MHz):	5290	Average	Horizontal
------------	----------------	-----------------	------	---------	------------




Condition: 3m HORIZONTAL  
 Job No : 09260RG  
 Mode : 5290 Band edge  
       : 5G WiFi 11AC80  
       : 12

	Freq	Cable Loss	Ant Factor	Preamplifier	Read Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dB	
1	5147.443	8.32	34.47	37.40	35.90	41.29	54.00	-12.71 Average
2	5290.000	8.54	34.44	37.49	75.28	80.77	54.00	26.77 Average
3	5351.452	8.63	34.43	37.52	38.00	43.54	54.00	-10.46 Average





Test mode:	802.11ac(HT80)	Frequency(MHz):	5530	Peak	Vertical
------------	----------------	-----------------	------	------	----------




Condition: 3m VERTICAL  
Job No : 09260RG  
Mode : 5530 Band edge  
: 5G WiFi 11AC80  
: 12

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5465.196	8.80	34.41	37.59	48.90	54.52	74.00	-19.48	Peak
2	5470.037	8.81	34.41	37.60	47.98	53.60	74.00	-20.40	Peak
3	pp 5530.000	8.96	34.42	37.63	90.84	96.59	74.00	22.59	Peak



Test mode:	802.11ac(HT80)	Frequency(MHz):	5530	Average	Vertical
------------	----------------	-----------------	------	---------	----------




Condition: 3m VERTICAL  
 Job No : 09260RG  
 Mode : 5530 Band edge  
       : 5G WiFi 11AC80  
       : 12

	Freq	Cable Loss	Ant Factor	Preamplifier Factor	Read Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dB	
1	5469.319	8.81	34.41	37.60	40.15	54.00	-8.23	Average
2	pk 5470.037	8.81	34.41	37.60	40.30	54.00	-8.08	Peak
3	pp 5530.000	8.96	34.42	37.63	82.90	54.00	34.65	Average



Test mode:	802.11ac(HT80)	Frequency(MHz):	5530	Peak	Horizontal
------------	----------------	-----------------	------	------	------------




Condition: 3m HORIZONTAL  
 Job No : 09260RG  
 Mode : 5530 Band edge  
       : 5G WiFi 11AC80  
       : 12

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5468.064	8.80	34.41	37.59	46.88	52.50	74.00	-21.50	peak
2	5470.037	8.81	34.41	37.60	44.98	50.60	74.00	-23.40	Peak
3	pp 5530.000	8.96	34.42	37.63	86.17	91.92	74.00	17.92	peak



Test mode:	802.11ac(HT80)	Frequency(MHz):	5530	Average	Horizontal
------------	----------------	-----------------	------	---------	------------




Condition: 3m HORIZONTAL  
 Job No : 09260RG  
 Mode : 5530 Band edge  
       : 5G WiFi 11AC80  
       : 12

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5469.140	8.81	34.41	37.60	37.47	43.09	54.00	-10.91	Average
2	5470.037	8.81	34.41	37.60	37.54	43.16	54.00	-10.84	Average
3 pp	5530.000	8.96	34.42	37.63	78.36	84.11	54.00	30.11	Average



Test mode:	802.11ac(HT80)	Frequency(MHz):	5610	Peak	Vertical
------------	----------------	-----------------	------	------	----------




Condition: 3m VERTICAL  
 Job No : 09260RG  
 Mode : 5610 Band edge  
       : 5G WiFi 11AC80  
       : 12

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5610.000	9.24	34.47	37.68	90.04	96.07	74.00	22.07	Peak
2	5725.000	9.64	34.54	37.75	46.26	52.69	74.00	-21.31	Peak
3	5759.593	9.76	34.56	37.77	46.14	52.69	74.00	-21.31	Peak



Test mode:	802.11ac(HT80)	Frequency(MHz):	5610	Average	Vertical
------------	----------------	-----------------	------	---------	----------




Condition: 3m VERTICAL  
 Job No : 09260RG  
 Mode : 5610 Band edge  
       : 5G WiFi 11AC80  
       : 12

		Cable	Ant	Preamp	Read	Limit	Over	
	Freq	Loss	Factor	Factor	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5610.000	9.24	34.47	37.68	82.16	88.19	54.00	34.19 Average
2	5725.000	9.64	34.54	37.75	36.33	42.76	54.00	-11.24 Average
3	5759.593	9.76	34.56	37.77	36.21	42.76	54.00	-11.24 Average



Test mode:	802.11ac(HT80)	Frequency(MHz):	5610	Peak	Horizontal
------------	----------------	-----------------	------	------	------------




Condition: 3m HORIZONTAL  
 Job No : 09260RG  
 Mode : 5610 Band edge  
       : 5G WiFi 11AC80  
       : 12

		Cable	Ant	Preamp	Read	Limit	Over	
	Freq	Loss	Factor	Factor	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	pp 5610.000	9.24	34.47	37.68	85.02	91.05	74.00	17.05 peak
2	5725.000	9.64	34.54	37.75	46.13	52.56	74.00	-21.44 peak
3	5744.145	9.71	34.55	37.76	46.06	52.56	74.00	-21.44 peak



Test mode:	802.11ac(HT80)	Frequency(MHz):	5610	Average	Horizontal
------------	----------------	-----------------	------	---------	------------




Condition: 3m HORIZONTAL  
 Job No : 09260RG  
 Mode : 5610 Band edge  
       : 5G WiFi 11AC80  
       : 12

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5610.000	9.24	34.47	37.68	77.52	83.55	54.00	29.55 Average
2	5725.000	9.64	34.54	37.75	36.09	42.52	54.00	-11.48 Average
3	5758.779	9.76	34.56	37.76	35.96	42.52	54.00	-11.48 Average





Test mode:	802.11ac(HT80)	Frequency(MHz):	5775	Peak	Vertical
------------	----------------	-----------------	------	------	----------




Condition: 3m VERTICAL  
 Job No : 09260RG  
 Mode : 5775 Band edge  
 : 5G WiFi 11AC80

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5720.666	9.63	34.54	37.74	53.05	59.48	112.32	-52.84	peak
2	pp 5775.000	9.81	34.57	37.77	89.82	96.43	125.20	-28.77	peak
3	5850.645	10.07	34.61	37.82	48.66	55.52	120.73	-65.21	peak



Test mode:	802.11ac(HT80)	Frequency(MHz):	5775	Peak	Horizontal
------------	----------------	-----------------	------	------	------------



Condition: 3m HORIZONTAL  
 Job No : 09260RG  
 Mode : 5775 Band edge  
 : 5G WiFi 11AC80

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5724.594	9.64	34.54	37.75	49.03	55.46	121.27	-65.81	peak
2 pp	5775.000	9.81	34.57	37.77	86.13	92.74	125.20	-32.46	peak
3	5851.180	10.07	34.61	37.82	46.43	53.29	119.51	-66.22	peak



*Note:*

*The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:*

*Final Test Level = Receiver Reading + Antenna Factor + Cable Factor – Preamplifier Factor*

---

## **7 Photographs - EUT Test Setup Details**

Refer to Appendix A - Photographs of EUT Test Setup Details for SZEM1708009260RG.