



Report No.: SZEM180700654903

Page: 153 of 783



Date: 28.JUL.2018 08:57:00

5.4.2.4.2 11A20 48 ANT 2




Date: 28.JUL.2018 05:14:33




Report No.: SZEM180700654903

Page: 154 of 783



Date: 28.JUL.2018 08:56:41

5.4.2.4.3 11A20 52 ANT 2




Date: 28.JUL.2018 05:14:59




Report No.: SZEM180700654903

Page: 155 of 783



Date: 28.JUL.2018 08:56:20

5.4.2.4.4 11A20 64 ANT 2




Date: 28.JUL.2018 05:15:20




Report No.: SZEM180700654903

Page: 156 of 783



Date: 28.JUL.2018 08:55:59

5.4.2.4.5 11A20 100 ANT 2




Date: 28.JUL.2018 05:15:42




Report No.: SZEM180700654903

Page: 157 of 783



Date: 28.JUL.2018 08:55:36

5.4.2.4.6 11A20 140 ANT 2




Date: 28.JUL.2018 05:16:01




Report No.: SZEM180700654903

Page: 158 of 783



Date: 28.JUL.2018 08:55:18

5.4.2.4.7 11N20 36 ANT 2




Date: 28.JUL.2018 05:10:57




Report No.: SZEM180700654903

Page: 159 of 783



5.4.2.4.8 11N20 48 ANT 2




Date: 28.JUL.2018 05:11:32




Report No.: SZEM180700654903

Page: 160 of 783



Date: 28.JUL.2018 08:58:00

5.4.2.4.9 11N20 52 ANT 2




Date: 28.JUL.2018 05:11:58




Report No.: SZEM180700654903

Page: 161 of 783



Date: 28.JUL.2018 08:58:24

5.4.2.4.10 11N20 64 ANT 2




Date: 28.JUL.2018 05:12:19



Report No.: SZEM180700654903

H V

Page: 162 of 783



Date. 28.JUL.2018 06.56.46

Spectrum

11N20 100 ANT 2

5.4.2.4.11

Ref Level 22.00 dBm Offset 2.00 dB @ RBW 300 kHz 30 dB 🖨 SWT 1 MHz Att 10 ms a VBW Mode Auto Sweep 1Pk View M1[1] 2.65 dBm 5.5018380 GHz 10 dBm ndB 26,00 dB MI 20.739000000 MHz BW 265.3 O dam -10 dBm -20 dBm -30 dBm richarden Helpfreitegenhauten werden fen HAR SAM -50 dBm -70 dBm-CF 5.5 GHz 1001 pts Span 40.0 MHz Marker

Function

ndB

Q factor

Measuring...

Function Result

20,739 MHz

26.00 dB

265.3 28.07.2018

Date: 28.JUL.2018 05:12:50

Type | Ref | Trc |

X-value


5.501838 GHz 5.48957 GHz Y-value 2.65 dBm -23,47 dBm

-23.58 dBm



Report No.: SZEM180700654903

Page: 163 of 783



5.4.2.4.12

Date: 28.JUL.2018 05:13:17


11N20 140 ANT 2 H V Spectrum Ref Level 22.00 dBm Offset 2.00 dB @ RBW 300 kHz 30 dB 🖨 SWT Att 10 ms a VBW 1 MHz Mode Auto Sweep 1Pk View M1[1] 2.78 dBm 5.7030770 GHz 10 dBm ndB 26,00 dB MBW 20.859000000 MHz 273.4 O dam -10 dBm -20 dBm -30 dBm -50 dBm -70 dBm-CF 5.7 GHz 1001 pts Span 40.0 MHz Marker Type | Ref | Trc | Function **Function Result** X-value Y-value 2.78 dBm -23.59 dBm 20.859 MHz 5.703077 GHz 5.68965 GHz 26.00 dB ndB -24.59 dBm Q factor 273.4 28.07.2018 05:13:17 Measuring... CONTRACT 440

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Report No.: SZEM180700654903

Page: 164 of 783



5.4.2.4.13 11N4




Date: 28.JUL.2018 05:17:54



Report No.: SZEM180700654903

Page: 165 of 783



Date. 28.JUL.2018 09.23.20

5.4.2.4.14


11N40 46 ANT 2 Spectrum Ref Level 22.00 dBm Offset 2.00 dB @ RBW 500 kHz 30 dB 🕳 SWT Att 10 ms a VBW 2 MHz Mode Auto Sweep 1Pk View M1[1] 6.78 dBm 5.2150550 GHz 10 dBm ndB 26,00 dB Menaneth 40.919000000 MHz MANANAMAN MARKANIANAMARKANIA 127.4 O dam O factor -10 dBm -20 dBm handermodulation real franchistation -30 dBM rate milethin -40 dBm -50 dBm--70 dBm-CF 5.23 GHz 1001 pts Span 80.0 MHz Marker Type | Ref | Trc | Function **Function Result** X-value Y-value 215055 GHz 6.78 dBm -19.26 dBm 40.919 MHz 26.00 dB 5.209461 GHz ndB 5.25038 GHz 18.98 dBm Q factor 28.07.2018 Measuring...

Date: 28.JUL.2018 05:18:28



Report No.: SZEM180700654903

Page: 166 of 783



Date: 28.JUL.2018 09:22:44

5.4.2.4.15


11N40 54 ANT 2 H V Spectrum Ref Level 22.00 dBm Offset 2.00 dB - RBW 500 kHz 30 dB 🖷 SWT Att 10 ms w VBW 2 MHz Mode Auto Sweep 1Pk View M1[1] 8.27 dBm 5.2592910 GHz 10 dBm ndB 26,00 dB hard hardellen granden to Approximately 40.839000000 MHz O factor 128.8 O dam -10 dBm happendalineer, Wheelerman Hapidayallandinakununyaliharila -40 dBm -50 dBm -70 dBm-CF 5.27 GHz 1001 pts Span 80.0 MHz Marker Type | Ref | Trc | Function **Function Result** X-value Y-value 5.259291 GHz 8.27 dBm -18.75 dBm 40.839 MHz 5.2497 GHz 26.00 dB ndB 5,290539 GHz 18.52 dBm Q factor 128.8 28.07.2018 Measuring...


Date: 28.JUL.2018 05:18:51



Report No.: SZEM180700654903

Page: 167 of 783






11N40 62 ANT 2 H V Spectrum Offset 2.00 dB - RBW 500 kHz Ref Level 22.00 dBm 30 dB - SWT Att 10 ms a VBW 2 MHz Mode Auto Sweep 1Pk View M1[1] 0.66 dBm 5.2950550 GHz 10 dBm ndB 26,00 dB 41.079000000 MHz BW 128.9 O dam Moreowall married wife whole to Bull British war. -10 dBm -20 dBm -30 dBm--40 dBm district a Later Hallen of the street -50 dBm--70 dBm-CF 5.31 GHz 1001 pts Span 80.0 MHz Marker Type | Ref | Trc | Function **Function Result** X-value Y-value 0.66 dBm 41.079 MHz 295055 GHz 26.00 dB 5.289301 GHz -24.88 dBm ndB 5.33038 GHz 24.97 dBm Q factor 128.9 28.07.2018 05:19:14 Measuring...

Date: 28.JUL.2018 05:19:14




Report No.: SZEM180700654903

Page: 168 of 783



Date: 28.JUL.2018 09:22:14

5.4.2.4.17 11N40 102 ANT 2




Date: 28.JUL.2018 05:19:37



Report No.: SZEM180700654903

Page: 169 of 783



Date: 28.JUL.2018 09:21:30




11N40 134 ANT 2 H V Spectrum Ref Level 22.00 dBm Offset 2.00 dB @ RBW 500 kHz 30 dB 🖷 SWT Att 10 ms a VBW 2 MHz Mode Auto Sweep 1Pk View M1[1] 7,46 dBm 5,6555340 GHz 10 dBm ndB 26,00 dB warmen de manuelle when the more manufactured by the second with 41.239000000 MHz O factor 137.1 O dam -10 dBm Marthallander of the second of -40 dam -50 dBm--70 dBm-CF 5.67 GHz 1001 pts Span 80.0 MHz Marker Type | Ref | Trc | Function **Function Result** X-value Y-value 7.46 dBm -18.87 dBm 41.239 MHz 5.655534 GHz 26.00 dB 5.649381 GHz ndB 5,690619 GHz 18.97 dBm Q factor 28.07.2018 Measuring... CONTRACT 440

Date: 28.JUL.2018 05:20:07




Report No.: SZEM180700654903

Page: 170 of 783



Date: 28.JUL.2018 09:21:04

5.4.2.4.19




Date: 28.JUL.2018 04:52:24



Report No.: SZEM180700654903

Page: 171 of 783



Date: 28.JUL.2018 09:14:29

5.4.2.4.20


11AC20_48 ANT 2 H V Spectrum Ref Level 22.00 dBm Offset 2.00 dB @ RBW 300 kHz 30 dB 🕳 SWT 10 ms a VBW Att 1 MHz Mode Auto Sweep 1Pk View M1[1] 8.00 dBm 5.2331270 GHz __ndB 10 dBm 26,00 dB my who were nothing though 21.179000000 MHz O factor 247.1 O dam -10 dBm The standard was a second de of the property of the party -40 dBm -50 dBm -70 dBm-CF 5.24 GHz 1001 pts Span 40.0 MHz Marker Type | Ref | Trc | Function **Function Result** X-value Y-value 5.233127 GHz 5.229451 GHz 21.179 MHz 8.00 dBm 26.00 dB -18.59 dBm ndB 5,250629 GHz 17.48 dBm Q factor 28.07.2018 Measuring...

Date: 28.JUL.2018 04:53:18




Report No.: SZEM180700654903

Page: 172 of 783



5.4.2.4.21 11AC20_52 ANT 2




Date: 28.JUL.2018 04:53:41



Report No.: SZEM180700654903

Page: 173 of 783



5.4.2.4.22


11AC20_64 ANT 2 H V Spectrum Ref Level 22.00 dBm Offset 2.00 dB @ RBW 300 kHz 30 dB 🖨 SWT Att 10 ms a VBW 1 MHz Mode Auto Sweep 1Pk View M1[1] 1.40 dBm 5.3129670 GHz 10 dBm ndB 26,00 dB 20.579000000 MHz BW 258.2 O dam 4QJapanunu -10 dBm -20 dBm -30 dBm--40 dam may rether delated in the thirty with hateler year what against of the form -50 dBm--70 dBm-CF 5.32 GHz 1001 pts Span 40.0 MHz Marker Type | Ref | Trc | Function **Function Result** X-value Y-value 5.312967 GHz 1.40 dBm -25.27 dBm 20.579 MHz 5,30965 GHz 26.00 dB ndB 5.33023 GHz -24.32 dBm Q factor 258.2 28.07.2018 Measuring... CONTRACTOR NA

Date: 28.JUL.2018 04:54:39




Report No.: SZEM180700654903

Page: 174 of 783



Date: 28.JUL.2018 09.12.59

5.4.2.4.23 11AC2




Date: 28.JUL.2018 05:09:31



Report No.: SZEM180700654903

Page: 175 of 783



Date: 28.JUL.2018 09:12:19

5.4.2.4.24 1[']


11AC20 140 ANT 2 The state of the s Spectrum Ref Level 22.00 dBm Offset 2.00 dB @ RBW 300 kHz 30 dB 🖨 SWT 10 ms a VBW Att 1 MHz Mode Auto Sweep 1Pk View M1[1] 2.38 dBm 5.7019180 GHz 10 dBm ndB 26,00 dB 20.739000000 MHz BW 274.9 O dam -10 dBm -20 dBm -30 dBm tal Quelle hort -50 dBm--70 dBm-CF 5.7 GHz 1001 pts Span 40.0 MHz Marker Type | Ref | Trc | Function **Function Result** X-value Y-value 5.701918 GHz 2.38 dBm -23.80 dBm 20,739 MHz 5.68961 GHz 26.00 dB ndB -24.37 dBm Q factor 274.9 28.07.2018 Measuring...

Date: 28.JUL.2018 05:10:29



Report No.: SZEM180700654903

Page: 176 of 783



5.4.2.4.25


11AC40_38 ANT 2 Spectrum Ref Level 22.00 dBm Offset 2.00 dB @ RBW 500 kHz 30 dB 🖨 SWT 10 ms a VBW Att 2 MHz Mode Auto Sweep 1Pk View M1[1] -0.12 dBm 5,1968730 GHz 10 dBm ndB 26,00 dB 40.919000000 MHz MBA MANAGER PROPERTY OF THE PARTY O 127.0 O dam marranementalism -10 dBm -20 dBm -30 dBm -40 dBMaluft moralment plane and the state of the s -50 dBm -70 dBm-CF 5.19 GHz 1001 pts Span 80.0 MHz Marker Type | Ref | Trc | Function **Function Result** X-value Y-value -0.12 dBm 5.196873 GHz 40.919 MHz 26.00 dB 5.16962 GHz -26,22 dBm ndB -26.36 dBm Q factor 127.0 28.07.2018 Measuring...

Date: 28.JUL.2018 05:23:25




Report No.: SZEM180700654903

Page: 177 of 783



5.4.2.4.26 11




Date: 28.JUL.2018 05:23:04




Report No.: SZEM180700654903

Page: 178 of 783



Date: 28 JUL 2018 09:16:27

5.4.2.4.27 11AC40 54 ANT 2




Date: 28.JUL.2018 05:22:29




Report No.: SZEM180700654903

Page: 179 of 783



Date: 28.JUL.2018 09:16:56

5.4.2.4.28 11AC




Date: 28.JUL.2018 05:21:59



Report No.: SZEM180700654903

Page: 180 of 783



Date: 28.JUL.2018 09:17:23

5.4.2.4.29


11AC40_102 ANT 2 H V Spectrum Ref Level 22.00 dBm Offset 2.00 dB RBW 500 kHz 30 dB 🖨 SWT 10 ms a VBW Att 2 MHz Mode Auto Sweep 1Pk View M1[1] 0.38 dBm 5.5194310 GHz 10 dBm ndB 26,00 dB 41.159000000 MHz BWAT when the contract of the war war and when the war war and the contract of the 134.1 O dam -10 dBm -20 dBm -30 dBm-40 damentularing of indianal patrolic and the aller hay recent -50 dBm -70 dBm-CF 5.51 GHz 1001 pts Span 80.0 MHz Marker Type | Ref | Trc | Function **Function Result** X-value Y-value 0.38 dBm 5.519431 GHz 41.159 MHz 5.48954 GHz 26.00 dB -26.14 dBm ndB -25.13 dBm Q factor 134.1 28.07,2018 Measuring...

Date: 28.JUL.2018 05:21:25




Report No.: SZEM180700654903

Page: 181 of 783



Date: 28.JUL.2018 09:17:45

5.4.2.4.30 11AC40_134 ANT 2




Date: 28.JUL.2018 05:21:00

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.




Report No.: SZEM180700654903

Page: 182 of 783



Date: 28.JUL.2018 09:18:15

5.4.2.4.31 11AC80_42 ANT 2




Date: 28.JUL.2018 05:41:18



Report No.: SZEM180700654903

Page: 183 of 783



Date: 28.JUL.2018 09.55.32

5.4.2.4.32

11AC80_58 ANT 2 H V Spectrum Ref Level 22.00 dBm Offset 2.00 dB @ RBW 1 MHz 30 dB 🕳 SWT 10 ms a VBW 3 MHz Att Mode Auto Sweep 1Pk View M1[1] 0.61 dBm 5.293840 GHz 10 dBm ndB 26,00 dB 82.960000000 MHz BW O dam william Quartagain 63.8 -10 dBm -20 dBm -30 dBm-49 dBm - Warupablh -50 dBm--70 dBm-CF 5.29 GHz 1001 pts Span 160.0 MHz Marker Type | Ref | Trc | Function **Function Result** X-value Y-value 29384 GHz 0.61 dBm -25.56 dBm 82.96 MHz 26.00 dB 5,2486 GHz ndB 5.33156 GHz -24.93 dBm Q factor 63.8 Measuring... CERTAINER 440

Date: 28.JUL.2018 05:41:49




Report No.: SZEM180700654903

Page: 184 of 783



Date: 28.JUL.2018 09:54:17

5.4.2.4.33 11AC80_106 ANT 2




Date: 28.JUL.2018 05:42:28




Report No.: SZEM180700654903

Page: 185 of 783



Date: 28.JUL.2018 09:53:54

5.4.2.4.34 11AC80 138 ANT 2





Date: 28.JUL.2018 05:43:01



Report No.: SZEM180700654903

Page: 186 of 783






Date: 28.JUL.2018 08:24:59




Report No.: SZEM180700654903

Page: 187 of 783



Date: 28.JUL.2018 10:01:44

5.4.2.4.36 11AC160_114 ANT 2




Date: 28.JUL.2018 08:25:58



Report No.: SZEM180700654903

Page: 188 of 783




Date: 28.JUL.2018 10:01:13



Report No.: SZEM180700654903

Page: 189 of 783

5.5 6dB Emission Bandwidth & 99% Occupied Bandwidth





Report No.: SZEM180700654903

Page: 190 of 783

Test Mode	Test Cha nnel	Frequency [MHz]	ANT	6dB Emission Bandwidth [MHz]	Occupied Bandwidth [MHz]	Verdict
11A20_SISO	149	5745	ANT 1	16.38	16.82	PASS
	157	5785	ANT 1	16.38	16.82	PASS
	165	5825	ANT 1	16.34	16.82	PASS
	149	5745	ANT 1	17.18	17.74	PASS
11N20_SISO	157	5785	ANT 1	17.30	17.74	PASS
_	165	5825	ANT 1	17.14	17.74	PASS
	151	5755	ANT 1	35.88	36.28	PASS
11N40_SISO	159	5795	ANT 1	35.41	36.20	PASS
11AC20_SISO	149	5745	ANT 1	17.34	17.74	PASS
	157	5785	ANT 1	17.34	17.74	PASS
	165	5825	ANT 1	17.22	17.74	PASS
11AC40_SISO	151	5755	ANT 1	35.80	36.28	PASS
	159	5795	ANT 1	35.56	36.28	PASS
11AC80_SISO	155	5775	ANT 1	75.28	75.12	PASS

Test Mode	Test Cha nnel	Frequency [MHz]	ANT	6dB Emission Bandwidth [MHz]	Occupied Bandwidth [MHz]	Verdict
11A20_SISO	149	5745	ANT 2	16.38	16.78	PASS
	157	5785	ANT 2	16.42	16.78	PASS
	165	5825	ANT 2	16.34	16.82	PASS
11N20_SISO	149	5745	ANT 2	17.10	17.78	PASS
	157	5785	ANT 2	17.30	17.74	PASS
	165	5825	ANT 2	17.06	17.74	PASS
	151	5755	ANT 2	36.36	36.28	PASS
11N40_SISO	159	5795	ANT 2	36.64	36.28	PASS
11AC20_SISO	149	5745	ANT 2	17.30	17.78	PASS
	157	5785	ANT 2	17.22	17.74	PASS
	165	5825	ANT 2	17.43	17.74	PASS
11AC40_SISO	151	5755	ANT 2	35.88	36.28	PASS
	159	5795	ANT 2	35.72	36.28	PASS
11AC80_SISO	155	5775	ANT 2	75.28	75.12	PASS

This document is issued by the Company subject to its General Conditions of Service printed overleaf,-available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company is findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction for exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Report No.: SZEM180700654903

Page: 191 of 783

Test Mode	Test Cha nnel	Frequency [MHz]	ANT	6dB Emission Bandwidth [MHz]	Occupied Bandwidth [MHz]	Verdict
	149	5745	ANT 1	16.38	16.82	PASS
11A20_CDD	165	5825	ANT 1	16.34	16.82	PASS
	149	5745	ANT 1	17.14	17.74	PASS
11N20_MIMO	165	5825	ANT 1	16.94	17.74	PASS
	151	5755	ANT 1	35.71	36.28	PASS
11N40_MIMO	159	5795	ANT 1	35.59	36.28	PASS
	149	5745	ANT 1	17.34	17.78	PASS
11AC20_MIMO	165	5825	ANT 1	16.74	17.74	PASS
	151	5745	ANT 1	35.72	36.36	PASS
11AC40_MIMO	159	5795	ANT 1	35.52	36.36	PASS
11AC80_MIMO	155	5775	ANT 1	74.01	75.28	PASS

Test Mode	Test Cha nnel	Frequency [MHz]	ANT	6dB Emission Bandwidth [MHz]	Occupied Bandwidth [MHz]	Verdict
	149	5745	ANT 2	16.38	16.66	PASS
11A20_CDD	165	5825	ANT 2	16.38	16.62	PASS
	149	5745	ANT 2	17.34	17.62	PASS
11N20_MIMO	165	5825	ANT 2	17.26	17.66	PASS
11N40_MIMO	151	5755	ANT 2	35.80	36.12	PASS
	159	5795	ANT 2	35.84	36.12	PASS
	149	5745	ANT 2	17.18	17.66	PASS
11AC20_MIMO	165	5825	ANT 2	17.14	17.66	PASS
	151	5755	ANT 2	35.72	36.12	PASS
11AC40_MIMO	159	5795	ANT 2	35.52	36.12	PASS
11AC80_MIMO	155	5775	ANT 2	75.28	75.12	PASS




Report No.: SZEM180700654903


Page: 192 of 783

5.5.1 Plots for 6dB Emission Bandwidth & 99% Occupied Bandwidth 5.5.1.1 SISO_ANT 1

5.5.1.1.1 11A20 149 ANT 1



Date: 27.JUL.2018 11:46:59




Date: 27.JUL.2018 12:33:48




Report No.: SZEM180700654903

Page: 193 of 783

5.5.1.1.2 11A20 157 ANT 1



Date: 27 JUL 2018 11:28:46




Date: 27.JUL.2018 12:34:17




Report No.: SZEM180700654903

Page: 194 of 783

5.5.1.1.3 11A20 165 ANT 1



Date: 27.JUL.2018 11:28:09




Date: 27.JUL.2018 12:35:02




Report No.: SZEM180700654903

Page: 195 of 783

5.5.1.1.4 11N20 149 ANT 1



Date: 27 JUL 2018 11:26:24




Date: 27.JUL.2018 12:58:58




Report No.: SZEM180700654903

Page: 196 of 783

5.5.1.1.5 11N20 157 ANT 1



Date: 27.JUL.2018 11:27:00




Date: 27 JUL 2018 12:58:31




Report No.: SZEM180700654903

Page: 197 of 783

5.5.1.1.6 11N20 165 ANT 1



Date: 27.JUL,2018 11:27:36




Date: 27 JUL 2018 12:58:03




Report No.: SZEM180700654903

Page: 198 of 783

5.5.1.1.7 11N40_151 ANT 1



Date: 27 JUL 2018 11:29:49




Date: 27.JUL.2018 13:38:08




Report No.: SZEM180700654903

Page: 199 of 783

5.5.1.1.8 11N40 159 ANT 1



Date: 27.JUL.2018 11:30:53



Date: 27.JUL.2018 13:38:43