



|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC80 Mode 5290MHz |

### Vertical




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   | *   | 39919.00 | 46.49         | 17.40          | 63.89       | 74.30  | -10.41 | peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC80 Mode 5290MHz |


### Horizontal




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|----------|
| 1   | *   | 5276.800     | 35.59                    | 40.48                   | 76.07                      | 54.00           | 22.07        | AVG      | No Limit |
| 2   | X   | 5284.800     | 44.99                    | 40.50                   | 85.49                      | 68.30           | 17.19        | peak     | No Limit |
| 3   |     | 5350.000     | 7.47                     | 40.64                   | 48.11                      | 68.30           | -20.19       | peak     |          |
| 4   |     | 5350.000     | -0.68                    | 40.64                   | 39.96                      | 54.00           | -14.04       | AVG      |          |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC80 Mode 5290MHz |

### Horizontal




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   |     | 10580.00 | 40.05         | 14.00          | 54.05       | 74.30  | -20.25 | peak     |         |
| 2   | *   | 15870.00 | 40.22         | 18.57          | 58.79       | 74.30  | -15.51 | peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC80 Mode 5290MHz |

### Horizontal




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   | *   | 40000.00 | 46.15         | 17.60          | 63.75       | 74.30  | -10.55 | peak     |         |

|                   |                            |
|-------------------|----------------------------|
| Orthogonal Axis : | X                          |
| Test Mode :       | UNII-2C/ TX A Mode 5500MHz |


### Vertical




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|----------|
| 1   |     | 5460.000     | 9.45                     | 40.87                   | 50.32                      | 68.30           | -17.98       | peak     |          |
| 2   |     | 5460.000     | -0.24                    | 40.87                   | 40.63                      | 54.00           | -13.37       | AVG      |          |
| 3   |     | 5470.000     | 11.58                    | 40.90                   | 52.48                      | 68.30           | -15.82       | peak     |          |
| 4   |     | 5470.000     | -0.17                    | 40.90                   | 40.73                      | 54.00           | -13.27       | AVG      |          |
| 5   | *   | 5496.800     | 45.14                    | 40.95                   | 86.09                      | 54.00           | 32.09        | AVG      | No Limit |
| 6   | X   | 5498.100     | 54.75                    | 40.96                   | 95.71                      | 68.30           | 27.41        | peak     | No Limit |

|                   |                            |
|-------------------|----------------------------|
| Orthogonal Axis : | X                          |
| Test Mode :       | UNII-2C/ TX A Mode 5500MHz |

### Vertical




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   |     | 11000.00 | 38.53         | 15.75          | 54.28       | 74.30  | -20.02 | peak     |         |
| 2   | *   | 16500.00 | 38.70         | 20.37          | 59.07       | 74.30  | -15.23 | peak     |         |

|                   |                            |
|-------------------|----------------------------|
| Orthogonal Axis : | X                          |
| Test Mode :       | UNII-2C/ TX A Mode 5500MHz |

### Vertical




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   | *   | 39973.00 | 47.36         | 17.54          | 64.90       | 74.30  | -9.40  | peak     |         |

|                   |                            |
|-------------------|----------------------------|
| Orthogonal Axis : | X                          |
| Test Mode :       | UNII-2C/ TX A Mode 5500MHz |


### Horizontal




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|----------|
| 1   |     | 5460.000     | 11.56                    | 40.87                   | 52.43                      | 68.30           | -15.87       | peak     |          |
| 2   |     | 5460.000     | -0.44                    | 40.87                   | 40.43                      | 54.00           | -13.57       | AVG      |          |
| 3   |     | 5470.000     | 12.07                    | 40.90                   | 52.97                      | 68.30           | -15.33       | peak     |          |
| 4   |     | 5470.000     | -0.34                    | 40.90                   | 40.56                      | 54.00           | -13.44       | AVG      |          |
| 5   | *   | 5494.500     | 41.33                    | 40.95                   | 82.28                      | 54.00           | 28.28        | AVG      | No Limit |
| 6   | X   | 5498.300     | 50.54                    | 40.96                   | 91.50                      | 68.30           | 23.20        | peak     | No Limit |

|                   |                            |
|-------------------|----------------------------|
| Orthogonal Axis : | X                          |
| Test Mode :       | UNII-2C/ TX A Mode 5500MHz |

### Horizontal




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   |     | 11000.00 | 38.31         | 15.75          | 54.06       | 74.30  | -20.24 | peak     |         |
| 2   | *   | 16500.00 | 38.36         | 20.37          | 58.73       | 74.30  | -15.57 | peak     |         |

|                   |                            |
|-------------------|----------------------------|
| Orthogonal Axis : | X                          |
| Test Mode :       | UNII-2C/ TX A Mode 5500MHz |

### Horizontal




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   | *   | 40000.00 | 46.23         | 17.60          | 63.83       | 74.30  | -10.47 | peak     |         |

|                   |                            |
|-------------------|----------------------------|
| Orthogonal Axis : | X                          |
| Test Mode :       | UNII-2C/ TX A Mode 5700MHz |


### Vertical




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|----------|
| 1   | *   | 5696.900     | 44.67                    | 41.23                   | 85.90                      | 54.00           | 31.90        | AVG      | No Limit |
| 2   | X   | 5699.200     | 53.40                    | 41.23                   | 94.63                      | 68.30           | 26.33        | peak     | No Limit |
| 3   |     | 5725.000     | 9.54                     | 41.27                   | 50.81                      | 68.30           | -17.49       | peak     |          |
| 4   |     | 5725.000     | -0.30                    | 41.27                   | 40.97                      | 54.00           | -13.03       | AVG      |          |

|                   |                            |
|-------------------|----------------------------|
| Orthogonal Axis : | X                          |
| Test Mode :       | UNII-2C/ TX A Mode 5700MHz |

### Vertical




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   |     | 11400.00 | 38.90         | 16.70          | 55.60       | 74.30  | -18.70 | peak     |         |
| 2   | *   | 17100.00 | 39.37         | 21.10          | 60.47       | 74.30  | -13.83 | peak     |         |

|                   |                            |
|-------------------|----------------------------|
| Orthogonal Axis : | X                          |
| Test Mode :       | UNII-2C/ TX A Mode 5700MHz |

### Vertical




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   | *   | 39811.00 | 47.33         | 17.13          | 64.46       | 74.30  | -9.84  | peak     |         |

|                   |                            |
|-------------------|----------------------------|
| Orthogonal Axis : | X                          |
| Test Mode :       | UNII-2C/ TX A Mode 5700MHz |


### Horizontal




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |          |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|----------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment  |
| 1   | *   | 5706.300 | 42.81         | 41.24          | 84.05       | 54.00  | 30.05  | AVG      | No Limit |
| 2   | X   | 5706.500 | 52.12         | 41.24          | 93.36       | 68.30  | 25.06  | peak     | No Limit |
| 3   |     | 5725.000 | 9.57          | 41.27          | 50.84       | 68.30  | -17.46 | peak     |          |
| 4   |     | 5725.000 | -0.39         | 41.27          | 40.88       | 54.00  | -13.12 | AVG      |          |

|                   |                            |
|-------------------|----------------------------|
| Orthogonal Axis : | X                          |
| Test Mode :       | UNII-2C/ TX A Mode 5700MHz |

### Horizontal




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   |     | 11400.00 | 38.42         | 16.70          | 55.12       | 74.30  | -19.18 | peak     |         |
| 2   | *   | 17100.00 | 38.41         | 21.10          | 59.51       | 74.30  | -14.79 | peak     |         |

|                   |                            |
|-------------------|----------------------------|
| Orthogonal Axis : | X                          |
| Test Mode :       | UNII-2C/ TX A Mode 5700MHz |

### Horizontal




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   | *   | 39905.50 | 45.67         | 17.37          | 63.04       | 74.30  | -11.26 | peak     |         |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2C/ TX N20 Mode 5500MHz |


### Vertical




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|----------|
| 1   |     | 5460.000     | 9.53                     | 40.87                   | 50.40                      | 68.30           | -17.90       | peak     |          |
| 2   |     | 5460.000     | -0.31                    | 40.87                   | 40.56                      | 54.00           | -13.44       | AVG      |          |
| 3   |     | 5470.000     | 8.29                     | 40.90                   | 49.19                      | 68.30           | -19.11       | peak     |          |
| 4   |     | 5470.000     | -0.27                    | 40.90                   | 40.63                      | 54.00           | -13.37       | AVG      |          |
| 5   | *   | 5493.100     | 43.77                    | 40.94                   | 84.71                      | 54.00           | 30.71        | AVG      | No Limit |
| 6   | X   | 5496.700     | 52.11                    | 40.95                   | 93.06                      | 68.30           | 24.76        | peak     | No Limit |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2C/ TX N20 Mode 5500MHz |

### Vertical




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   |     | 11000.00 | 38.75         | 15.75          | 54.50       | 74.30  | -19.80 | peak     |         |
| 2   | *   | 16500.00 | 37.85         | 20.37          | 58.22       | 74.30  | -16.08 | peak     |         |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2C/ TX N20 Mode 5500MHz |

### Vertical




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   | *   | 39838.00 | 46.83         | 17.21          | 64.04       | 74.30  | -10.26 | peak     |         |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2C/ TX N20 Mode 5500MHz |


### Horizontal




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|----------|
| 1   |     | 5460.000     | 12.46                    | 40.87                   | 53.33                      | 68.30           | -14.97       | peak     |          |
| 2   |     | 5460.000     | -0.43                    | 40.87                   | 40.44                      | 54.00           | -13.56       | AVG      |          |
| 3   |     | 5470.000     | 9.93                     | 40.90                   | 50.83                      | 68.30           | -17.47       | peak     |          |
| 4   |     | 5470.000     | -0.34                    | 40.90                   | 40.56                      | 54.00           | -13.44       | AVG      |          |
| 5   | *   | 5504.500     | 40.32                    | 40.97                   | 81.29                      | 54.00           | 27.29        | AVG      | No Limit |
| 6   | X   | 5505.800     | 50.58                    | 40.97                   | 91.55                      | 68.30           | 23.25        | peak     | No Limit |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2C/ TX N20 Mode 5500MHz |

### Horizontal




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   |     | 11000.00 | 38.04         | 15.75          | 53.79       | 74.30  | -20.51 | peak     |         |
| 2   | *   | 16500.00 | 41.02         | 20.37          | 61.39       | 74.30  | -12.91 | peak     |         |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2C/ TX N20 Mode 5500MHz |

### Horizontal




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   | *   | 39892.00 | 47.15         | 17.34          | 64.49       | 74.30  | -9.81  | peak     |         |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2C/ TX N20 Mode 5700MHz |


### Vertical




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|----------|
| 1   | X   | 5693.400     | 52.28                    | 41.22                   | 93.50                      | 68.30           | 25.20        | peak     | No Limit |
| 2   | *   | 5695.600     | 42.91                    | 41.22                   | 84.13                      | 54.00           | 30.13        | AVG      | No Limit |
| 3   |     | 5725.000     | 10.14                    | 41.27                   | 51.41                      | 68.30           | -16.89       | peak     |          |
| 4   |     | 5725.000     | -0.28                    | 41.27                   | 40.99                      | 54.00           | -13.01       | AVG      |          |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2C/ TX N20 Mode 5700MHz |

### Vertical




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   |     | 11400.00 | 38.80         | 16.70          | 55.50       | 74.30  | -18.80 | peak     |         |
| 2 * |     | 17100.00 | 38.70         | 21.10          | 59.80       | 74.30  | -14.50 | peak     |         |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2C/ TX N20 Mode 5700MHz |

### Vertical




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   | *   | 39986.50 | 46.55         | 17.56          | 64.11       | 74.30  | -10.19 | peak     |         |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2C/ TX N20 Mode 5700MHz |


### Horizontal




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|----------|
| 1   | X   | 5701.800     | 50.48                    | 41.23                   | 91.71                      | 68.30           | 23.41        | peak     | No Limit |
| 2   | *   | 5703.200     | 41.51                    | 41.24                   | 82.75                      | 54.00           | 28.75        | AVG      | No Limit |
| 3   |     | 5725.000     | 7.92                     | 41.27                   | 49.19                      | 68.30           | -19.11       | peak     |          |
| 4   |     | 5725.000     | -0.37                    | 41.27                   | 40.90                      | 54.00           | -13.10       | AVG      |          |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2C/ TX N20 Mode 5700MHz |

### Horizontal




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   |     | 11400.00 | 38.94         | 16.70          | 55.64       | 74.30  | -18.66 | peak     |         |
| 2   | *   | 17100.00 | 37.86         | 21.10          | 58.96       | 74.30  | -15.34 | peak     |         |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2C/ TX N20 Mode 5700MHz |

### Horizontal




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   | *   | 39811.00 | 46.96         | 17.13          | 64.09       | 74.30  | -10.21 | peak     |         |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2C/ TX N40 Mode 5510MHz |


### Vertical




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |          |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|----------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment  |
| 1   |     | 5460.000 | 11.26         | 40.87          | 52.13       | 68.30  | -16.17 | peak     |          |
| 2   |     | 5460.000 | -0.21         | 40.87          | 40.66       | 54.00  | -13.34 | AVG      |          |
| 3   |     | 5470.000 | 12.09         | 40.90          | 52.99       | 68.30  | -15.31 | peak     |          |
| 4   |     | 5470.000 | 0.66          | 40.90          | 41.56       | 54.00  | -12.44 | AVG      |          |
| 5   | *   | 5524.600 | 39.39         | 40.99          | 80.38       | 54.00  | 26.38  | AVG      | No Limit |
| 6   | X   | 5526.200 | 49.04         | 40.99          | 90.03       | 68.30  | 21.73  | peak     | No Limit |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2C/ TX N40 Mode 5510MHz |

### Vertical




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   |     | 11020.00 | 38.17         | 15.80          | 53.97       | 74.30  | -20.33 | peak     |         |
| 2   | *   | 16530.00 | 38.54         | 20.40          | 58.94       | 74.30  | -15.36 | peak     |         |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2C/ TX N40 Mode 5510MHz |

### Vertical




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   | *   | 39986.50 | 46.46         | 17.56          | 64.02       | 74.30  | -10.28 | peak     |         |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2C/ TX N40 Mode 5510MHz |


### Horizontal




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|----------|
| 1   |     | 5460.000     | 10.41                    | 40.87                   | 51.28                      | 68.30           | -17.02       | peak     |          |
| 2   |     | 5460.000     | 0.01                     | 40.87                   | 40.88                      | 54.00           | -13.12       | AVG      |          |
| 3   |     | 5470.000     | 11.48                    | 40.90                   | 52.38                      | 68.30           | -15.92       | peak     |          |
| 4   |     | 5470.000     | 1.27                     | 40.90                   | 42.17                      | 54.00           | -11.83       | AVG      |          |
| 5   | *   | 5505.400     | 37.99                    | 40.97                   | 78.96                      | 54.00           | 24.96        | AVG      | No Limit |
| 6   | X   | 5505.800     | 47.78                    | 40.97                   | 88.75                      | 68.30           | 20.45        | peak     | No Limit |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2C/ TX N40 Mode 5510MHz |

### Horizontal




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   |     | 11020.00 | 39.66         | 15.80          | 55.46       | 74.30  | -18.84 | peak     |         |
| 2   | *   | 16530.00 | 38.20         | 20.40          | 58.60       | 74.30  | -15.70 | peak     |         |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2C/ TX N40 Mode 5510MHz |

### Horizontal




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   | *   | 39973.00 | 46.38         | 17.54          | 63.92       | 74.30  | -10.38 | peak     |         |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2C/ TX N40 Mode 5670MHz |


### Vertical




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |          |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|----------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment  |
| 1   | *   | 5664.800 | 42.44         | 41.18          | 83.62       | 54.00  | 29.62  | AVG      | No Limit |
| 2   | X   | 5666.200 | 52.27         | 41.19          | 93.46       | 68.30  | 25.16  | peak     | No Limit |
| 3   |     | 5725.000 | 9.30          | 41.27          | 50.57       | 68.30  | -17.73 | peak     |          |
| 4   |     | 5725.000 | -0.30         | 41.27          | 40.97       | 54.00  | -13.03 | AVG      |          |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2C/ TX N40 Mode 5670MHz |

### Vertical




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   |     | 11340.00 | 38.90         | 16.56          | 55.46       | 74.30  | -18.84 | peak     |         |
| 2 * |     | 17010.00 | 37.08         | 20.81          | 57.89       | 74.30  | -16.41 | peak     |         |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2C/ TX N40 Mode 5670MHz |

### Vertical




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   | *   | 39986.50 | 46.33         | 17.56          | 63.89       | 74.30  | -10.41 | peak     |         |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2C/ TX N40 Mode 5670MHz |


### Horizontal




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|----------|
| 1   | X   | 5662.600     | 49.12                    | 41.18                   | 90.30                      | 68.30           | 22.00        | peak     | No Limit |
| 2   | *   | 5685.000     | 39.85                    | 41.22                   | 81.07                      | 54.00           | 27.07        | AVG      | No Limit |
| 3   |     | 5725.000     | 9.62                     | 41.27                   | 50.89                      | 68.30           | -17.41       | peak     |          |
| 4   |     | 5725.000     | -0.34                    | 41.27                   | 40.93                      | 54.00           | -13.07       | AVG      |          |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2C/ TX N40 Mode 5670MHz |

### Horizontal




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   |     | 11340.00 | 38.06         | 16.56          | 54.62       | 74.30  | -19.68 | peak     |         |
| 2   | *   | 17010.00 | 37.10         | 20.81          | 57.91       | 74.30  | -16.39 | peak     |         |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2C/ TX N40 Mode 5670MHz |

### Horizontal




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   | *   | 39824.50 | 45.79         | 17.17          | 62.96       | 74.30  | -11.34 | peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC20 Mode 5500MHz |


### Vertical




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|----------|
| 1   |     | 5460.000     | 9.93                     | 40.87                   | 50.80                      | 68.30           | -17.50       | peak     |          |
| 2   |     | 5460.000     | -0.26                    | 40.87                   | 40.61                      | 54.00           | -13.39       | AVG      |          |
| 3   |     | 5470.000     | 11.44                    | 40.90                   | 52.34                      | 68.30           | -15.96       | peak     |          |
| 4   |     | 5470.000     | -0.08                    | 40.90                   | 40.82                      | 54.00           | -13.18       | AVG      |          |
| 5   | X   | 5495.500     | 53.13                    | 40.95                   | 94.08                      | 68.30           | 25.78        | peak     | No Limit |
| 6   | *   | 5497.400     | 43.89                    | 40.95                   | 84.84                      | 54.00           | 30.84        | AVG      | No Limit |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC20 Mode 5500MHz |

### Vertical




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   |     | 11000.00 | 37.84         | 15.75          | 53.59       | 74.30  | -20.71 | peak     |         |
| 2   | *   | 16500.00 | 38.35         | 20.37          | 58.72       | 74.30  | -15.58 | peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC20 Mode 5500MHz |

### Vertical




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   | *   | 39838.00 | 46.74         | 17.21          | 63.95       | 74.30  | -10.35 | peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC20 Mode 5500MHz |


### Horizontal




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|----------|
| 1   |     | 5460.000     | 9.35                     | 40.87                   | 50.22                      | 68.30           | -18.08       | peak     |          |
| 2   |     | 5460.000     | -0.42                    | 40.87                   | 40.45                      | 54.00           | -13.55       | AVG      |          |
| 3   |     | 5470.000     | 8.10                     | 40.90                   | 49.00                      | 68.30           | -19.30       | peak     |          |
| 4   |     | 5470.000     | -0.33                    | 40.90                   | 40.57                      | 54.00           | -13.43       | AVG      |          |
| 5   | X   | 5504.800     | 51.99                    | 40.97                   | 92.96                      | 68.30           | 24.66        | peak     | No Limit |
| 6   | *   | 5505.300     | 42.25                    | 40.97                   | 83.22                      | 54.00           | 29.22        | AVG      | No Limit |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC20 Mode 5500MHz |

### Horizontal




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   |     | 11000.00 | 38.27         | 15.75          | 54.02       | 74.30  | -20.28 | peak     |         |
| 2   | *   | 16500.00 | 39.01         | 20.37          | 59.38       | 74.30  | -14.92 | peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC20 Mode 5500MHz |

### Horizontal




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   | *   | 39946.00 | 45.51         | 17.47          | 62.98       | 74.30  | -11.32 | peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC20 Mode 5700MHz |


### Vertical




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |          |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|----------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment  |
| 1   | *   | 5703.200 | 46.17         | 41.24          | 87.41       | 54.00  | 33.41  | AVG      | No Limit |
| 2   | X   | 5706.200 | 55.05         | 41.24          | 96.29       | 68.30  | 27.99  | peak     | No Limit |
| 3   |     | 5725.000 | 8.41          | 41.27          | 49.68       | 68.30  | -18.62 | peak     |          |
| 4   |     | 5725.000 | 0.05          | 41.27          | 41.32       | 54.00  | -12.68 | AVG      |          |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC20 Mode 5700MHz |

### Vertical




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   |     | 11400.00 | 39.31         | 16.70          | 56.01       | 74.30  | -18.29 | peak     |         |
| 2   | *   | 17100.00 | 38.67         | 21.10          | 59.77       | 74.30  | -14.53 | peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC20 Mode 5700MHz |

### Vertical




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   | *   | 39797.50 | 47.33         | 17.11          | 64.44       | 74.30  | -9.86  | peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC20 Mode 5700MHz |


### Horizontal




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|----------|
| 1   | X   | 5695.800     | 51.31                    | 41.22                   | 92.53                      | 68.30           | 24.23        | peak     | No Limit |
| 2   | *   | 5696.900     | 42.37                    | 41.23                   | 83.60                      | 54.00           | 29.60        | AVG      | No Limit |
| 3   |     | 5725.000     | 8.80                     | 41.27                   | 50.07                      | 68.30           | -18.23       | peak     |          |
| 4   |     | 5725.000     | -0.27                    | 41.27                   | 41.00                      | 54.00           | -13.00       | AVG      |          |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC20 Mode 5700MHz |

### Horizontal




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   |     | 11400.00 | 38.79         | 16.70          | 55.49       | 74.30  | -18.81 | peak     |         |
| 2   | *   | 17100.00 | 38.82         | 21.10          | 59.92       | 74.30  | -14.38 | peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC20 Mode 5700MHz |

### Horizontal




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   | *   | 39959.50 | 45.78         | 17.50          | 63.28       | 74.30  | -11.02 | peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC40 Mode 5510MHz |


### Vertical




| No. | Mk. | Freq.    | Reading | Correct | Measure- | Limit  | Margin |          |          |
|-----|-----|----------|---------|---------|----------|--------|--------|----------|----------|
|     |     | MHz      | Level   | Factor  | ment     |        |        | Detector | Comment  |
|     |     |          | dBuV    | dB      | dBuV/m   | dBuV/m | dB     |          |          |
| 1   |     | 5460.000 | 9.38    | 40.87   | 50.25    | 68.30  | -18.05 | peak     |          |
| 2   |     | 5460.000 | 0.28    | 40.87   | 41.15    | 54.00  | -12.85 | AVG      |          |
| 3   |     | 5470.000 | 12.53   | 40.90   | 53.43    | 68.30  | -14.87 | peak     |          |
| 4   |     | 5470.000 | 1.47    | 40.90   | 42.37    | 54.00  | -11.63 | AVG      |          |
| 5   | X   | 5505.200 | 49.69   | 40.97   | 90.66    | 68.30  | 22.36  | peak     | No Limit |
| 6   | *   | 5505.400 | 40.92   | 40.97   | 81.89    | 54.00  | 27.89  | AVG      | No Limit |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC40 Mode 5510MHz |

### Vertical




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   |     | 11020.00 | 37.50         | 15.80          | 53.30       | 74.30  | -21.00 | peak     |         |
| 2   | *   | 16530.00 | 38.16         | 20.40          | 58.56       | 74.30  | -15.74 | peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC40 Mode 5510MHz |

### Vertical




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   | *   | 39986.50 | 46.66         | 17.56          | 64.22       | 74.30  | -10.08 | peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC40 Mode 5510MHz |


### Horizontal




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |          |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|----------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment  |
| 1   |     | 5460.000 | 11.20         | 40.87          | 52.07       | 68.30  | -16.23 | peak     |          |
| 2   |     | 5460.000 | -0.04         | 40.87          | 40.83       | 54.00  | -13.17 | AVG      |          |
| 3   |     | 5470.000 | 11.59         | 40.90          | 52.49       | 68.30  | -15.81 | peak     |          |
| 4   |     | 5470.000 | 1.11          | 40.90          | 42.01       | 54.00  | -11.99 | AVG      |          |
| 5   | X   | 5502.800 | 50.17         | 40.96          | 91.13       | 68.30  | 22.83  | peak     | No Limit |
| 6   | *   | 5505.000 | 40.44         | 40.97          | 81.41       | 54.00  | 27.41  | AVG      | No Limit |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC40 Mode 5510MHz |

### Horizontal




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   |     | 11020.00 | 39.46         | 15.80          | 55.26       | 74.30  | -19.04 | peak     |         |
| 2   | *   | 16530.00 | 39.05         | 20.40          | 59.45       | 74.30  | -14.85 | peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC40 Mode 5510MHz |

### Horizontal




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   | *   | 39986.50 | 46.60         | 17.56          | 64.16       | 74.30  | -10.14 | peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC40 Mode 5670MHz |


### Vertical




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |          |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|----------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment  |
| 1   | *   | 5676.200 | 40.10         | 41.20          | 81.30       | 54.00  | 27.30  | AVG      | No Limit |
| 2   | X   | 5687.000 | 49.15         | 41.22          | 90.37       | 68.30  | 22.07  | peak     | No Limit |
| 3   |     | 5725.000 | 8.02          | 41.27          | 49.29       | 68.30  | -19.01 | peak     |          |
| 4   |     | 5725.000 | -0.31         | 41.27          | 40.96       | 54.00  | -13.04 | AVG      |          |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC40 Mode 5670MHz |

### Vertical




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   |     | 11340.00 | 38.73         | 16.56          | 55.29       | 74.30  | -19.01 | peak     |         |
| 2   | *   | 17010.00 | 37.74         | 20.81          | 58.55       | 74.30  | -15.75 | peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC40 Mode 5670MHz |

### Vertical




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   | *   | 39919.00 | 47.03         | 17.40          | 64.43       | 74.30  | -9.87  | peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC40 Mode 5670MHz |


### Horizontal




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|----------|
| 1   | *   | 5677.400     | 41.29                    | 41.20                   | 82.49                      | 54.00           | 28.49        | AVG      | No Limit |
| 2   | X   | 5682.200     | 50.56                    | 41.21                   | 91.77                      | 68.30           | 23.47        | peak     | No Limit |
| 3   |     | 5725.000     | 8.75                     | 41.27                   | 50.02                      | 68.30           | -18.28       | peak     |          |
| 4   |     | 5725.000     | -0.32                    | 41.27                   | 40.95                      | 54.00           | -13.05       | AVG      |          |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC40 Mode 5670MHz |

### Horizontal




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   |     | 11340.00 | 38.78         | 16.56          | 55.34       | 74.30  | -18.96 | peak     |         |
| 2   | *   | 17010.00 | 37.23         | 20.81          | 58.04       | 74.30  | -16.26 | peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC40 Mode 5670MHz |

### Horizontal




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   | *   | 39959.50 | 45.48         | 17.50          | 62.98       | 74.30  | -11.32 | peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC80 Mode 5530MHz |


### Vertical




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|----------|
| 1   |     | 5460.000     | 10.56                    | 40.87                   | 51.43                      | 68.30           | -16.87       | peak     |          |
| 2   |     | 5460.000     | 1.26                     | 40.87                   | 42.13                      | 54.00           | -11.87       | AVG      |          |
| 3   |     | 5470.000     | 10.85                    | 40.90                   | 51.75                      | 68.30           | -16.55       | peak     |          |
| 4   |     | 5470.000     | 1.38                     | 40.90                   | 42.28                      | 54.00           | -11.72       | AVG      |          |
| 5   | *   | 5523.600     | 37.02                    | 40.99                   | 78.01                      | 54.00           | 24.01        | AVG      | No Limit |
| 6   | X   | 5528.400     | 46.85                    | 41.00                   | 87.85                      | 68.30           | 19.55        | peak     | No Limit |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC80 Mode 5530MHz |

### Vertical




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   |     | 11060.00 | 38.01         | 15.89          | 53.90       | 74.30  | -20.40 | peak     |         |
| 2   | *   | 16590.00 | 37.68         | 20.45          | 58.13       | 74.30  | -16.17 | peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC80 Mode 5530MHz |

### Vertical




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   | *   | 40000.00 | 47.25         | 17.60          | 64.85       | 74.30  | -9.45  | peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC80 Mode 5530MHz |


### Horizontal




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|----------|
| 1   |     | 5460.000     | 12.63                    | 40.87                   | 53.50                      | 68.30           | -14.80       | peak     |          |
| 2   |     | 5460.000     | 1.00                     | 40.87                   | 41.87                      | 54.00           | -12.13       | AVG      |          |
| 3   |     | 5470.000     | 10.53                    | 40.90                   | 51.43                      | 68.30           | -16.87       | peak     |          |
| 4   |     | 5470.000     | 1.20                     | 40.90                   | 42.10                      | 54.00           | -11.90       | AVG      |          |
| 5   | *   | 5503.600     | 36.35                    | 40.97                   | 77.32                      | 54.00           | 23.32        | AVG      | No Limit |
| 6   | X   | 5504.800     | 46.23                    | 40.97                   | 87.20                      | 68.30           | 18.90        | peak     | No Limit |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC80 Mode 5530MHz |

### Horizontal




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   |     | 11060.00 | 39.40         | 15.89          | 55.29       | 74.30  | -19.01 | peak     |         |
| 2   | *   | 16590.00 | 39.42         | 20.45          | 59.87       | 74.30  | -14.43 | peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC80 Mode 5530MHz |

### Horizontal




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   | *   | 39851.50 | 46.28         | 17.23          | 63.51       | 74.30  | -10.79 | peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC80 Mode 5610MHz |


### Vertical




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|----------|
| 1   | X   | 5620.400     | 51.29                    | 41.12                   | 92.41                      | 68.30           | 24.11        | peak     | No Limit |
| 2   | *   | 5620.400     | 41.79                    | 41.12                   | 82.91                      | 54.00           | 28.91        | AVG      | No Limit |
| 3   |     | 5725.000     | 9.58                     | 41.27                   | 50.85                      | 68.30           | -17.45       | peak     |          |
| 4   |     | 5725.000     | -0.39                    | 41.27                   | 40.88                      | 54.00           | -13.12       | AVG      |          |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC80 Mode 5610MHz |

### Vertical




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   |     | 11220.00 | 39.63         | 16.27          | 55.90       | 74.30  | -18.40 | peak     |         |
| 2   | *   | 16830.00 | 40.20         | 20.63          | 60.83       | 74.30  | -13.47 | peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC80 Mode 5610MHz |

### Vertical




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   | *   | 39865.00 | 46.98         | 17.28          | 64.26       | 74.30  | -10.04 | peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC80 Mode 5610MHz |


### Horizontal




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|----------|
| 1   | X   | 5598.400     | 50.85                    | 41.10                   | 91.95                      | 68.30           | 23.65        | peak     | No Limit |
| 2   | *   | 5616.800     | 43.40                    | 41.12                   | 84.52                      | 54.00           | 30.52        | AVG      | No Limit |
| 3   |     | 5725.000     | 8.86                     | 41.27                   | 50.13                      | 68.30           | -18.17       | peak     |          |
| 4   |     | 5725.000     | -0.06                    | 41.27                   | 41.21                      | 54.00           | -12.79       | AVG      |          |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC80 Mode 5610MHz |

### Horizontal




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   |     | 11220.00 | 39.85         | 16.27          | 56.12       | 74.30  | -18.18 | peak     |         |
| 2   | *   | 16830.00 | 38.79         | 20.63          | 59.42       | 74.30  | -14.88 | peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC80 Mode 5610MHz |

### Horizontal




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   | *   | 39905.50 | 45.90         | 17.37          | 63.27       | 74.30  | -11.03 | peak     |         |

|                  |                          |
|------------------|--------------------------|
| Orthogonal Axis: | X                        |
| Test Mode:       | UNII-3/TX A Mode 5745MHz |


### Vertical




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|----------|
| 1   |     | 5715.000     | 11.68                    | 41.25                   | 52.93                      | 68.30           | -15.37       | peak     |          |
| 2   |     | 5715.000     | -0.24                    | 41.25                   | 41.01                      | 68.30           | -27.29       | AVG      |          |
| 3   |     | 5725.000     | 11.85                    | 41.27                   | 53.12                      | 78.30           | -25.18       | peak     |          |
| 4   |     | 5725.000     | 0.10                     | 41.27                   | 41.37                      | 68.30           | -26.93       | AVG      |          |
| 5   | *   | 5739.000     | 44.35                    | 41.28                   | 85.63                      | 68.30           | 17.33        | AVG      | No Limit |
| 6   | X   | 5743.300     | 53.61                    | 41.29                   | 94.90                      | 78.30           | 16.60        | peak     | No Limit |

|                  |                          |
|------------------|--------------------------|
| Orthogonal Axis: | X                        |
| Test Mode:       | UNII-3/TX A Mode 5745MHz |

### Vertical




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   |     | 11490.00 | 38.89         | 16.91          | 55.80       | 74.30  | -18.50 | peak     |         |
| 2   | *   | 17235.00 | 39.02         | 21.53          | 60.55       | 74.30  | -13.75 | peak     |         |

|                  |                          |
|------------------|--------------------------|
| Orthogonal Axis: | X                        |
| Test Mode:       | UNII-3/TX A Mode 5745MHz |

### Vertical




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   | *   | 39959.50 | 47.04         | 17.50          | 64.54       | 74.30  | -9.76  | peak     |         |

|                  |                          |
|------------------|--------------------------|
| Orthogonal Axis: | X                        |
| Test Mode:       | UNII-3/TX A Mode 5745MHz |


### Horizontal




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|----------|
| 1   |     | 5715.000     | 11.31                    | 41.25                   | 52.56                      | 68.30           | -15.74       | peak     |          |
| 2   |     | 5715.000     | -0.30                    | 41.25                   | 40.95                      | 68.30           | -27.35       | AVG      |          |
| 3   |     | 5725.000     | 9.33                     | 41.27                   | 50.60                      | 78.30           | -27.70       | peak     |          |
| 4   |     | 5725.000     | -0.08                    | 41.27                   | 41.19                      | 68.30           | -27.11       | AVG      |          |
| 5   | X   | 5747.600     | 51.70                    | 41.30                   | 93.00                      | 78.30           | 14.70        | peak     | No Limit |
| 6   | *   | 5747.800     | 42.55                    | 41.30                   | 83.85                      | 68.30           | 15.55        | AVG      | No Limit |

|                  |                          |
|------------------|--------------------------|
| Orthogonal Axis: | X                        |
| Test Mode:       | UNII-3/TX A Mode 5745MHz |

### Horizontal




| No. | Mk. | Freq. | Reading | Correct | Measure- | Limit  | Margin |          |         |
|-----|-----|-------|---------|---------|----------|--------|--------|----------|---------|
|     |     | MHz   | Level   | Factor  | ment     |        |        | Detector | Comment |
|     |     |       | dBuV    | dB      | dBuV/m   | dBuV/m | dB     |          |         |




| No. | Mk. | Freq.    | Reading | Correct | Measure- | Limit  | Margin |          |         |
|-----|-----|----------|---------|---------|----------|--------|--------|----------|---------|
|     |     | MHz      | Level   | Factor  | ment     |        |        | Detector | Comment |
|     |     |          | dBuV    | dB      | dBuV/m   | dBuV/m | dB     |          |         |
| 1   |     | 11490.00 | 38.48   | 16.91   | 55.39    | 74.30  | -18.91 | peak     |         |
| 2   | *   | 17235.00 | 39.02   | 21.53   | 60.55    | 74.30  | -13.75 | peak     |         |

|                  |                          |
|------------------|--------------------------|
| Orthogonal Axis: | X                        |
| Test Mode:       | UNII-3/TX A Mode 5745MHz |

### Horizontal




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   | *   | 40000.00 | 45.94         | 17.60          | 63.54       | 74.30  | -10.76 | peak     |         |

|                  |                          |
|------------------|--------------------------|
| Orthogonal Axis: | X                        |
| Test Mode:       | UNII-3/TX A Mode 5825MHz |


### Vertical




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|----------|
| 1   | *   | 5826.600     | 43.72                    | 41.40                   | 85.12                      | 68.30           | 16.82        | AVG      | No Limit |
| 2   | X   | 5827.200     | 52.77                    | 41.40                   | 94.17                      | 78.30           | 15.87        | peak     | No Limit |
| 3   |     | 5850.000     | 10.59                    | 41.44                   | 52.03                      | 78.30           | -26.27       | peak     |          |
| 4   |     | 5850.000     | -0.15                    | 41.44                   | 41.29                      | 68.30           | -27.01       | AVG      |          |
| 5   |     | 5860.000     | 8.73                     | 41.45                   | 50.18                      | 68.30           | -18.12       | peak     |          |
| 6   |     | 5860.000     | -0.21                    | 41.45                   | 41.24                      | 68.30           | -27.06       | AVG      |          |

|                  |                          |
|------------------|--------------------------|
| Orthogonal Axis: | X                        |
| Test Mode:       | UNII-3/TX A Mode 5825MHz |

### Vertical




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   |     | 11650.00 | 38.97         | 17.17          | 56.14       | 74.30  | -18.16 | peak     |         |
| 2   | *   | 17475.00 | 36.67         | 22.29          | 58.96       | 74.30  | -15.34 | peak     |         |

|                  |                          |
|------------------|--------------------------|
| Orthogonal Axis: | X                        |
| Test Mode:       | UNII-3/TX A Mode 5825MHz |

### Vertical




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   | *   | 39919.00 | 47.22         | 17.40          | 64.62       | 74.30  | -9.68  | peak     |         |

|                  |                          |
|------------------|--------------------------|
| Orthogonal Axis: | X                        |
| Test Mode:       | UNII-3/TX A Mode 5825MHz |


### Horizontal




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|----------|
| 1   | *   | 5822.000     | 40.20                    | 41.40                   | 81.60                      | 68.30           | 13.30        | AVG      | No Limit |
| 2   | X   | 5823.000     | 49.47                    | 41.40                   | 90.87                      | 78.30           | 12.57        | peak     | No Limit |
| 3   |     | 5850.000     | 9.78                     | 41.44                   | 51.22                      | 78.30           | -27.08       | peak     |          |
| 4   |     | 5850.000     | -0.34                    | 41.44                   | 41.10                      | 68.30           | -27.20       | AVG      |          |
| 5   |     | 5860.000     | 9.21                     | 41.45                   | 50.66                      | 68.30           | -17.64       | peak     |          |
| 6   |     | 5860.000     | -0.36                    | 41.45                   | 41.09                      | 68.30           | -27.21       | AVG      |          |

|                  |                          |
|------------------|--------------------------|
| Orthogonal Axis: | X                        |
| Test Mode:       | UNII-3/TX A Mode 5825MHz |

### Horizontal




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   |     | 11650.00 | 40.00         | 17.17          | 57.17       | 74.30  | -17.13 | peak     |         |
| 2   | *   | 17475.00 | 37.06         | 22.29          | 59.35       | 74.30  | -14.95 | peak     |         |

|                  |                          |
|------------------|--------------------------|
| Orthogonal Axis: | X                        |
| Test Mode:       | UNII-3/TX A Mode 5825MHz |

### Horizontal




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   | *   | 39892.00 | 45.54         | 17.34          | 62.88       | 74.30  | -11.42 | peak     |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5745MHz |


### Vertical




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|----------|
| 1   |     | 5715.000     | 10.88                    | 41.25                   | 52.13                      | 68.30           | -16.17       | peak     |          |
| 2   |     | 5715.000     | -0.15                    | 41.25                   | 41.10                      | 68.30           | -27.20       | AVG      |          |
| 3   |     | 5725.000     | 10.07                    | 41.27                   | 51.34                      | 78.30           | -26.96       | peak     |          |
| 4   |     | 5725.000     | 0.53                     | 41.27                   | 41.80                      | 68.30           | -26.50       | AVG      |          |
| 5   | *   | 5738.900     | 56.93                    | 41.28                   | 98.21                      | 78.30           | 19.91        | peak     | No Limit |
| 6   | X   | 5739.000     | 46.84                    | 41.28                   | 88.12                      | 68.30           | 19.82        | AVG      | No Limit |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5745MHz |

### Vertical




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   |     | 11490.00 | 39.29         | 16.91          | 56.20       | 74.30  | -18.10 | peak     |         |
| 2   | *   | 17235.00 | 38.44         | 21.53          | 59.97       | 74.30  | -14.33 | peak     |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5745MHz |

### Vertical




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   | *   | 39946.00 | 46.66         | 17.47          | 64.13       | 74.30  | -10.17 | peak     |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5745MHz |


### Horizontal




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|----------|
| 1   |     | 5715.000     | 8.81                     | 41.25                   | 50.06                      | 68.30           | -18.24       | peak     |          |
| 2   |     | 5715.000     | -0.40                    | 41.25                   | 40.85                      | 68.30           | -27.45       | AVG      |          |
| 3   |     | 5725.000     | 10.16                    | 41.27                   | 51.43                      | 78.30           | -26.87       | peak     |          |
| 4   |     | 5725.000     | -0.18                    | 41.27                   | 41.09                      | 68.30           | -27.21       | AVG      |          |
| 5   | X   | 5747.800     | 40.94                    | 41.30                   | 82.24                      | 68.30           | 13.94        | AVG      | No Limit |
| 6   | *   | 5748.700     | 51.25                    | 41.30                   | 92.55                      | 78.30           | 14.25        | peak     | No Limit |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5745MHz |

### Horizontal




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   |     | 11490.00 | 38.65         | 16.91          | 55.56       | 74.30  | -18.74 | peak     |         |
| 2   | *   | 17235.00 | 38.66         | 21.53          | 60.19       | 74.30  | -14.11 | peak     |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5745MHz |

### Horizontal




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   | *   | 39878.50 | 46.48         | 17.30          | 63.78       | 74.30  | -10.52 | peak     |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5825MHz |


### Vertical




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|----------|
| 1   | *   | 5818.100     | 45.70                    | 41.39                   | 87.09                      | 68.30           | 18.79        | AVG      | No Limit |
| 2   | X   | 5820.900     | 55.26                    | 41.39                   | 96.65                      | 78.30           | 18.35        | peak     | No Limit |
| 3   |     | 5850.000     | 10.63                    | 41.44                   | 52.07                      | 78.30           | -26.23       | peak     |          |
| 4   |     | 5850.000     | -0.15                    | 41.44                   | 41.29                      | 68.30           | -27.01       | AVG      |          |
| 5   |     | 5860.000     | 9.36                     | 41.45                   | 50.81                      | 68.30           | -17.49       | peak     |          |
| 6   |     | 5860.000     | -0.28                    | 41.45                   | 41.17                      | 68.30           | -27.13       | AVG      |          |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5825MHz |

### Vertical




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   |     | 11650.00 | 38.66         | 17.17          | 55.83       | 74.30  | -18.47 | peak     |         |
| 2   | *   | 17475.00 | 37.17         | 22.29          | 59.46       | 74.30  | -14.84 | peak     |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5825MHz |

### Vertical




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   | *   | 39932.50 | 47.24         | 17.43          | 64.67       | 74.30  | -9.63  | peak     |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5825MHz |


### Horizontal




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|----------|
| 1   | *   | 5817.500     | 38.30                    | 41.39                   | 79.69                      | 68.30           | 11.39        | AVG      | No Limit |
| 2   | X   | 5820.600     | 47.88                    | 41.39                   | 89.27                      | 78.30           | 10.97        | peak     | No Limit |
| 3   |     | 5850.000     | 8.38                     | 41.44                   | 49.82                      | 78.30           | -28.48       | peak     |          |
| 4   |     | 5850.000     | -0.33                    | 41.44                   | 41.11                      | 68.30           | -27.19       | AVG      |          |
| 5   |     | 5860.000     | 8.17                     | 41.45                   | 49.62                      | 68.30           | -18.68       | peak     |          |
| 6   |     | 5860.000     | -0.35                    | 41.45                   | 41.10                      | 68.30           | -27.20       | AVG      |          |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5825MHz |

### Horizontal




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   |     | 11650.00 | 39.20         | 17.17          | 56.37       | 74.30  | -17.93 | peak     |         |
| 2   | *   | 17475.00 | 38.44         | 22.29          | 60.73       | 74.30  | -13.57 | peak     |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5825MHz |

### Horizontal




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   | *   | 40000.00 | 45.09         | 17.60          | 62.69       | 74.30  | -11.61 | peak     |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N40 Mode 5755MHz |


### Vertical




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|----------|
| 1   |     | 5715.000     | 11.53                    | 41.25                   | 52.78                      | 68.30           | -15.52       | peak     |          |
| 2   |     | 5715.000     | 0.73                     | 41.25                   | 41.98                      | 68.30           | -26.32       | AVG      |          |
| 3   |     | 5725.000     | 9.99                     | 41.27                   | 51.26                      | 78.30           | -27.04       | peak     |          |
| 4   |     | 5725.000     | 0.90                     | 41.27                   | 42.17                      | 68.30           | -26.13       | AVG      |          |
| 5   | X   | 5748.800     | 43.68                    | 41.30                   | 84.98                      | 68.30           | 16.68        | AVG      | No Limit |
| 6   | *   | 5751.600     | 53.90                    | 41.30                   | 95.20                      | 78.30           | 16.90        | peak     | No Limit |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N40 Mode 5755MHz |

### Vertical




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   |     | 11510.00 | 38.73         | 16.96          | 55.69       | 74.30  | -18.61 | peak     |         |
| 2   | *   | 17265.00 | 37.92         | 21.62          | 59.54       | 74.30  | -14.76 | peak     |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N40 Mode 5755MHz |

### Vertical




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   | *   | 39986.50 | 46.56         | 17.56          | 64.12       | 74.30  | -10.18 | peak     |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N40 Mode 5755MHz |


### Horizontal




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|----------|
| 1   |     | 5715.000     | 9.32                     | 41.25                   | 50.57                      | 68.30           | -17.73       | peak     |          |
| 2   |     | 5715.000     | 0.14                     | 41.25                   | 41.39                      | 68.30           | -26.91       | AVG      |          |
| 3   |     | 5725.000     | 10.06                    | 41.27                   | 51.33                      | 78.30           | -26.97       | peak     |          |
| 4   |     | 5725.000     | 0.21                     | 41.27                   | 41.48                      | 68.30           | -26.82       | AVG      |          |
| 5   | *   | 5746.000     | 50.05                    | 41.29                   | 91.34                      | 78.30           | 13.04        | peak     | No Limit |
| 6   | X   | 5749.200     | 39.82                    | 41.30                   | 81.12                      | 68.30           | 12.82        | AVG      | No Limit |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N40 Mode 5755MHz |

### Horizontal




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   |     | 11510.00 | 38.83         | 16.96          | 55.79       | 74.30  | -18.51 | peak     |         |
| 2   | *   | 17265.00 | 39.31         | 21.62          | 60.93       | 74.30  | -13.37 | peak     |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N40 Mode 5755MHz |

### Horizontal




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   | *   | 39824.50 | 45.78         | 17.17          | 62.95       | 74.30  | -11.35 | peak     |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N40 Mode 5795MHz |


### Vertical




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|----------|
| 1   | X   | 5780.200     | 43.51                    | 41.34                   | 84.85                      | 68.30           | 16.55        | AVG      | No Limit |
| 2   | *   | 5782.600     | 54.00                    | 41.34                   | 95.34                      | 78.30           | 17.04        | peak     | No Limit |
| 3   |     | 5850.000     | 9.76                     | 41.44                   | 51.20                      | 78.30           | -27.10       | peak     |          |
| 4   |     | 5850.000     | -0.26                    | 41.44                   | 41.18                      | 68.30           | -27.12       | AVG      |          |
| 5   |     | 5860.000     | 10.41                    | 41.45                   | 51.86                      | 68.30           | -16.44       | peak     |          |
| 6   |     | 5860.000     | -0.31                    | 41.45                   | 41.14                      | 68.30           | -27.16       | AVG      |          |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N40 Mode 5795MHz |

### Vertical




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   |     | 11590.00 | 38.37         | 17.08          | 55.45       | 74.30  | -18.85 | peak     |         |
| 2   | *   | 17385.00 | 38.50         | 22.00          | 60.50       | 74.30  | -13.80 | peak     |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N40 Mode 5795MHz |

### Vertical




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   | *   | 39905.50 | 47.15         | 17.37          | 64.52       | 74.30  | -9.78  | peak     |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N40 Mode 5795MHz |


### Horizontal




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|----------|
| 1   | X   | 5790.600     | 49.95                    | 41.35                   | 91.30                      | 78.30           | 13.00        | peak     | No Limit |
| 2   | *   | 5791.800     | 40.58                    | 41.36                   | 81.94                      | 68.30           | 13.64        | AVG      | No Limit |
| 3   |     | 5850.000     | 10.19                    | 41.44                   | 51.63                      | 78.30           | -26.67       | peak     |          |
| 4   |     | 5850.000     | -0.36                    | 41.44                   | 41.08                      | 68.30           | -27.22       | AVG      |          |
| 5   |     | 5860.000     | 8.20                     | 41.45                   | 49.65                      | 68.30           | -18.65       | peak     |          |
| 6   |     | 5860.000     | -0.37                    | 41.45                   | 41.08                      | 68.30           | -27.22       | AVG      |          |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N40 Mode 5795MHz |

### Horizontal




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   |     | 11590.00 | 38.92         | 17.08          | 56.00       | 74.30  | -18.30 | peak     |         |
| 2   | *   | 17385.00 | 38.30         | 22.00          | 60.30       | 74.30  | -14.00 | peak     |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N40 Mode 5795MHz |

### Horizontal




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   | *   | 39838.00 | 46.18         | 17.21          | 63.39       | 74.30  | -10.91 | peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5745MHz |


### Vertical




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|----------|
| 1   |     | 5715.000     | 8.63                     | 41.25                   | 49.88                      | 68.30           | -18.42       | peak     |          |
| 2   |     | 5715.000     | -0.24                    | 41.25                   | 41.01                      | 68.30           | -27.29       | AVG      |          |
| 3   |     | 5725.000     | 9.50                     | 41.27                   | 50.77                      | 78.30           | -27.53       | peak     |          |
| 4   |     | 5725.000     | 0.03                     | 41.27                   | 41.30                      | 68.30           | -27.00       | AVG      |          |
| 5   | *   | 5742.200     | 44.43                    | 41.29                   | 85.72                      | 68.30           | 17.42        | AVG      | No Limit |
| 6   | X   | 5742.800     | 54.27                    | 41.29                   | 95.56                      | 78.30           | 17.26        | peak     | No Limit |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5745MHz |

### Vertical




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   |     | 11490.00 | 38.20         | 16.91          | 55.11       | 74.30  | -19.19 | peak     |         |
| 2   | *   | 17235.00 | 38.38         | 21.53          | 59.91       | 74.30  | -14.39 | peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5745MHz |

### Vertical




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   | *   | 39811.00 | 46.56         | 17.13          | 63.69       | 74.30  | -10.61 | peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5745MHz |


### Horizontal




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|----------|
| 1   |     | 5715.000     | 9.06                     | 41.25                   | 50.31                      | 68.30           | -17.99       | peak     |          |
| 2   |     | 5715.000     | -0.34                    | 41.25                   | 40.91                      | 68.30           | -27.39       | AVG      |          |
| 3   |     | 5725.000     | 10.33                    | 41.27                   | 51.60                      | 78.30           | -26.70       | peak     |          |
| 4   |     | 5725.000     | -0.03                    | 41.27                   | 41.24                      | 68.30           | -27.06       | AVG      |          |
| 5   | *   | 5747.700     | 42.68                    | 41.30                   | 83.98                      | 68.30           | 15.68        | AVG      | No Limit |
| 6   | X   | 5748.400     | 52.09                    | 41.30                   | 93.39                      | 78.30           | 15.09        | peak     | No Limit |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5745MHz |

### Horizontal




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   |     | 11490.00 | 39.13         | 16.91          | 56.04       | 74.30  | -18.26 | peak     |         |
| 2   | *   | 17235.00 | 37.98         | 21.53          | 59.51       | 74.30  | -14.79 | peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5745MHz |

### Horizontal




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   | *   | 40000.00 | 46.74         | 17.60          | 64.34       | 74.30  | -9.96  | peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5825MHz |


### Vertical




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|----------|
| 1   | *   | 5823.000     | 42.08                    | 41.40                   | 83.48                      | 68.30           | 15.18        | AVG      | No Limit |
| 2   | X   | 5829.600     | 51.32                    | 41.41                   | 92.73                      | 78.30           | 14.43        | peak     | No Limit |
| 3   |     | 5850.000     | 9.14                     | 41.44                   | 50.58                      | 78.30           | -27.72       | peak     |          |
| 4   |     | 5850.000     | -0.23                    | 41.44                   | 41.21                      | 68.30           | -27.09       | AVG      |          |
| 5   |     | 5860.000     | 11.39                    | 41.45                   | 52.84                      | 68.30           | -15.46       | peak     |          |
| 6   |     | 5860.000     | -0.31                    | 41.45                   | 41.14                      | 68.30           | -27.16       | AVG      |          |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5825MHz |

### Vertical




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   |     | 11650.00 | 38.59         | 17.17          | 55.76       | 74.30  | -18.54 | peak     |         |
| 2   | *   | 17475.00 | 38.27         | 22.29          | 60.56       | 74.30  | -13.74 | peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5825MHz |

### Vertical




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   | *   | 39811.00 | 46.90         | 17.13          | 64.03       | 74.30  | -10.27 | peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5825MHz |


### Horizontal




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|----------|
| 1   | *   | 5818.300     | 42.81                    | 41.39                   | 84.20                      | 68.30           | 15.90        | AVG      | No Limit |
| 2   | X   | 5831.000     | 51.87                    | 41.41                   | 93.28                      | 78.30           | 14.98        | peak     | No Limit |
| 3   |     | 5850.000     | 9.31                     | 41.44                   | 50.75                      | 78.30           | -27.55       | peak     |          |
| 4   |     | 5850.000     | -0.28                    | 41.44                   | 41.16                      | 68.30           | -27.14       | AVG      |          |
| 5   |     | 5860.000     | 8.79                     | 41.45                   | 50.24                      | 68.30           | -18.06       | peak     |          |
| 6   |     | 5860.000     | -0.34                    | 41.45                   | 41.11                      | 68.30           | -27.19       | AVG      |          |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5825MHz |

### Horizontal




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   |     | 11650.00 | 38.52         | 17.17          | 55.69       | 74.30  | -18.61 | peak     |         |
| 2   | *   | 17475.00 | 37.36         | 22.29          | 59.65       | 74.30  | -14.65 | peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5825MHz |

### Horizontal




| No. | Mk. | Freq. | Reading | Correct | Measure- | Limit  | Margin |          |         |
|-----|-----|-------|---------|---------|----------|--------|--------|----------|---------|
|     |     | MHz   | Level   | Factor  | ment     |        |        | Detector | Comment |
|     |     |       | dBuV    | dB      | dBuV/m   | dBuV/m | dB     |          |         |



| No. | Mk. | Freq.    | Reading | Correct | Measure- | Limit  | Margin |          |         |
|-----|-----|----------|---------|---------|----------|--------|--------|----------|---------|
|     |     | MHz      | Level   | Factor  | ment     |        |        | Detector | Comment |
|     |     |          | dBuV    | dB      | dBuV/m   | dBuV/m | dB     |          |         |
| 1   | *   | 39959.50 | 45.46   | 17.50   | 62.96    | 74.30  | -11.34 | peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5755MHz |


### Vertical




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|----------|
| 1   |     | 5715.000     | 9.63                     | 41.25                   | 50.88                      | 68.30           | -17.42       | peak     |          |
| 2   |     | 5715.000     | 0.89                     | 41.25                   | 42.14                      | 68.30           | -26.16       | AVG      |          |
| 3   |     | 5725.000     | 10.44                    | 41.27                   | 51.71                      | 78.30           | -26.59       | peak     |          |
| 4   |     | 5725.000     | 1.17                     | 41.27                   | 42.44                      | 68.30           | -25.86       | AVG      |          |
| 5   | *   | 5749.000     | 44.31                    | 41.30                   | 85.61                      | 68.30           | 17.31        | AVG      | No Limit |
| 6   | X   | 5750.400     | 53.13                    | 41.30                   | 94.43                      | 78.30           | 16.13        | peak     | No Limit |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5755MHz |

### Vertical




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   |     | 11510.00 | 38.56         | 16.96          | 55.52       | 74.30  | -18.78 | peak     |         |
| 2   | *   | 17265.00 | 37.91         | 21.62          | 59.53       | 74.30  | -14.77 | peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5755MHz |

### Vertical




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   | *   | 39986.50 | 46.13         | 17.56          | 63.69       | 74.30  | -10.61 | peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5755MHz |


### Horizontal




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|----------|
| 1   |     | 5715.000     | 11.48                    | 41.25                   | 52.73                      | 68.30           | -15.57       | peak     |          |
| 2   |     | 5715.000     | 0.31                     | 41.25                   | 41.56                      | 68.30           | -26.74       | AVG      |          |
| 3   |     | 5725.000     | 10.93                    | 41.27                   | 52.20                      | 78.30           | -26.10       | peak     |          |
| 4   |     | 5725.000     | 0.47                     | 41.27                   | 41.74                      | 68.30           | -26.56       | AVG      |          |
| 5   | *   | 5758.800     | 41.39                    | 41.31                   | 82.70                      | 68.30           | 14.40        | AVG      | No Limit |
| 6   | X   | 5764.600     | 51.14                    | 41.32                   | 92.46                      | 78.30           | 14.16        | peak     | No Limit |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5755MHz |

### Horizontal




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   |     | 11510.00 | 38.36         | 16.96          | 55.32       | 74.30  | -18.98 | peak     |         |
| 2   | *   | 17265.00 | 38.92         | 21.62          | 60.54       | 74.30  | -13.76 | peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5755MHz |

### Horizontal




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   | *   | 39811.00 | 46.09         | 17.13          | 63.22       | 74.30  | -11.08 | peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5795MHz |


### Vertical




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|----------|
| 1   | *   | 5780.400     | 44.01                    | 41.34                   | 85.35                      | 68.30           | 17.05        | AVG      | No Limit |
| 2   | X   | 5781.000     | 53.67                    | 41.34                   | 95.01                      | 78.30           | 16.71        | peak     | No Limit |
| 3   |     | 5850.000     | 9.28                     | 41.44                   | 50.72                      | 78.30           | -27.58       | peak     |          |
| 4   |     | 5850.000     | -0.26                    | 41.44                   | 41.18                      | 68.30           | -27.12       | AVG      |          |
| 5   |     | 5860.000     | 8.95                     | 41.45                   | 50.40                      | 68.30           | -17.90       | peak     |          |
| 6   |     | 5860.000     | -0.30                    | 41.45                   | 41.15                      | 68.30           | -27.15       | AVG      |          |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5795MHz |

### Vertical




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   |     | 11590.00 | 37.64         | 17.08          | 54.72       | 74.30  | -19.58 | peak     |         |
| 2   | *   | 17385.00 | 37.86         | 22.00          | 59.86       | 74.30  | -14.44 | peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5795MHz |

### Vertical




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   | *   | 40000.00 | 46.00         | 17.60          | 63.60       | 74.30  | -10.70 | peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5795MHz |


### Horizontal




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|----------|
| 1   | *   | 5798.800     | 38.87                    | 41.37                   | 80.24                      | 68.30           | 11.94        | AVG      | No Limit |
| 2   | X   | 5799.000     | 48.27                    | 41.37                   | 89.64                      | 78.30           | 11.34        | peak     | No Limit |
| 3   |     | 5850.000     | 8.06                     | 41.44                   | 49.50                      | 78.30           | -28.80       | peak     |          |
| 4   |     | 5850.000     | -0.39                    | 41.44                   | 41.05                      | 68.30           | -27.25       | AVG      |          |
| 5   |     | 5860.000     | 9.21                     | 41.45                   | 50.66                      | 68.30           | -17.64       | peak     |          |
| 6   |     | 5860.000     | -0.40                    | 41.45                   | 41.05                      | 68.30           | -27.25       | AVG      |          |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5795MHz |

### Horizontal




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   |     | 11590.00 | 39.13         | 17.08          | 56.21       | 74.30  | -18.09 | peak     |         |
| 2   | *   | 17385.00 | 39.01         | 22.00          | 61.01       | 74.30  | -13.29 | peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5795MHz |

### Horizontal




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   | *   | 39757.00 | 46.01         | 17.00          | 63.01       | 74.30  | -11.29 | peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC80 Mode 5775MHz |


### Vertical




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|----------|
| 1   |     | 5715.000     | 8.86                     | 41.25                   | 50.11                      | 68.30           | -18.19       | peak     |          |
| 2   |     | 5715.000     | -0.12                    | 41.25                   | 41.13                      | 68.30           | -27.17       | AVG      |          |
| 3   |     | 5725.000     | 10.42                    | 41.27                   | 51.69                      | 78.30           | -26.61       | peak     |          |
| 4   |     | 5725.000     | -0.02                    | 41.27                   | 41.25                      | 68.30           | -27.05       | AVG      |          |
| 5   | *   | 5787.000     | 47.95                    | 41.35                   | 89.30                      | 78.30           | 11.00        | peak     | No Limit |
| 6   | X   | 5790.200     | 37.92                    | 41.35                   | 79.27                      | 68.30           | 10.97        | AVG      | No Limit |
| 7   |     | 5850.000     | 9.69                     | 41.44                   | 51.13                      | 78.30           | -27.17       | peak     |          |
| 8   |     | 5850.000     | -0.22                    | 41.44                   | 41.22                      | 68.30           | -27.08       | AVG      |          |
| 9   |     | 5860.000     | 9.10                     | 41.45                   | 50.55                      | 68.30           | -17.75       | peak     |          |
| 10  |     | 5860.000     | -0.25                    | 41.45                   | 41.20                      | 68.30           | -27.10       | AVG      |          |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC80 Mode 5775MHz |

### Vertical




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   |     | 11550.00 | 38.71         | 17.02          | 55.73       | 74.30  | -18.57 | peak     |         |
| 2 * |     | 17325.00 | 37.86         | 21.81          | 59.67       | 74.30  | -14.63 | peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC80 Mode 5775MHz |

### Vertical




| No. | Mk. | Freq. | Reading | Correct | Measure- | Limit  | Margin |          |         |
|-----|-----|-------|---------|---------|----------|--------|--------|----------|---------|
|     |     | MHz   | Level   | Factor  | ment     |        |        | Detector | Comment |
|     |     |       | dBuV    | dB      | dBuV/m   | dBuV/m | dB     |          |         |



| No. | Mk. | Freq.    | Reading | Correct | Measure- | Limit  | Margin |          |         |
|-----|-----|----------|---------|---------|----------|--------|--------|----------|---------|
|     |     | MHz      | Level   | Factor  | ment     |        |        | Detector | Comment |
|     |     |          | dBuV    | dB      | dBuV/m   | dBuV/m | dB     |          |         |
| 1   | *   | 39905.50 | 47.00   | 17.37   | 64.37    | 74.30  | -9.93  | peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC80 Mode 5775MHz |


### Horizontal




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|----------|
| 1   |     | 5715.000     | 9.07                     | 41.25                   | 50.32                      | 68.30           | -17.98       | peak     |          |
| 2   |     | 5715.000     | -0.13                    | 41.25                   | 41.12                      | 68.30           | -27.18       | AVG      |          |
| 3   |     | 5725.000     | 10.70                    | 41.27                   | 51.97                      | 78.30           | -26.33       | peak     |          |
| 4   |     | 5725.000     | -0.10                    | 41.27                   | 41.17                      | 68.30           | -27.13       | AVG      |          |
| 5   | *   | 5764.200     | 37.28                    | 41.32                   | 78.60                      | 68.30           | 10.30        | AVG      | No Limit |
| 6   | X   | 5764.600     | 46.31                    | 41.32                   | 87.63                      | 78.30           | 9.33         | peak     | No Limit |
| 7   |     | 5850.000     | 8.58                     | 41.44                   | 50.02                      | 78.30           | -28.28       | peak     |          |
| 8   |     | 5850.000     | -0.26                    | 41.44                   | 41.18                      | 68.30           | -27.12       | AVG      |          |
| 9   |     | 5860.000     | 9.11                     | 41.45                   | 50.56                      | 68.30           | -17.74       | peak     |          |
| 10  |     | 5860.000     | -0.31                    | 41.45                   | 41.14                      | 68.30           | -27.16       | AVG      |          |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC80 Mode 5775MHz |

### Horizontal




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   |     | 11550.00 | 38.42         | 17.02          | 55.44       | 74.30  | -18.86 | peak     |         |
| 2   | *   | 17325.00 | 38.47         | 21.81          | 60.28       | 74.30  | -14.02 | peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC80 Mode 5775MHz |

### Horizontal



| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     |          |         |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     |          |         |
| 1   | *   | 39919.00 | 46.40         | 17.40          | 63.80       | 74.30  | -10.50 | peak     |         |

# For ANT 2

|                  |                           |
|------------------|---------------------------|
| Orthogonal Axis: | X                         |
| Test Mode:       | UNII-1/ TX A Mode 5180MHz |


## Vertical




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|----------|
| 1   |     | 5150.000     | 11.25                    | 40.22                   | 51.47                      | 68.30           | -16.83       | peak     |          |
| 2   |     | 5150.000     | 0.47                     | 40.22                   | 40.69                      | 54.00           | -13.31       | AVG      |          |
| 3   | *   | 5178.500     | 49.26                    | 40.28                   | 89.54                      | 54.00           | 35.54        | AVG      | No Limit |
| 4   | X   | 5186.500     | 58.02                    | 40.30                   | 98.32                      | 68.30           | 30.02        | peak     | No Limit |

|                  |                           |
|------------------|---------------------------|
| Orthogonal Axis: | X                         |
| Test Mode:       | UNII-1/ TX A Mode 5180MHz |

### Vertical




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   |     | 10360.00 | 38.48         | 13.85          | 52.33       | 74.30  | -21.97 | peak     |         |
| 2   | *   | 15540.00 | 38.17         | 16.85          | 55.02       | 74.30  | -19.28 | peak     |         |

|                  |                           |
|------------------|---------------------------|
| Orthogonal Axis: | X                         |
| Test Mode:       | UNII-1/ TX A Mode 5180MHz |

### Vertical




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   | *   | 39892.00 | 45.63         | 17.34          | 62.97       | 74.30  | -11.33 | peak     |         |

|                  |                           |
|------------------|---------------------------|
| Orthogonal Axis: | X                         |
| Test Mode:       | UNII-1/ TX A Mode 5180MHz |


### Horizontal




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|----------|
| 1   |     | 5150.000     | 8.12                     | 40.22                   | 48.34                      | 68.30           | -19.96       | peak     |          |
| 2   |     | 5150.000     | -1.19                    | 40.22                   | 39.03                      | 54.00           | -14.97       | AVG      |          |
| 3   | *   | 5177.100     | 43.62                    | 40.28                   | 83.90                      | 54.00           | 29.90        | AVG      | No Limit |
| 4   | X   | 5178.200     | 52.76                    | 40.28                   | 93.04                      | 68.30           | 24.74        | peak     | No Limit |

|                  |                           |
|------------------|---------------------------|
| Orthogonal Axis: | X                         |
| Test Mode:       | UNII-1/ TX A Mode 5180MHz |

### Horizontal




| No. | Mk. | Freq. | Reading | Correct | Measure- | Limit  | Margin |          |         |
|-----|-----|-------|---------|---------|----------|--------|--------|----------|---------|
|     |     | MHz   | Level   | Factor  | ment     |        |        |          |         |
|     |     |       | dBuV    | dB      | dBuV/m   | dBuV/m | dB     | Detector | Comment |




| No. | Mk. | Freq.    | Reading | Correct | Measure- | Limit  | Margin |          |         |
|-----|-----|----------|---------|---------|----------|--------|--------|----------|---------|
|     |     | MHz      | Level   | Factor  | ment     |        |        |          |         |
|     |     |          | dBuV    | dB      | dBuV/m   | dBuV/m | dB     | Detector | Comment |
| 1   |     | 10360.00 | 39.63   | 13.85   | 53.48    | 74.30  | -20.82 | peak     |         |
| 2   | *   | 15540.00 | 38.43   | 16.85   | 55.28    | 74.30  | -19.02 | peak     |         |

|                  |                           |
|------------------|---------------------------|
| Orthogonal Axis: | X                         |
| Test Mode:       | UNII-1/ TX A Mode 5180MHz |

### Horizontal




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   | *   | 40000.00 | 45.55         | 17.60          | 63.15       | 74.30  | -11.15 | peak     |         |

|                  |                           |
|------------------|---------------------------|
| Orthogonal Axis: | X                         |
| Test Mode:       | UNII-1/ TX A Mode 5240MHz |


### Vertical




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|----------|
| 1   | X   | 5235.200     | 57.47                    | 40.39                   | 97.86                      | 68.30           | 29.56        | peak     | No Limit |
| 2   | *   | 5236.100     | 48.36                    | 40.40                   | 88.76                      | 54.00           | 34.76        | AVG      | No Limit |

|                  |                           |
|------------------|---------------------------|
| Orthogonal Axis: | X                         |
| Test Mode:       | UNII-1/ TX A Mode 5240MHz |

### Vertical




| No. | Mk. | Freq. | Reading | Correct | Measure- | Limit  | Margin |          |         |
|-----|-----|-------|---------|---------|----------|--------|--------|----------|---------|
|     |     | MHz   | Level   | Factor  | ment     |        |        | Detector | Comment |
|     |     |       | dBuV    | dB      | dBuV/m   | dBuV/m | dB     |          |         |




| No. | Mk. | Freq.    | Reading | Correct | Measure- | Limit  | Margin |          |         |
|-----|-----|----------|---------|---------|----------|--------|--------|----------|---------|
|     |     | MHz      | Level   | Factor  | ment     |        |        | Detector | Comment |
|     |     |          | dBuV    | dB      | dBuV/m   | dBuV/m | dB     |          |         |
| 1   |     | 10480.00 | 38.59   | 13.69   | 52.28    | 74.30  | -22.02 | peak     |         |
| 2   | *   | 15720.00 | 37.94   | 17.78   | 55.72    | 74.30  | -18.58 | peak     |         |

|                  |                           |
|------------------|---------------------------|
| Orthogonal Axis: | X                         |
| Test Mode:       | UNII-1/ TX A Mode 5240MHz |

### Vertical




| No. | Mk. | Freq. | Reading | Correct | Measure- | Limit  | Margin |          |         |
|-----|-----|-------|---------|---------|----------|--------|--------|----------|---------|
|     |     | MHz   | Level   | Factor  | ment     |        |        |          |         |
|     |     |       | dBuV    | dB      | dBuV/m   | dBuV/m | dB     | Detector | Comment |



| No. | Mk. | Freq.    | Reading | Correct | Measure- | Limit  | Margin |          |         |
|-----|-----|----------|---------|---------|----------|--------|--------|----------|---------|
|     |     | MHz      | Level   | Factor  | ment     |        |        |          |         |
|     |     |          | dBuV    | dB      | dBuV/m   | dBuV/m | dB     | Detector | Comment |
| 1   | *   | 39797.50 | 47.27   | 17.11   | 64.38    | 74.30  | -9.92  | peak     |         |

|                  |                           |
|------------------|---------------------------|
| Orthogonal Axis: | X                         |
| Test Mode:       | UNII-1/ TX A Mode 5240MHz |


### Horizontal




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|----------|
| 1   | X   | 5246.100     | 53.31                    | 40.42                   | 93.73                      | 68.30           | 25.43        | peak     | No Limit |
| 2   | *   | 5246.300     | 44.40                    | 40.42                   | 84.82                      | 54.00           | 30.82        | AVG      | No Limit |

|                  |                           |
|------------------|---------------------------|
| Orthogonal Axis: | X                         |
| Test Mode:       | UNII-1/ TX A Mode 5240MHz |

### Horizontal




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   |     | 10480.00 | 39.04         | 13.69          | 52.73       | 74.30  | -21.57 | peak     |         |
| 2   | *   | 15720.00 | 37.70         | 17.78          | 55.48       | 74.30  | -18.82 | peak     |         |

|                  |                           |
|------------------|---------------------------|
| Orthogonal Axis: | X                         |
| Test Mode:       | UNII-1/ TX A Mode 5240MHz |

### Horizontal




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   | *   | 39811.00 | 46.25         | 17.13          | 63.38       | 74.30  | -10.92 | peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-1/ TX N20 Mode 5180MHz |


### Vertical




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|----------|
| 1   |     | 5150.000     | 8.90                     | 40.22                   | 49.12                      | 68.30           | -19.18       | peak     |          |
| 2   |     | 5150.000     | -0.67                    | 40.22                   | 39.55                      | 54.00           | -14.45       | AVG      |          |
| 3   | X   | 5185.100     | 57.25                    | 40.29                   | 97.54                      | 68.30           | 29.24        | peak     | No Limit |
| 4   | *   | 5185.500     | 47.79                    | 40.30                   | 88.09                      | 54.00           | 34.09        | AVG      | No Limit |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-1/ TX N20 Mode 5180MHz |

### Vertical




| No. | Mk. | Freq. | Reading | Correct | Measure- | Limit  | Margin |          |         |
|-----|-----|-------|---------|---------|----------|--------|--------|----------|---------|
|     |     | MHz   | Level   | Factor  | ment     |        |        | Detector | Comment |
|     |     |       | dBuV    | dB      | dBuV/m   | dBuV/m | dB     |          |         |




| No. | Mk. | Freq.    | Reading | Correct | Measure- | Limit  | Margin |          |         |
|-----|-----|----------|---------|---------|----------|--------|--------|----------|---------|
|     |     | MHz      | Level   | Factor  | ment     |        |        | Detector | Comment |
|     |     |          | dBuV    | dB      | dBuV/m   | dBuV/m | dB     |          |         |
| 1   |     | 10360.00 | 39.64   | 13.85   | 53.49    | 74.30  | -20.81 | peak     |         |
| 2   | *   | 15540.00 | 38.63   | 16.85   | 55.48    | 74.30  | -18.82 | peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-1/ TX N20 Mode 5180MHz |

### Vertical




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   | *   | 39743.50 | 46.31         | 16.97          | 63.28       | 74.30  | -11.02 | peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-1/ TX N20 Mode 5180MHz |


### Horizontal




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|----------|
| 1   |     | 5150.000     | 8.31                     | 40.22                   | 48.53                      | 68.30           | -19.77       | peak     |          |
| 2   |     | 5150.000     | -0.84                    | 40.22                   | 39.38                      | 54.00           | -14.62       | AVG      |          |
| 3   | *   | 5178.200     | 46.63                    | 40.28                   | 86.91                      | 54.00           | 32.91        | AVG      | No Limit |
| 4   | X   | 5178.500     | 56.87                    | 40.28                   | 97.15                      | 68.30           | 28.85        | peak     | No Limit |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-1/ TX N20 Mode 5180MHz |

### Horizontal




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   |     | 10360.00 | 40.42         | 13.85          | 54.27       | 74.30  | -20.03 | peak     |         |
| 2   | *   | 15540.00 | 39.96         | 16.85          | 56.81       | 74.30  | -17.49 | peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-1/ TX N20 Mode 5180MHz |

### Horizontal




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   | *   | 39797.50 | 46.31         | 17.11          | 63.42       | 74.30  | -10.88 | peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-1/ TX N20 Mode 5240MHz |


### Vertical




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |          |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|----------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment  |
| 1   | *   | 5238.000 | 49.72         | 40.40          | 90.12       | 54.00  | 36.12  | AVG      | No Limit |
| 2   | X   | 5238.300 | 58.67         | 40.40          | 99.07       | 68.30  | 30.77  | peak     | No Limit |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-1/ TX N20 Mode 5240MHz |

### Vertical




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   |     | 10480.00 | 39.89         | 13.69          | 53.58       | 74.30  | -20.72 | peak     |         |
| 2   | *   | 15720.00 | 37.91         | 17.78          | 55.69       | 74.30  | -18.61 | peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-1/ TX N20 Mode 5240MHz |

### Vertical




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   | *   | 39919.00 | 46.40         | 17.40          | 63.80       | 74.30  | -10.50 | peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-1/ TX N20 Mode 5240MHz |


### Horizontal




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|----------|
| 1   | *   | 5238.200     | 47.27                    | 40.40                   | 87.67                      | 54.00           | 33.67        | AVG      | No Limit |
| 2   | X   | 5242.900     | 56.67                    | 40.41                   | 97.08                      | 68.30           | 28.78        | peak     | No Limit |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-1/ TX N20 Mode 5240MHz |

### Horizontal




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   |     | 10480.00 | 39.48         | 13.69          | 53.17       | 74.30  | -21.13 | peak     |         |
| 2   | *   | 15720.00 | 38.39         | 17.78          | 56.17       | 74.30  | -18.13 | peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-1/ TX N20 Mode 5240MHz |

### Horizontal




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   | *   | 40000.00 | 46.26         | 17.60          | 63.86       | 74.30  | -10.44 | peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-1/ TX N40 Mode 5190MHz |


### Vertical




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|----------|
| 1   |     | 5150.000     | 10.46                    | 40.22                   | 50.68                      | 68.30           | -17.62       | peak     |          |
| 2   |     | 5150.000     | 0.81                     | 40.22                   | 41.03                      | 54.00           | -12.97       | AVG      |          |
| 3   | *   | 5184.400     | 44.92                    | 40.29                   | 85.21                      | 54.00           | 31.21        | AVG      | No Limit |
| 4   | X   | 5184.600     | 55.92                    | 40.29                   | 96.21                      | 68.30           | 27.91        | peak     | No Limit |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-1/ TX N40 Mode 5190MHz |

### Vertical




| No. | Mk. | Freq. | Reading | Correct | Measure- | Limit  | Margin |          |         |
|-----|-----|-------|---------|---------|----------|--------|--------|----------|---------|
|     |     | MHz   | Level   | Factor  | ment     |        |        | Detector | Comment |
|     |     |       | dBuV    | dB      | dBuV/m   | dBuV/m | dB     |          |         |




| No. | Mk. | Freq.    | Reading | Correct | Measure- | Limit  | Margin |          |         |
|-----|-----|----------|---------|---------|----------|--------|--------|----------|---------|
|     |     | MHz      | Level   | Factor  | ment     |        |        | Detector | Comment |
|     |     |          | dBuV    | dB      | dBuV/m   | dBuV/m | dB     |          |         |
| 1   |     | 10380.00 | 38.81   | 13.83   | 52.64    | 74.30  | -21.66 | peak     |         |
| 2 * |     | 15570.00 | 37.45   | 17.00   | 54.45    | 74.30  | -19.85 | peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-1/ TX N40 Mode 5190MHz |

### Vertical




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   | *   | 39959.50 | 46.65         | 17.50          | 64.15       | 74.30  | -10.15 | peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-1/ TX N40 Mode 5190MHz |


### Horizontal




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|----------|
| 1   |     | 5150.000     | 9.78                     | 40.22                   | 50.00                      | 68.30           | -18.30       | peak     |          |
| 2   |     | 5150.000     | 0.08                     | 40.22                   | 40.30                      | 54.00           | -13.70       | AVG      |          |
| 3   | *   | 5184.400     | 40.76                    | 40.29                   | 81.05                      | 54.00           | 27.05        | AVG      | No Limit |
| 4   | X   | 5186.600     | 50.58                    | 40.30                   | 90.88                      | 68.30           | 22.58        | peak     | No Limit |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-1/ TX N40 Mode 5190MHz |

### Horizontal




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   |     | 10380.00 | 40.02         | 13.83          | 53.85       | 74.30  | -20.45 | peak     |         |
| 2   | *   | 15570.00 | 38.31         | 17.00          | 55.31       | 74.30  | -18.99 | peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-1/ TX N40 Mode 5190MHz |

### Horizontal




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   | *   | 39892.00 | 45.73         | 17.34          | 63.07       | 74.30  | -11.23 | peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-1/ TX N40 Mode 5230MHz |


### Vertical




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|----------|
| 1   | X   | 5234.600     | 55.84                    | 40.39                   | 96.23                      | 68.30           | 27.93        | peak     | No Limit |
| 2   | *   | 5235.600     | 46.02                    | 40.40                   | 86.42                      | 54.00           | 32.42        | AVG      | No Limit |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-1/ TX N40 Mode 5230MHz |

### Vertical




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   |     | 10460.00 | 38.59         | 13.71          | 52.30       | 74.30  | -22.00 | peak     |         |
| 2   | *   | 15690.00 | 38.25         | 17.63          | 55.88       | 74.30  | -18.42 | peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-1/ TX N40 Mode 5230MHz |

### Vertical




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   | *   | 39784.00 | 47.02         | 17.07          | 64.09       | 74.30  | -10.21 | peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-1/ TX N40 Mode 5230MHz |


### Horizontal




| No. | Mk. | Freq.    | Reading | Correct | Measure- | Limit  | Margin |          |          |
|-----|-----|----------|---------|---------|----------|--------|--------|----------|----------|
|     |     | MHz      | Level   | Factor  | ment     |        |        | Detector | Comment  |
|     |     |          | dBuV    | dB      | dBuV/m   | dBuV/m | dB     |          |          |
| 1   | *   | 5223.400 | 40.68   | 40.38   | 81.06    | 54.00  | 27.06  | AVG      | No Limit |
| 2   | X   | 5225.200 | 50.38   | 40.38   | 90.76    | 68.30  | 22.46  | peak     | No Limit |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-1/ TX N40 Mode 5230MHz |

### Horizontal




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   |     | 10460.00 | 38.71         | 13.71          | 52.42       | 74.30  | -21.88 | peak     |         |
| 2   | *   | 15690.00 | 38.16         | 17.63          | 55.79       | 74.30  | -18.51 | peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-1/ TX N40 Mode 5230MHz |

### Horizontal




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   | *   | 39865.00 | 46.29         | 17.28          | 63.57       | 74.30  | -10.73 | peak     |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5180MHz |


### Vertical




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|----------|
| 1   |     | 5150.000     | 9.65                     | 40.22                   | 49.87                      | 68.30           | -18.43       | peak     |          |
| 2   |     | 5150.000     | 0.72                     | 40.22                   | 40.94                      | 54.00           | -13.06       | AVG      |          |
| 3   | X   | 5175.400     | 56.99                    | 40.27                   | 97.26                      | 68.30           | 28.96        | peak     | No Limit |
| 4   | *   | 5177.100     | 47.95                    | 40.28                   | 88.23                      | 54.00           | 34.23        | AVG      | No Limit |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5180MHz |

### Vertical




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   |     | 10360.00 | 38.64         | 13.85          | 52.49       | 74.30  | -21.81 | peak     |         |
| 2   | *   | 15540.00 | 38.62         | 16.85          | 55.47       | 74.30  | -18.83 | peak     |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5180MHz |

### Vertical




| No. Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|---------|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|         | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     |          |         |



| No. Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|---------|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|         | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     |          |         |
| 1 *     | 39851.50 | 45.92         | 17.23          | 63.15       | 74.30  | -11.15 | peak     |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5180MHz |


### Horizontal




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|----------|
| 1   |     | 5150.000     | 10.34                    | 40.22                   | 50.56                      | 68.30           | -17.74       | peak     |          |
| 2   |     | 5150.000     | 0.53                     | 40.22                   | 40.75                      | 54.00           | -13.25       | AVG      |          |
| 3   | X   | 5177.800     | 53.83                    | 40.28                   | 94.11                      | 68.30           | 25.81        | peak     | No Limit |
| 4   | *   | 5183.100     | 44.70                    | 40.29                   | 84.99                      | 54.00           | 30.99        | AVG      | No Limit |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5180MHz |

### Horizontal




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   |     | 10360.00 | 39.49         | 13.85          | 53.34       | 74.30  | -20.96 | peak     |         |
| 2   | *   | 15540.00 | 38.85         | 16.85          | 55.70       | 74.30  | -18.60 | peak     |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5180MHz |

### Horizontal




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   | *   | 39878.50 | 45.56         | 17.30          | 62.86       | 74.30  | -11.44 | peak     |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5240MHz |


### Vertical




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|----------|
| 1   | X   | 5236.800     | 57.65                    | 40.40                   | 98.05                      | 68.30           | 29.75        | peak     | No Limit |
| 2   | *   | 5242.800     | 48.84                    | 40.41                   | 89.25                      | 54.00           | 35.25        | AVG      | No Limit |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5240MHz |

### Vertical




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |




| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   |     | 10480.00 | 38.89         | 13.69          | 52.58       | 74.30  | -21.72 | peak     |         |
| 2   | *   | 15720.00 | 37.52         | 17.78          | 55.30       | 74.30  | -19.00 | peak     |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5240MHz |

### Vertical




| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   | *   | 39811.00 | 46.78         | 17.13          | 63.91       | 74.30  | -10.39 | peak     |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5240MHz |


### Horizontal




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|----------|
| 1   | *   | 5245.600     | 45.66                    | 40.42                   | 86.08                      | 54.00           | 32.08        | AVG      | No Limit |
| 2   | X   | 5247.800     | 54.90                    | 40.42                   | 95.32                      | 68.30           | 27.02        | peak     | No Limit |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5240MHz |

### Horizontal



| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz   | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |



| No. | Mk. | Freq.    | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----|----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz      | dBuV          | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   |     | 10480.00 | 39.70         | 13.69          | 53.39       | 74.30  | -20.91 | peak     |         |
| 2   | *   | 15720.00 | 38.03         | 17.78          | 55.81       | 74.30  | -18.49 | peak     |         |