







6.1.1.2.3.2 Test Channel = MCH

6.1.1.2.3.2.1 Test RB = RB1#0










6.1.1.2.3.3 Test Channel = HCH

6.1.1.2.3.3.1 Test RB = RB1#0












6.1.1.2.4 Test Bandwidth = 10

6.1.1.2.4.1 Test Channel = LCH

6.1.1.2.4.1.1 Test RB = RB1#0











6.1.1.2.4.2 Test Channel = MCH

6.1.1.2.4.2.1 Test RB = RB1#0










6.1.1.2.4.3 Test Channel = HCH

6.1.1.2.4.3.1 Test RB = RB1#0












6.1.1.2.5 Test Bandwidth = 15

6.1.1.2.5.1 Test Channel = LCH

6.1.1.2.5.1.1 Test RB = RB1#0












6.1.1.2.5.2 Test Channel = MCH

6.1.1.2.5.2.1 Test RB = RB1#0











6.1.1.2.5.3 Test Channel = HCH

6.1.1.2.5.3.1 Test RB = RB1#0












6.1.1.2.6.1.1 Test RB = RB1#0












6.1.1.2.6.2 Test Channel = MCH

6.1.1.2.6.2.1 Test RB = RB1#0










6.1.1.2.6.3 Test Channel = HCH

6.1.1.2.6.3.1 Test RB = RB1#0







7Appendix_G: Field Strength of Spurious Radiation

Note: We tested all modes, but the data presented below is the worst case.

9kHz~150kHz, VBW = 200Hz, VBW = 600 Hz, Detector: PK

150kHz~30MHz, VBW = 9kHz, VBW = 30k Hz, Detector: PK

30MHz~1GHz, RBW = 100 kHz, VBW = 300 kHz. Detector: PK


Above 1GHz, RBW = 1 MHz, VBW = 3 MHz. Detector: PK

Part I - Test Plots


7.1 For LTE

7.1.1 Test Band = BAND4


7.1.1.1 Test Bandwidth = 1.4




Copy of RSE-TX-DIRECTOR ABOVE 1.5G_L




Copy of RSE-TX-DIRECTOR ABOVE 1.5G_H




7.1.1.2 Test Bandwidth = 20



Copy of RSE-TX-DIRECTOR ABOVE 1.5G_L



Copy of RSE-TX-DIRECTOR ABOVE 1.5G_H



8Appendix_H: Frequency Stability

8.1 For LTE

8.1.1Frequency Error vs. Voltage:

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
BAND4	LTE/TM1	1.4	LCH	TN	VL	-1.86	-0.00109	PASS
					VN	-0.77	-0.00045	PASS
					VH	1.02	0.0006	PASS
			MCH	TN	VL	-1.92	-0.00111	PASS
					VN	4.81	0.00278	PASS
					VH	-3.20	-0.00185	PASS
			HCH	TN	VL	-2.26	-0.00129	PASS
					VN	-3.15	-0.0018	PASS
					VH	0.92	0.00052	PASS
		3	LCH	TN	VL	3.35	0.00196	PASS
					VN	3.09	0.00181	PASS
					VH	2.52	0.00147	PASS
			MCH	TN	VL	13.56	0.00783	PASS
					VN	13.53	0.00781	PASS
					VH	14.73	0.0085	PASS
			HCH	TN	VL	2.57	0.00147	PASS
					VN	2.50	0.00143	PASS
					VH	2.20	0.00125	PASS
		5	LCH	TN	VL	-0.63	-0.00037	PASS
					VN	1.70	0.00099	PASS
					VH	1.56	0.00091	PASS
			MCH	TN	VL	9.63	0.00556	PASS
					VN	11.32	0.00653	PASS
					VH	8.15	0.0047	PASS
			HCH	TN	VL	-2.83	-0.00161	PASS
					VN	-3.03	-0.00173	PASS
					VH	-2.19	-0.00125	PASS
		10	LCH	TN	VL	-3.25	-0.0019	PASS
					VN	-2.90	-0.00169	PASS
					VH	-2.79	-0.00163	PASS
			MCH	TN	VL	5.12	0.00296	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
	LTE/TM2		HCH	TN	VN	4.43	0.00256	PASS
					VH	5.14	0.00297	PASS
					VL	1.16	0.00066	PASS
					VN	1.99	0.00114	PASS
					VH	2.06	0.00118	PASS
					VL	0.24	0.00014	PASS
		15	LCH	TN	VN	0.36	0.00021	PASS
					VH	0.24	0.00014	PASS
					VL	3.16	0.00182	PASS
			MCH	TN	VN	5.18	0.00299	PASS
					VH	4.09	0.00236	PASS
					VL	-0.77	-0.00044	PASS
			HCH	TN	VN	-0.77	-0.00044	PASS
					VH	-0.70	-0.0004	PASS
					VL	0.47	0.00027	PASS
		20	LCH	TN	VN	1.07	0.00062	PASS
					VH	15.89	0.00924	PASS
					VL	1.02	0.00059	PASS
			MCH	TN	VN	2.19	0.00126	PASS
					VH	3.25	0.00188	PASS
					VL	-1.97	-0.00113	PASS
			HCH	TN	VN	-3.52	-0.00202	PASS
					VH	-2.69	-0.00154	PASS
					VL	2.88	0.00168	PASS
		1.4	LCH	TN	VN	7.20	0.00421	PASS
					VH	-1.13	-0.00066	PASS
					VL	-1.13	-0.00065	PASS
			MCH	TN	VN	0.50	0.00029	PASS
					VH	-0.86	-0.0005	PASS
					VL	0.37	0.00021	PASS
			HCH	TN	VN	-1.56	-0.00089	PASS
					VH	-2.33	-0.00133	PASS
					VL	3.03	0.00177	PASS
		3	LCH	TN	VN	0.96	0.00056	PASS
					VH	-1.12	-0.00065	PASS
					VL	12.20	0.00704	PASS
			MCH	TN	VN	12.73	0.00735	PASS
					VH	13.62	0.00786	PASS
					VL	3.55	0.00202	PASS
			HCH	TN	VL	3.55	0.00202	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					VN	2.09	0.00119	PASS
					VH	1.44	0.00082	PASS
		5	LCH	TN	VL	-0.49	-0.00029	PASS
					VN	0.10	0.00006	PASS
					VH	2.55	0.00149	PASS
					VL	9.18	0.0053	PASS
			MCH	TN	VN	10.93	0.00631	PASS
					VH	6.09	0.00352	PASS
					VL	-2.26	-0.00129	PASS
			HCH	TN	VN	-0.44	-0.00025	PASS
					VH	-1.86	-0.00106	PASS
					VL	-2.88	-0.00168	PASS
		10	LCH	TN	VN	-2.42	-0.00141	PASS
					VH	-2.65	-0.00155	PASS
					VL	4.43	0.00256	PASS
			MCH	TN	VN	4.48	0.00259	PASS
					VH	4.48	0.00259	PASS
					VL	2.66	0.00152	PASS
			HCH	TN	VN	0.63	0.00036	PASS
					VH	2.05	0.00117	PASS
					VL	0.69	0.0004	PASS
		15	LCH	TN	VN	0.57	0.00033	PASS
					VH	0.69	0.0004	PASS
					VL	3.30	0.0019	PASS
			MCH	TN	VN	3.76	0.00217	PASS
					VH	3.76	0.00217	PASS
					VL	-0.39	-0.00022	PASS
			HCH	TN	VN	-0.54	-0.00031	PASS
					VH	-0.19	-0.00011	PASS
					VL	3.22	0.00187	PASS
		20	LCH	TN	VN	2.79	0.00162	PASS
					VH	1.85	0.00108	PASS
					VL	0.94	0.00054	PASS
			MCH	TN	VN	0.74	0.00043	PASS
					VH	1.24	0.00072	PASS
					VL	-2.80	-0.0016	PASS
			HCH	TN	VN	-3.56	-0.00204	PASS
					VH	-2.85	-0.00163	PASS
					VL	-2.85	-0.00163	PASS

8.1.2 Frequency Error vs. Temperature:

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
BAND4	LTE/TM1	1.4	LCH	VN	-30	0.93	0.00054	PASS
					-20	2.62	0.00153	PASS
					-10	-3.76	-0.0022	PASS
					0	-0.53	-0.00031	PASS
					10	-2.27	-0.00133	PASS
					20	1.56	0.00091	PASS
					30	0.84	0.00049	PASS
					40	5.14	0.003	PASS
					50	2.49	0.00146	PASS
			MCH	VN	-30	-1.40	-0.00081	PASS
					-20	-0.04	-0.00002	PASS
					-10	1.39	0.0008	PASS
					0	-0.67	-0.00039	PASS
					10	-0.41	-0.00024	PASS
					20	0.93	0.00054	PASS
					30	1.50	0.00087	PASS
					40	-2.22	-0.00128	PASS
					50	-0.03	-0.00002	PASS
			HCH	VN	-30	-2.99	-0.0017	PASS
					-20	-3.23	-0.00184	PASS
					-10	-3.85	-0.00219	PASS
					0	-1.50	-0.00086	PASS
					10	-2.63	-0.0015	PASS
					20	-3.42	-0.00195	PASS
					30	-0.72	-0.00041	PASS
					40	-1.76	-0.001	PASS
					50	-1.47	-0.00084	PASS
		3	LCH	VN	-30	4.84	0.00283	PASS
					-20	1.60	0.00093	PASS
					-10	4.41	0.00258	PASS
					0	0.19	0.00011	PASS
					10	3.43	0.002	PASS
					20	2.65	0.00155	PASS
					30	1.19	0.0007	PASS
					40	3.12	0.00182	PASS
					50	3.00	0.00175	PASS
			MCH	VN	-30	5.38	0.00311	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					-20	8.20	0.00473	PASS
					-10	10.67	0.00616	PASS
					0	10.23	0.0059	PASS
					10	12.04	0.00695	PASS
					20	10.09	0.00582	PASS
					30	8.15	0.0047	PASS
					40	5.85	0.00338	PASS
					50	9.30	0.00537	PASS
			HCH	VN	-30	1.47	0.00084	PASS
					-20	1.32	0.00075	PASS
					-10	1.76	0.001	PASS
					0	1.56	0.00089	PASS
					10	-0.07	-0.00004	PASS
					20	0.73	0.00042	PASS
					30	1.06	0.0006	PASS
					40	-0.13	-0.00007	PASS
					50	-0.09	-0.00005	PASS
		5	LCH	VN	-30	0.49	0.00029	PASS
					-20	0.77	0.00045	PASS
					-10	-0.16	-0.00009	PASS
					0	0.93	0.00054	PASS
					10	0.66	0.00039	PASS
					20	-0.14	-0.00008	PASS
					30	1.20	0.0007	PASS
					40	0.93	0.00054	PASS
					50	-0.87	-0.00051	PASS
			MCH	VN	-30	9.01	0.0052	PASS
					-20	7.22	0.00417	PASS
					-10	7.07	0.00408	PASS
					0	9.61	0.00555	PASS
					10	8.80	0.00508	PASS
					20	8.88	0.00513	PASS
					30	8.58	0.00495	PASS
					40	8.33	0.00481	PASS
					50	9.21	0.00532	PASS
			HCH	VN	-30	-3.02	-0.00172	PASS
					-20	-1.47	-0.00084	PASS
					-10	-0.99	-0.00056	PASS
					0	-3.52	-0.00201	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					10	-2.63	-0.0015	PASS
					20	-1.57	-0.0009	PASS
					30	-2.19	-0.00125	PASS
					40	-2.05	-0.00117	PASS
					50	-2.80	-0.0016	PASS
		10	LCH	VN	-30	-2.55	-0.00149	PASS
					-20	-1.95	-0.00114	PASS
					-10	-2.96	-0.00173	PASS
					0	-2.62	-0.00153	PASS
					10	-1.69	-0.00099	PASS
					20	-2.56	-0.00149	PASS
					30	-1.79	-0.00104	PASS
					40	-1.83	-0.00107	PASS
					50	-2.79	-0.00163	PASS
			MCH	VN	-30	5.15	0.00297	PASS
					-20	5.97	0.00345	PASS
					-10	5.95	0.00343	PASS
					0	4.53	0.00261	PASS
					10	4.88	0.00282	PASS
					20	5.41	0.00312	PASS
					30	5.92	0.00342	PASS
					40	7.14	0.00412	PASS
					50	5.74	0.00331	PASS
			HCH	VN	-30	0.69	0.00039	PASS
					-20	3.22	0.00184	PASS
					-10	1.67	0.00095	PASS
					0	1.69	0.00097	PASS
					10	1.17	0.00067	PASS
					20	1.29	0.00074	PASS
					30	2.43	0.00139	PASS
					40	0.87	0.0005	PASS
					50	4.12	0.00235	PASS
		15	LCH	VN	-30	0.54	0.00031	PASS
					-20	1.06	0.00062	PASS
					-10	-0.20	-0.00012	PASS
					0	0.93	0.00054	PASS
					10	0.26	0.00015	PASS
					20	1.03	0.0006	PASS
					30	0.30	0.00017	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					40	0.16	0.00009	PASS
					50	0.99	0.00058	PASS
			MCH	VN	-30	3.62	0.00209	PASS
					-20	3.86	0.00223	PASS
					-10	2.37	0.00137	PASS
					0	2.78	0.0016	PASS
					10	3.86	0.00223	PASS
					20	2.55	0.00147	PASS
					30	2.07	0.00119	PASS
					40	3.69	0.00213	PASS
					50	3.91	0.00226	PASS
			HCH	VN	-30	-1.65	-0.00094	PASS
					-20	-1.36	-0.00078	PASS
					-10	-1.59	-0.00091	PASS
					0	-0.21	-0.00012	PASS
					10	-0.19	-0.00011	PASS
					20	-1.27	-0.00073	PASS
					30	-0.90	-0.00052	PASS
					40	0.64	0.00037	PASS
					50	-0.66	-0.00038	PASS
		20	LCH	VN	-30	1.30	0.00076	PASS
					-20	2.65	0.00154	PASS
					-10	2.42	0.00141	PASS
					0	2.00	0.00116	PASS
					10	1.46	0.00085	PASS
					20	1.85	0.00108	PASS
					30	1.53	0.00089	PASS
					40	1.60	0.00093	PASS
					50	2.30	0.00134	PASS
			MCH	VN	-30	1.62	0.00094	PASS
					-20	2.33	0.00134	PASS
					-10	0.79	0.00046	PASS
					0	1.09	0.00063	PASS
					10	1.06	0.00061	PASS
					20	1.90	0.0011	PASS
					30	2.00	0.00115	PASS
					40	1.60	0.00092	PASS
					50	1.39	0.0008	PASS
			HCH	VN	-30	-2.35	-0.00135	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					-20	-2.86	-0.00164	PASS
					-10	-1.63	-0.00093	PASS
					0	-2.95	-0.00169	PASS
					10	-3.16	-0.00181	PASS
					20	-3.55	-0.00203	PASS
					30	-3.12	-0.00179	PASS
					40	-2.82	-0.00162	PASS
					50	-2.16	-0.00124	PASS
	LTE/TM2	1.4	LCH	VN	-30	-1.57	-0.00092	PASS
					-20	0.92	0.00054	PASS
					-10	-1.14	-0.00067	PASS
					0	-3.55	-0.00208	PASS
					10	-1.20	-0.0007	PASS
					20	-1.57	-0.00092	PASS
					30	1.02	0.0006	PASS
					40	1.90	0.00111	PASS
					50	3.82	0.00223	PASS
			MCH	VN	-30	2.37	0.00137	PASS
					-20	3.02	0.00174	PASS
					-10	-1.79	-0.00103	PASS
					0	-0.54	-0.00031	PASS
					10	-2.72	-0.00157	PASS
					20	-0.92	-0.00053	PASS
					30	-0.10	-0.00006	PASS
					40	-1.54	-0.00089	PASS
					50	-1.37	-0.00079	PASS
			HCH	VN	-30	-2.55	-0.00145	PASS
					-20	0.89	0.00051	PASS
					-10	-1.57	-0.00089	PASS
					0	-1.80	-0.00103	PASS
					10	-0.66	-0.00038	PASS
					20	-3.98	-0.00227	PASS
					30	-3.81	-0.00217	PASS
					40	-5.97	-0.0034	PASS
					50	-1.65	-0.00094	PASS
		3	LCH	VN	-30	-0.41	-0.00024	PASS
					-20	-0.49	-0.00029	PASS
					-10	1.89	0.0011	PASS
					0	-0.40	-0.00023	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					10	2.43	0.00142	PASS
					20	2.69	0.00157	PASS
					30	2.22	0.0013	PASS
					40	1.14	0.00067	PASS
					50	1.43	0.00084	PASS
			MCH	VN	-30	7.94	0.00458	PASS
					-20	3.38	0.00195	PASS
					-10	5.75	0.00332	PASS
					0	6.09	0.00352	PASS
					10	6.14	0.00354	PASS
					20	6.45	0.00372	PASS
					30	2.85	0.00165	PASS
					40	3.98	0.0023	PASS
					50	6.25	0.00361	PASS
			HCH	VN	-30	0.20	0.00011	PASS
					-20	-0.29	-0.00017	PASS
					-10	-0.63	-0.00036	PASS
					0	-0.97	-0.00055	PASS
					10	0.03	0.00002	PASS
					20	3.10	0.00177	PASS
					30	-0.86	-0.00049	PASS
					40	0.06	0.00003	PASS
					50	1.36	0.00078	PASS
		5	LCH	VN	-30	0.80	0.00047	PASS
					-20	3.10	0.00181	PASS
					-10	0.51	0.0003	PASS
					0	1.34	0.00078	PASS
					10	0.26	0.00015	PASS
					20	-0.09	-0.00005	PASS
					30	1.85	0.00108	PASS
					40	2.26	0.00132	PASS
					50	1.66	0.00097	PASS
			MCH	VN	-30	5.78	0.00334	PASS
					-20	5.76	0.00332	PASS
					-10	6.78	0.00391	PASS
					0	7.05	0.00407	PASS
					10	4.86	0.00281	PASS
					20	4.71	0.00272	PASS
					30	6.57	0.00379	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					40	5.65	0.00326	PASS
					50	4.99	0.00288	PASS
			HCH	VN	-30	-1.37	-0.00078	PASS
					-20	-3.09	-0.00176	PASS
					-10	-3.19	-0.00182	PASS
					0	-3.09	-0.00176	PASS
					10	-3.15	-0.0018	PASS
					20	-4.28	-0.00244	PASS
					30	-3.50	-0.002	PASS
					40	-2.59	-0.00148	PASS
					50	-3.88	-0.00221	PASS
		10	LCH	VN	-30	-2.30	-0.00134	PASS
					-20	-3.28	-0.00191	PASS
					-10	-2.56	-0.00149	PASS
					0	-3.02	-0.00176	PASS
					10	-1.34	-0.00078	PASS
					20	-0.54	-0.00031	PASS
					30	-3.83	-0.00223	PASS
					40	-2.03	-0.00118	PASS
					50	-2.75	-0.0016	PASS
			MCH	VN	-30	3.19	0.00184	PASS
					-20	2.92	0.00169	PASS
					-10	3.33	0.00192	PASS
					0	2.98	0.00172	PASS
					10	2.78	0.0016	PASS
					20	3.49	0.00201	PASS
					30	2.62	0.00151	PASS
					40	3.79	0.00219	PASS
					50	4.03	0.00233	PASS
			HCH	VN	-30	1.85	0.00106	PASS
					-20	1.30	0.00074	PASS
					-10	2.20	0.00126	PASS
					0	1.83	0.00105	PASS
					10	0.44	0.00025	PASS
					20	2.35	0.00134	PASS
					30	1.92	0.0011	PASS
					40	2.93	0.00167	PASS
					50	3.28	0.00187	PASS
		15	LCH	VN	-30	0.04	0.00002	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					-20	1.09	0.00063	PASS
					-10	1.56	0.00091	PASS
					0	1.16	0.00068	PASS
					10	0.40	0.00023	PASS
					20	0.92	0.00054	PASS
					30	0.11	0.00006	PASS
					40	1.32	0.00077	PASS
					50	0.23	0.00013	PASS
			MCH	VN	-30	3.10	0.00179	PASS
					-20	3.40	0.00196	PASS
					-10	3.78	0.00218	PASS
					0	3.65	0.00211	PASS
					10	4.92	0.00284	PASS
					20	3.46	0.002	PASS
					30	4.31	0.00249	PASS
					40	4.31	0.00249	PASS
					50	4.26	0.00246	PASS
			HCH	VN	-30	-0.34	-0.00019	PASS
					-20	0.63	0.00036	PASS
					-10	0.54	0.00031	PASS
					0	0.33	0.00019	PASS
					10	0.53	0.0003	PASS
					20	0.89	0.00051	PASS
					30	-0.37	-0.00021	PASS
					40	0.23	0.00013	PASS
					50	-0.13	-0.00007	PASS
		20	LCH	VN	-30	2.76	0.0016	PASS
					-20	2.20	0.00128	PASS
					-10	3.82	0.00222	PASS
					0	2.75	0.0016	PASS
					10	3.45	0.00201	PASS
					20	3.19	0.00185	PASS
					30	2.02	0.00117	PASS
					40	2.22	0.00129	PASS
					50	2.82	0.00164	PASS
			MCH	VN	-30	0.86	0.0005	PASS
					-20	0.67	0.00039	PASS
					-10	0.80	0.00046	PASS
					0	1.49	0.00086	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					10	0.72	0.00042	PASS
					20	1.37	0.00079	PASS
					30	1.76	0.00102	PASS
					40	1.60	0.00092	PASS
					50	2.22	0.00128	PASS
			HCH	VN	-30	-2.76	-0.00158	PASS
					-20	-2.37	-0.00136	PASS
					-10	-2.36	-0.00135	PASS
					0	-2.96	-0.0017	PASS
					10	-3.43	-0.00197	PASS
					20	-2.32	-0.00133	PASS
					30	-2.80	-0.0016	PASS
					40	-2.53	-0.00145	PASS
					50	-3.00	-0.00172	PASS

END