

Page: 1 of 277

## ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT

# INTENTIONAL RADIATOR CERTIFICATION TO FCC PART 15 SUBPART E AND INDUSTRY CANADA RSS 247 REQUIREMENT

0F

**FCC Applicant:** Huawei Technologies Co., Ltd.

Administration Building, Headquarters of Huawei Technologies Co., Ltd.,

Bantian, Longgang District, Shenzhen, 518129, China

IC Applicant: Huawei Technologies Co., Ltd.

> Administration Building, Headquarters of Huawei Technologies Co., Ltd., Bantian, Longgang District, Shenzhen, 518129, China(Peoples Republic

**HUAWEI MateBook Product Name:** 

**Brand Name: HUAWEI** 

Model No.: KPL-W00, KPL-W09 **Model Difference:** For Marketing Purpose

FCC ID: QISKPL-W0X IC: 6369A-KPLW0X **Report Number:** E2/2017/C0005 **FCC Rule Part:** §15.407, Cat:NII

IC Rule: RSS-247 issue 2 Feb. 2017

Issue Date: Jan. 17, 2017

Date of Test: Dec. 05, 2017 ~ Jan. 10, 2018

Date of EUT Received: Dec. 05, 2017

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Electronics & Communication Laboratory The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.10:2013 and the energy emitted by the sample EUT tested as described in this report is in compliance with conducted and radiated emission limits.

The test results of this report relate only to the tested sample identified in this report.

Prepared By:

Tiffany Kao / Clerk

Approved By:

Jim Chang / Asst. Manager





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 2 of 277

# **Revision History**

Report Number	Revision	Description	Issue Date
E2/2017/C0008	Rev.00	Initial creation of document	Jan. 17, 2018

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders with the fulled extent of the subject extent of may be prosecuted to the fullest extent of the law.



Page: 3 of 277

# **Contents**

1	GENERAL INFORMATIOQN	4
2	SYSTEM TEST CONFIGURATION	8
3	SUMMARY OF TEST RESULT	10
4	DESCRIPTION OF TEST MODES	11
5	MEASUREMENT UNCERTAINTY	15
6	CONDUCTED EMISSION TEST	16
7	DUTY CYCLE TEST SIGNAL	20
8	26dB & 6dB EMISSION BANDWIDTH MEASUREMENT	23
9	MAXIMUM CONDUCTED OUTPUT POWER MEASUREMENT	69
10	PEAK POWER SPECTRAL DENSITY	92
11	UNDESIRABLE RADIATED EMISSION MEASUREMENT	105
12	TRANSMISSION IN THE ABSENCE OF DATA	255
13	FREQUENCY STABILITY	256
14	ANTENNA REQUIREMENT	277

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders with the fulled extent of the subject extent of

may be prosecuted to the fullest extent of the law.



Page: 4 of 277

### **GENERAL INFORMATIOQN**

### 1.1 Product Description

#### General:

Jilorai.			
Product Name:	HUAWEI MateBook		
Brand Name:	HUAWEI		
Model No.:	KPL-W00	KPL-W09	
Model Difference:	For Marke	ting Purpose	
Product SW/HW version:	2.3.0.7(C001) / C2B		
Radio SW/HW version:	Wi-Fi Component: 8265 / Wi-Fi Component: 20.0		
Test SW Version:	N/A		
RF power setting in TEST SW:	N/A		
	7.6Vdc from Rechargeable Li-ion Battery or 5Vdc / 9Vdc / 12Vdc / 15Vdc / 20V dc from AC/DC Adapter.		
Power Supply:	Battery:	Model No.: HB4593R1ECW, Supplier: HUAWEI	
	Adapter:	Model No.: HW-200325UP0, Supplier: HUAWEI	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders with the fulled extent of the subject extent of may be prosecuted to the fullest extent of the law.



Page: 5 of 277

#### **FCC WLAN 5GHz:**

			Avg. Power	Modulation
Wi-Fi	Frequency Range	Channels	(dBm)	Technology
11. 20	5150~5250	4	14.95	
	5250~5350	4	14.98	OFDM
11a_20	5470~5725	12	13.98	OFDIVI
	5725-5850	5	13.97	
	5150~5250	4	HT: 14.98	
11n_HT /	5250~5350	4	HT: 14.98	OFDM
ac_VHT 20M	5470~5725	12	HT: 13.99	OFDIVI
	5725-5850	5	HT: 13.97	
	5150~5250	2	HT: 14.97	
11n_HT /	5250~5350	2	HT: 14.98	OFDM
ac_VHT 40M	5470~5725	6	HT:13.98	
10111	5725-5850	2	HT: 13.96	
	5150~5250	1	13.94	
11ac	5250~5350	1	11.98	OEDM
VHT80M	5470~5725	3	13.99	OFDM
	5725-5850	1	13.94	
Antenna Designation:		5250~5350M 5470~5725M 5725~5850M Aux Antenna: 5150~5250M 5250~5350M 5470~5725M	a: Hz Peak Gain: 1.8dE Hz Peak Gain: 1.8dE Hz Peak Gain: 1.84d Hz Peak Gain: 1.84d	si Bi Bi dBi Bi Bi

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders with the fulled extent of the subject extent of may be prosecuted to the fullest extent of the law.



Page: 6 of 277

#### **IC WLAN 5GHz:**

Wi-Fi	Frequency Range	Channels	Avg. or EIRP	Rated Power(dBm)	Modulation Technology
	5180~5240	4	EIRP	19.70	
	5260~5320	4	Avg.	14.98	
11a	5500~5580	5	Avg.	13.96	OFDM
	5660~5700	3	Avg.	13.98	
	5745~5825	5	Avg.	13.97	
	5180~5240	4	EIRP	HT: 19.74	
11n HT/	5260~5320	4	Avg.	HT: 14.98	
ac_VHT	5500~5580	5	Avg.	HT: 13.99	OFDM
20M	5660~5720	3	Avg.	HT: 13.98	
	5745~5825	5	Avg.	HT: 13.97	
	5190~5230	2	EIRP	HT: 19.75	
11n HT/	5270~5310	2	Avg.	HT: 14.98	OFDM
ac_VHT	5510~5550	2	Avg.	HT: 13.98	
40M	5670~5710	1	Avg.	HT: 13.98	
	5755~5795	2	Avg.	HT: 13.96	
	5210~5210	1	EIRP	18.66	
11ac	5290~5290	1	Avg.	11.98	OFDM
VHT80M	5530~5530	1	Avg.	13.95	OFDM
	5690~5775	1	Avg.	13.94	
				PSK, BPSK for O in 802.11ac only	FDM
Transition Rate:		802.11 n_ 802.11 n_ 802.11 ac 802.11 ac	_20MHz: 6. _40MHz: 10 c_20MHz: 6 c_40MHz: 6	24/36/48/54 Mbps 5 – 144.4Mbps 3.5 - 300.0Mbps 6.5 –144.4Mbps 13.5 -300.0Mbps 29.3 – 650Mbps	5

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders with the fulled extent of the subject extent of may be prosecuted to the fullest extent of the law.



Page: 7 of 277

### 1.2 Test Methodology of Applied Standards

FCC Part 15, Subpart E §15.407

FCC KDB 789033 D02 General UNII Test Procedures New Rules

KDB 789033 D02 v01r04 General UNII Test Procedures New Rules

KDB 644545 D03 v01 Guidance for IEEE 802.11ac

RSS-247 issue 2 Feb. 2017

RSS-Gen issue4 Nov. 2014

ANSI C63.10:2013

Note: All test items have been performed and record as per the above standards.

### 1.3 Test Facility

SGS Taiwan Ltd. Electronics & Communication Laboratory No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803. (TAF code 0513)

FCC Registration Numbers are: 735305 / TW0002

Canada Registration Number: 4620A-5

#### 1.4 Special Accessories

There are no special accessories used while test was conducted.

### 1.5 Equipment Modifications

There was no modification incorporated into the EUT.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this less report eiter only to the sample(s) tested and such as an piets). Re #B a fixed and such as may be prosecuted to the fullest extent of the law.



Page: 8 of 277

### SYSTEM TEST CONFIGURATION

### 2.1 EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

#### 2.2 EUT Exercise

An engineering test mode (software/firmware) that applicant provided was utilized to manipulate the EUT into transmit, selection of the test channel, and modulation scheme.

#### 2.3 Test Procedure

#### 2.3.1 **Conducted Emissions**

The EUT is a placed on as turn table which is 0.8 m above ground plane. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30MHz., The CISPR Quasi-Peak and Average detector mode is employed according to §15.207. The two LISNs provide 50 ohm/ 50uH of coupling impedance for the measuring instrument. Both lines of the power mains connected to the EUT were checked for maximum conducted interference.

#### 2.3.2 **Radiated Emissions**

The EUT is a placed on as turn table. For emissions testing at or below 1 GHz, the table height shall be 0.8 m above the reference ground plan. For emission measurements above 1 GHz, the table height shall be 1.5 m. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. In order to find out the max. emission, the relative positions of this transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this less report eiter only to the sample(s) tested and such as an piets). Re #B a fixed and such as may be prosecuted to the fullest extent of the law.



Page: 9 of 277

### 2.4 Measurement Results Explanation Example

#### For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level.

#### Note:

The spectrum analyzer offset is derived from RF cable loss and attenuator factor. Following shows an offset computation example with cable loss 2dB, and 10dB attenuator. offset = RF cable loss (dB)+ attenuation factor(dB)=12(dB)

### 2.5 Configuration of Tested System


Fig. 2-1 Radiated Emission Configuration



Fig.2-3 Conducted Emission (Antenna Port) Configuration



Fig. 2-2 Conducted Emission (AC Power Line) Configuration



**Table 2-1 Equipment Used in Tested System** 

Item	Equipment	Mfr/Brand	Model/Type No.	Series No.	Data Cable	<b>Power Cord</b>
1	WLAN Test Software	N/A	N/A	N/A	N/A	N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this less report eiter only to the sample(s) tested and such as an piets). Re #B a fixed and such as may be prosecuted to the fullest extent of the law.



Page: 10 of 277

### **SUMMARY OF TEST RESULT**

FCC Rules	IC Rules	Description Of Test	Result
§15.207	RSS-Gen §8.8	AC Power Line Conducted Emission	Compliant
§15.403(i) §15.407(e)	RSS-247 §6.2.1~ 4 (1) RSS-Gen §6.6	26 dB & 6dB & 99% Emission Bandwidth	Compliant
§15.407(a)	RSS-247 §6.2.1~ 4 (1)	Maximum Conducted Output Power	Compliant
§15.407(a)	RSS-247 §6.2.1~ 4 (1)	Power Spectral Density	Compliant
§15.407(b)	RSS-247 §6.2.1~ 4 (2)	Undesirable Radiated Emissions	Compliant
§15.407(c)	RSS-247 §6.4	Transmission in case of Absence of Information	Compliant
§15.407(g)	RSS-Gen §6.11	Frequency Stability	Compliant
§15.203 §15.407(a)	RSS- Gen §6.7 RSS- Gen §8.3	Antenna Requirement	Compliant

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and purisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*SGS Taiwan Ltd.\*\* No 134 WukungRand.NewTaipeiIndustrialPark Wukupistrict.NewTaipeiCityTaiwan24803/新·t·市 无 股 原新·t·產業 图 原 无 28 134 號

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Page: 11 of 277

### 4 DESCRIPTION OF TEST MODES

### 4.1 Operated in U-NII Bands

Operated band in 5150 MHz ~5250 MHz:

4 channels are provided for 802.11a, 802.11n\_HT20, 802.11ac\_VHT20

CHANNE	L FREC	QUENCY	CHANNEL	FREQUENCY
36	5180	) MHz	44	5220 MHz
40	5200	) MHz	48	5240 MHz

2 channels are provided for 802.11n\_HT40, 802.11ac\_VHT40

CHANNEL	FREQUENCY	CHANNEL	FREQUENCY
38	5190 MHz	46	5230 MHz

1 channel is provided for 802.11ac\_VHT80

CHANNEL	FREQUENCY
42	5210 MHz

Operated band in 5250 MHz ~5350 MHz:

4 channels are provided for 802.11a, 802.11n\_HT20, 802.11ac\_VHT20

CHANNEL	FREQUENCY	CHANNEL	FREQUENCY
52	5260 MHz	60	5300 MHz
56	5280 MHz	64	5320 MHz

2 channels are provided for 802.11n\_HT40, 802.11ac\_VHT40

CHANNEL	FREQUENCY	CHANNEL	FREQUENCY
54	5270 MHz	62	5310 MHz

1 channel is provided for 802.11ac\_VHT80

CHANNEL	FREQUENCY
58	5290 MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 12 of 277

### Operated band in 5470 MHz ~5725 MHz:

11 channels are provided for 802.11a, 802.11n HT20, 802.11ac VHT20

•	<i>'</i>	· —	•
CHANNEL	FREQUENCY	CHANNEL	FREQUENCY
100	5500 MHz	124	5620 MHz
104	5520 MHz	128	5640 MHz
108	5540 MHz	132	5660 MHz
112	5560 MHz	136	5680 MHz
116	5580 MHz	140	5700 MHz
120	5600 MHz	144	5720 MHz

5 channels are provided for 802.11n\_HT40, 802.11ac\_VHT40

CHANNEL	FREQUENCY	CHANNEL	FREQUENCY
102	5510 MHz	126	5630 MHz
110	5550 MHz	134	5670 MHz
118	5590 MHz	142	5710 MHz

3 channels are provided for 802.11ac\_VHT80

CHANNEL	FREQUENCY	CHANNEL	FREQUENCY
106	5530 MHz	138	5690 MHz
122	5610 MHz		

#### Operated band in 5725 MHz ~5850 MHz:

5 channels are provided for 802.11a, 802.11n\_HT20, 802.11ac\_VHT20

CHANNEL	FREQUENCY	CHANNEL	FREQUENCY
149	5745 MHz	161	5805 MHz
153	5765 MHz	165	5825 MHz
157	5785 MHz		

2 channels are provided for 802.11n\_HT40, 802.11ac\_VHT40

CHANNEL	FREQUENCY	CHANNEL	FREQUENCY
151	5755 MHz	159	5795 MHz

1 channel is provided for 802.11ac\_VHT80

CHANNEL	FREQUENCY	
155	5775 MHz	

Remark: The device will not operate in 5600~5650MHz band for IC.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 13 of 277

#### 4.2 The Worst Test Modes and Channel Details

- 1. The EUT has been tested under operating condition.
- 2. Test program used to control the EUT for staying in continuous transmitting mode is programmed.
- 3. Investigation has been done on all the possible configurations for searching the worst case.
- 4. The given UE is pre-scanned among 802.11n and ac modes, and 802.11n yields the highest reading that generates the highest emission.
- 5. The given UE is pre-scanned among SISO Main, SISO Aux and MIMO modes, and SISO Main mode yields the highest reading that generates the highest emission. Therefore, 802.11ac+SISO Main as the mode of radiated test configuration is chosen to carry out the relevantly mandatory test items.

### RADIATED EMISSION TEST

NADIAI LD LIVII	RADIATED EMISSION TEST:					
	RADIATED EMISSION TEST (BELOW 1 GHz)					
MODE	FREQUENCY BAND (MHz)	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)	ANTENNA PORT
802.11a	5180~5240	36 to 48	36,44,48	OFDM	6	MAIN
802.11a	5260~5320	52 to 64	52,60,64	OFDM	6	MAIN
802.11a	5500~5720	100 to 140	100,116,140	OFDM	6	MAIN
802.11a	5745~5825	149 to 165	149,157,165	OFDM	6	MAIN
	RADIATED EMISSION TEST (ABOVE 1 GHz)					
MODE	FREQUENCY BAND (MHz)	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)	ANTENNA PORT
802.11a	5180~5240	36 to 48	26 44 49	OFDM	6	MAIN
802.11n_HT20	5160~5240	30 10 46	36,44,48	OFDM	MCS8	MAIN
802.11n_HT40	5190~5230	38 to 46	38,46	OFDM	MCS8	MAIN
802.11ac_VHT80	5210	42	42	OFDM	MCS8	MAIN
802.11a	5260~5320	52 to 64	52,60,64	OFDM	6	MAIN
802.11n_HT20	3200~3320	32 10 04	32,00,04	OFDM	MCS8	MAIN
802.11n_HT40	5270~5310	54 to 62	54,62	OFDM	MCS8	MAIN
802.11ac_VHT80	5290	58	58	OFDM	MCS8	MAIN

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

f (886-2) 2298-0488



Page: 14 of 277

MODE	FREQUENCY BAND (MHz)		TESTED CHANNEL	MODULATION	DATA RATE (Mbps)	ANTENNA PORT
802.11a	5500~5720	100 to 144	100,116,140	OFDM	6	MAIN
802.11n_HT20	5500~5720	100 10 144	100,116,140	OFDM	MCS8	MAIN
802.11n_HT40	5510~5710	102 to 142	102,110,134	OFDM	MCS8	MAIN
802.11ac_VHT80	5530~5690	106 to 138	106,122,138	OFDM	MCS8	MAIN
802.11a	5745~5825	149 to 165	149,157,165	OFDM	6	MAIN
802.11n_HT20	3743~3623	149 10 165	149,157,165	OFDM	MCS8	MAIN
802.11n_HT40	5755~5795	151 to 159	151,159	OFDM	MCS8	MAIN
802.11ac_VHT80	5775	155	155	OFDM	MCS8	MAIN

#### Note:

The field strength of radiation emission was measured as EUT stand-up position (H mode) and lie down position (E1, E2 mode) for 802.11a/n/ac WLAN Transmitter for channel Low, Mid and High, the worst case E2 position was reported.

#### ANTENNA PORT CONDUCTED MEASUREMENT:

	CONDUCTED TEST					
MODE	FREQUENCY BAND (MHz)	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)	ANTENNA PORT
802.11a				OFDM	6	MAIN
802.11n_HT20 802.11ac_VHT20	5180~5240	36 to 48	36,44,48	OFDM	MCS0	MAIN
802.11n_HT40 802.11ac_VHT40	5190~5230	38 to 46	38,46	OFDM	MCS0	MAIN
802.11ac_VHT80	5210	42	42	OFDM	MCS0	MAIN
802.11a				OFDM	6	MAIN
802.11n_HT20 802.11ac_VHT20	5260~5320	52 to 64	52,60,64	OFDM	MCS0	MAIN
802.11n_HT40 802.11ac_VHT40	5270~5310	54 to 62	54,62	OFDM	MCS0	MAIN
802.11ac_VHT80		58	58	OFDM	MCS0	MAIN
802.11a				OFDM	6	MAIN
802.11n_HT20 802.11ac_VHT20	5500~5720	100 to 144	100,116,140,144	OFDM	MCS0	MAIN
802.11n_HT40 802.11ac_VHT40	5510~5710	102 to 142	102,110,134,142	OFDM	MCS0	MAIN
802.11ac_VHT80	5530~5690	106 to 138	106,122,138	OFDM	MCS0	MAIN
802.11a				OFDM	6	MAIN
802.11n_HT20 802.11ac_VHT20	5745~5825	149 to 165	149,157,165	OFDM	MCS0	MAIN
802.11n_HT40 802.11ac_VHT40	5755~5795	151 to 159	151,159	OFDM	MCS0	MAIN
802.11ac_VHT80	5775	155	155	OFDM	MCS0	MAIN

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this less report relear only to the samplets) tested and such radius and relearned for 90 days only. 

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and purished therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sqs.com



Page: 15 of 277

#### **MEASUREMENT UNCERTAINTY**

Test Items	Uncertainty
AC Power Line Conducted Emission	+/- 2.586 dB
26dB & 6dB Emission Bandwidth	+/- 123.36 Hz
The Maximum Output Power Measurement	+/- 0.96 dB
Peak Power Spectral Density Measurement	+/- 1.67 dB
Frequency Stability	+/- 123.36 Hz
Temperature	+/- 0.65 °C
Humidity	+/- 4.6 %
DC / AC Power Source	DC= +/- 0.13%, AC=+/- 0.2%

### Radiated Spurious Emission:

	9kHz-30MHz: +/-2.87dB
	30MHz - 180MHz: +/- 3.37dB
Measurement uncertainty	180MHz -417MHz: +/- 3.19dB
(Polarization : <b>Vertical</b> )	0.417GHz-1GHz: +/- 3.19dB
	1GHz - 18GHz: +/- 4.04dB
	18GHz - 40GHz: +/- 4.04dB

	9kHz-30MHz: +/-2.87dB
	30MHz - 167MHz: +/- 4.22dB
Measurement uncertainty	167MHz -500MHz: +/- 3.44dB
(Polarization : <b>Horizontal</b> )	0.5GHz-1GHz: +/- 3.39dB
	1GHz - 18GHz: +/- 4.08dB
	18GHz - 40GHz: +/- 4.08dB

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*SGS Taiwan Ltd.\*\* No 134 WulkunRoand.NewTaipeiIndustrialPark. WulkunDistrict. NewTaipeiCity.Taiwan 24803/新 北市 五股區新北產業園區五工路 134 號

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Page: 16 of 277

### CONDUCTED EMISSION TEST

### 6.1 Standard Applicable

Frequency range within 150 kHz to 30 MHz shall not exceed the Limit table as below.

Frequency range	Limits dB(uV)				
MHz	Quasi-peak Average				
0.15 to 0.50	66 to 56	56 to 46			
0.50 to 5	56	46			
5 to 30	60	50			

#### Note

### 6.2 Measurement Equipment Used

Conducted Emission Test Site									
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.				
EMI Test Receiver	R&S	ESCI 7	100950	12/24/2017	12/23/2018				
Coaxial Cables	N/A	N30N30-1042-1 50cm	N/A	08/30/2017	08/29/2018				
LISN	Schwarzbeck	NSLK 8127	8127-648	06/18/2017	06/17/2018				
Test Software	Farad	EZ-EMC	Ver. SGS-03A2	N.C.R.	N.C.R.				

### 6.3 EUT Setup

- 1. The conducted emission tests were performed in the test site, using the setup in accordance with the ANSI C63.10:2013.
- 2. The AC/DC Power adaptor of EUT was plug-in LISN. The rear of the EUT and peripherals were placed flushed with the rear of the tabletop.
- 3. The LISN was connected with 120Vac/60Hz power source.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

SGS Taiwan Ltd.

f (886-2) 2298-0488


<sup>1.</sup> The lower limit shall apply at the transition frequencies

<sup>2.</sup> The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.50



Page: 17 of 277

#### 6.4 Test SET-UP



#### 6.5 Measurement Procedure

- 1. The EUT was placed on a table which is 0.8m above ground plane.
- 2. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 3. Repeat above procedures until all phases of power being supplied by given UE are completed.

#### 6.6 Measurement Result

Note: Refer to next page for measurement data and plots.

Note2: The \* reveals the worst-case results that closet to the limit

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd.



Page: 18 of 277

### AC POWER LINE CONDUCTED EMISSION TEST DATA

Operation Mode: Operation mode Test By: Jerry

Conduction Room Phase: L1 Temperature. 21 0 AC 120V/60Hz Humidity: 63 % Limit: FCC Class B Conduction(QP) Power. Mode: Note: Conducted Emission File :Condution Data :#882 Date: 2018/1/9 Time: 1 = 09:21:42 BO.O dRuV FCC Class B Conduction(f)P) 40 0.0 0.150 (MHz) Reading Correct Measure-No. Mk Freq. Limit Over Level Factor ment MHz dBuV dB dBuV dBuV dB Detector Comment 14.14 1 0.1540 19 65 33.79 65.78 -31.99peak 2 0.2900 10.26 19.79 30.05 60.52 -30.47peak 3 . 0.5500 18.94 20.11 39.05 56.00 -16.95 peak 2.3780 15.33 20,49 35.82 56.00 -20.18 4 peak 5 5.5700 19.41 20.09 39.50 60.00 -20.50 peak 6 9.2420 15.30 20.08 35.38 60.00 -24.62 peak

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this less report relear only to the samplets) tested and such radius and relearned for 90 days only. 

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and purished therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279

f (886-2) 2298-0488



Page: 19 of 277





No.	Mk.	Freq	Reading Level	Correct	Measure- ment	Limit	Over			
		MHz	dBuV	dB	dBuV	dBuV	dB	Detector	Comment	
1		0.5620	6.18	19.96	26.14	56.00	-29.86	peak		
2		1.9580	9,32	20.39	29.71	56.00	-26.29	peak		
3		4.4900	17.62	20.03	37.65	56.00	-18.35	peak		
4		5.8060	14.83	19.95	34.78	60.00	-25.22	peak		
5	100	9.3660	9.39	19.94	29.33	60.00	-30.67	peak		
6		24.9780	7.05	20.25	27.30	60.00	-32.70	peak		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price within approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of the indexented to the full set extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 20 of 277

#### **DUTY CYCLE TEST SIGNAL**

Pre-analysis Check: While conducting average power measurement, duty cycle of each mode shall be checked to ensure its duty cycle in order to compensate for the loss due to insufficient ratio of duty cycle.

All duty cycle is pre-scanned, and result as obtained below shows only the most representative ones where duty cycle is conducted as the given transmission with given virtual operation that expresses the percentage.

#### Formula:

Duty Cycle = Ton / (Ton+Toff)

#### **Measurement Procedure:**

- 1. Set span = Zero
- 2. RBW = 8MHz
- 3. VBW = 8MHz,
- 4. Detector = Peak

#### **Duty Cycle:**

Mode	Duty Cycle (%)	Duty Factor (dB) =10*log ( 1/Duty
802.11a	94.91	0.23
802.11n_20	95.59	0.20
802.11ac_20	95.61	0.20
802.11n_40	84.33	0.74
802.11ac_40	84.48	0.73
802.11ac_80	84.01	0.76

Duty Cycle Factor:  $10 * \log(1/0.9491) = 0.23$ Duty Cycle Factor:  $10 * \log(1/0.9559) = 0.2$ Duty Cycle Factor:  $10 * \log(1/0.9561) = 0.19$ Duty Cycle Factor:  $10 * \log(1/0.8433) = 0.74$ Duty Cycle Factor:  $10 * \log(1/0.8448) = 0.73$ Duty Cycle Factor:  $10 * \log(1/0.8401) = 0.76$ 

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 21 of 277

## **DUTY CYCLE TEST SIGNAL Measurement Result** 802.11a



## 802.11n HT20



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Onless otherwise stated the results shown in this test report relear only to the sample(s) tested and such carriagne(s) are retained for 90 days only. 

Ref 另有說明,此報告結果僅對測試之樣品負責,同時止樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in valuations and the produced except in full, without prior within any contents. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

f (886-2) 2298-0488




Page: 22 of 277

### 802.11n HT 40



### 802.11 ac VHT 80



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Onless otherwise stated the results shown in this test report relear only to the sample(s) tested and such carriagne(s) are retained for 90 days only. 

Ref 另有說明,此報告結果僅對測試之樣品負責,同時止樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in valuations and the produced except in full, without prior within any contents. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

f (886-2) 2298-0488



Page: 23 of 277

### 8 26DB & 6DB EMISSION BANDWIDTH MEASUREMENT

### 8.1 Standard Applicable

There is no limit bandwidth for U-NII-1, U-NII-2-A and U-NII-2-C.

The minimum of 6dB Bandwidth measurement is 0.5 MHz for U-NII-3

#### 8.2 Measurement Procedure

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules .
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the Antenna port to the spectrum analyzer.
  - a. 26dB Band width Measurement: Set the spectrum analyzer as 1% of emission BW Sweep=auto, Detector = Peak, Trace Mode = Max Hold, Manually readjust RBW until the RBW/EBW ratio is 1% based on EBW as observed on the result of pre-sequence measurement.
  - b. Mark the peak frequency and –26dB (upper and lower) frequency.
- 4. Repeat the procedures as list above until all test default channels (low, middle, and high) are completed.
- 5. Minimum Emission Bandwidth for the band 5.725-5.850GHz.
  - a. Set the spectrum analyzer as RBW = 100 kHz, VBW = 3\*RBW, Span = 30M/50MHz, Detector=Peak,
    - Sweep=auto
  - b. Mark the peak frequency and –6dB (upper and lower) frequency.
- 6. Repeat above procedures until all test default channel measured were complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 24 of 277

### 8.3 Measurement Equipment Used

SGS Conducted Room								
Name of Equip- ment	Manufacturer	Model	Serial Number	Calibration Date	Calibration Due			
Spectrum Analyzer	KEYSIGHT	N9010A	MY51440113	06/20/2017	06/19/2018			
Coaxial Cable 30cm	WOKEN	00100A1F1A195C	RF01	12/24/2017	12/23/2018			
DC Block	PASTERNACK	PE8210	RF29	12/24/2017	12/23/2018			
Attenuator	WOKEN	218FS-10	RF23	12/24/2017	12/23/2018			
DC Power Supply	Agilent	E3640A	MY53140006	05/02/2017	05/01/2018			

### 8.4 Test Set-up



#### 8.5 Measurement Result

#### 26dB and 6dB Bandwidth

802.11a\_Main 802.11a\_Aux1

Frequency (MHz)	26dB BW (MHz)	10 Log (B) (dB)	Frequency (MHz)	26dB BW (MHz)	10 Log (B) (dB)
5180	19.35	12.867	5180	19.21	12.835
5220	20.21	13.056	5220	20.67	13.153
5240	20.01	13.012	5240	19.21	12.835
5260	19.81	12.970	5260	20.37	13.090
5300	19.92	12.994	5300	19.38	12.874
5320	19.80	12.967	5320	19.47	12.893
5500	20.33	13.082	5500	20.07	13.025
5580	20.02	13.015	5580	20.50	13.118
5700	20.06	13.022	5700	19.69	12.943

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price within approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of the indexented to the full set extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279

f (886-2) 2298-0488



Page: 25 of 277

#### 802.11a\_Main

#### 802.11a\_Aux1

Frequency (MHz)	6dB BW (MHz)	10 Log (B) (dB)	Frequency (MHz)	6dB BW (MHz)	10 Log (B) (dB)
5745	13.28	11.231	5745	12.09	10.823
5785	15.05	11.776	5785	15.15	11.804
5825	16.33	12.129	5825	13.37	11.260

#### 802.11n\_HT20\_Main

### 802.11n\_HT20\_Aux1

Frequency (MHz)	26dB BW (MHz)	10 Log (B) (dB)	Frequency (MHz)	26dB BW (MHz)	10 Log (B) (dB)
5180	20.47	13.111	5180	21.03	13.227
5220	20.99	13.220	5220	19.58	12.918
5240	20.25	13.064	5240	20.03	13.017
5260	20.47	13.112	5260	21.02	13.225
5300	20.35	13.086	5300	20.30	13.075
5320	20.35	13.086	5320	20.99	13.219
5500	20.99	13.220	5500	20.76	13.172
5580	21.02	13.226	5580	20.55	13.128
5700	21.23	13.269	5700	20.02	13.016

#### 802.11n HT20\_Main

#### 802.11n HT20\_Aux

Frequency (MHz)	26dB Bandwidth (MHz)	10 Log (B) (dB)	Frequency (MHz)	26dB Bandwidth (MHz)	10 Log (B) (dB)
5720 (UNII-2C)	16.170	12.09	5720 (UNII-2C)	15.410	11.88
5720 (UNII-3)	5.090	7.07	5720 (UNII-3)	4.860	6.87

#### 802.11n HT20 Main

#### 802.11n HT20 Aux1

Frequency (MHz)	6dB BW (MHz)	10 Log (B) (dB)	Frequency (MHz)	6dB BW (MHz)	10 Log (B) (dB)
5745	14.07	11.483	5745	13.90	11.430
5785	11.03	10.426	5785	15.12	11.796
5825	15.11	11.793	5825	15.11	11.793

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and purisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*SGS Taiwan Ltd.\*\* No 134 WukungRand.NewTaipeiIndustrialPark Wukupistrict.NewTaipeiCityTaiwan24803/新·t·市 无 股 原新·t·產業 图 原 无 28 134 號



Page: 26 of 277

#### 802.11n HT40 Main

#### 802.11n HT40 Aux1

Frequency (MHz)	26dB BW (MHz)	10 Log (B) (dB)	Frequency (MHz)	26dB BW (MHz)	10 Log (B) (dB)
5190	43.87	16.422	5190	43.26	16.361
5230	42.56	16.290	5230	42.86	16.321
5270	42.28	16.261	5270	42.30	16.264
5310	45.11	16.543	5310	43.84	16.418
5510	42.62	16.296	5510	43.81	16.416
5550	43.57	16.392	5550	42.91	16.325
5670	45.08	16.539	5670	43.42	16.376

#### 802.11n HT40\_Main

#### 802.11n HT40\_Aux

Frequency (MHz)	26dB Bandwidth (MHz)	10 Log (B) (dB)	Frequency (MHz)	26dB Bandwidth (MHz)	10 Log (B) (dB)
5710 (UNII-2C)	37.560	15.75	5710 (UNII-2C)	37.760	15.77
5710 (UNII-3)	4.750	6.77	5710 (UNII-3)	4.770	6.79

#### 802.11n HT40 Main

#### 802.11n HT40 Aux1

Frequency (MHz)	6dB BW (MHz)	10 Log (B) (dB)	Frequency (MHz)	6dB BW (MHz)	10 Log (B) (dB)
5755	33.89	15.300	5755	31.41	14.971
5795	35.12	15.455	5795	35.05	15.447

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and purisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*SGS Taiwan Ltd.\*\* No 134 WukungRand.NewTaipeiIndustrialPark Wukupistrict.NewTaipeiCityTaiwan24803/新·t·市 无 股 原新·t·產業 图 原 无 28 134 號



Page: 27 of 277

#### 802.11ac \_VHT80\_Main

#### 802.11ac \_VHT80\_Aux1

Frequency (MHz)	26dB BW (MHz)	10 Log (B) (dB)	Frequency (MHz)	26dB BW (MHz)	10 Log (B) (dB)
5210	79.44	19.000	5210	80.65	19.066
5290	80.03	19.032	5290	78.90	18.971
5530	78.97	18.974	5530	79.13	18.983
5610	80.67	19.067	5610	82.15	19.146

#### 802.11ac VHT80\_Main

#### 802.11ac VHT80\_Aux

Frequency (MHz)	26dB Bandwidth (MHz)	10 Log (B) (dB)	Frequency (MHz)	26dB Bandwidth (MHz)	10 Log (B) (dB)
5690 (UNII-2C)	70.880	18.51	5690 (UNII-2C)	71.080	18.52
5690 (UNII-3)	3.990	6.01	5690 (UNII-3)	4.000	6.02

802.11ac \_VHT80\_Main

802.11ac \_VHT80\_Aux1

Frequency (MHz)	6dB BW (MHz)	10 Log (B) (dB)	Frequency (MHz)	6dB BW (MHz)	10 Log (B) (dB)
5775	70.13	18.459	5775	73.86	18.684

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*SGS Taiwan Ltd.\*\* No 134 WulkunRoand.NewTaipeiIndustrialPark. WulkunDistrict. NewTaipeiCity.Taiwan 24803/新 北市 五股區新北產業園區五工路 134 號



Page: 28 of 277

#### 99% Bandwidth

### 802.11a\_Main

#### 802.11a\_Aux1

			**=:::::			
Frequency (MHz)	99% BW (MHz)	10 Log (B) (dB)	Frequency (MHz)	99% BW (MHz)	10 Log (B) (dB)	
5180	16.623	12.207	5180	16.609	12.203	
5220	16.622	12.207	5220	16.616	12.205	
5240	16.526	12.182	5240	16.561	12.191	
5260	16.680	12.222	5260	16.603	12.202	
5300	16.584	12.197	5300	16.568	12.193	
5320	16.644	12.213	5320	16.661	12.217	
5500	16.597	12.200	5500	16.616	12.205	
5580	16.581	12.196	5580	16.572	12.194	
5700	16.607	12.203	5700	16.584	12.197	

#### 802.11a\_Main

#### 802.11a\_Aux1

Frequency (MHz)	6dB BW (MHz)	10 Log (B) (dB)	Frequency (MHz)	6dB BW (MHz)	10 Log (B) (dB)
5745	16.24	12.105	5745	16.01	12.044
5785	16.11	12.071	5785	16.08	12.063
5825	16.18	12.090	5825	16.04	12.052

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and purisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*SGS Taiwan Ltd.\*\* No 134 WukungRand.NewTaipeiIndustrialPark Wukupistrict.NewTaipeiCityTaiwan24803/新·t·市 无 股 原新·t·產業 图 原 无 28 134 號



Page: 29 of 277

#### 802.11n\_HT20\_Main

#### 802.11n\_HT20\_Aux1

**					
Frequency (MHz)	99% BW (MHz)	10 Log (B) (dB)	Frequency (MHz)	99% BW (MHz)	10 Log (B) (dB)
5180	17.756	12.493	5180	17.760	12.494
5220	17.782	12.500	5220	17.741	12.490
5240	17.734	12.488	5240	17.786	12.501
5260	17.771	12.497	5260	17.802	12.505
5300	17.813	12.507	5300	17.804	12.505
5320	17.773	12.498	5320	17.742	12.490
5500	17.757	12.494	5500	17.795	12.503
5580	17.755	12.493	5580	17.809	12.506
5700	17.744	12.491	5700	17.729	12.487

#### 802.11n HT20\_Main

### 802.11n HT20\_Aux

Frequency (MHz)	99% Bandwidth (MHz)	10 Log (B) (dB)	Frequency (MHz)	99%
5720 (UNII-2C)	13.460	11.29	5720 (UNII-2C)	
5720 (UNII-3)	4.240	6.27	5720 (UNII-3)	

Frequency (MHz)	99% Bandwidth (MHz)	10 Log (B) (dB)
5720 (UNII-2C)	13.488	11.30
5720 (UNII-3)	4.249	6.28

### 802.11n\_HT20\_Main

### 802.11n\_HT20\_Aux1

Frequency (MHz)	6dB BW (MHz)	10 Log (B) (dB)	Frequency (MHz)	6dB BW (MHz)	10 Log (B) (dB)
5745	17.26	12.371	5745	17.08	12.324
5785	17.13	12.338	5785	17.34	12.390
5825	17.25	12.367	5825	17.43	12.413

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and purisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*SGS Taiwan Ltd.\*\* No 134 WukungRand.NewTaipeiIndustrialPark Wukupistrict.NewTaipeiCityTaiwan24803/新·t·市 无 股 原新·t·產業 图 原 无 28 134 號



Page: 30 of 277

802.11n \_HT40\_Main

#### 802.11n \_HT40\_Aux1

Frequency (MHz)	99% BW (MHz)	10 Log (B) (dB)	Frequency (MHz)	99% BW (MHz)	10 Log (B) (dB)
5190	35.997	15.563	5190	36.074	15.572
5230	36.059	15.570	5230	36.099	15.575
5270	36.047	15.569	5270	36.048	15.569
5310	36.086	15.573	5310	36.077	15.572
5510	36.077	15.572	5510	36.074	15.572
5550	36.027	15.566	5550	35.956	15.558
5670	36.066	15.571	5670	36.017	15.565

#### 802.11n HT40\_Main

#### 802.11n HT40\_Aux

Frequency (MHz)	99% Bandwidth (MHz)	10 Log (B) (dB)	Frequency (MHz)	99% Bandwidth (MHz)	10 Log (B) (dB)
5710 (UNII-2C)	32.066	15.06	5710 (UNII-2C)	32.005	15.05
5710 (UNII-3)	4.054	6.08	5710 (UNII-3)	4.046	6.07

#### 802.11n \_HT40\_Main

#### 802.11n \_HT40\_Aux1

Frequency (MHz)	6dB BW (MHz)	10 Log (B) (dB)	Frequency (MHz)	6dB BW (MHz)	10 Log (B) (dB)
5755	35.43	15.494	5755	35.75	15.533
5795	36.01	15.564	5795	35.58	15.512

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and purisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*SGS Taiwan Ltd.\*\* No 134 WukungRand.NewTaipeiIndustrialPark Wukupistrict.NewTaipeiCityTaiwan24803/新·t·市 无 股 原新·t·產業 图 原 无 28 134 號



Page: 31 of 277

#### 802.11ac \_VHT80\_Main

#### 802.11ac \_VHT80\_Aux1

Frequency (MHz)	99% BW (MHz)	10 Log (B) (dB)	Frequency (MHz)	99% BW (MHz)	10 Log (B) (dB)
5210	74.987	18.750	5210	75.145	18.759
5290	75.016	18.752	5290	74.888	18.744
5530	74.931	18.747	5530	74.923	18.746

### 802.11ac VHT80\_Main

#### 802.11ac VHT80\_Aux

Frequency (MHz)	99% Bandwidth (MHz)	10 Log (B) (dB)
5690 (UNII-2C)	70.984	18.51
5690 (UNII-3)	3.996	6.02

Frequency (MHz)	99% Bandwidth (MHz)	10 Log (B) (dB)
5690 (UNII-2C)	71.010	18.51
5690 (UNII-3)	3.997	6.02

#### 802.11ac \_VHT80\_Main

#### 802.11ac \_VHT80\_Aux1

Frequency (MHz)	6dB BW (MHz)	10 Log (B) (dB)	Frequency (MHz)	6dB BW (MHz)	10 Log (B) (dB)
5775	70.33	18.471	5775	68.98	18.387

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未總本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior withen approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unauthal and effenders may be prosequed to the fullest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 32 of 277

### 99% BW to prove that all signals in band I is no over band U-NII-1 & 3

#### 802.11a\_Main

Frequency (MHz)	Measured Frequency (MHz)	Limit (MHz)
5240	5248.13	< 5250
5745	5736.75	> 5725

#### 802.11a\_Aux1

Frequency (MHz)	Measured Frequency (MHz)	Limit (MHz)
5240	5248.13	< 5250
5745	5736.78	> 5725

#### 802.11n\_HT20\_Main

Frequency (MHz)	Measured Frequency (MHz)	Limit (MHz)
5240	5248.73	< 5250
5745	5736.12	> 5725

#### 802.11n\_HT20\_Aux1

Frequency (MHz)	Measured Frequency (MHz)	Limit (MHz)
5240	5248.79	< 5250
5745	5736.12	> 5725

#### 802.11n \_HT40\_Main

Frequency (MHz)	Measured Frequency (MHz)	Limit (MHz)
5230	5248.05	< 5250
5755	5736.95	> 5725

#### 802.11n \_HT40\_Aux1

Frequency (MHz)	Measured Frequency (MHz)	Limit (MHz)
5230	5248.05	< 5250
5755	5736.90	> 5725

#### 802.11ac \_VHT80\_Main

Frequency (MHz)	Measured Frequency (MHz)	Limit (MHz)
5210	5247.40	< 5250
5775	5737.20	> 5725

#### 802.11n \_HT80\_Aux1


Frequency (MHz)	Measured Frequency (MHz)	Limit (MHz)
5210	5247.40	< 5250
5775	5737.50	> 5725

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未總本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior withen approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches and the support is jurisdual and effenders may be prosequed to the fullest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 33 of 277

#### FCC 802.11a 20MHz Main 5180MHz




### FCC\_802.11a\_20MHz\_Main\_5260MHz




### FCC\_802.11a\_20MHz\_Main\_5220MHz




FCC\_802.11a\_20MHz\_Main\_5300MHz



### FCC 802.11a 20MHz Main 5240MHz



FCC 802.11a 20MHz Main 5320MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report relear only to the sample(s) tested and such sample(s) are retained for 90 days only. 
Fix a fixing that the state of the st prosecuted to the fullest extent of the law.




Page: 34 of 277


### FCC 802.11a 20MHz Main 5500MHz




## FCC\_802.11a\_20MHz\_Main\_5745MHz




### FCC\_802.11a\_20MHz\_Main\_5580MHz




FCC\_802.11a\_20MHz\_Main\_5785MHz



### FCC 802.11a 20MHz Main 5700MHz



FCC 802.11a 20MHz Main 5825MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


除非方角就明 : 近報告路未僅對例試之樣品具質 | 同時起樣品程体留別元 : 本報告本座本の自由評判 : 不可能位程录。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parts to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488




Page: 35 of 277


### FCC 802.11a 20MHz AUX1 5180MHz




## FCC\_802.11a\_20MHz\_AUX1\_5260MHz




#### FCC\_802.11a\_20MHz\_AUX1 5220MHz




FCC\_802.11a\_20MHz\_AUX1\_ \_5300MHz



### FCC 802.11a 20MHz AUX1 5240MHz



FCC 802.11a 20MHz AUX1 5320MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report relear only to the sample(s) tested and such sample(s) are retained for 90 days only. 
Fix a fixing that the state of the st prosecuted to the fullest extent of the law.




Page: 36 of 277


#### FCC 802.11a 20MHz AUX1 5500MHz

# Ref Offset 12 dB Ref 30.00 dBn Center Free enter 5.5 GHz Res BW 20 kHz Span 30 MHz weep 71.53 ms #VBW 62 kHz 16.344 MHz Transmit Freq Error -40.766 kHz **OBW Power** 99.00 %


## FCC\_802.11a\_20MHz\_AUX1\_5745MHz




#### FCC\_802.11a\_20MHz\_AUX1 \_5580MHz




FCC\_802.11a\_20MHz\_AUX1\_ \_5785MHz



### FCC 802.11a 20MHz AUX1 5700MHz



FCC 802.11a 20MHz AUX1 5825MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非方角就明 : 近報告路未僅對例試之樣品具質 | 同時起樣品程体留別元 : 本報告本座本の自由評判 : 不可能位程录。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parts to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 37 of 277


#### FCC 802.11n 20MHz Main 5180MHz




#### FCC\_802.11n\_20MHz\_Main\_5260MHz




#### FCC\_802.11n\_20MHz\_Main\_5220MHz




FCC\_802.11n\_20MHz\_Main\_5300MHz



#### FCC 802.11n 20MHz Main 5240MHz



FCC 802.11n 20MHz Main 5320MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report relear only to the sample(s) tested and such sample(s) are retained for 90 days only. 
Fix a fixing that the state of the st prosecuted to the fullest extent of the law.




Page: 38 of 277


#### FCC 802.11n 20MHz Main 5500MHz




#### FCC 802.11n 20MHz Main 5720MHz



#### FCC\_802.11n\_20MHz\_Main\_5700MHz



#### FCC\_802.11n\_20MHz\_Main\_5580MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非方角就明 : 近報告路未僅對例試之樣品具質 | 同時起樣品程体留別元 : 本報告本座本の自由評判 : 不可能位程录。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parts to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 39 of 277


#### FCC 802.11n 20MHz Main 5745MHz



#### FCC\_802.11n\_20MHz\_Main\_5785MHz



#### FCC\_802.11n\_20MHz\_Main\_5825MHz



t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sqs.com/terms">www.sqs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms">www.sqs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 40 of 277


#### FCC 802.11n 20MHz AUX1 5180MHz

## Ref Offset 12 dB Ref 30.00 dBn Center Fre enter 5.18 GHz Res BW 20 kHz Span 30 MH; weep 71.53 ms #VBW 62 kHz 17.563 MHz Transmit Freq Error -28.952 kHz **OBW Power** 99.00 % 21.03 MHz


## FCC\_802.11n\_20MHz\_AUX1\_5260MHz




#### FCC\_802.11n\_20MHz\_AUX1 5220MHz




FCC\_802.11n\_20MHz\_AUX1\_5300MHz



#### FCC 802.11n 20MHz AUX1 5240MHz



FCC 802.11n 20MHz AUX1 5320MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this test report relear only to the sample(s) tested and such sample(s) are retained for 90 days only. 
Fix a fixing that the state of the st prosecuted to the fullest extent of the law.



Page: 41 of 277


FCC 802.11n 20MHz AUX1 5720MHz

#### FCC 802.11n 20MHz AUX1 5500MHz






#### FCC\_802.11n\_20MHz\_AUX1 \_5580MHz



#### FCC\_802.11n\_20MHz\_AUX1\_5700MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report relear only to the sample(s) tested and such sample(s) are retained for 90 days only. 
Fix a fixing that the state of the st prosecuted to the fullest extent of the law.




Page: 42 of 277


## FCC\_802.11n\_20MHz\_AUX1\_5745MHz



#### FCC\_802.11n\_20MHz\_AUX1 \_5785MHz



#### FCC\_802.11n\_20MHz\_AUX1\_5825MHz




t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sqs.com/terms">www.sqs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms">www.sqs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 43 of 277

#### FCC 802.11n 40MHz Main 5190MHz




#### FCC\_802.11n\_40MHz\_Main\_5310MHz




#### FCC\_802.11n\_40MHz\_Main\_5230MHz




FCC\_802.11n\_40MHz\_Main\_5510MHz



#### FCC 802.11n 40MHz Main 5270MHz



FCC 802.11n 40MHz Main 5550MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 44 of 277


#### FCC 802.11n 40MHz Main 5670MHz




## FCC\_802.11n\_40MHz\_Main\_5710MHz



#### FCC 802.11n 40MHz Main 5755MHz



FCC\_802.11n\_40MHz\_Main\_5795MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 45 of 277


#### FCC 802.11n 40MHz AUX1 5190MHz

## Ref Offset 12 dB Ref 30.00 dBm Center Free Span 50 MH; ep 119.2 ms #VBW 62 kHz 36.143 MHz Transmit Freq Error 44.820 kHz **OBW Power** 99.00 %


## FCC\_802.11n\_40MHz\_AUX1\_5310MHz




#### FCC\_802.11n\_40MHz\_AUX1 \_5230MHz




FCC\_802.11n\_40MHz\_AUX1\_5510MHz



#### FCC 802.11n 40MHz AUX1 5270MHz



FCC 802.11n 40MHz AUX1 5550MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report relear only to the sample(s) tested and such sample(s) are retained for 90 days only. 
Fix a fixing that the state of the st prosecuted to the fullest extent of the law.



Page: 46 of 277


FCC\_802.11n\_40MHz\_AUX1\_5795MHz

#### FCC 802.11n 40MHz AUX1 5670MHz





#### FCC\_802.11n\_40MHz\_AUX1\_5710MHz



#### FCC\_802.11n\_40MHz\_AUX1\_5755MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 47 of 277


#### FCC 802.11ac 80MHz Main 5210MHz




## FCC\_802.11ac\_80MHz\_Main\_5610MHz




#### FCC\_802.11ac\_80MHz\_Main\_5290MHz




FCC\_802.11ac\_80MHz\_Main\_5690MHz



#### FCC 802.11ac 80MHz Main 5530MHz



FCC 802.11ac 80MHz Main 5775MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 48 of 277

#### FCC\_802.11ac\_80MHz\_AUX1\_5210MHz




## FCC\_802.11ac\_80MHz\_AUX1\_5610MHz




#### FCC\_802.11ac\_80MHz\_AUX1\_5290MHz




FCC\_802.11ac\_80MHz\_AUX1\_ \_5690MHz



#### FCC 802.11ac 80MHz AUX1 5530MHz



FCC 802.11ac 80MHz AUX1 5775MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd.



Page: 49 of 277

### 99% BW to prove that all signals in band I is no over band U-NII-1

802.11a\_5240MHz (Main)



#### 802.11a\_5240MHz (Aux)



#### 802.11n\_20MHz\_5240MHz (Main)




#### 802.11n\_20MHz \_5240MHz (Aux)



#### 802.11n\_40MHz\_5230MHz (Main)



#### 802.11n\_40MHz \_5230MHz (Aux)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Onless orienwise stated the results shown in this test report retier only to the sample(s) tested and such sample(s) test pany's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 50 of 277

## 802.11n\_80MHz\_5210MHz (Main)



#### 802.11n\_80MHz \_5210MHz (Aux)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sqs.com/terms">www.sqs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms">www.sqs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 51 of 277

### 99% BW to prove that all signals in band I is no over band U-NII-3

802.11a\_5745MHz (Main)



#### 802.11a\_5745MHz (Aux)



#### 802.11n\_20MHz\_5745MHz (Main)



#### 802.11n\_20MHz \_5745MHz (Aux)



#### 802.11n\_40MHz\_5775MHz (Main)



#### 802.11n\_40MHz 5775MHz (Aux)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless orienwise stated the results shown in this test report retier only to the sample(s) tested and such sample(s) test pany's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 52 of 277

## 802.11n\_80MHz\_5775MHz (Main)



#### 802.11n\_80MHz \_5775MHz (Aux)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sqs.com/terms">www.sqs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms">www.sqs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 53 of 277

## For 99%, IC\_802.11a\_20MHz\_Main\_5180MHz




## IC\_802.11a\_20MHz\_Main\_5260MHz




#### IC\_802.11a\_20MHz\_Main\_5220MHz




IC\_802.11a\_20MHz\_Main\_5300MHz



#### IC 802.11a 20MHz Main 5240MHz



IC 802.11a 20MHz Main 5320MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and <a href="conditions.htm">conditions.htm</a> and, for electronic format the company's subject to its General Conditions of Service printed overlead, available of request of accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and Conditions of Electronic Documents at <a href="https://www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 54 of 277

#### IC 802.11a 20MHz Main 5500MHz

# Ref Offset 12 dB Ref 30.00 dBr Center Free CF Ste Center 5.5 GHz Res BW 300 kHz Span 30 MHz Sweep 1 ms

IC\_802.11a\_20MHz\_Main\_5745MHz



IC\_802.11a\_20MHz\_Main\_5580MHz

Total Powe

**OBW Power** 

99.00 %


#VBW 1 MHz

16.597 MHz

9.555 kHz

16.10 MHz


Transmit Freq Error




IC\_802.11a\_20MHz\_Main\_5785MHz



IC 802.11a 20MHz Main 5700MHz



IC 802.11a 20MHz Main 5825MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and <a href="conditions.htm">conditions.htm</a> and, for electronic format the company's subject to its General Conditions of Service printed overlead, available of request of accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and Conditions of Electronic Documents at <a href="https://www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 55 of 277

#### IC\_802.11a\_20MHz\_AUX1\_5180MHz




## IC\_802.11a\_20MHz\_AUX1\_5260MHz



#### IC\_802.11a\_20MHz\_AUX1 5220MHz




#### IC\_802.11a\_20MHz\_AUX1 5300MHz



#### 5240MHz IC 802.11a 20MHz AUX1



IC 802.11a 20MHz AUX1 5320MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and <a href="conditions.htm">conditions.htm</a> and, for electronic format the company's subject to its General Conditions of Service printed overlead, available of request of accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and Conditions of Electronic Documents at <a href="https://www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 56 of 277

#### IC 802.11a 20MHz AUX1 5500MHz




#### IC\_802.11a\_20MHz\_AUX1\_5745MHz



#### IC\_802.11a\_20MHz\_AUX1\_5580MHz




IC\_802.11a\_20MHz\_AUX1\_5785MHz



#### IC\_802.11a\_20MHz\_AUX1\_5700MHz



IC\_802.11a\_20MHz\_AUX1\_5825MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.




Page: 57 of 277

#### IC 802.11n 20MHz Main 5180MHz

# Ref Offset 12 dB Ref 30.00 dBr Center Free CF Ste

Center 5.18 GHz Res BW 300 kHz Span 30 MH: Sweep 1 ms #VBW 1 MHz Total Powe 17.756 MHz Transmit Freq Error -525 Hz **OBW Power** 99.00 %


## IC\_802.11n\_20MHz\_Main\_5260MHz



#### IC\_802.11n\_20MHz\_Main\_5220MHz




IC\_802.11n\_20MHz\_Main\_5300MHz



#### IC 802.11n 20MHz Main 5240MHz



IC 802.11n 20MHz Main 5320MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and <a href="conditions.htm">conditions.htm</a> and, for electronic format the company's subject to its General Conditions of Service printed overlead, available of request of accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and Conditions of Electronic Documents at <a href="https://www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 58 of 277

#### IC 802.11n 20MHz Main 5500MHz



#### IC\_802.11n\_20MHz\_Main\_5720MHz



#### IC\_802.11n\_20MHz\_Main\_5580MHz



#### IC 802.11n 20MHz Main 5700MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated in the results shown in this stee report refer only to the sample(s) tested and such as an entering of a retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 59 of 277


#### IC 802.11n 20MHz Main 5745MHz



#### IC\_802.11n\_20MHz\_Main\_5785MHz



## IC\_802.11n\_20MHz\_Main\_5825MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated in the results shown in this stee report refer only to the sample(s) tested and such as an entering of a retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 60 of 277

#### IC 802.11n 20MHz AUX1 5180MHz




#### IC 802.11n 20MHz AUX1 5260MHz



#### IC\_802.11n\_20MHz\_AUX1\_5220MHz



IC\_802.11n\_20MHz\_AUX1\_5300MHz



## IC\_802.11n\_20MHz\_AUX1\_5240MHz



IC\_802.11n\_20MHz\_AUX1\_5320MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 61 of 277

#### IC 802.11n 20MHz AUX1 5500MHz




#### IC\_802.11n\_20MHz\_AUX1\_5720MHz



#### IC\_802.11n\_20MHz\_AUX1 5580MHz



#### IC 802.11n 20MHz AUX1 5700MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated in the results shown in this stee report refer only to the sample(s) tested and such as an entering of a retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 62 of 277

#### IC 802.11n 20MHz AUX1 5745MHz



#### IC\_802.11n\_20MHz\_AUX1 \_5785MHz



#### IC 802.11n 20MHz AUX1 5825MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated in the results shown in this stee report refer only to the sample(s) tested and such as an entering of a retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



35.997 MHz

49.551 kHz

Transmit Freq Error

Report No.: E2/2017/C0008

Page: 63 of 277

#### IC 802.11n 40MHz Main 5190MHz



## IC\_802.11n\_40MHz\_Main\_5310MHz



#### IC\_802.11n\_40MHz\_Main\_5230MHz

**OBW Power** 

99.00 %



IC\_802.11n\_40MHz\_Main\_5510MHz



#### IC 802.11n 40MHz Main 5270MHz



#### IC 802.11n 40MHz Main 5550MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


解析方角 規則・近報告話末性對河風之様志貞貴・同時武様志佳休留切犬。本報告末壁な司書面計引・不引命的複製。
This document is issued by the Company subject to its General Conditions of Seneral Conditions of India Seneral Conditions Indi cuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 64 of 277


#### IC 802.11n 40MHz Main 5670MHz




#### IC\_802.11n\_40MHz\_Main\_5795MHz



#### IC\_802.11n\_40MHz\_Main\_5710MHz



#### IC 802.11n 40MHz Main 5755MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated in the results shown in this stee report refer only to the sample(s) tested and such as an entering of a retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 65 of 277

#### IC\_802.11n\_40MHz\_AUX1\_5190MHz



## IC\_802.11n\_40MHz\_AUX1\_5310MHz




#### IC\_802.11n\_40MHz\_AUX1 5230MHz



IC\_802.11n\_40MHz\_AUX1 5510MHz



#### 5270MHz IC 802.11n 40MHz AUX1



IC 802.11n 40MHz AUX1 5550MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方角 規則・近報告話末性對河風之様志貞貴・同時武様志佳休留切犬。本報告末壁な司書面計引・不引命的複製。
This document is issued by the Company subject to its General Conditions of Seneral Conditions of India Seneral Conditions Indi cuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 66 of 277


#### IC\_802.11n\_40MHz\_AUX1\_5670MHz




#### IC\_802.11n\_40MHz\_AUX1\_5795MHz



#### IC\_802.11n\_40MHz\_AUX1 5710MHz



#### IC 802.11n 40MHz AUX1 5755MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated in the results shown in this stee report refer only to the sample(s) tested and such as an entering of a retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 67 of 277

#### IC 802.11ac 80MHz Main 5210MHz




#### IC 802.11ac 80MHz Main 5610MHz




#### IC\_802.11ac\_80MHz\_Main\_5290MHz




IC\_802.11ac\_80MHz\_Main\_ 5690MHz



#### IC 802.11ac 80MHz Main 5530MHz



IC 802.11ac 80MHz Main 5775MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


解析方角 規則・近報告話末性對河風之様志貞貴・同時武様志佳休留切犬。本報告末壁な司書面計引・不引命的複製。
This document is issued by the Company subject to its General Conditions of Seneral Conditions of India Seneral Conditions Indi cuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 68 of 277

#### IC\_802.11ac\_80MHz\_AUX1\_5210MHz




## IC\_802.11ac\_80MHz\_AUX1\_5610MHz




#### IC\_802.11ac\_80MHz\_AUX1\_5290MHz




IC\_802.11ac\_80MHz\_AUX1\_ 5690MHz



#### IC 802.11ac 80MHz AUX1 5530MHz



IC 802.11ac 80MHz AUX1 5775MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方角 規則・近報告話末性對河風之様志貞貴・同時武様志佳休留切犬。本報告末壁な司書面計引・不引命的複製。
This document is issued by the Company subject to its General Conditions of Seneral Conditions of India Seneral Conditions Indi cuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 69 of 277

#### MAXIMUM CONDUCTED OUTPUT POWER MEASUREMENT

#### 9.1 Standard Applicable

#### **FCC**

OPERZTION Band		EUT CATEGORY	LIMIT		
U-NII-1		Access Point (Mater device )	1 Watt(30dBm)		
		Fixed point-to-point Acess Ponit	1 Watt(30dBm)		
	V	Mobile and portable clinet device	250mW(23.98dBm)		
U-NII-2A	V		250mW(23.98dBm) or 11dBm+10 log B		
U-NII-2C	√		250mW(23.98dBm) or 11dBm+10 log B		
U-NII-3	V		1 Watt(30dBm)		

IC

OPERZTION FREQUENCY BAND	LIMIT				
5150~5250 MHz	EIRP shall not exceed 200 mW or 10 + 10 log <sub>10</sub> B, dBm				
5250~5350 MHz	Conducted output power shall not exceed 250 mW or 11 +10 log10B EIRP shall not exceed 1.0 W or 17 + 10 log10B, dBm				
5470-5600 MHz and 5650-5725 MHz	Conducted output power shall not exceed 250 mW or 11 +10 log10 B EIRP shall not exceed 1.0 W or 17 + 10 log10B, dBm				
5725~5850 MHz	Conducted output power shall not exceed 1 W				

If transmitting antennas of directional gain greater than 6 dBi are used, both the peak transmit power and the peak power spectral density shall be reduced by the amount in dB that the direction-al gain of the antenna exceeds 6 dBi.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 70 of 277

Note: 5.15-5.25G

Antenna1 Gain: 1.8 dBi Antenna2 Gain: -0.55 dBi Number Antenna: 2 pcs

Directional gain = gain of antenna element + 10 log (# of TX antenna elements)

Effective Legacy Gain (dBi) = 4.81 dBi

Limit: 23.98dBm

Note: 5.25-5.35G

Antenna1 Gain: 1.8 dBi Antenna2 Gain: 1.34 dBi Number Antenna: 2 pcs

Directional gain = gain of antenna element + 10 log (# of TX antenna elements)

Effective Legacy Gain (dBi) = 4.81 dBi

Limit: 23.98dBm

Note: 5.47-5.725G

Antenna1 Gain: 1.84 dBi Antenna2 Gain: 1.46 dBi Number Antenna: 2 pcs

Directional gain = gain of antenna element + 10 log (# of TX antenna elements)

Effective Legacy Gain (dBi) = 4.85 dBi

Limit: 23.968dBm

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this less report eiter only to the sample(s) tested and such as an piets). Re #B a fixed and such as may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Page: 71 of 277


#### 9.2 Measurement Procedure

- Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules.
- Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the power meter
- Power Meter is used as the auxiliary test equipment to conduct the output power measurement.
- Record the max. reading and add 10 log(1/duty cycle).
- Repeat above procedures until all frequency (low, middle, and high channel) measured were complete.

#### 9.3 Measurement Equipment Used

SGS Conducted Room								
Name of Equip- ment	Manufacturer	Model	Serial Number	Calibration Date	Calibration Due			
Power Meter	Anritsu	ML2496A	1326001	06/23/2017	06/22/2018			
Power Sensor	Anritsu	MA2411B	1315048	06/23/2017	06/22/2018			
Power Sensor	Anritsu	MA2411B	1315049	06/23/2017	06/22/2018			
Coaxial Cable 30cm	WOKEN	00100A1F1A195C	RF01	12/24/2017	12/23/2018			
DC Block	PASTERNACK	PE8210	RF29	12/24/2017	12/23/2018			
Attenuator	WOKEN	218FS-10	RF23	12/24/2017	12/23/2018			
DC Power Supply	Agilent	E3640A	MY53140006	05/02/2017	05/01/2018			

#### 9.4 Test Set-up



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this less report eiter only to the sample(s) tested and such as an piets). Re #B a fixed and such as may be prosecuted to the fullest extent of the law.



Page: 72 of 277

#### 9.5 Measurement Result

#### Conducted output power (FCC)

#### 802 11a Main

802.11a_	iviaiii							
СН	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)		RESULT	
36	5180	6	14.95	31.239		30		PASS
44	5220	6	14.94	31.167		30		PASS
48	5240	6	14.95	31.239	30			PASS
52	5260	6	14.97	31.383	23.98	or 11+10log(B) =	23.97	PASS
60	5300	6	14.98	31.456	23.98	or 11+10log(B) =	23.99	PASS
64	5320	6	14.96	31.311	23.98	or 11+10log(B) =	23.97	PASS
100	5500	6	13.96	24.871	23.98	or 11+10log(B) =	24.08	PASS
116	5580	6	13.94	24.757	23.98	or 11+10log(B) =	24.01	PASS
140	5700	6	13.98	24.986	23.98	or 11+10log(B) =	24.02	PASS
149	5745	6	13.97	24.929		30		PASS
157	5785	6	13.97	24.929		30		PASS
165	5825	6	13.94	24.757		30		PASS

#### 802 11a Aux1

802.11a_Aux1								
СН	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)		RESULT	
36	5180	6	14.90	30.882		30		
44	5220	6	14.89	30.811		30		PASS
48	5240	6	14.92	31.024	30			PASS
52	5260	6	14.91	30.953	23.98	or 11+10log(B) =	24.09	PASS
60	5300	6	14.95	31.239	23.98	or 11+10log(B) =	23.87	PASS
64	5320	6	14.92	31.024	23.98	or 11+10log(B) =	23.89	PASS
100	5500	6	13.91	24.587	23.98	or 11+10log(B) =	24.03	PASS
116	5580	6	13.88	24.417	23.98	or 11+10log(B) =	24.12	PASS
140	5700	6	13.95	24.814	23.98	or 11+10log(B) =	23.94	PASS
149	5745	6	13.90	24.530		30		PASS
157	5785	6	13.89	24.474		30		PASS
165	5825	6	13.86	24.305		30		PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders way he preserved the full between the full the cutest of the subject to the full and the full and offenders. may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



Page: 73 of 277

### 802.11a\_MIMO

CII	Frequency	Data	Avg. POW	/ER (dBm)	TOTAL	TOTAL		REQUIRED		RESULT
СН	(MHz)	Rate	CH 0	CH 1	POWER (dBm)	POWER (mW)		LIMIT (dBm)		RESULI
36	5180	6	11.75	11.56	14.89	29.284		30		PASS
44	5220	6	11.69	11.58	14.87	29.145		30		PASS
48	5240	6	11.71	11.59	14.89	29.246		30		PASS
52	5260	6	11.74	11.61	14.91	29.416	23.98	or 11+10log(B) =	23.97	PASS
60	5300	6	11.89	11.46	14.92	29.448	23.98	or 11+10log(B) =	23.87	PASS
64	5320	6	11.88	11.44	14.90	29.349	23.98	or 11+10log(B) =	23.89	PASS
100	5500	6	10.91	10.46	13.93	23.448	23.98	or 11+10log(B) =	24.03	PASS
116	5580	6	10.84	10.48	13.90	23.303	23.98	or 11+10log(B) =	24.01	PASS
140	5700	6	10.85	10.59	13.96	23.617	23.98	or 11+10log(B) =	23.94	PASS
149	5745	6	10.83	10.53	13.92	23.404		30		PASS
157	5785	6	10.83	10.54	13.92	23.430		30		PASS
165	5825	6	10.78	10.58	13.92	23.396		30		PASS

# 802.11n HT20 Main

	Frequency	Data	TOTAL	TOTAL		REQUIRED		
СН	(MHz)	Rate	POWER	POWER		LIMIT		RESULT
	(1411 12)	itate	(dBm)	(mW)				
36	5180	MCS0	14.98	31.447		30		PASS
44	5220	MCS0	14.96	31.303		30		PASS
48	5240	MCS0	14.94	31.159		30		PASS
52	5260	MCS0	14.97	31.375	23.98	or 11+10log(B) =	24.11	PASS
60	5300	MCS0	14.97	31.375	23.98	or 11+10log(B) =	24.09	PASS
64	5320	MCS0	14.98	31.447	23.98	or 11+10log(B) =	24.09	PASS
100	5500	MCS0	13.99	25.037	23.98	or 11+10log(B) =	24.22	PASS
116	5580	MCS0	13.94	24.750	23.98	or 11+10log(B) =	24.23	PASS
140	5700	MCS0	13.98	24.979	23.98	or 11+10log(B) =	24.27	PASS
144	5720 (band 3)	MCS0	12.74	18.775	23.98	or 11+10log(B) =	23.09	PASS
144	5720 (band 4)	MCS0	1.38	1.376	23.98	or 11+10log(B) =	18.07	PASS
149	5745	MCS0	13.97	24.922		30		PASS
157	5785	MCS0	13.97	24.922		30		PASS
165	5825	MCS0	13.96	24.865		30		PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders was the preserved the full between the full and offenders. may be prosecuted to the fullest extent of the law.



Page: 74 of 277

# 802.11n\_HT20\_Aux1

СН	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		
36	5180	MCS0	14.95	31.231		30		PASS
44	5220	MCS0	14.91	30.944		30		PASS
48	5240	MCS0	14.88	30.731		30		PASS
52	5260	MCS0	14.92	31.016	23.98	or 11+10log(B) =	24.23	PASS
60	5300	MCS0	14.93	31.087	23.98	or 11+10log(B) =	24.07	PASS
64	5320	MCS0	14.94	31.159	23.98	or 11+10log(B) =	24.22	PASS
100	5500	MCS0	13.95	24.807	23.98	or 11+10log(B) =	24.17	PASS
116	5580	MCS0	13.91	24.580	23.98	or 11+10log(B) =	24.13	PASS
140	5700	MCS0	13.94	24.750	23.98	or 11+10log(B) =	24.02	PASS
144	5720 (band 3)	MCS0	12.71	18.646	23.98	or 11+10log(B) =	22.88	PASS
144	5720 (band 4)	MCS0	1.38	1.376	23.98	or 11+10log(B) =	17.86	PASS
149	5745	MCS0	13.94	24.750		30	_	PASS
157	5785	MCS0	13.92	24.637		30		PASS
165	5825	MCS0	13.93	24.693		30		PASS

#### 802.11n HT20 MIMO

011	Frequency	Data	Avg. POV	/ER (dBm)	TOTAL	TOTAL		REQUIRED		DE0111 T
СН	(MHz)	Rate	Rate CH 0		POWER (dBm)	POWER (mW)		LIMIT (dBm)		RESULT
36	5180	MCS8	11.74	11.66	14.91	29.583		30		PASS
44	5220	MCS8	11.74	11.63	14.89	29.483		30		PASS
48	5240	MCS8	11.77	11.67	14.93	29.721		30		PASS
52	5260	MCS8	11.74	11.62	14.89	29.449	23.98	or 11+10log(B) =	24.11	PASS
60	5300	MCS8	11.94	11.47	14.92	29.660	23.98	or 11+10log(B) =	24.07	PASS
64	5320	MCS8	11.96	11.51	14.95	29.862	23.98	or 11+10log(B) =	24.09	PASS
100	5500	MCS8	10.89	10.51	13.91	23.520	23.98	or 11+10log(B) =	24.17	PASS
116	5580	MCS8	10.88	10.54	13.92	23.570	23.98	or 11+10log(B) =	24.13	PASS
140	5700	MCS8	10.79	10.63	13.92	23.556	23.98	or 11+10log(B) =	24.02	PASS
144	5720 (band 3)	MCS8	9.68	9.33	12.71	17.860	23.98	or 11+10log(B) =	17.86	PASS
144	5720 (band 4)	MCS8	1.189	1.189	4.40	2.630	23.98	or 11+11log(B) =	11.00	PASS
149	5745	MCS8	10.91	10.54	13.94	23.655		30		PASS
157	5785	MCS8	10.89	10.56	13.93	23.651		30		PASS
165	5825	MCS8	10.79	10.64	13.92	23.583		30		PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be precedured the full law. may be prosecuted to the fullest extent of the law.



Page: 75 of 277

## 802.11ac VHT20 Main

СН	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)			RESULT	
36	5180	MCS0	14.94	31.153		30		PASS
44	5220	MCS0	14.91	30.939		30		PASS
48	5240	MCS0	14.88	30.726		30		PASS
52	5260	MCS0	14.91	30.939	23.98	or 11+10log(B) =	24.11	PASS
60	5300	MCS0	14.90	30.868	23.98	or 11+10log(B) =	24.09	PASS
64	5320	MCS0	14.92	31.010	23.98	or 11+10log(B) =	24.09	PASS
100	5500	MCS0	13.94	24.746	23.98	or 11+10log(B) =	24.22	PASS
116	5580	MCS0	13.89	24.463	23.98	or $11+10\log(B) =$	24.23	PASS
140	5700	MCS0	13.92	24.632	23.98	or 11+10log(B) =	24.27	PASS
144	5720 (band 3)	MCS0	12.70	18.600	23.98	or 11+10log(B) =	23.09	PASS
144	5720 (band 4)	MCS0	1.38	1.375	23.98	or 11+10log(B) =	18.07	PASS
149	5745	MCS0	13.91	24.575		30		PASS
157	5785	MCS0	13.93	24.689		30		PASS
165	5825	MCS0	13.93	24.689		30		PASS

### 802.11ac VHT20 Aux1

OUZ. I Tuc	VIT12U_AUX	•							
СН	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)			
36	5180	MCS0	14.92	31.010		30		PASS	
44	5220	MCS0	14.88	30.726		30		PASS	
48	5240	MCS0	14.84	30.444		30		PASS	
52	5260	MCS0	14.89	30.797	23.98	or 11+10log(B) =	24.23	PASS	
60	5300	MCS0	14.88	30.726	23.98	or 11+10log(B) =	24.07	PASS	
64	5320	MCS0	14.91	30.939	23.98	or 11+10log(B) =	24.22	PASS	
100	5500	MCS0	13.90	24.519	23.98	or 11+10log(B) =	24.17	PASS	
116	5580	MCS0	13.88	24.406	23.98	or 11+10log(B) =	24.13	PASS	
140	5700	MCS0	13.91	24.575	23.98	or 11+10log(B) =	24.02	PASS	
144	5720 (band 3)	MCS0	12.66	18.429	23.98	or 11+10log(B) =	22.88	PASS	
144	5720 (band 4)	MCS0	1.38	1.375	23.98	or 11+10log(B) =	17.86	PASS	
149	5745	MCS0	13.88	24.406		30		PASS	
157	5785	MCS0	13.89	24.463		30		PASS	
165	5825	MCS0	13.87	24.350		30		PASS	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders was the preserved the full between the full and offenders. may be prosecuted to the fullest extent of the law.



Page: 76 of 277

#### 802.11ac VHT20 MIMO

011	Frequency	Data	Avg. POV	VER (dBm)	TOTAL	TOTAL		REQUIRED		DEOLU T
СН	(MHz)	Rate	CH 0	CH 1	POWER (dBm)	POWER (mW)		LIMIT (dBm)		RESULT
36	5180	MCS8	11.74	11.64	14.90	29.516		30		PASS
44	5220	MCS8	11.76	11.58	14.88	29.385		30		PASS
48	5240	MCS8	11.73	11.56	14.85	29.215		30		PASS
52	5260	MCS8	11.86	11.5	14.89	29.472	23.98	or 11+10log(B) =	24.11	PASS
60	5300	MCS8	11.93	11.35	14.85	29.241	23.98	or 11+10log(B) =	24.07	PASS
64	5320	MCS8	11.95	11.38	14.88	29.408	23.98	or 11+10log(B) =	24.09	PASS
100	5500	MCS8	10.87	10.44	13.87	23.284	23.98	or 11+10log(B) =	24.17	PASS
116	5580	MCS8	10.83	10.42	13.84	23.121	23.98	or 11+10log(B) =	24.13	PASS
140	5700	MCS8	10.75	10.58	13.87	23.314	23.98	or 11+10log(B) =	24.02	PASS
144	5720 (band 3)	MCS8	9.53	9.35	12.65	17.584	23.98	or 11+10log(B) =	17.86	PASS
144	5720 (band 4)	MCS8	1.189	1.189	4.39	2.630	23.98	or 11+10log(B) =	11.00	PASS
149	5745	MCS8	10.83	10.46	13.85	23.223		30		PASS
157	5785	MCS8	10.82	10.56	13.90	23.454		30		PASS
165	5825	MCS8	10.71	10.62	13.87	23.311		30		PASS

# 802 11n HT40 Main

CH	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
38	5190	MCS0	14.97	31.407		30		PASS
46	5230	MCS0	14.96	31.335		30		PASS
54	5270	MCS0	14.98	31.479	23.98	or 11+10log(B) =	27.26	PASS
62	5310	MCS0	11.97	15.741	23.98	or 11+10log(B) =	27.54	PASS
102	5510	MCS0	13.98	25.005	23.98	or 11+10log(B) =	27.30	PASS
110	5550	MCS0	13.95	24.833	23.98	or 11+10log(B) =	27.39	PASS
134	5670	MCS0	13.98	25.005	23.98	or 11+10log(B) =	27.54	PASS
142	3/ 10 (band	MCS0	13.41	21.929	23.98	or 11+10log(B) =	26.75	PASS
142	37 10 (banu 4)	MCS0	1.26	1.336	23.98	or 11+10log(B) =	17.77	PASS
151	5755	MCS0	13.96	24.890		30		PASS
159	5795	MCS0	13.93	24.719		30		PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders was the preserved the full between the full and offenders. may be prosecuted to the fullest extent of the law.



Page: 77 of 277

## 802.11n HT40 Aux1

СН	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)			
38	5190	MCS0	14.93	31.119		30		PASS	
46	5230	MCS0	14.92	31.048		30		PASS	
54	5270	MCS0	14.90	30.905	23.98	or 11+10log(B) =	27.26	PASS	
62	5310	MCS0	11.91	15.525	23.98	or 11+10log(B) =	27.42	PASS	
102	5510	MCS0	13.95	24.833	23.98	or 11+10log(B) =	27.42	PASS	
110	5550	MCS0	13.92	24.662	23.98	or 11+10log(B) =	27.33	PASS	
134	5670	MCS0	13.95	24.833	23.98	or 11+10log(B) =	27.38	PASS	
142	37 TO (band	MCS0	13.38	21.778	23.98	or 11+10log(B) =	26.77	PASS	
142	57 TO (band	MCS0	1.26	1.336	23.98	or 11+10log(B) =	17.79	PASS	
151	5755	MCS0	13.93	24.719		30		PASS	
159	5795	MCS0	13.90	24.549		30		PASS	

#### 802.11n HT40 MIMO

CH	Frequency	Data	Avg. POV	/ER (dBm)	TOTAL POWER	TOTAL POWER		REQUIRED LIMIT		RESULT
СН	(MHz)	Rate	CH 0	CH 1	(dBm)	(mW)		(dBm)		RESULT
38	5190	MCS8	11.23	11.14	14.94	26.276		30		PASS
46	5230	MCS8	11.22	11.11	14.92	26.156		30		PASS
54	5270	MCS8	11.32	11.02	14.92	26.199	23.98	or 11+10log(B) =	27.26	PASS
62	5310	MCS8	8.54	7.77	11.92	13.129	23.98	or 11+10log(B) =	27.42	PASS
102	5510	MCS8	10.32	10.03	13.93	20.834	23.98	or 11+10log(B) =	27.30	PASS
110	5550	MCS8	10.31	10.02	13.92	20.786	23.98	or 11+10log(B) =	27.33	PASS
134	5670	MCS8	10.27	10.06	13.92	20.781	23.98	or 11+10log(B) =	27.38	PASS
142	3/ 10 (band	MCS8	9.772	9.502	13.39	18.405	23.98	or 11+10log(B) =	26.75	PASS
142	37 10 (band	MCS8	0.517	0.517	4.27	2.253	23.98	or 11+10log(B) =	17.77	PASS
151	5755	MCS8	10.32	10.04	13.93	20.857		30		PASS
159	5795	MCS8	10.27	10.02	13.90	20.688		30		PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders was the preserved the full between the full and offenders. may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



Page: 78 of 277

## 802.11ac VHT40 Main

СН	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)			
38	5190	MCS0	14.91	30.993		30		PASS	
46	5230	MCS0	14.89	30.851		30		PASS	
54	5270	MCS0	14.92	31.065	23.98	or 11+10log(B) =	27.26	PASS	
62	5310	MCS0	11.91	15.533	23.98	or 11+10log(B) =	27.54	PASS	
102	5510	MCS0	13.89	24.506	23.98	or 11+10log(B) =	27.30	PASS	
110	5550	MCS0	13.92	24.675	23.98	or 11+10log(B) =	27.39	PASS	
134	5670	MCS0	13.94	24.789	23.98	or 11+10log(B) =	27.54	PASS	
142	37 TO (band 3)	MCS0	13.38	21.790	23.98	or 11+10log(B) =	26.75	PASS	
142	37 10 (band 4)	MCS0	1.25	1.333	23.98	or 11+10log(B) =	17.77	PASS	
151	5755	MCS0	13.92	24.675		30		PASS	
159	5795	MCS0	13.89	24.506		30	•	PASS	

# 802 11ac VHT40 Aux1

OUZ. I TOO	_VIII40_Aux	<u> </u>						
СН	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
38	5190	MCS0	14.88	30.780		30		PASS
46	5230	MCS0	14.87	30.709		30		PASS
54	5270	MCS0	14.90	30.922	23.98	or 11+10log(B) =	27.26	PASS
62	5310	MCS0	11.86	15.356	23.98	or 11+10log(B) =	27.42	PASS
102	5510	MCS0	13.85	24.281	23.98	or 11+10log(B) =	27.42	PASS
110	5550	MCS0	13.86	24.337	23.98	or 11+10log(B) =	27.33	PASS
134	5670	MCS0	13.90	24.562	23.98	or 11+10log(B) =	27.38	PASS
142	37 TO (band	MCS0	13.35	21.650	23.98	or 11+10log(B) =	26.77	PASS
142	57 10 (band 4)	MCS0	1.25	1.333	23.98	or 11+10log(B) =	17.79	PASS
151	5755	MCS0	13.89	24.506		30		PASS
159	5795	MCS0	13.86	24.337		30		PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders was the preserved the full between the full and offenders. may be prosecuted to the fullest extent of the law.



Page: 79 of 277

### 802.11ac VHT40 MIMO

CII	Frequency	Data	Avg. POW	/ER (dBm)	TOTAL	TOTAL		REQUIRED LIMIT		DECLUT
СН	(MHz)	Rate	CH 0	CH 1	POWER (dBm)	POWER (mW)		(dBm)		RESULT
38	5190	MCS8	11.2	11.08	14.88	26.006		30		PASS
46	5230	MCS8	11.19	11.04	14.86	25.858		30		PASS
54	5270	MCS8	11.24	11.06	14.89	26.069	23.98	or 11+10log(B) =	27.26	PASS
62	5310	MCS8	8.48	7.75	11.87	13.004	23.98	or 11+10log(B) =	27.42	PASS
102	5510	MCS8	10.27	9.92	13.84	20.459	23.98	or 11+10log(B) =	27.30	PASS
110	5550	MCS8	10.28	10.04	13.90	20.758	23.98	or 11+10log(B) =	27.33	PASS
134	5670	MCS8	10.31	10.03	13.92	20.809	23.98	or 11+10log(B) =	27.38	PASS
142	3/ 10 (band	MCS8	9.752	9.482	13.36	18.321	23.98	or 11+10log(B) =	26.75	PASS
142	37 10 (band	MCS8	0.517	0.517	4.26	2.253	23.98	or 11+10log(B) =	17.77	PASS
151	5755	MCS8	10.27	10.03	13.89	20.711		30		PASS
159	5795	MCS8	10.14	10.06	13.84	20.467		30		PASS

### 802.11ac VHT80 Main

СН	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)			
42	5210	MCS0	13.94	24.755		30		PASS	
58	5290	MCS0	11.98	15.764	23.98	or 11+10log(B) =	30.03	PASS	
106	5530	MCS0	13.95	24.813	23.98	or 11+10log(B) =	29.97	PASS	
122	5610	MCS0	13.99	25.042	23.98	or 11+10log(B) =	30.07	PASS	
138	2)	MCS0	13.67	23.274	23.98	or 11+10log(B) =	29.50	PASS	
138	ວບອບ (banu 4)	MCS0	0.99	1.257	23.98	or 11+10log(B) =	17.01	PASS	
155	5775	MCS0	13.94	24.755		30		PASS	

## 802.11ac VHT80 Aux1

СН	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)		RESULT		
42	5210	MCS0	13.92	24.642		30		PASS
58	5290	MCS0	11.95	15.656	23.98	or 11+10log(B) =	29.97	PASS
106	5530	MCS0	13.90	24.529	23.98	or 11+10log(B) =	29.98	PASS
122	5610	MCS0	13.97	24.927	23.98	or 11+10log(B) =	30.15	PASS
138	3090 (band	MCS0	13.65	23.156	23.98	or 11+10log(B) =	29.52	PASS
138	ວບອບ (banu 4)	MCS0	0.99	1.257	23.98	or 11+10log(B) =	17.02	PASS
155	5775	MCS0	13.84	24.192		30		PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders was the preserved the full between the full and offenders. may be prosecuted to the fullest extent of the law.



Page: 80 of 277

#### 802.11ac VHT80 MIMO

CII	Frequency	Data	Avg. POW	/ER (dBm)	TOTAL	TOTAL	REQUIRED LIMIT			DECULT.
СН	(MHz)	Rate	CH 0	CH 1	POWER (dBm)	POWER (mW)		(dBm)		RESULT
42	5210	MCS8	9.91	10.25	13.85	20.387		30		PASS
58	5290	MCS8	8.25	8.08	11.93	13.110	23.98	or 11+10log(B) =	29.97	PASS
106	5530	MCS8	10.16	9.98	13.84	20.329	23.98	or 11+10log(B) =	29.97	PASS
122	5610	MCS8	10.37	9.81	13.87	20.461	23.98	or 11+10log(B) =	30.07	PASS
138	2)	MCS8	10.162	9.532	13.63	19.358	23.98	or 11+11log(B) =	29.52	PASS
138	3090 (band	MCS8	0.237	0.237	4.00	2.112	23.98	or 11+12log(B) =	11.00	PASS
155	5775	MCS8	10.43	9.79	13.89	20.569		30		PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders way he preserved the full between the full the cutest of the subject to the full and the full and offenders. may be prosecuted to the fullest extent of the law.



Page: 81 of 277

# Conducted output power (IC)

# 802.11a Main

СН	Frequency (MHz)	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
52	5260	14.97	31.383	23.98	or 11+10log(B) =	23.22	PASS
60	5300	14.98	31.456	23.98	or 11+10log(B) =	23.20	PASS
64	5320	14.96	31.311	23.98	or 11+10log(B) =	23.21	PASS
100	5500	13.96	24.871	23.98	or 11+10log(B) =	23.20	PASS
116	5580	13.94	24.757	23.98	or 11+10log(B) =	23.20	PASS
140	5700	13.98	24.986	23.98	or 11+10log(B) =	23.20	PASS
149	5745	13.97	24.929		30		PASS
157	5785	13.97	24.929		30		PASS
165	5825	13.94	24.757		30		PASS

## 802 11a Aux1

OUZ.III	_						
СН	Frequency (MHz)	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
52	5260	14.91	30.953	23.98	or 11+10log(B) =	23.20	PASS
60	5300	14.95	31.239	23.98	or 11+10log(B) =	23.19	PASS
64	5320	14.92	31.024	23.98	or 11+10log(B) =	23.22	PASS
100	5500	13.91	24.587	23.98	or 11+10log(B) =	23.21	PASS
116	5580	13.88	24.417	23.98	or 11+10log(B) =	23.19	PASS
140	5700	13.95	24.814	23.98	or 11+10log(B) =	23.20	PASS
149	5745	13.90	24.530		30		PASS
157	5785	13.89	24.474		30		PASS
165	5825	13.86	24.305		30		PASS

### 802.11a MIMO

OUZ.11a_iviliviO											
СН	Frequency		RAGE VER	TOTAL POWER	TOTAL POWER		REQUIRED LIMIT		RESULT		
	(MHz) CH 0 CH 1 (dBm)		(mW)		(dBm)						
52	5260	11.7	11.6	14.69	29.416	23.98	or 11+10log(B) =	23.20	PASS		
60	5300	11.9	11.5	14.69	29.448	23.98	or 11+10log(B) =	23.19	PASS		
64	5320	11.9	11.4	14.68	29.349	23.98	or 11+10log(B) =	23.21	PASS		
100	5500	10.9	10.5	13.70	23.448	23.98	or 11+10log(B) =	23.20	PASS		
116	5580	10.8	10.5	13.67	23.303	23.98	or 11+10log(B) =	23.19	PASS		
140	5700	10.9	10.6	13.73	23.617	23.98	or 11+10log(B) =	23.20	PASS		
149	5745	10.8	10.5	13.69	23.404		30		PASS		
157	5785	10.8	10.5	13.70	23.430		30		PASS		
165	5825	10.8	10.6	13.69	23.396		30	_	PASS		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders was the researched the shillest extent of the shillest extent may be prosecuted to the fullest extent of the law.



Page: 82 of 277

### 802.11n HT20 Main

	_1111 <b>20</b> Mail1						
СН	Frequency (MHz)	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
52	5260	14.97	31.375	23.98	or 11+10log(B) =	23.50	PASS
60	5300	14.97	31.375	23.98	or 11+10log(B) =	23.51	PASS
64	5320	14.98	31.447	23.98	or 11+10log(B) =	23.50	PASS
100	5500	13.99	25.037	23.98	or 11+10log(B) =	23.49	PASS
116	5580	13.94	24.750	23.98	or 11+10log(B) =	23.49	PASS
140	5700	13.98	24.979	23.98	or 11+10log(B) =	23.49	PASS
144	5720 (band 3)	12.54	17.947	23.98	or 11+10log(B) =	22.29	PASS
144	5720 (band 4)	1.189	1.315	23.98	or 11+10log(B) =	17.27	PASS
149	5745	13.97	24.922		30		PASS
157	5785	13.97	24.922		30		PASS
165	5825	13.96	24.865		30		PASS

# 802.11n\_HT20\_Aux1

СН	Frequency (MHz)	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
52	5260	14.92	31.016	23.98	or 11+10log(B) =	23.50	PASS
60	5300	14.93	31.087	23.98	or 11+10log(B) =	23.51	PASS
64	5320	14.94	31.159	23.98	or 11+10log(B) =	23.49	PASS
100	5500	13.95	24.807	23.98	or 11+10log(B) =	23.50	PASS
116	5580	13.91	24.580	23.98	or 11+10log(B) =	23.51	PASS
140	5700	13.94	24.750	23.98	or 11+10log(B) =	23.49	PASS
144	5720 (band 3)	12.51	17.824	23.98	or 11+10log(B) =	22.30	PASS
144	5720 (band 4)	1.189	1.315	23.98	or 11+10log(B) =	17.28	PASS
149	5745	13.94	24.750		30		PASS
157	5785	13.92	24.637		30		PASS
165	5825	13.93	24.693		30	·	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders way he preserved the full between the full the cutest of the subject to the full and the full and offenders. may be prosecuted to the fullest extent of the law.



Page: 83 of 277

## 802.11n HT20 MIMO

002.1111_11120_WINNO										
СН	Frequency (MHz)	AVER POWER CH 0		TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT	
52	5260	11.74	11.6	14.69	29.449	23.98	or 11+10log(B) =	23.50	PASS	
60	5300	11.94	11.5	14.72	29.660	23.98	or 11+10log(B) =	23.51	PASS	
64	5320	11.96	11.5	14.75	29.862	23.98	or 11+10log(B) =	23.49	PASS	
100	5500	10.89	10.5	13.71	23.520	23.98	or 11+10log(B) =	23.49	PASS	
116	5580	10.88	10.5	13.72	23.570	23.98	or 11+10log(B) =	23.49	PASS	
140	5700	10.79	10.6	13.72	23.556	23.98	or 11+10log(B) =	23.49	PASS	
144	5720 (band 3)	9.68	9.33	12.52	17.860	23.98	or 11+10log(B) =	22.29	PASS	
144	5720 (band 4)	1.189	1.19	4.20	2.630	23.98	or 11+10log(B) =	17.27	PASS	
149	5745	10.91	10.5	13.74	23.655		30	•	PASS	
157	5785	10.89	10.6	13.74	23.651		30	•	PASS	
165	5825	10.79	10.6	13.73	23.583		30		PASS	

# 802.11ac VHT20 Main

СН	Frequency (MHz)	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
52	5260	14.91	30.939	23.98	or 11+10log(B) =	23.50	PASS
60	5300	14.90	30.868	23.98	or 11+10log(B) =	23.51	PASS
64	5320	14.92	31.010	23.98	or 11+10log(B) =	23.50	PASS
100	5500	13.94	24.746	23.98	or 11+10log(B) =	23.49	PASS
116	5580	13.89	24.463	23.98	or 11+10log(B) =	23.49	PASS
140	5700	13.92	24.632	23.98	or 11+10log(B) =	23.49	PASS
144	5720 (band 3)	12.5	17.783	23.98	or 11+10log(B) =	22.29	PASS
144	5720 (band 4)	1.189	1.315	23.98	or 11+10log(B) =	17.27	PASS
149	5745	13.91	24.575		30		PASS
157	5785	13.93	24.689		30		PASS
165	5825	13.93	24.689		30	·	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders way he preserved the full between the full the cutest of the subject to the full and the full and offenders. may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



Page: 84 of 277

## 802.11ac VHT20 Aux1

	5_VIII 20_Aux I						
СН	Frequency (MHz)	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
52	5260	14.89	30.797	23.98	or 11+10log(B) =	23.50	PASS
60	5300	14.88	30.726	23.98	or 11+10log(B) =	23.51	PASS
64	5320	14.91	30.939	23.98	or 11+10log(B) =	23.49	PASS
100	5500	13.90	24.519	23.98	or 11+10log(B) =	23.50	PASS
116	5580	13.88	24.406	23.98	or 11+10log(B) =	23.51	PASS
140	5700	13.91	24.575	23.98	or 11+10log(B) =	23.49	PASS
144	5720 (band 3)	12.46	17.620	23.98	or 11+10log(B) =	22.30	PASS
144	5720 (band 4)	1.189	1.315	23.98	or 11+10log(B) =	17.28	PASS
149	5745	13.88	24.406		30		PASS
157	5785	13.89	24.463		30		PASS
165	5825	13.87	24.350		30		PASS

# 802.11ac\_VHT20\_MIMO

СН	Frequency (MHz)	AVER POWER	(dBm)	FOWLK	TOTAL POWER		REQUIRED LIMIT		RESULT
	(12)	CH 0	CH 1	(dBm)	(mW)		(dBm)		
52	5260	11.86	11.5	14.69	29.472	23.98	or 11+10log(B) =	23.50	PASS
60	5300	11.93	11.4	14.66	29.241	23.98	or 11+10log(B) =	23.51	PASS
64	5320	11.95	11.4	14.68	29.408	23.98	or 11+10log(B) =	23.49	PASS
100	5500	10.87	10.4	13.67	23.284	23.98	or 11+10log(B) =	23.49	PASS
116	5580	10.83	10.4	13.64	23.121	23.98	or 11+10log(B) =	23.49	PASS
140	5700	10.75	10.6	13.68	23.314	23.98	or 11+10log(B) =	23.49	PASS
144	5720 (band 3)	9.53	9.35	12.45	17.584	23.98	or 11+10log(B) =	22.29	PASS
144	5720 (band 4)	1.189	1.19	4.20	2.630	23.98	or 11+10log(B) =	17.27	PASS
149	5745	10.83	10.5	13.66	23.223		30		PASS
157	5785	10.82	10.6	13.70	23.454		30		PASS
165	5825	10.71	10.6	13.68	23.311		30		PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms=e-document.htm">www.sgs.com/terms=e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be presented the full and the law. may be prosecuted to the fullest extent of the law.



Page: 85 of 277

# 802.11n\_HT40\_Main

СН	Frequency (MHz)	TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)			RESULT
54	5270	14.98	31.479	23.98	or 11+10log(B) =	26.57	PASS
62	5310	11.97	15.741	23.98	or 11+10log(B) =	26.57	PASS
102	5510	13.98	25.005	23.98	or 11+10log(B) =	26.57	PASS
110	5550	13.95	24.833	23.98	or 11+10log(B) =	26.57	PASS
134	5670	13.98	25.005	23.98	or 11+10log(B) =	26.57	PASS
142	5710 (band 3)	12.67	18.493	23.98	or 11+10log(B) =	26.06	PASS
142	5710 (band 4)	0.517	1.126	23.98	or 11+10log(B) =	17.08	PASS
151	5755	13.96	24.890		30		PASS
159	5795	13.93	24.719		30		PASS

## 802.11n HT40 Aux1

СН	Frequency (MHz)	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		
54	5270	14.90	30.905	23.98	or 11+10log(B) =	26.57	PASS
62	5310	11.91	15.525	23.98	or 11+10log(B) =	26.57	PASS
102	5510	13.95	24.833	23.98	or 11+10log(B) =	26.57	PASS
110	5550	13.92	24.662	23.98	or 11+10log(B) =	26.56	PASS
134	5670	13.95	24.833	23.98	or 11+10log(B) =	26.57	PASS
142	5710 (band 3)	12.64	18.365	23.98	or 11+10log(B) =	26.05	PASS
142	5710 (band 4)	0.517	1.126	23.98	or 11+10log(B) =	17.07	PASS
151	5755	13.93	24.719		30		PASS
159	5795	13.90	24.549		30		PASS

## 802.11n\_HT40\_MIMO

СН	Frequency (MHz)	AVER POWER CH 0		TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
54	5270	11.32	11	14.18	26.199	23.98	or 11+10log(B) =	26.57	PASS
62	5310	8.54	7.77	11.18	13.129	23.98	or 11+10log(B) =	26.57	PASS
102	5510	10.32	10	13.19	20.834	23.98	or 11+10log(B) =	26.57	PASS
110	5550	10.31	10	13.18	20.786	23.98	or 11+10log(B) =	26.56	PASS
134	5670	10.27	10.1	13.18	20.781	23.98	or 11+10log(B) =	26.57	PASS
142	5710 (band 3)	9.772	9.5	12.65	18.405	23.98	or 11+10log(B) =	26.05	PASS
142	5710 (band 4)	0.517	0.52	3.53	2.253	23.98	or 11+10log(B) =	17.07	PASS
151	5755	10.32	10	13.19	20.857		30		PASS
159	5795	10.27	10	13.16	20.688		30		PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders way he preserved the full between the full the cutest of the subject to the full and the full and offenders. may be prosecuted to the fullest extent of the law.



Page: 86 of 277

# 802.11ac\_VHT40\_Main

СН	Frequency (MHz)	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		
54	5270	14.92	31.065	23.98	or 11+10log(B) =	26.57	PASS
62	5310	11.91	15.533	23.98	or 11+10log(B) =	26.57	PASS
102	5510	13.89	24.506	23.98	or 11+10log(B) =	26.57	PASS
110	5550	13.92	24.675	23.98	or 11+10log(B) =	26.57	PASS
134	5670	13.94	24.789	23.98	or 11+10log(B) =	26.57	PASS
142	5710 (band 3)	12.65	18.408	23.98	or 11+10log(B) =	26.06	PASS
142	5710 (band 4)	0.517	1.126	23.98	or 11+10log(B) =	17.08	PASS
151	5755	13.92	24.675		30		PASS
159	5795	13.89	24.506		30		PASS

## 802.11ac VHT40 Aux1

	<u></u>						
СН	Frequency (MHz)	TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)			RESULT
54	5270	14.90	30.922	23.98	or 11+10log(B) =	26.57	PASS
62	5310	11.86	15.356	23.98	or 11+10log(B) =	26.57	PASS
102	5510	13.85	24.281	23.98	or 11+10log(B) =	26.57	PASS
110	5550	13.86	24.337	23.98	or 11+10log(B) =	26.56	PASS
134	5670	13.90	24.562	23.98	or 11+10log(B) =	26.57	PASS
142	5710 (band 3)	12.622	18.289	23.98	or 11+10log(B) =	26.05	PASS
142	5710 (band 4)	0.517	1.126	23.98	or 11+10log(B) =	17.07	PASS
151	5755	13.89	24.506		30		PASS
159	5795	13.86	24.337		30		PASS

# 802.11ac\_VHT40\_MIMO

СН	Frequency (MHz)	AVER POWER CH 0		TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
54	5270	11.24	11.1	14.16	26.069	23.98	or 11+10log(B) =	26.57	PASS
62	5310	8.48	7.75	11.14	13.004	23.98	or 11+10log(B) =	26.57	PASS
102	5510	10.27	9.92	13.11	20.459	23.98	or 11+10log(B) =	26.57	PASS
110	5550	10.28	10	13.17	20.758	23.98	or 11+10log(B) =	26.56	PASS
134	5670	10.31	10	13.18	20.809	23.98	or 11+10log(B) =	26.57	PASS
142	5710 (band 3)	9.752	9.48	12.63	18.321	23.98	or 11+10log(B) =	26.05	PASS
142	5710 (band 4)	0.517	0.52	3.53	2.253	23.98	or 11+10log(B) =	17.07	PASS
151	5755	10.27	10	13.16	20.711		30		PASS
159	5795	10.14	10.1	13.11	20.467		30	_	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders way he preserved the full between the full the cutest of the subject to the full and the full and offenders. may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



Page: 87 of 277

## 802.11ac VHT80 Main

	<u></u>						
СН	Frequency (MHz)	TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)		RESULT	
58	5290	11.98	15.764	23.98	or 11+10log(B) =	29.75	PASS
106	5530	13.95	24.813	23.98	or 11+10log(B) =	29.75	PASS
138	5690 (band 3)	12.912	19.552	23.98	or 11+12log(B) =	29.51	PASS
138	5690 (band 4)	0.237	1.056	23.98	or 11+13log(B) =	17.02	PASS
155	5775	13.94	24.755		30		PASS

## 802.11ac VHT80 Aux1

	<u></u>						
СН	Frequency (MHz)	TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)		RESULT	
58	5290	11.95	15.656	23.98	or 11+10log(B) =	29.74	PASS
106	5530	13.90	24.529	23.98	or 11+10log(B) =	29.75	PASS
138	5690 (band 3)	12.89	19.454	23.98	or 11+12log(B) =	29.51	PASS
138	5690 (band 4)	0.237	1.056	23.98	or 11+13log(B) =	17.02	PASS
155	5775	13.84	24.192		30		PASS

# 802.11ac\_VHT80\_MIMO

СН		AVER POWER		TOTAL POWER	TOTAL POWER		REQUIRED LIMIT		RESULT
	(MHz)	CH 0	CH 1	(dBm)	(mW)		(dBm)		
58	5290	8.25	8.08	11.18	13.110	23.98	or 11+10log(B) =	29.74	PASS
106	5530	10.16	9.98	13.08	20.329	23.98	or 11+10log(B) =	29.75	PASS
138	5690 (band 3)	10.16	9.53	12.87	19.358	23.98	or 11+12log(B) =	29.51	PASS
138	5690 (band 4)	0.237	0.24	3.25	2.112	23.98	or 11+13log(B) =	17.02	PASS
155	5775	10.43	9.79	13.13	20.569		30		PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders was to prescribed to the full set extent of the law. may be prosecuted to the fullest extent of the law.



Page: 88 of 277

### **EIRP**

### 802.11a Main

СН	Frequency (MHz)	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)		REQUIRED LIMIT (dBm)		RESULT
36	5180	14.95	1.800	16.75	47.282	23.01	or 10+10log(B)=	22.21	PASS
44	5220	14.94	1.800	16.74	47.174	23.01	or 10+10log(B)=	22.21	PASS
48	5240	14.95	1.800	16.75	47.282	23.01	or 10+10log(B)=	22.18	PASS
52	5260	14.97	1.800	16.77	47.501	30	or 17+10log(B)=	29.22	PASS
60	5300	14.98	1.800	16.78	47.610	30	or 17+10log(B)=	29.20	PASS
64	5320	14.96	1.800	16.76	47.391	30	or 17+10log(B)=	29.21	PASS
100	5500	13.96	1.840	15.80	37.993	30	or 17+10log(B)=	29.20	PASS
116	5580	13.94	1.840	15.78	37.818	30	or 17+10log(B)=	29.20	PASS
140	5700	13.98	1.840	15.82	38.168	30	or 17+10log(B)=	29.20	PASS

### 802.11a Aux1

СН	Frequency (MHz)	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)		REQUIRED LIMIT (dBm)		RESULT
36	5180	14.90	-0.55	14.35	27.208	23.01	or 10+10log(B)=	22.20	PASS
44	5220	14.89	-0.55	14.34	27.146	23.01	or 10+10log(B)=	22.21	PASS
48	5240	14.92	-0.55	14.37	27.334	23.01	or 10+10log(B)=	22.19	PASS
52	5260	14.91	1.34	16.25	42.141	30	or 17+10log(B)=	29.20	PASS
60	5300	14.95	1.34	16.29	42.530	30	or 17+10log(B)=	29.19	PASS
64	5320	14.92	1.34	16.26	42.238	30	or 17+10log(B)=	29.22	PASS
100	5500	13.91	1.46	15.37	34.411	30	or 17+10log(B)=	29.21	PASS
116	5580	13.88	1.46	15.34	34.174	30	or 17+10log(B)=	29.19	PASS
140	5700	13.95	1.46	15.41	34.730	30	or 17+10log(B)=	29.20	PASS

## 802 11a MIMO

<u>002.114</u>									
СН	Frequency (MHz)	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)		REQUIRED LIMIT (dBm)		RESULT
36	5180	14.89	4.810	19.70	93.397	23.01	or 10+10log(B)=	22.20	PASS
44	5220	14.87	4.810	19.68	92.953	23.01	or 10+10log(B)=	22.21	PASS
48	5240	14.89	4.810	19.70	93.276	23.01	or 10+10log(B)=	22.18	PASS
52	5260	14.91	4.810	19.72	93.816	30	or 17+10log(B)=	29.20	PASS
60	5300	14.92	4.810	19.73	93.921	30	or 17+10log(B)=	29.19	PASS
64	5320	14.90	4.810	19.71	93.602	30	or 17+10log(B)=	29.21	PASS
100	5500	13.93	4.850	18.78	75.477	30	or 17+10log(B)=	29.20	PASS
116	5580	13.90	4.850	18.75	75.007	30	or 17+10log(B)=	29.19	PASS
140	5700	13.96	4.850	18.81	76.019	30	or 17+10log(B)=	29.20	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders was the researched the shillest extent of the shillest extent may be prosecuted to the fullest extent of the law.



Page: 89 of 277

## 802.11n\_HT20\_Main

СН	Frequency (MHz)	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)		REQUIRED LIMIT (dBm)		RESULT
36	5180	14.98	1.800	16.78	47.597	23.01	or 10+10log(B)=	22.49	PASS
44	5220	14.96	1.800	16.76	47.379	23.01	or 10+10log(B)=	22.50	PASS
48	5240	14.94	1.800	16.74	47.161	23.01	or 10+10log(B)=	22.49	PASS
52	5260	14.97	1.800	16.77	47.488	30	or 17+10log(B)=	29.50	PASS
60	5300	14.97	1.800	16.77	47.488	30	or 17+10log(B)=	29.51	PASS
64	5320	14.98	1.800	16.78	47.597	30	or 17+10log(B)=	29.50	PASS
100	5500	13.99	1.840	15.83	38.246	30	or 17+10log(B)=	29.49	PASS
116	5580	13.94	1.840	15.78	37.808	30	or 17+10log(B)=	29.49	PASS
140	5700	13.98	1.840	15.82	38.158	30	or 17+10log(B)=	29.49	PASS
144	5720	12.54	1.840	14.38	27.416	30	or 17+10log(B)=	28.29	PASS

## 802.11n HT20 Aux1

СН	Frequency (MHz)	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)		REQUIRED LIMIT (dBm)		RESULT
36	5180	14.95	-0.55	14.40	27.516	23.01	or 10+10log(B)=	22.49	PASS
44	5220	14.91	-0.55	14.36	27.264	23.01	or 10+10log(B)=	22.49	PASS
48	5240	14.88	-0.55	14.33	27.076	23.01	or 10+10log(B)=	22.50	PASS
52	5260	14.92	1.34	16.26	42.226	30	or 17+10log(B)=	29.50	PASS
60	5300	14.93	1.34	16.27	42.324	30	or 17+10log(B)=	29.51	PASS
64	5320	14.94	1.34	16.28	42.421	30	or 17+10log(B)=	29.49	PASS
100	5500	13.95	1.46	15.41	34.720	30	or 17+10log(B)=	29.50	PASS
116	5580	13.91	1.46	15.37	34.402	30	or 17+10log(B)=	29.51	PASS
140	5700	13.94	1.46	15.40	34.640	30	or 17+10log(B)=	29.49	PASS
144	5720	12.51	1.46	13.97	24.946	30	or 17+10log(B)=	28.30	PASS

### 802.11n HT20 MIMO

СН	Frequency (MHz)	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)		REQUIRED LIMIT (dBm)		RESULT
36	5180	14.91	4.810	19.72	93.676	23.01	or 10+10log(B)=	22.49	PASS
44	5220	14.89	4.810	19.70	93.357	23.01	or 10+10log(B)=	22.49	PASS
48	5240	14.93	4.810	19.74	94.111	23.01	or 10+10log(B)=	22.49	PASS
52	5260	14.89	4.810	19.70	93.251	30	or 17+10log(B)=	29.50	PASS
60	5300	14.92	4.810	19.73	93.918	30	or 17+10log(B)=	29.51	PASS
64	5320	14.95	4.810	19.76	94.557	30	or 17+10log(B)=	29.49	PASS
100	5500	13.91	4.850	18.76	75.167	30	or 17+10log(B)=	29.49	PASS
116	5580	13.92	4.850	18.77	75.326	30	or 17+10log(B)=	29.49	PASS
140	5700	13.92	4.850	18.77	75.281	30	or 17+10log(B)=	29.49	PASS
144	5720	12.52	4.850	17.37	54.576	30	or 17+10log(B)=	28.29	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders was the researched the shillest extent of the shillest extent may be prosecuted to the fullest extent of the law.



Page: 90 of 277

## 802.11n\_HT40\_Main

СН	Frequency (MHz)	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)		REQUIRED LIMIT (dBm)		RESULT
38	5190	14.97	1.800	16.77	47.536	23.01	or 10+10log(B)=	25.56	PASS
46	5230	14.96	1.800	16.76	47.427	23.01	or 10+10log(B)=	25.57	PASS
54	5270	14.98	1.800	16.78	47.646	30	or 17+10log(B)=	32.57	PASS
62	5310	11.97	1.800	13.77	23.825	30	or 17+10log(B)=	32.57	PASS
102	5510	13.98	1.840	15.82	38.197	30	or 17+10log(B)=	32.57	PASS
110	5550	13.95	1.840	15.79	37.934	30	or 17+10log(B)=	32.57	PASS
134	5670	13.98	1.840	15.82	38.197	30	or 17+10log(B)=	32.57	PASS
142	5710	12.67	1.840	14.51	28.249	30	or 17+10log(B)=	32.06	PASS

#### 802.11n HT40 Aux1

СН	Frequency (MHz)	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)		REQUIRED LIMIT (dBm)		RESULT
38	5190	14.93	-0.55	14.38	27.417	23.01	or 10+10log(B)=	25.57	PASS
46	5230	14.92	-0.55	14.37	27.354	23.01	or 10+10log(B)=	25.57	PASS
54	5270	14.90	1.34	16.24	42.075	30	or 17+10log(B)=	32.57	PASS
62	5310	11.91	1.34	13.25	21.136	30	or 17+10log(B)=	32.57	PASS
102	5510	13.95	1.46	15.41	34.756	30	or 17+10log(B)=	32.57	PASS
110	5550	13.92	1.46	15.38	34.517	30	or 17+10log(B)=	32.56	PASS
134	5670	13.95	1.46	15.41	34.756	30	or 17+10log(B)=	32.57	PASS
142	5710	13.38	1.46	14.84	30.481	30	or 17+10log(B)=	32.05	PASS

### 802.11n HT40 MIMO

СН	Frequency (MHz)	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)		REQUIRED LIMIT (dBm)		RESULT
38	5190	14.94	4.810	19.75	94.315	23.01	or 10+10log(B)=	25.56	PASS
46	5230	14.92	4.810	19.73	93.884	23.01	or 10+10log(B)=	25.57	PASS
54	5270	14.92	4.810	19.73	94.041	30	or 17+10log(B)=	32.57	PASS
62	5310	11.92	4.810	16.73	47.126	30	or 17+10log(B)=	32.57	PASS
102	5510	13.93	4.850	18.78	75.474	30	or 17+10log(B)=	32.57	PASS
110	5550	13.92	4.850	18.77	75.301	30	or 17+10log(B)=	32.56	PASS
134	5670	13.92	4.850	18.77	75.281	30	or 17+10log(B)=	32.57	PASS
142	5710	12.65	4.850	17.50	56.234	30	or 17+10log(B)=	32.05	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders was to prescribed to the full set extent of the law. may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



Page: 91 of 277

# 802.11ac\_VHT80\_Main

СН	Frequency (MHz)	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)		REQUIRED LIMIT (dBm)		RESULT
42	5210	13.94	1.800	15.74	37.469	23.01	or 10+10log(B)=	28.75	PASS
58	5290	11.98	1.800	13.78	23.860	30	or 17+10log(B)=	35.75	PASS
106	5530	13.95	1.840	15.79	37.903	30	or 17+10log(B)=	35.75	PASS
138	5690	12.91	1.840	14.75	29.868	30	or 17+10log(B)=	35.51	PASS

# 802.11ac\_VHT80\_Aux1

СН	Frequency (MHz)	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)		REQUIRED LIMIT (dBm)		RESULT
42	5210	13.92	-0.55	13.37	21.711	23.01	or 10+10log(B)=	28.76	PASS
58	5290	11.95	1.34	13.29	21.314	30	or 17+10log(B)=	35.74	PASS
106	5530	13.90	1.46	15.36	34.330	30	or 17+10log(B)=	35.75	PASS
138	5690	12.89	1.46	14.35	27.227	30	or 17+10log(B)=	35.51	PASS

## 802.11ac VHT80 MIMO

	50211145_V11165_WWW.5											
СН	Frequency (MHz)	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)			REQUIRED LIMIT (dBm)		RESULT			
42	5210	13.85	4.810	18.66	73.457	23.01	or 10+10log(B)=	28.75	PASS			
58	5290	11.93	4.810	16.74	47.237	30	or 17+10log(B)=	35.74	PASS			
106	5530	13.84	4.850	18.69	73.926	30	or 17+10log(B)=	35.75	PASS			
138	5690	12.87	4.850	17.72	59.156	30	or 17+10log(B)=	35.51	PASS			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders was to prescribed to the full set extent of the law. may be prosecuted to the fullest extent of the law.



Page: 92 of 277

## 10 PEAK POWER SPECTRAL DENSITY

#### 10.1 Standard Applicable

## **FCC**

OPERZTION Band		EUT CATEGORY	LIMIT
U-NII-1		Access Point (Mater device)	17dBm/ MHz
		Fixed point-to-point Acess Ponit	
	V	Mobile and portable clinet device	11dBm/ MHz
U-NII-2A			11dBm/ MHz
U-NII-2C	√		11dBm/ MHz
U-NII-3	V		30dBm/ 500kHz

IC

OPERZTION FREQUENCY BAND	LIMIT
5150~5250 MHz	EIRP spectral density 10 dBm / MHz
5250~5350 MHz	11dBm / MHz
5470-5600 MHz and 5650-5725 MHz	11dBm / MHz
5725~5850 MHz	30dBm / 500 kHz

If transmitting antennas of directional gain greater than 6 dBi are used, both the peak transmit power and the peak power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

Note: 5.15-5.25G

Antenna1 Gain: 1.8 dBi Antenna2 Gain: -0.55 dBi Number Antenna: 2 pcs

Directional gain = gain of antenna element + 10 log (# of TX antenna elements)

Effective Legacy Gain (dBi) = 4.81 dBi

Limit: 11dBm

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this less report efter only to the sample(s) tested and such as an piets). Re #B a fixed and such as may be prosecuted to the fullest extent of the law.



Page: 93 of 277

## 10.2 Measurement Procedure

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules.
- Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to Spectrum.

## 4. For U-NII1, U-NII-2A, U-NII-2C Band:

Set RBW=1MHz, VBW=3MHz, where span is enough to capture the entire bandwidth, Sweep time = Auto (601 pts), detector = sample, traces 100 sweeps of video averaging. (SA-2 with the omission of procedure x, the integration with 26dB EBW bandwidth)

#### For U-NII-3 Band:

Set RBW=500 kHz, VBW≥ 3RBW, where span is enough to capture the entire bandwidth, Sweep time = Auto (601 pts), detector = sample, traces 100 sweeps of video averaging. (SA-2 with the omission of procedure x, the integration with 26dB EBW bandwidth)


- 5. User the cursor on spectrum to peak search the highest level of trace
- 6. Record the max. reading and add 10 log(1/duty cycle).
- 7. Repeat above procedures until all default test channel (low, middle, and high) was complete.

Note: For the test of PSD at MIMO mode, the highest emission of worst case employing Measure and add 10 log (N) technical is reported on this report after the comparison between Main Antenna at single transmitting mode and Aux that yields the higher value. The MIMO transmitting mode produces higher value of outcome

#### 10.3 **Measurement Equipment Used**

SGS Conducted Room								
Name of Equip- ment	Manufacturer	Model	Serial Number	Calibration Date	Calibration Due			
Spectrum Analyzer	KEYSIGHT	N9010A	MY51440113	06/20/2017	06/19/2018			
Coaxial Cable 30cm	WOKEN	00100A1F1A195C	RF01	12/24/2017	12/23/2018			
DC Block	PASTERNACK	PE8210	RF29	12/24/2017	12/23/2018			
Attenuator	WOKEN	218FS-10	RF23	12/24/2017	12/23/2018			
DC Power Supply	Agilent	E3640A	MY53140006	05/02/2017	05/01/2018			

#### 10.4 Test Set-up



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this less report efter only to the sample(s) tested and such as an piets). Re #B a fixed and such as may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKung Road, New Taipeilndustrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

www.tw.sqs.com



Page: 94 of 277

#### 10.5 **Measurement Result**

	POWER DENSITY 802.11a MODE							
Frequency (MHz)	Duty Factor		Limit (dBm)	Margin (dB)				
5180	1.65	0.23	1.88	17	-15.12			
5220	0.51	0.23	0.74	17	-16.26			
5240	-0.30	0.23	-0.07	17	-17.07			
5260	2.68	0.23	2.91	11	-8.09			
5300	1.71	0.23	1.94	11	-9.06			
5320	0.88	0.23	1.11	11	-9.89			
5500	-1.14	0.23	-0.91	11	-11.91			
5580	-0.53	0.23	-0.30	11	-11.30			
5700	-0.25	0.23	-0.02	11	-11.02			
5745	7.17	0.23	7.17	30	-22.83			
5785	6.89	0.23	6.89	30	-23.11			
5825	6.43	0.23	6.43	30	-23.57			

	POWER DENSITY 802.11n HT20 MODE							
Frequency (MHz)	PPSD W/O Duty Factor (dBm)	Duty Factor (dBm)		Limit (dBm)	Margin (dB)			
5180	1.96	0.20	2.16	17	-14.84			
5220	0.52	0.20	0.72	17	-16.28			
5240	1.25	0.20	1.45	17	-15.55			
5260	1.69	0.20	1.89	11	-9.11			
5300	0.69	0.20	0.89	11	-10.11			
5320	1.55	0.20	1.75	11	-9.25			
5500	-0.98	0.20	-0.78	11	-11.78			
5580	0.16	0.20	0.36	11	-10.64			
5700	0.59	0.20	0.79	11	-10.21			
3720 (band	11.75	0.20	11.94	11	0.94			
3720 (band	9.42	0.20	9.62	11	-1.38			
5745	7.42	0.20	7.42	30	-22.58			
5785	7.90	0.20	7.90	30	-22.10			
5825	7.02	0.20	7.02	30	-22.98			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders way he preserved the full between the full the cutest of the subject to the full and the full and offenders. may be prosecuted to the fullest extent of the law.



Page: 95 of 277

	POWER DENSITY 802.11n HT40 MODE							
Frequency (MHz)	PPSD W/O Duty Factor (dBm)	Duty Factor	PPSD With Duty Factor (dBm)	Limit (dBm)	Margin (dB)			
5190	-3.45	0.74	-2.71	17	-19.71			
5230	-7.4	0.74	-6.66	17	-23.66			
5270	-5.23	0.74	-4.49	11	-15.49			
5310	-9.43	0.74	-8.69	11	-19.69			
5510	-8.05	0.74	-7.31	11	-18.31			
5550	-6.64	0.74	-5.90	11	-16.90			
5670	-9.45	0.74	-8.71	11	-19.71			
37 10 (band	9.49	0.74	10.23	11	-0.77			
37 10 (band	4.21	0.73	4.94	11	-6.06			
5755	2.92	0.74	2.92	30	-27.08			
5795	3.34	0.74	3.34	30	-26.66			

POWER DENSITY 802.11ac VHT80 MODE							
Frequency (MHz)	PPSD W/O Duty Factor (dBm)	Duty Factor	PPSD With Duty Factor (dBm)	Limit (dBm)	Margin (dB)		
5210	-6.51	0.76	-5.75	17	-22.75		
5290	-11.16	0.76	-10.40	11	-21.40		
5530	-8.62	0.76	-7.86	11	-18.86		
5610	-8.76	0.76	-8.00	11	-19.00		
5690 (band 3)	6.85	0.76	7.61	11	-3.39		
5690 (band 4)	0.33	0.00	0.33	11	-10.68		
5775	1.17	0.76	1.17	30	-28.83		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders way he preserved the full between the full the cutest of the subject to the full and the full and offenders. may be prosecuted to the fullest extent of the law.



Page: 96 of 277

EIRP spectral density 802.11a MODE							
Freq. (MHz)	PPSD (dBm)	Ant. Gain (dBi)	EIRP SD (dBm)	Limit (dBm)	Margin (dB)		
5180	1.88	4.81	6.69	10	-8.12		
5220	0.74	4.81	5.55	10	-9.26		
5240	-0.07	4.81	4.74	10	-10.07		

EIRP spectral density 802.11n HT20 MODE							
Freq. (MHz)	PPSD (dBm)	Ant. Gain (dBi)	EIRP SD (dBm)	Limit (dBm)	Margin (dB)		
5180	2.16	4.81	6.97	10	-7.84		
5220	0.72	4.81	5.53	10	-9.28		
5240	1.45	4.81	6.26	10	-8.55		

EIRP spectral density 802.11n HT40 MODE							
Freq. (MHz)	PPSD (dBm)	Ant. Gain (dBi)	EIRP SD (dBm)	Limit (dBm)	Margin (dB)		
5180	-2.71	4.81	2.10	10	-12.71		
5220	-6.66	4.81	-1.85	10	-16.66		

EIRP spectral density 802.11ac VHT80 MODE							
Freq. (MHz)	PPSD (dBm)	Gaiii		Limit (dBm)	Margin (dB)		
5210	-5.75	4.81	-0.94	10	-15.75		

Note:


MIMO offset= dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders way he preserved the full between the full the cutest of the subject to the full and the full and offenders. may be prosecuted to the fullest extent of the law.



Page: 97 of 277


## 802.11a 20MHz 5180MHz



## 802.11a 20MHz 5260MHz




802.11a 20MHz 5220MHz



802.11a\_20MHz\_5300MHz



802.11a 20MHz 5240MHz



802.11a 20MHz 5320MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated in the results shown in this stee report refer only to the sample(s) tested and such as an entering of a retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic Documents at <a href="https://www.sgs.com/terms</a> and conditions of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.




Page: 98 of 277


## 802.11a 20MHz 5500MHz



802.11a 20MHz 5745MHz




802.11a 20MHz 5580MHz



802.11a\_20MHz\_5785MHz



802.11a 20MHz 5700MHz



802.11a 20MHz 5825MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated in the results shown in this stee report refer only to the sample(s) tested and such as an entering of a retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic Documents at <a href="https://www.sgs.com/terms</a> and conditions of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 99 of 277


## 802.11n 20MHz 5180MHz



## 802.11n 20MHz 5260MHz




802.11n 20MHz 5220MHz



802.11n\_20MHz\_5300MHz



802.11n 20MHz 5240MHz



802.11n 20MHz 5320MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated in the results shown in this stee report refer only to the sample(s) tested and such as an entering of a retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic Documents at <a href="https://www.sgs.com/terms</a> and conditions of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 100 of 277


# 802.11n 20MHz 5500MHz



## 802.11n 20MHz 5720MHz



## 802.11n 20MHz 5580MHz



## 802.11n 20MHz 5700MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated in the results shown in this stee report refer only to the sample(s) tested and such as an entering of a retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic Documents at <a href="https://www.sgs.com/terms</a> and conditions of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 101 of 277

## 802.11n 20MHz 5745MHz



# 802.11n\_20MHz\_5785MHz



## 802.11n 20MHz 5825MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be proseweed to the fullet extent of the lawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 102 of 277


# 802.11n 40MHz 5190MHz




# 802.11n 40MHz 5310MHz



802.11n 40MHz 5230MHz



802.11n\_40MHz\_5510MHz



802.11n 40MHz 5270MHz



802.11n 40MHz 5550MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated in the results shown in this stee report refer only to the sample(s) tested and such as an entering of a retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullow that the full of the full o cuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 103 of 277

## 802.11n 40MHz 5670MHz



## 802.11n 40MHz 5795MHz



## 802.11n 40MHz 5710MHz



## 802.11n 40MHz 5755MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated in the results shown in this stee report refer only to the sample(s) tested and such as an entering of a retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullow that the full of the full o cuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 104 of 277

## 802.11ac 80MHz 5210MHz



802.11ac 80MHz 5610MHz



802.11ac 80MHz 5290MHz



802.11ac 80MHz 5690MHz



802.11ac 80MHz 5530MHz



802.11ac 80MHz 5775MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated in the results shown in this stee report refer only to the sample(s) tested and such as an entering of a retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullow that the full of the full o cuted to the fullest extent of the law.

SGS Taiwan Ltd.