





LTE Band 26 / 15MHz QPSK

Lowest Band Edge / 1 RB



Date: 18 AUG 2018 15:20:53


Lowest Band Edge / Full RB



Date: 18 AUG 2018 15:24:44


LTE Band 26 / 15MHz 16QAM

Lowest Band Edge / 1 RB



Date: 18 AUG 2018 15:21:52

Lowest Band Edge / Full RB




Date: 18 AUG 2018 15:23:36




LTE Band 26 / 1.4MHz / 64QAM

Lowest Band Edge / 1RB




Date: 18 AUG 2018 14:38:58

Highest Band Edge / 1RB




Date: 18 AUG 2018 14:16:53

Lowest Band Edge / Full RB



Date: 18 AUG 2018 19:14:29

Highest Band Edge / Full RB




Date: 18 AUG 2018 14:17:10




LTE Band 26 / 3MHz / 64QAM

Lowest Band Edge / 1RB




Date: 23 AUG 2018 16:55:12

Highest Band Edge / 1RB




Date: 23 AUG 2018 16:56:40

Lowest Band Edge / Full RB



Date: 23 AUG 2018 16:53:01

Highest Band Edge / Full RB




Date: 23 AUG 2018 22:41:13




LTE Band 26 / 5MHz / 64QAM

Lowest Band Edge / 1RB

Highest Band Edge / 1RB




Date: 18 AUG 2018 15:08:16




Date: 18 AUG 2018 15:12:32

Lowest Band Edge / Full RB

Highest Band Edge / Full RB



Date: 18 AUG 2018 15:08:39





Date: 18 AUG 2018 15:11:54



LTE Band 26 / 10MHz / 64QAM

Middle Band Edge / 1 RB0


Middle Band Edge / 1 RBmax



Date: 18.AUG.2018 15:15:36

Date: 18.AUG.2018 15:15:53

Middle Band Edge / Full RB




Date: 18.AUG.2018 15:17:21




LTE Band 26 / 15MHz / 64QAM

Lowest Band Edge / 1 RB0



Date: 18.AUG.2018 15:22:28


Lowest Band Edge / Full RB



Date: 18.AUG.2018 15:23:02




Conducted Spurious Emission






LTE Band 26 / 1.4MHz

Highest Channel / QPSK



Date: 23 AUG.2018 17:14:35


Highest Channel / 16QAM



Date: 23 AUG.2018 17:15:13


LTE Band 26 / 3MHz

Lowest Channel / QPSK



Date: 23 AUG.2018 17:19:11

Lowest Channel / 16QAM




Date: 23 AUG.2018 17:18:40




LTE Band 26 / 3MHz

Middle Channel / QPSK

Middle Channel / 16QAM




Date: 23 AUG.2018 17:19:50




Date: 23.AUG.2018 17:20:28

Highest Channel / QPSK

Highest Channel / 16QAM



Date: 23 AUG.2018 17:22:46





Date: 23.AUG.2018 17:22:17



LTE Band 26 / 5MHz

Lowest Channel / QPSK

Lowest Channel / 16QAM





Date: 23 AUG.2018 17:24:23

Date: 23.AUG.2018 17:25:00

Middle Channel / QPSK

Middle Channel / 16QAM




Date: 23 AUG.2018 17:28:07

Date: 23.AUG.2018 17:26:54




LTE Band 26 / 5MHz

Highest Channel / QPSK



Date: 23 AUG.2018 17:29:07


Highest Channel / 16QAM



Date: 23 AUG.2018 17:29:44


LTE Band 26 / 10MHz

Middle Channel / QPSK



Date: 23 AUG.2018 17:32:26

Middle Channel / 16QAM




Date: 23 AUG.2018 17:31:55




LTE Band 26 / 15MHz

Lowest Channel / QPSK

Lowest Channel / 16QAM







Date: 23 AUG.2018 17:34:00



Date: 23.AUG.2018 17:35:01



LTE Band 26 / 1.4MHz







LTE Band 26 / 3MHz

Lowest Channel / 64QAM

Middle Channel / 64QAM




Date: 23 AUG.2018 17:17:49



Date: 23 AUG.2018 17:21:02

Highest Channel / 64QAM





Date: 23 AUG.2018 17:21:45



LTE Band 26 / 5MHz

Lowest Channel / 64QAM


Middle Channel / 64QAM



Date: 23 AUG.2018 17:25:26

Date: 23 AUG.2018 17:26:08

Highest Channel / 64QAM




Date: 23 AUG.2018 17:30:11



LTE Band 26 / 10MHz


Middle Channel / 64QAM



Date: 23.AUG.2018 17:31:15

LTE Band 26 / 15MHz

Lowest Channel / 64QAM



Date: 23.AUG.2018 17:35:38



Frequency Stability

Test Conditions		LTE Band 26 (QPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 10MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0054	PASS
40	Normal Voltage	0.0089	
30	Normal Voltage	0.0066	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0081	
0	Normal Voltage	0.0004	
-10	Normal Voltage	0.0021	
-20	Normal Voltage	0.0089	
-30	Normal Voltage	0.0070	
20	Maximum Voltage	0.0017	
20	Normal Voltage	0.0001	
20	Battery End Point	0.0073	

Note:

1. Normal Voltage =3.8 V. ; Battery End Point (BEP) =3.6 V. ; Maximum Voltage =4.35 V.
2. Note: The frequency fundamental emissions stay within the authorized frequency block.



Test Conditions		LTE Band 26 (QPSK) / Low Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 15MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0080	PASS
40	Normal Voltage	0.0023	
30	Normal Voltage	0.0005	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0015	
0	Normal Voltage	0.0018	
-10	Normal Voltage	0.0028	
-20	Normal Voltage	0.0083	
-30	Normal Voltage	0.0078	
20	Maximum Voltage	0.0019	
20	Normal Voltage	0.0065	
20	Battery End Point	0.0073	

Note:

- 1. Normal Voltage =3.8 V. ; Battery End Point (BEP) =3.4 V. ; Maximum Voltage =4.35 V.
- 2. Note: The frequency fundamental emissions stay within the authorized frequency block.



Radiated Spurious Emission

<For Up Antenna>

LTE Band 26

LTE Band 26 / 1.4MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1628.14	-70.91	-13	-57.91	-76.47	-75.28	2.86	9.38	H
	2442.21	-68.42	-13	-55.42	-78.84	-73.11	3.74	10.58	H
	3256.28	-64.91	-13	-51.91	-79.67	-70.88	4.45	12.57	H
									H
	1628.14	-73.01	-13	-60.01	-77.72	-77.38	2.86	9.38	V
	2442.21	-67.23	-13	-54.23	-77.06	-71.92	3.74	10.58	V
	3256.28	-66.11	-13	-53.11	-79.68	-72.08	4.45	12.57	V
									V
Middle	1636.74	-70.38	-13	-57.38	-75.94	-74.75	2.86	9.38	H
	2455.11	-68.52	-13	-55.52	-78.94	-73.21	3.74	10.58	H
	3273.48	-64.90	-13	-51.90	-79.66	-70.87	4.45	12.57	H
									H
	1636.74	-73.01	-13	-60.01	-77.72	-77.38	2.86	9.38	V
	2455.11	-68.93	-13	-55.93	-78.76	-73.62	3.74	10.58	V
	3273.48	-66.00	-13	-53.00	-79.57	-71.97	4.45	12.57	V
									V
Highest	1645.34	-70.31	-13	-57.31	-75.87	-74.68	2.86	9.38	H
	2468.01	-68.60	-13	-55.60	-79.02	-73.29	3.74	10.58	H
	3290.68	-64.82	-13	-51.82	-79.58	-70.79	4.45	12.57	H
									H
	1645.34	-73.16	-13	-60.16	-77.87	-77.53	2.86	9.38	V
	2468.01	-68.24	-13	-55.24	-78.07	-72.93	3.74	10.58	V
	3290.68	-66.37	-13	-53.37	-79.94	-72.34	4.45	12.57	V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 26 / 3MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1628.3	-70.47	-13	-57.47	-76.03	-74.84	2.86	9.38	H
	2442.45	-68.45	-13	-55.45	-78.87	-73.14	3.74	10.58	H
	3256.6	-64.80	-13	-51.80	-79.56	-70.77	4.45	12.57	H
									H
	1628.3	-73.11	-13	-60.11	-77.82	-77.48	2.86	9.38	V
	2442.45	-69.05	-13	-56.05	-78.88	-73.74	3.74	10.58	V
	3256.6	-65.90	-13	-52.90	-79.47	-71.87	4.45	12.57	V
									V
Middle	1635.3	-70.91	-13	-57.91	-76.47	-75.28	2.86	9.38	H
	2452.95	-68.42	-13	-55.42	-78.84	-73.11	3.74	10.58	H
	3270.6	-64.90	-13	-51.90	-79.66	-70.87	4.45	12.57	H
									H
	1635.3	-73.01	-13	-60.01	-77.72	-77.38	2.86	9.38	V
	2452.95	-68.87	-13	-55.87	-78.70	-73.56	3.74	10.58	V
	3270.6	-66.12	-13	-53.12	-79.69	-72.09	4.45	12.57	V
									V
Highest	1642.3	-70.43	-13	-57.43	-75.99	-74.80	2.86	9.38	H
	2463.45	-68.47	-13	-55.47	-78.89	-73.16	3.74	10.58	H
	3284.6	-64.82	-13	-51.82	-79.58	-70.79	4.45	12.57	H
									H
	1642.3	-73.17	-13	-60.17	-77.88	-77.54	2.86	9.38	V
	2463.45	-68.09	-13	-55.09	-77.92	-72.78	3.74	10.58	V
	3284.6	-66.13	-13	-53.13	-79.70	-72.10	4.45	12.57	V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 26 / 5MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1628.5	-70.11	-13	-57.11	-75.67	-74.48	2.86	9.38	H
	2442.75	-68.09	-13	-55.09	-78.51	-72.78	3.74	10.58	H
	3257	-64.95	-13	-51.95	-79.71	-70.92	4.45	12.57	H
									H
	1628.5	-73.04	-13	-60.04	-77.75	-77.41	2.86	9.38	V
	2442.75	-68.92	-13	-55.92	-78.75	-73.61	3.74	10.58	V
	3257	-66.19	-13	-53.19	-79.76	-72.16	4.45	12.57	V
									V
Middle	1633.5	-70.22	-13	-57.22	-75.78	-74.59	2.86	9.38	H
	2450.25	-68.27	-13	-55.27	-78.69	-72.96	3.74	10.58	H
	3267	-64.63	-13	-51.63	-79.39	-70.60	4.45	12.57	H
									H
	1633.5	-73.06	-13	-60.06	-77.77	-77.43	2.86	9.38	V
	2450.25	-68.62	-13	-55.62	-78.45	-73.31	3.74	10.58	V
	3267	-65.89	-13	-52.89	-79.46	-71.86	4.45	12.57	V
									V
Highest	1638.5	-68.38	-13	-55.38	-73.94	-72.75	2.86	9.38	H
	2457.75	-68.21	-13	-55.21	-78.63	-72.90	3.74	10.58	H
	3277	-64.84	-13	-51.84	-79.60	-70.81	4.45	12.57	H
									H
	1638.5	-70.00	-13	-57.00	-74.71	-74.37	2.86	9.38	V
	2457.75	-68.29	-13	-55.29	-78.12	-72.98	3.74	10.58	V
	3277	-65.99	-13	-52.99	-79.56	-71.96	4.45	12.57	V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 26 / 10MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1629	-72.24	-13	-59.24	-77.80	-76.61	2.86	9.38	H
	2443.5	-68.28	-13	-55.28	-78.70	-72.97	3.74	10.58	H
	3258	-64.66	-13	-51.66	-79.42	-70.63	4.45	12.57	H
									H
									H
									H
									H
	1629	-73.04	-13	-60.04	-77.75	-77.41	2.86	9.38	V
	2443.5	-66.78	-13	-53.78	-76.61	-71.47	3.74	10.58	V
	3258	-65.95	-13	-52.95	-79.52	-71.92	4.45	12.57	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



Radiated Spurious Emission

<For Down Antenna>

LTE Band 26

LTE Band 26 / 1.4MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1628.5	-73.26	-13	-60.26	-78.82	-77.63	2.86	9.38	H
	2442.75	-69.67	-13	-56.67	-80.09	-74.36	3.74	10.58	H
	3257	-66.06	-13	-53.06	-80.82	-72.03	4.45	12.57	H
									H
	1628.5	-74.23	-13	-61.23	-78.94	-78.60	2.86	9.38	V
	2442.75	-70.22	-13	-57.22	-80.05	-74.91	3.74	10.58	V
	3257	-67.28	-13	-54.28	-80.85	-73.25	4.45	12.57	V
									V
Middle	1636.74	-73.17	-13	-60.17	-78.73	-77.54	2.86	9.38	H
	2455.11	-69.65	-13	-56.65	-80.07	-74.34	3.74	10.58	H
	3273.48	-65.99	-13	-52.99	-80.75	-71.96	4.45	12.57	H
									H
	1636.74	-74.14	-13	-61.14	-78.85	-78.51	2.86	9.38	V
	2455.11	-70.19	-13	-57.19	-80.02	-74.88	3.74	10.58	V
	3273.48	-67.18	-13	-54.18	-80.75	-73.15	4.45	12.57	V
									V
Highest	1645.34	-73.41	-13	-60.41	-78.97	-77.78	2.86	9.38	H
	2468.01	-69.60	-13	-56.60	-80.02	-74.29	3.74	10.58	H
	3290.68	-66.05	-13	-53.05	-80.81	-72.02	4.45	12.57	H
									H
	1645.34	-74.21	-13	-61.21	-78.92	-78.58	2.86	9.38	V
	2468.01	-70.14	-13	-57.14	-79.97	-74.83	3.74	10.58	V
	3290.68	-67.22	-13	-54.22	-80.79	-73.19	4.45	12.57	V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 26 / 3MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1628.3	-73.33	-13	-60.33	-78.89	-77.70	2.86	9.38	H
	2442.45	-69.46	-13	-56.46	-79.88	-74.15	3.74	10.58	H
	3256.6	-65.73	-13	-52.73	-80.49	-71.70	4.45	12.57	H
									H
	1628.3	-74.22	-13	-61.22	-78.93	-78.59	2.86	9.38	V
	2442.45	-70.22	-13	-57.22	-80.05	-74.91	3.74	10.58	V
	3256.6	-67.17	-13	-54.17	-80.74	-73.14	4.45	12.57	V
									V
Middle	1635.3	-73.26	-13	-60.26	-78.82	-77.63	2.86	9.38	H
	2452.95	-69.28	-13	-56.28	-79.70	-73.97	3.74	10.58	H
	3270.6	-65.86	-13	-52.86	-80.62	-71.83	4.45	12.57	H
									H
	1635.3	-74.16	-13	-61.16	-78.87	-78.53	2.86	9.38	V
	2452.95	-70.15	-13	-57.15	-79.98	-74.84	3.74	10.58	V
	3270.6	-67.06	-13	-54.06	-80.63	-73.03	4.45	12.57	V
									V
Highest	1642.3	-73.51	-13	-60.51	-79.07	-77.88	2.86	9.38	H
	2463.45	-69.66	-13	-56.66	-80.08	-74.35	3.74	10.58	H
	3284.6	-65.94	-13	-52.94	-80.70	-71.91	4.45	12.57	H
									H
	1642.3	-74.26	-13	-61.26	-78.97	-78.63	2.86	9.38	V
	2463.45	-70.18	-13	-57.18	-80.01	-74.87	3.74	10.58	V
	3284.6	-67.20	-13	-54.20	-80.77	-73.17	4.45	12.57	V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 26 / 5MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1628.5	-73.28	-13	-60.28	-78.84	-77.65	2.86	9.38	H
	2442.75	-69.58	-13	-56.58	-80.00	-74.27	3.74	10.58	H
	3257	-65.90	-13	-52.90	-80.66	-71.87	4.45	12.57	H
									H
	1628.5	-74.21	-13	-61.21	-78.92	-78.58	2.86	9.38	V
	2442.75	-70.19	-13	-57.19	-80.02	-74.88	3.74	10.58	V
	3257	-67.24	-13	-54.24	-80.81	-73.21	4.45	12.57	V
									V
Middle	1633.5	-73.36	-13	-60.36	-78.92	-77.73	2.86	9.38	H
	2450.25	-69.57	-13	-56.57	-79.99	-74.26	3.74	10.58	H
	3267	-65.81	-13	-52.81	-80.57	-71.78	4.45	12.57	H
									H
	1633.5	-74.10	-13	-61.10	-78.81	-78.47	2.86	9.38	V
	2450.25	-70.10	-13	-57.10	-79.93	-74.79	3.74	10.58	V
	3267	-67.03	-13	-54.03	-80.60	-73.00	4.45	12.57	V
									V
Highest	1638.5	-73.42	-13	-60.42	-78.98	-77.79	2.86	9.38	H
	2457.75	-69.58	-13	-56.58	-80.00	-74.27	3.74	10.58	H
	3277	-65.95	-13	-52.95	-80.71	-71.92	4.45	12.57	H
									H
	1638.5	-74.15	-13	-61.15	-78.86	-78.52	2.86	9.38	V
	2457.75	-70.20	-13	-57.20	-80.03	-74.89	3.74	10.58	V
	3277	-67.14	-13	-54.14	-80.71	-73.11	4.45	12.57	V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 26 / 10MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1629	-73.32	-13	-60.32	-78.88	-77.69	2.86	9.38	H
	2443.5	-69.49	-13	-56.49	-79.91	-74.18	3.74	10.58	H
	3258	-65.81	-13	-52.81	-80.57	-71.78	4.45	12.57	H
									H
									H
									H
									H
	1629	-74.16	-13	-61.16	-78.87	-78.53	2.86	9.38	V
	2443.5	-70.16	-13	-57.16	-79.99	-74.85	3.74	10.58	V
	3258	-67.04	-13	-54.04	-80.61	-73.01	4.45	12.57	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



< Wireless Charger >

LTE Band 26 / 5MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1628.5	-65.13	-13	-52.13	-70.69	-69.50	2.86	9.38	H
	2442.75	-68.44	-13	-55.44	-78.86	-73.13	3.74	10.58	H
	3257	-64.71	-13	-51.71	-79.47	-70.68	4.45	12.57	H
									H
	1628.5	-70.38	-13	-57.38	-75.09	-74.75	2.86	9.38	V
	2442.75	-67.72	-13	-54.72	-77.55	-72.41	3.74	10.58	V
	3257	-66.08	-13	-53.08	-79.65	-72.05	4.45	12.57	V
									V
Middle	1633.5	-64.67	-13	-51.67	-70.23	-69.04	2.86	9.38	H
	2450.25	-68.30	-13	-55.30	-78.72	-72.99	3.74	10.58	H
	3267	-64.93	-13	-51.93	-79.69	-70.90	4.45	12.57	H
									H
	1633.5	-71.03	-13	-58.03	-75.74	-75.40	2.86	9.38	V
	2450.25	-68.20	-13	-55.20	-78.03	-72.89	3.74	10.58	V
	3267	-65.94	-13	-52.94	-79.51	-71.91	4.45	12.57	V
									V
Highest	1638.5	-68.10	-13	-55.10	-73.66	-72.47	2.86	9.38	H
	2457.75	-68.43	-13	-55.43	-78.85	-73.12	3.74	10.58	H
	3277	-64.83	-13	-51.83	-79.59	-70.80	4.45	12.57	H
									H
	1638.5	-71.80	-13	-58.80	-76.51	-76.17	2.86	9.38	V
	2457.75	-68.90	-13	-55.90	-78.73	-73.59	3.74	10.58	V
	3277	-66.03	-13	-53.03	-79.60	-72.00	4.45	12.57	V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



<Wireless Charger (Charging State)>

LTE Band 26 / 5MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1628.5	-72.08	-13	-59.08	-77.64	-76.45	2.86	9.38	H
	2442.75	-68.39	-13	-55.39	-78.81	-73.08	3.74	10.58	H
	3257	-64.95	-13	-51.95	-79.71	-70.92	4.45	12.57	H
									H
	1628.5	-73.01	-13	-60.01	-77.72	-77.38	2.86	9.38	V
	2442.75	-68.77	-13	-55.77	-78.60	-73.46	3.74	10.58	V
	3257	-66.15	-13	-53.15	-79.72	-72.12	4.45	12.57	V
									V
Middle	1633.5	-70.40	-13	-57.40	-75.96	-74.77	2.86	9.38	H
	2450.25	-68.32	-13	-55.32	-78.74	-73.01	3.74	10.58	H
	3267	-64.72	-13	-51.72	-79.48	-70.69	4.45	12.57	H
									H
	1633.5	-73.04	-13	-60.04	-77.75	-77.41	2.86	9.38	V
	2450.25	-68.91	-13	-55.91	-78.74	-73.60	3.74	10.58	V
	3267	-65.78	-13	-52.78	-79.35	-71.75	4.45	12.57	V
									V
Highest	1638.5	-72.25	-13	-59.25	-77.81	-76.62	2.86	9.38	H
	2457.75	-68.37	-13	-55.37	-78.79	-73.06	3.74	10.58	H
	3277	-64.80	-13	-51.80	-79.56	-70.77	4.45	12.57	H
									H
	1638.5	-72.79	-13	-59.79	-77.50	-77.16	2.86	9.38	V
	2457.75	-68.90	-13	-55.90	-78.73	-73.59	3.74	10.58	V
	3277	-65.93	-13	-52.93	-79.50	-71.90	4.45	12.57	V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



<Wireless Charger (Standalone)>

LTE Band 26 / 5MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1628.5	-73.22	-13	-60.22	-78.78	-77.59	2.86	9.38	H
	2442.75	-67.98	-13	-54.98	-78.40	-72.67	3.74	10.58	H
	3257	-65.86	-13	-52.86	-80.62	-71.83	4.45	12.57	H
									H
	1628.5	-74.07	-13	-61.07	-78.78	-78.44	2.86	9.38	V
	2442.75	-67.69	-13	-54.69	-77.52	-72.38	3.74	10.58	V
	3257	-67.00	-13	-54.00	-80.57	-72.97	4.45	12.57	V
									V
Middle	1633.5	-73.17	-13	-60.17	-78.73	-77.54	2.86	9.38	H
	2450.25	-62.62	-13	-49.62	-73.04	-67.31	3.74	10.58	H
	3267	-65.58	-13	-52.58	-80.34	-71.55	4.45	12.57	H
									H
	1633.5	-74.06	-13	-61.06	-78.77	-78.43	2.86	9.38	V
	2450.25	-61.21	-13	-48.21	-71.04	-65.90	3.74	10.58	V
	3267	-66.90	-13	-53.90	-80.47	-72.87	4.45	12.57	V
									V
Highest	1638.5	-73.25	-13	-60.25	-78.81	-77.62	2.86	9.38	H
	2457.75	-58.15	-13	-45.15	-68.57	-62.84	3.74	10.58	H
	3277	-65.72	-13	-52.72	-80.48	-71.69	4.45	12.57	H
									H
	1638.5	-73.97	-13	-60.97	-78.68	-78.34	2.86	9.38	V
	2457.75	-61.72	-13	-48.72	-71.55	-66.41	3.74	10.58	V
	3277	-66.90	-13	-53.90	-80.47	-72.87	4.45	12.57	V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

————THE END————