


## APPENDIX F - RADIATED EMISSION (ABOVE 1GHZ)

Test Mode: GSM850\_TX CH190\_GSM\_with Accessory Devices\_Main Antenna


**Vertical**



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		1680.000	-44.47	-4.18	-48.65	-13.00	-35.65	peak	
2		2513.000	-50.71	-2.87	-53.58	-13.00	-40.58	peak	
3 *		17932.000	-61.95	22.44	-39.51	-13.00	-26.51	peak	

Test Mode: GSM850\_TX CH190\_GSM\_with Accessory Devices\_Main Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		1680.000	-39.03	-4.18	-43.21	-13.00	-30.21	peak	
2		2513.000	-46.43	-2.87	-49.30	-13.00	-36.30	peak	
3	*	17966.000	-62.15	22.57	-39.58	-13.00	-26.58	peak	

Test Mode: GSM850\_TX CH190\_EDGE\_with Accessory Devices\_Main Antenna


**Vertical**



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		1731.000	-46.57	-4.01	-50.58	-13.00	-37.58	peak	
2	*	17915.000	-61.32	22.38	-38.94	-13.00	-25.94	peak	

Test Mode: GSM850\_TX CH190\_EDGE\_with Accessory Devices\_Main Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		1731.000	-41.15	-4.01	-45.16	-13.00	-32.16	peak	
2	*	17915.000	-62.04	22.38	-39.66	-13.00	-26.66	peak	

Test Mode: GSM850\_TX CH190\_GSM\_without Accessory Devices\_Main Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		1680.000	-40.59	-4.18	-44.77	-13.00	-31.77	peak	
2		2513.000	-48.60	-2.87	-51.47	-13.00	-38.47	peak	
3	*	17949.000	-62.03	22.50	-39.53	-13.00	-26.53	peak	

Test Mode: GSM850\_TX CH190\_GSM\_without Accessory Devices\_Main Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		1680.000	-36.39	-4.18	-40.57	-13.00	-27.57	peak	
2		2513.000	-43.06	-2.87	-45.93	-13.00	-32.93	peak	
3	*	17949.000	-62.44	22.50	-39.94	-13.00	-26.94	peak	

Test Mode: GSM850\_TX CH190\_EDGE\_without Accessory Devices\_Main Antenna

**Vertical**




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		1731.000	-46.18	-4.01	-50.19	-13.00	-37.19	peak	
2	*	17881.000	-61.10	22.28	-38.82	-13.00	-25.82	peak	



Test Mode: GSM850\_TX CH190\_EDGE\_without Accessory Devices\_Main Antenna


**Horizontal**



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		1680.000	-49.48	-4.18	-53.66	-13.00	-40.66	peak	
2	*	17983.000	-61.80	22.61	-39.19	-13.00	-26.19	peak	

Test Mode: WCDMA Band V\_TX CH4182\_Main Antenna


**Vertical**



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		1765.000	-46.24	-3.89	-50.13	-13.00	-37.13	peak	
2	*	18000.000	-63.51	22.67	-40.84	-13.00	-27.84	peak	

Test Mode: WCDMA Band V\_TX CH4182\_Main Antenna


**Horizontal**



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		1773.500	-46.46	-3.86	-50.32	-13.00	-37.32	peak	
2	*	17745.000	-62.20	21.82	-40.38	-13.00	-27.38	peak	

Test Mode: LTE Band 5\_TX CH20525\_1.4M\_Main Antenna


**Vertical**



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		1782.000	-44.72	-3.82	-48.54	-13.00	-35.54	peak	
2	*	17915.000	-62.85	22.38	-40.47	-13.00	-27.47	peak	

Test Mode: LTE Band 5\_TX CH20525\_1.4M\_Main Antenna


**Horizontal**



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		1765.000	-50.80	-3.89	-54.69	-13.00	-41.69	peak	
2	*	17949.000	-62.99	22.50	-40.49	-13.00	-27.49	peak	

Test Mode: LTE Band 5\_TX CH20525\_5M\_Main Antenna


**Vertical**



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17881.000	-63.07	22.28	-40.79	-13.00	-27.79	peak	

Test Mode: LTE Band 5\_TX CH20525\_5M\_Main Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17949.000	-63.72	22.50	-41.22	-13.00	-28.22	peak	

Test Mode: LTE Band 5\_TX CH20525\_10M\_Main Antenna

**Vertical**




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		5182.000	-48.51	4.97	-43.54	-13.00	-30.54	peak	
2	*	17915.000	-63.00	22.38	-40.62	-13.00	-27.62	peak	



Test Mode: LTE Band 5\_TX CH20525\_10M\_Main Antenna


**Horizontal**



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17864.000	-62.99	22.22	-40.77	-13.00	-27.77	peak	

Test Mode: GSM850\_TX CH190\_GSM\_with Accessory Devices\_Second Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		1680.000	-47.59	-4.18	-51.77	-13.00	-38.77	peak	
2		2513.000	-47.32	-2.87	-50.19	-13.00	-37.19	peak	
3	*	17966.000	-61.55	22.57	-38.98	-13.00	-25.98	peak	

Test Mode: GSM850\_TX CH190\_GSM\_with Accessory Devices\_Second Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		1731.000	-46.57	-4.01	-50.58	-13.00	-37.58	peak	
2		2513.000	-45.15	-2.87	-48.02	-13.00	-35.02	peak	
3	*	17949.000	-61.98	22.50	-39.48	-13.00	-26.48	peak	

Test Mode: GSM850\_TX CH190\_EDGE\_with Accessory Devices\_Second Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		1731.000	-63.25	7.73	-55.52	-13.00	-42.52	peak	
2	*	17830.000	-73.05	33.85	-39.20	-13.00	-26.20	peak	

Test Mode: GSM850\_TX CH190\_EDGE\_with Accessory Devices\_Second Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		1680.000	-59.65	7.56	-52.09	-13.00	-39.09	peak	
2	*	18000.000	-73.46	34.41	-39.05	-13.00	-26.05	peak	

Test Mode: GSM850\_TX CH190\_GSM\_without Accessory Devices\_Second Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		1680.000	-49.71	-4.18	-53.89	-13.00	-40.89	peak	
2		2513.000	-47.07	-2.87	-49.94	-13.00	-36.94	peak	
3	*	17966.000	-61.84	22.57	-39.27	-13.00	-26.27	peak	

Test Mode: GSM850\_TX CH190\_GSM\_without Accessory Devices\_Second Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		1680.000	-47.91	-4.18	-52.09	-13.00	-39.09	peak	
2		2513.000	-49.12	-2.87	-51.99	-13.00	-38.99	peak	
3	*	17966.000	-62.62	22.57	-40.05	-13.00	-27.05	peak	

Test Mode: GSM850\_TX CH190\_EDGE\_without Accessory Devices\_Second Antenna

**Vertical**




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		1680.000	-49.34	-4.18	-53.52	-13.00	-40.52	peak	
2	*	17881.000	-61.69	22.28	-39.41	-13.00	-26.41	peak	



Test Mode: GSM850\_TX CH190\_EDGE\_without Accessory Devices\_Second Antenna


**Horizontal**



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		1680.000	-47.44	-4.18	-51.62	-13.00	-38.62	peak	
2	*	18000.000	-61.80	22.67	-39.13	-13.00	-26.13	peak	

Test Mode: WCDMA Band V\_TX CH4182\_Second Antenna


**Vertical**



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		1773.500	-47.20	-3.86	-51.06	-13.00	-38.06	peak	
2	*	18000.000	-62.30	22.67	-39.63	-13.00	-26.63	peak	

Test Mode: WCDMA Band V\_TX CH4182\_Second Antenna


**Horizontal**



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		1773.500	-47.54	-3.86	-51.40	-13.00	-38.40	peak	
2 *		17830.000	-62.06	22.11	-39.95	-13.00	-26.95	peak	

Test Mode: LTE Band 5\_TX CH20525\_1.4M\_Second Antenna


**Vertical**



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1 *	17915.000	-63.65	22.38	-41.27	-13.00	-28.27	peak	
2	1765.000	-39.16	-3.89	-43.05	-13.00	-30.05	peak	

Test Mode: LTE Band 5\_TX CH20525\_1.4M\_Second Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		1680.000	-46.14	-4.18	-50.32	-13.00	-37.32	peak	
2		2513.000	-41.33	-2.87	-44.20	-13.00	-31.20	peak	
3	*	17932.000	-63.53	22.44	-41.09	-13.00	-28.09	peak	

Test Mode: LTE Band 5\_TX CH20525\_5M\_Second Antenna


**Vertical**



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17881.000	-63.45	22.28	-41.17	-13.00	-28.17	peak	

Test Mode: LTE Band 5\_TX CH20525\_5M\_Second Antenna


**Horizontal**



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		1663.000	-46.73	-4.25	-50.98	-13.00	-37.98	peak	
2	*	17983.000	-64.18	22.61	-41.57	-13.00	-28.57	peak	

Test Mode: LTE Band 5\_TX CH20525\_10M\_Second Antenna

**Vertical**




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	1782.000	-34.87	-3.82	-38.69	-13.00	-25.69	peak	




Test Mode: LTE Band 5\_TX CH20525\_10M\_Second Antenna




Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17966.000	-63.58	22.57	-41.01	-13.00	-28.01	peak	

## APPENDIX G - BAND EDGE





### LTE Band 5\_1.4M

1RB0



1RB5

Channel

20407

Channel

20643





### 6RB0


Channel

20407

Channel

20643





### LTE Band 5\_5M

1RB0



1RB24

Channel

20425

Channel

20625





### 25RB0


Channel

20425

Channel

20625









## APPENDIX H - PEAK TO AVERAGE RATIO

## GSM 850 Spectrum Plot


### GSM -128




### GSM-190




### GSM-251




### EDGE-128



### EDGE-190





### EDGE-251





### WCDMA Band V Spectrum Plot

4132

4182




4233




### WCDMA\_HSDPA Band V Spectrum Plot


4132



4182



4233





-

### WCDMA\_HSUPA Band V Spectrum Plot



4132

4182




4233

-




### LTE Band 5 Spectrum Plot\_1.4M


#### QPSK-20407




#### QPSK-20525




#### QPSK-20643




#### 16QAM-20407




#### 16QAM-20525



#### 16QAM-20643




### LTE Band 5 Spectrum Plot\_3M




### LTE Band 5 Spectrum Plot\_5M


#### QPSK-20425



#### QPSK-20525




#### QPSK-20625



#### 16QAM-20425



#### 16QAM-20525




#### 16QAM-20625





### LTE Band 5 Spectrum Plot\_10M

#### QPSK-20450




Center Freq: 824.600000 MHz

CF Step: 5.000000 MHz

Freq Offset: 0 Hz

#### QPSK-20525




Center Freq: 832.020000 MHz

CF Step: 5.000000 MHz

Freq Offset: 0 Hz

#### QPSK-20600




Center Freq: 839.620000 MHz

CF Step: 5.000000 MHz

Freq Offset: 0 Hz

#### 16QAM-20450




Center Freq: 819.000000 MHz

CF Step: 5.000000 MHz

Freq Offset: 0 Hz

#### 16QAM-20525



Center Freq: 832.000000 MHz

CF Step: 5.000000 MHz

Freq Offset: 0 Hz

#### 16QAM-20600



Center Freq: 839.660000 MHz

CF Step: 5.000000 MHz

Freq Offset: 0 Hz

## APPENDIX I - FREQUENCY STABILITY

Test Mode:	GSM850_CH190
------------	--------------

**Temperature vs. Frequency Stability**

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
-30	4.18	0.004996414	± 2.5
-20	4.45	0.005319149	
-10	5.10	0.006096103	
0	3.80	0.004542195	
10	5.85	0.006992589	
20	4.61	0.005510399	
30	5.66	0.006765479	
40	5.99	0.007159933	
50	5.44	0.00650251	
Max. Deviation (ppm)	5.99	0.007159933	

**Voltage vs. Frequency Stability**

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.35	3.18	0.0038011	± 2.5
3.80	4.82	0.005761415	
3.60	4.46	0.005331102	
Max. Deviation (ppm)	4.82	0.005761415	

Test Mode:	WCDMA Band V_CH4182
------------	---------------------

**Temperature vs. Frequency Stability**

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
-30	4.88	0.005834529	± 2.5
-20	3.87	0.004626973	
-10	7.62	0.009110473	
0	4.23	0.005057389	
10	8.86	0.010593018	
20	8.30	0.009923482	
30	2.99	0.003574845	
40	6.89	0.008237685	
50	1.99	0.002379244	
Max. Deviation (ppm)	8.86	0.010593018	

**Voltage vs. Frequency Stability**

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.35	3.46	0.004136777	± 2.5
3.80	0.92	0.001099952	
3.60	3.57	0.004268293	
Max. Deviation (ppm)	3.57	0.004268293	

Test Mode:	LTE Band 5_CH20525_1.4M
------------	-------------------------

**Temperature vs. Frequency Stability**

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
-30	4.02	0.004805738	± 2.5
-20	-5.57	-0.006658697	
-10	-3.00	-0.003586372	
0	-2.77	-0.003311417	
10	5.38	0.00643156	
20	-3.01	-0.003598326	
30	2.79	0.003335326	
40	3.75	0.004482965	
50	4.72	0.005642558	
Max. Deviation (ppm)	-5.57	-0.006658697	

**Voltage vs. Frequency Stability**

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.35	-4.59	-0.005487149	± 2.5
3.80	-2.97	-0.003550508	
3.60	-6.07	-0.007256426	
Max. Deviation (ppm)	-6.07	<b>-0.007256426</b>	

Test Mode:	LTE Band 5_CH20525_3M
------------	-----------------------

**Temperature vs. Frequency Stability**

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
-30	-3.39	-0.0040526	± 2.5
-20	3.99	0.004769874	
-10	5.02	0.006001195	
0	5.67	0.006778243	
10	-2.42	-0.002893007	
20	4.50	0.005379558	
30	-3.58	-0.004279737	
40	1.79	0.002139868	
50	3.93	0.004698147	
Max. Deviation (ppm)	5.67	0.006778243	

**Voltage vs. Frequency Stability**

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.35	-4.33	-0.00517633	± 2.5
3.80	2.11	0.002522415	
3.60	-2.08	-0.002486551	
Max. Deviation (ppm)	-4.33	-0.00517633	

Test Mode:	LTE Band 5_CH20525_5M
------------	-----------------------

**Temperature vs. Frequency Stability**

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
-30	6.43	0.00768679	± 2.5
-20	3.38	0.004040646	
-10	-1.82	-0.002175732	
0	4.19	0.005008966	
10	-2.66	-0.003179916	
20	3.84	0.004590556	
30	5.05	0.006037059	
40	3.61	0.004315601	
50	-2.87	-0.003430962	
Max. Deviation (ppm)	6.43	0.00768679	

**Voltage vs. Frequency Stability**

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.35	3.08	0.003682008	± 2.5
3.80	-4.91	-0.005869695	
3.60	-3.42	-0.004088464	
Max. Deviation (ppm)	-4.91	-0.005869695	

Test Mode:	LTE Band 5_CH20525_10M
------------	------------------------

**Temperature vs. Frequency Stability**

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
-30	-3.62	-0.004327555	± 2.5
-20	7.11	0.008499701	
-10	2.01	0.002402869	
0	-4.11	-0.004913329	
10	-2.60	-0.003108189	
20	-5.04	-0.006025105	
30	6.77	0.008093246	
40	2.66	0.003179916	
50	1.90	0.002271369	
Max. Deviation (ppm)	7.11	0.008499701	

**Voltage vs. Frequency Stability**

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.35	-5.71	-0.006826061	± 2.5
3.80	-3.28	-0.0039211	
3.60	4.29	0.005128512	
Max. Deviation (ppm)	-5.71	-0.006826061	

**End of Test Report**