


APPENDIX C - RADIATED EMISSION (ABOVE 1GHZ)

Test Mode: PCS1900_TX CH661_GSM_with Accessory Devices_Main Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2996.000	-55.29	10.63	-44.66	-13.00	-31.66	peak	

Test Mode: PCS1900_TX CH661_GSM_with Accessory Devices_Main Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		3765.000	-52.99	1.69	-51.30	-13.00	-38.30	peak	
2	*	17955.000	-63.36	22.52	-40.84	-13.00	-27.84	peak	

Test Mode: PCS1900_TX CH661_GSM_with Accessory Devices_Main Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	26483.000	-64.64	27.23	-37.41	-13.00	-24.41	peak	

Test Mode: PCS1900_TX CH661_GSM_with Accessory Devices_Main Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2974.000	-54.65	10.46	-44.19	-13.00	-31.19	peak	

Test Mode: PCS1900_TX CH661_GSM_with Accessory Devices_Main Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		3765.000	-52.59	1.69	-50.90	-13.00	-37.90	peak	
2	*	17820.000	-63.55	22.07	-41.48	-13.00	-28.48	peak	

Test Mode: PCS1900_TX CH661_GSM_with Accessory Devices_Main Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	26474.500	-63.44	27.22	-36.22	-13.00	-23.22	peak	

Test Mode: PCS1900_TX CH661_EDGE_with Accessory Devices_Main Antenna


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	2992.000	-55.33	10.60	-44.73	-13.00	-31.73	peak	

Test Mode: PCS1900_TX CH661_EDGE_with Accessory Devices_Main Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		3765.000	-53.86	1.69	-52.17	-13.00	-39.17	peak	
2	*	17910.000	-63.22	22.37	-40.85	-13.00	-27.85	peak	

Test Mode: PCS1900_TX CH661_EDGE_with Accessory Devices_Main Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	26160.000	-63.27	26.98	-36.29	-13.00	-23.29	peak	

Test Mode: PCS1900_TX CH661_EDGE_with Accessory Devices_Main Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2970.000	-54.88	10.43	-44.45	-13.00	-31.45	peak	

Test Mode: PCS1900_TX CH661_EDGE_with Accessory Devices_Main Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		3765.000	-53.26	1.69	-51.57	-13.00	-38.57	peak	
2		4545.000	-56.18	3.65	-52.53	-13.00	-39.53	peak	
3	*	18000.000	-62.60	22.67	-39.93	-13.00	-26.93	peak	

Test Mode: PCS1900_TX CH661_EDGE_with Accessory Devices_Main Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	26491.500	-63.83	27.24	-36.59	-13.00	-23.59	peak	

Test Mode: PCS1900_TX CH661_GSM_without Accessory Devices_Main Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2924.000	-54.20	10.10	-44.10	-13.00	-31.10	peak	

Test Mode: PCS1900_TX CH661_GSM_without Accessory Devices_Main Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		5640.000	-55.57	6.19	-49.38	-13.00	-36.38	peak	
2	*	17970.000	-63.94	22.57	-41.37	-13.00	-28.37	peak	

Test Mode: PCS1900_TX CH661_GSM_without Accessory Devices_Main Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	26270.500	-63.54	27.07	-36.47	-13.00	-23.47	peak	

Test Mode: PCS1900_TX CH661_GSM_without Accessory Devices_Main Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2952.000	-55.37	10.30	-45.07	-13.00	-32.07	peak	

Test Mode: PCS1900_TX CH661_GSM_without Accessory Devices_Main Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		3765.000	-54.35	1.69	-52.66	-13.00	-39.66	peak	
2		5640.000	-53.24	6.19	-47.05	-13.00	-34.05	peak	
3	*	17835.000	-62.45	22.12	-40.33	-13.00	-27.33	peak	

Test Mode: PCS1900_TX CH661_GSM_without Accessory Devices_Main Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	26491.500	-63.25	27.24	-36.01	-13.00	-23.01	peak	

Test Mode: PCS1900_TX CH661_EDGE_without Accessory Devices_Main Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2908.000	-54.77	9.98	-44.79	-13.00	-31.79	peak	

Test Mode: PCS1900_TX CH661_EDGE_without Accessory Devices_Main Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		5580.000	-56.90	5.95	-50.95	-13.00	-37.95	peak	
2	*	17955.000	-63.35	22.52	-40.83	-13.00	-27.83	peak	

Test Mode: PCS1900_TX CH661_EDGE_without Accessory Devices_Main Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	26449.000	-64.20	27.20	-37.00	-13.00	-24.00	peak	

Test Mode: PCS1900_TX CH661_EDGE_without Accessory Devices_Main Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2914.000	-54.55	10.03	-44.52	-13.00	-31.52	peak	

Test Mode: PCS1900_TX CH661_EDGE_without Accessory Devices_Main Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		3765.000	-55.55	1.69	-53.86	-13.00	-40.86	peak	
2	*	17880.000	-63.40	22.28	-41.12	-13.00	-28.12	peak	

Test Mode: PCS1900_TX CH661_EDGE_without Accessory Devices_Main Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	26491.500	-63.80	27.24	-36.56	-13.00	-23.56	peak	

Test Mode: WCDMA Band II_TX CH9400_Main Antenna


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	2992.000	-55.09	10.60	-44.49	-13.00	-31.49	peak	

Test Mode: WCDMA Band II_TX CH9400_Main Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17985.000	-62.27	22.62	-39.65	-13.00	-26.65	peak	

Test Mode: WCDMA Band II_TX CH9400_Main Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	25582.000	-62.61	26.72	-35.89	-13.00	-22.89	peak	

Test Mode: WCDMA Band II_TX CH9400_Main Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	3000.000	-54.70	10.65	-44.05	-13.00	-31.05	peak	

Test Mode: WCDMA Band II_TX CH9400_Main Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17910.000	-62.78	22.37	-40.41	-13.00	-27.41	peak	


Test Mode: WCDMA Band II_TX CH9400_Main Antenna

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	25480.000	-63.09	26.68	-36.41	-13.00	-23.41	peak	


Test Mode: LTE Band 2_TX CH18900_1.4M_Main Antenna



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	3000.000	-54.80	10.65	-44.15	-13.00	-31.15	peak	

Test Mode: LTE Band 2_TX CH18900_1.4M_Main Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17880.000	-63.07	22.28	-40.79	-13.00	-27.79	peak	

Test Mode: LTE Band 2_TX CH18900_1.4M_Main Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	25573.500	-63.32	26.72	-36.60	-13.00	-23.60	peak	

Test Mode: LTE Band 2_TX CH18900_1.4M_Main Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2970.000	-54.37	10.43	-43.94	-13.00	-30.94	peak	

Test Mode: LTE Band 2_TX CH18900_1.4M_Main Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17970.000	-63.33	22.57	-40.76	-13.00	-27.76	peak	


Test Mode: LTE Band 2_TX CH18900_1.4M_Main Antenna

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	25871.000	-63.29	26.80	-36.49	-13.00	-23.49	peak	


Test Mode: LTE Band 2_TX CH18900_5M_Main Antenna



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2892.000	-53.99	9.87	-44.12	-13.00	-31.12	peak	

Test Mode: LTE Band 2_ TX CH18900_5M_Main Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	14490.000	-60.47	19.02	-41.45	-13.00	-28.45	peak	


Test Mode: LTE Band 2_TX CH18900_5M_Main Antenna

Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	26330.000	-63.28	27.11	-36.17	-13.00	-23.17	peak	


Test Mode: LTE Band 2_TX CH18900_5M_Main Antenna



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2998.000	-54.23	10.64	-43.59	-13.00	-30.59	peak	

Test Mode: LTE Band 2_TX CH18900_5M_Main Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	15030.000	-60.24	17.80	-42.44	-13.00	-29.44	peak	


Test Mode: LTE Band 2_TX CH18900_5M_Main Antenna

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	25607.500	-62.60	26.73	-35.87	-13.00	-22.87	peak	


Test Mode: LTE Band 2_TX CH18900_20M_Main Antenna



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2984.000	-54.82	10.53	-44.29	-13.00	-31.29	peak	

Test Mode: LTE Band 2_TX CH18900_20M_Main Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17895.000	-62.42	22.32	-40.10	-13.00	-27.10	peak	


Test Mode: LTE Band 2_TX CH18900_20M_Main Antenna

Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	25633.000	-62.99	26.74	-36.25	-13.00	-23.25	peak	


Test Mode: LTE Band 2_TX CH18900_20M_Main Antenna



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2974.000	-53.85	10.46	-43.39	-13.00	-30.39	peak	

Test Mode: LTE Band 2_TX CH18900_20M_Main Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	14520.000	-60.77	18.97	-41.80	-13.00	-28.80	peak	

Test Mode: LTE Band 2_TX CH18900_20M_Main Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	25556.500	-62.75	26.71	-36.04	-13.00	-23.04	peak	

Test Mode: PCS1900_TX CH661_GSM_with Accessory Devices_Second Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2980.000	-55.12	10.51	-44.61	-13.00	-31.61	peak	

Test Mode: PCS1900_TX CH661_GSM_with Accessory Devices_Second Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		3900.000	-55.71	2.08	-53.63	-13.00	-40.63	peak	
2	*	17955.000	-63.21	22.52	-40.69	-13.00	-27.69	peak	

Test Mode: PCS1900_TX CH661_GSM_with Accessory Devices_Second Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	26457.500	-63.15	27.21	-35.94	-13.00	-22.94	peak	

Test Mode: PCS1900_TX CH661_GSM_with Accessory Devices_Second Antenna


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	2978.000	-54.98	10.49	-44.49	-13.00	-31.49	peak	

Test Mode: PCS1900_TX CH661_GSM_with Accessory Devices_Second Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17790.000	-63.61	21.98	-41.63	-13.00	-28.63	peak	

Test Mode: PCS1900_TX CH661_GSM_with Accessory Devices_Second Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	25820.000	-62.88	26.80	-36.08	-13.00	-23.08	peak	

Test Mode: PCS1900_TX CH661_EDGE_with Accessory Devices_Second Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2982.000	-54.86	10.52	-44.34	-13.00	-31.34	peak	

Test Mode: PCS1900_TX CH661_EDGE_with Accessory Devices_Second Antenna


Vertical



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1 *	17970.000	-63.58	22.57	-41.01	-13.00	-28.01	peak	

Test Mode: PCS1900_TX CH661_EDGE_with Accessory Devices_Second Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	26364.000	-64.14	27.14	-37.00	-13.00	-24.00	peak	

Test Mode: PCS1900_TX CH661_EDGE_with Accessory Devices_Second Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2982.000	-54.86	10.52	-44.34	-13.00	-31.34	peak	

Test Mode: PCS1900_TX CH661_EDGE_with Accessory Devices_Second Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	18000.000	-63.89	22.67	-41.22	-13.00	-28.22	peak	

Test Mode: PCS1900_TX CH661_EDGE_with Accessory Devices_Second Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	26449.000	-64.61	27.20	-37.41	-13.00	-24.41	peak	

Test Mode: PCS1900_TX CH661_GSM_without Accessory Devices_Second Antenna


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	2932.000	-54.83	10.16	-44.67	-13.00	-31.67	peak	

Test Mode: PCS1900_TX CH661_GSM_without Accessory Devices_Second Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17940.000	-63.42	22.47	-40.95	-13.00	-27.95	peak	

Test Mode: PCS1900_TX CH661_GSM_without Accessory Devices_Second Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	26202.500	-63.35	27.01	-36.34	-13.00	-23.34	peak	

Test Mode: PCS1900_TX CH661_GSM_without Accessory Devices_Second Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2992.000	-54.10	10.60	-43.50	-13.00	-30.50	peak	

Test Mode: PCS1900_TX CH661_GSM_without Accessory Devices_Second Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		3765.000	-55.15	1.69	-53.46	-13.00	-40.46	peak	
2	*	17910.000	-63.26	22.37	-40.89	-13.00	-27.89	peak	

Test Mode: PCS1900_TX CH661_GSM_without Accessory Devices_Second Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	26032.500	-63.28	26.88	-36.40	-13.00	-23.40	peak	

Test Mode: PCS1900_TX CH661_EDGE_without Accessory Devices_Second Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2970.000	-55.19	10.43	-44.76	-13.00	-31.76	peak	

Test Mode: PCS1900_TX CH661_EDGE_without Accessory Devices_Second Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17985.000	-63.23	22.62	-40.61	-13.00	-27.61	peak	

Test Mode: PCS1900_TX CH661_EDGE_without Accessory Devices_Second Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	26457.500	-64.23	27.21	-37.02	-13.00	-24.02	peak	

Test Mode: PCS1900_TX CH661_EDGE_without Accessory Devices_Second Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2958.000	-54.99	10.34	-44.65	-13.00	-31.65	peak	

Test Mode: PCS1900_TX CH661_EDGE_without Accessory Devices_Second Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17940.000	-63.44	22.47	-40.97	-13.00	-27.97	peak	


Test Mode: PCS1900_TX CH661_EDGE_without Accessory Devices_Second Antenna

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	26500.000	-64.83	27.25	-37.58	-13.00	-24.58	peak	


Test Mode: WCDMA Band II_TX CH9400_Second Antenna



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2974.000	-54.75	10.46	-44.29	-13.00	-31.29	peak	

Test Mode: WCDMA Band II_TX CH9400_Second Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17962.500	-62.04	22.55	-39.49	-13.00	-26.49	peak	

Test Mode: WCDMA Band II_TX CH9400_Second Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	25539.500	-62.12	26.71	-35.41	-13.00	-22.41	peak	

Test Mode: WCDMA Band II_TX CH9400_Second Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2959.000	-54.85	10.35	-44.50	-13.00	-31.50	peak	

Test Mode: WCDMA Band II_TX CH9400_Second Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17955.000	-63.19	22.52	-40.67	-13.00	-27.67	peak	

Test Mode: WCDMA Band II_TX CH9400_Second Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	26483.000	-63.75	27.23	-36.52	-13.00	-23.52	peak	

Test Mode: LTE Band 2_TX CH18900_1.4M_Second Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2992.000	-54.69	10.60	-44.09	-13.00	-31.09	peak	

Test Mode: LTE Band 2_TX CH18900_1.4M_Second Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	18000.000	-63.31	22.67	-40.64	-13.00	-27.64	peak	

Test Mode: LTE Band 2_TX CH18900_1.4M_Second Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	26202.500	-63.35	27.01	-36.34	-13.00	-23.34	peak	

Test Mode: LTE Band 2_TX CH18900_1.4M_Second Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2932.000	-54.57	10.16	-44.41	-13.00	-31.41	peak	

Test Mode: LTE Band 2_TX CH18900_1.4M_Second Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17985.000	-63.11	22.62	-40.49	-13.00	-27.49	peak	

Test Mode: LTE Band 2_TX CH18900_1.4M_Second Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	25820.000	-62.88	26.80	-36.08	-13.00	-23.08	peak	


Test Mode: LTE Band 2_TX CH18900_5M_Second Antenna

Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		163.860	-66.21	-10.83	-77.04	-13.00	-64.04	peak	
2		334.580	-62.96	-10.85	-73.81	-13.00	-60.81	peak	
3		561.560	-64.65	-5.65	-70.30	-13.00	-57.30	peak	
4		712.880	-67.72	-3.08	-70.80	-13.00	-57.80	peak	
5		825.885	-66.52	-1.45	-67.97	-13.00	-54.97	peak	
6 *		948.590	-66.97	1.35	-65.62	-13.00	-52.62	peak	


Test Mode: LTE Band 2_ TX CH18900_5M_Second Antenna



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2978.000	-54.37	10.49	-43.88	-13.00	-30.88	peak	

Test Mode: LTE Band 2_TX CH18900_5M_Second Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	14490.000	-61.48	19.02	-42.46	-13.00	-29.46	peak	

Test Mode: LTE Band 2_ TX CH18900_5M_Second Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2990.000	-54.92	10.58	-44.34	-13.00	-31.34	peak	

Test Mode: LTE Band 2_TX CH18900_5M_Second Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	15135.000	-60.08	17.53	-42.55	-13.00	-29.55	peak	

Test Mode: LTE Band 2_ TX CH18900_5M_Second Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	25803.000	-62.27	26.79	-35.48	-13.00	-22.48	peak	

Test Mode: LTE Band 2_TX CH18900_20M_Second Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2876.000	-54.17	9.75	-44.42	-13.00	-31.42	peak	

Test Mode: LTE Band 2_TX CH18900_20M_Second Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	18000.000	-63.29	22.67	-40.62	-13.00	-27.62	peak	

Test Mode: LTE Band 2_TX CH18900_20M_Second Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	25599.000	-63.17	26.73	-36.44	-13.00	-23.44	peak	

Test Mode: LTE Band 2_TX CH18900_20M_Second Antenna


Horizontal



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1 *	3000.000	-54.85	10.65	-44.20	-13.00	-31.20	peak	

Test Mode: LTE Band 2_TX CH18900_20M_Second Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17910.000	-62.76	22.37	-40.39	-13.00	-27.39	peak	

Test Mode: LTE Band 2_TX CH18900_20M_Second Antenna

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	25480.000	-63.14	26.68	-36.46	-13.00	-23.46	peak	