


APPENDIX C - CONDUCTED EMISSIONS

WCDMA Band IV_WCDMA			
Channel	Frequency(MHz)	Channel	Frequency(MHz)
1413	1732.6	1413	1732.6
Date: 27.JUL.2019 15:30:01		Date: 27.JUL.2019 15:31:17	
Channel	Frequency(MHz)	-	-
1413	1732.6	-	-
		-	
Date: 27.JUL.2019 15:33:40			

LTE Band 4_1.4M			
Channel	Frequency(MHz)	Channel	Frequency(MHz)
20175	1732.5	20175	1732.5
Date: 27.JUL.2019 16:18:22		Date: 27.JUL.2019 16:20:57	
Channel	Frequency(MHz)	-	-
20175	1732.5	-	-
		-	
Date: 29.JUL.2019 17:52:18			

LTE Band 4_5M			
Channel	Frequency(MHz)	Channel	Frequency(MHz)
20175	1732.5	20175	1732.5
<p>Date: 27.JUL.2019 16:24:12</p>		<p>Date: 27.JUL.2019 16:25:54</p>	
Channel	Frequency(MHz)	-	-
20175	1732.5	-	-
<p>Date: 29.JUL.2019 17:52:25</p>		-	



LTE Band 7_5M			
Channel	Frequency(MHz)	Channel	Frequency(MHz)
21100	2535	21100	2535
Channel	Frequency(MHz)	-	-
21100	2535	-	-
		-	

LTE Band 7_20M			
Channel	Frequency(MHz)	Channel	Frequency(MHz)
21100	2535	21100	2535
Channel	Frequency(MHz)	-	-
21100	2535	-	-
		-	

LTE Band 12_1.4M			
Channel	Frequency(MHz)	Channel	Frequency(MHz)
23095	707.5	23095	707.5
Date: 29.JUL.2019 16:37:39		Date: 29.JUL.2019 16:39:53	
Channel	Frequency(MHz)	-	-
23095	707.5	-	-
		-	
Date: 29.JUL.2019 20:10:54			

LTE Band 12_5M			
Channel	Frequency(MHz)	Channel	Frequency(MHz)
23095	707.5	23095	707.5
<p>Date: 29.JUL.2019 16:45:57</p>		<p>Date: 29.JUL.2019 20:14:51</p>	
Channel	Frequency(MHz)	-	-
23095	707.5	-	-
<p>Date: 29.JUL.2019 17:12:28</p>			

LTE Band 12_10M			
Channel	Frequency(MHz)	Channel	Frequency(MHz)
23095	707.5	23095	707.5
Date: 29.JUL.2019 20:13:32		Date: 29.JUL.2019 16:49:37	
Channel	Frequency(MHz)	-	-
23095	707.5	-	-
Date: 29.JUL.2019 20:11:43			


LTE Band 13_5M			
Channel	Frequency(MHz)	Channel	Frequency(MHz)
23230	782.0	23230	782.0
<p>Date: 29.JUL.2019 17:05:50</p>		<p>Date: 29.JUL.2019 17:04:33</p>	
Channel	Frequency(MHz)	-	-
23230	782.0	-	-
<p>Date: 29.JUL.2019 17:00:56</p>			

LTE Band 13_10M			
Channel	Frequency(MHz)	Channel	Frequency(MHz)
23230	782.0	23230	782.0
<p>Date: 29.JUL.2019 16:53:34</p>		<p>Date: 29.JUL.2019 16:55:11</p>	
Channel	Frequency(MHz)	-	-
23230	782.0	-	-
<p>Date: 29.JUL.2019 16:59:50</p>			

APPENDIX D - RADIATED EMISSION (9KHZ TO 30MHZ)

Test Mode: TX Mode


Ant 0°



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		0.0182	32.60	14.36	46.96	122.40	-75.44	AVG	
2	*	0.0347	28.50	13.88	42.38	116.80	-74.42	AVG	
3		0.0667	20.20	13.66	33.86	111.12	-77.26	AVG	

Test Mode: TX Mode


Ant 0°



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		0.3321	25.70	13.46	39.16	97.18	-58.02	AVG	
2	*	2.2367	33.60	11.68	45.28	69.54	-24.26	QP	
3		13.1270	26.10	11.60	37.70	69.54	-31.84	QP	

Test Mode: TX Mode


Ant 90°



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	0.0212	32.60	13.82	46.42	121.08	-74.66	AVG	
2		0.0440	25.80	13.91	39.71	114.74	-75.03	AVG	
3		0.0696	20.10	13.62	33.72	110.75	-77.03	AVG	

Test Mode: TX Mode

Ant 90°




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		0.8438	26.80	12.55	39.35	69.08	-29.73	QP	
2	*	2.2847	30.70	11.65	42.35	69.54	-27.19	QP	
3		8.9163	21.30	11.46	32.76	69.54	-36.78	QP	

APPENDIX E - RADIATED EMISSION (30MHZ TO 1GHZ)

Test Mode: WCDMA Band IV_TX CH1413


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	35.8200	-55.42	-5.08	-60.50	-13.00	-47.50	peak	
2		58.6150	-58.48	-5.12	-63.60	-13.00	-50.60	peak	
3		175.9850	-73.06	-3.27	-76.33	-13.00	-63.33	peak	
4		240.0050	-72.67	-4.41	-77.08	-13.00	-64.08	peak	
5		390.8400	-76.36	-0.09	-76.45	-13.00	-63.45	peak	
6		749.7400	-76.12	5.94	-70.18	-13.00	-57.18	peak	

Test Mode: WCDMA Band IV _TX CH1413


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		42.6100	-72.57	-4.90	-77.47	-13.00	-64.47	peak	
2		104.6900	-74.77	-5.30	-80.07	-13.00	-67.07	peak	
3		159.9800	-75.41	-1.41	-76.82	-13.00	-63.82	peak	
4		240.0050	-73.52	-4.41	-77.93	-13.00	-64.93	peak	
5		390.8400	-75.75	-0.09	-75.84	-13.00	-62.84	peak	
6	*	625.0950	-76.15	4.39	-71.76	-13.00	-58.76	peak	

Test Mode: LTE Band 4_TX CH20175_1.4M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	35.8200	-51.05	-5.08	-56.13	-13.00	-43.13	peak	
2		55.2200	-60.53	-4.41	-64.94	-13.00	-51.94	peak	
3		103.2350	-66.36	-5.41	-71.77	-13.00	-58.77	peak	
4		159.9800	-77.07	-1.41	-78.48	-13.00	-65.48	peak	
5		240.0050	-74.85	-4.41	-79.26	-13.00	-66.26	peak	
6		390.8400	-76.17	-0.09	-76.26	-13.00	-63.26	peak	

Test Mode: LTE Band 4_TX CH20175_1.4M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	35.3350	-62.64	-5.21	-67.85	-13.00	-54.85	peak	
2		59.1000	-70.41	-5.17	-75.58	-13.00	-62.58	peak	
3		103.7200	-65.73	-5.37	-71.10	-13.00	-58.10	peak	
4		159.9800	-76.10	-1.41	-77.51	-13.00	-64.51	peak	
5		240.0050	-74.75	-4.41	-79.16	-13.00	-66.16	peak	
6		480.0800	-75.80	1.75	-74.05	-13.00	-61.05	peak	

Test Mode: LTE Band 4_TX CH20175_5M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	35.8200	-51.35	-5.08	-56.43	-13.00	-43.43	peak	
2		54.7350	-60.18	-4.36	-64.54	-13.00	-51.54	peak	
3		103.2350	-66.33	-5.41	-71.74	-13.00	-58.74	peak	
4		240.0050	-73.15	-4.41	-77.56	-13.00	-64.56	peak	
5		390.8400	-76.54	-0.09	-76.63	-13.00	-63.63	peak	
6		616.3650	-77.21	4.19	-73.02	-13.00	-60.02	peak	

Test Mode: LTE Band 4_TX CH20175_5M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	34.8500	-62.76	-5.33	-68.09	-13.00	-55.09	peak	
2		58.6150	-69.71	-5.12	-74.83	-13.00	-61.83	peak	
3		103.2350	-65.14	-5.41	-70.55	-13.00	-57.55	peak	
4		159.9800	-76.50	-1.41	-77.91	-13.00	-64.91	peak	
5		240.0050	-73.69	-4.41	-78.10	-13.00	-65.10	peak	
6		696.3900	-77.19	5.53	-71.66	-13.00	-58.66	peak	

Test Mode: LTE Band 4_TX CH20175_20M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	35.3350	-51.17	-5.21	-56.38	-13.00	-43.38	peak	
2		54.7350	-60.88	-4.36	-65.24	-13.00	-52.24	peak	
3		103.2350	-66.86	-5.41	-72.27	-13.00	-59.27	peak	
4		240.0050	-73.53	-4.41	-77.94	-13.00	-64.94	peak	
5		390.8400	-76.69	-0.09	-76.78	-13.00	-63.78	peak	
6		575.1400	-76.04	3.12	-72.92	-13.00	-59.92	peak	


Test Mode: LTE Band 4_TX CH20175_20M

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	35.3350	-63.51	-5.21	-68.72	-13.00	-55.72	peak	
2		58.6150	-70.01	-5.12	-75.13	-13.00	-62.13	peak	
3		104.2050	-66.31	-5.34	-71.65	-13.00	-58.65	peak	
4		240.0050	-74.19	-4.41	-78.60	-13.00	-65.60	peak	
5		390.8400	-75.15	-0.09	-75.24	-13.00	-62.24	peak	
6		701.2400	-77.05	5.58	-71.47	-13.00	-58.47	peak	


Test Mode: LTE Band 7_TX CH21100_5M



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	34.3650	-51.09	-5.46	-56.55	-25.00	-31.55	peak	
2		54.7350	-60.83	-4.36	-65.19	-25.00	-40.19	peak	
3		103.2350	-66.73	-5.41	-72.14	-25.00	-47.14	peak	
4		240.0050	-72.90	-4.41	-77.31	-25.00	-52.31	peak	
5		390.8400	-76.16	-0.09	-76.25	-25.00	-51.25	peak	
6		659.0450	-76.30	5.03	-71.27	-25.00	-46.27	peak	

Test Mode: LTE Band 7_TX CH21100_5M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		35.3350	-66.22	-5.21	-71.43	-25.00	-46.43	peak	
2		55.2200	-70.23	-4.41	-74.64	-25.00	-49.64	peak	
3		103.7200	-65.57	-5.37	-70.94	-25.00	-45.94	peak	
4		159.9800	-76.13	-1.41	-77.54	-25.00	-52.54	peak	
5		240.0050	-73.23	-4.41	-77.64	-25.00	-52.64	peak	
6	*	760.8950	-76.56	6.08	-70.48	-25.00	-45.48	peak	

Test Mode: LTE Band 7_TX CH2100_20M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	35.3350	-50.92	-5.21	-56.13	-25.00	-31.13	peak	
2		55.2200	-62.67	-4.41	-67.08	-25.00	-42.08	peak	
3		100.8100	-65.76	-5.57	-71.33	-25.00	-46.33	peak	
4		159.9800	-76.24	-1.41	-77.65	-25.00	-52.65	peak	
5		240.0050	-73.99	-4.41	-78.40	-25.00	-53.40	peak	
6		480.0800	-71.01	1.75	-69.26	-25.00	-44.26	peak	

Test Mode: LTE Band 7_TX CH21100_20M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		35.3350	-65.88	-5.21	-71.09	-25.00	-46.09	peak	
2		59.1000	-68.39	-5.17	-73.56	-25.00	-48.56	peak	
3	*	102.7500	-64.97	-5.45	-70.42	-25.00	-45.42	peak	
4		240.0050	-71.90	-4.41	-76.31	-25.00	-51.31	peak	
5		390.8400	-75.47	-0.09	-75.56	-25.00	-50.56	peak	
6		651.2850	-75.96	4.92	-71.04	-25.00	-46.04	peak	

Test Mode: LTE Band 12_TX CH23095_1.4M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	33.8800	-62.14	4.46	-57.68	-13.00	-44.68	peak	
2		54.2500	-70.83	5.67	-65.16	-13.00	-52.16	peak	
3		159.0100	-78.59	8.46	-70.13	-13.00	-57.13	peak	
4		603.2700	-76.35	13.92	-62.43	-13.00	-49.43	peak	
5		888.4500	-76.03	17.57	-58.46	-13.00	-45.46	peak	
6		946.1650	-76.87	18.73	-58.14	-13.00	-45.14	peak	

Test Mode: LTE Band 12_TX CH23095_1.4M


Horizontal



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	34.8500	-74.31	4.67	-69.64	-13.00	-56.64	peak	
2	154.1600	-78.25	7.84	-70.41	-13.00	-57.41	peak	
3	567.3800	-77.16	12.89	-64.27	-13.00	-51.27	peak	
4	611.0300	-77.11	14.08	-63.03	-13.00	-50.03	peak	
5	892.8150	-76.56	17.61	-58.95	-13.00	-45.95	peak	
6 *	980.6000	-76.84	19.33	-57.51	-13.00	-44.51	peak	

Test Mode: LTE Band 12_TX CH23095_5M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		33.8800	-62.04	4.46	-57.58	-13.00	-44.58	peak	
2		54.7350	-71.18	5.64	-65.54	-13.00	-52.54	peak	
3		101.7800	-73.84	4.49	-69.35	-13.00	-56.35	peak	
4		608.1200	-77.07	14.03	-63.04	-13.00	-50.04	peak	
5	*	736.6450	-71.73	15.84	-55.89	-13.00	-42.89	peak	
6		894.7550	-74.64	17.62	-57.02	-13.00	-44.02	peak	

Test Mode: LTE Band 12_TX CH23095_5M


Horizontal



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	34.8500	-73.47	4.67	-68.80	-13.00	-55.80	peak	
2	105.1750	-74.55	4.73	-69.82	-13.00	-56.82	peak	
3	564.4700	-76.90	12.81	-64.09	-13.00	-51.09	peak	
4	623.6400	-76.89	14.36	-62.53	-13.00	-49.53	peak	
5	820.0650	-76.37	16.85	-59.52	-13.00	-46.52	peak	
6 *	953.9250	-76.09	18.87	-57.22	-13.00	-44.22	peak	

Test Mode: LTE Band 12_TX CH23095_10M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	34.3650	-62.28	4.54	-57.74	-13.00	-44.74	peak	
2		54.2500	-69.94	5.67	-64.27	-13.00	-51.27	peak	
3		160.4650	-78.37	8.52	-69.85	-13.00	-56.85	peak	
4		496.5700	-75.23	11.87	-63.36	-13.00	-50.36	peak	
5		876.3250	-76.10	17.46	-58.64	-13.00	-45.64	peak	
6		983.0250	-77.13	19.37	-57.76	-13.00	-44.76	peak	

Test Mode: LTE Band 12_TX CH23095_10M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		35.3350	-74.33	4.79	-69.54	-13.00	-56.54	peak	
2		105.1750	-74.70	4.73	-69.97	-13.00	-56.97	peak	
3		503.3600	-76.32	11.93	-64.39	-13.00	-51.39	peak	
4		630.4300	-77.55	14.50	-63.05	-13.00	-50.05	peak	
5		886.9950	-76.78	17.56	-59.22	-13.00	-46.22	peak	
6	*	997.0900	-77.27	19.61	-57.66	-13.00	-44.66	peak	

Test Mode: LTE Band 13_TX CH23230_5M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		33.8800	-62.14	4.46	-57.68	-13.00	-44.68	peak	
2		55.2200	-70.03	5.59	-64.44	-13.00	-51.44	peak	
3		102.7500	-74.50	4.55	-69.95	-13.00	-56.95	peak	
4		589.2050	-77.13	13.54	-63.59	-13.00	-50.59	peak	
5		677.4750	-76.43	15.27	-61.16	-13.00	-48.16	peak	
6	*	948.5900	-76.03	18.79	-57.24	-13.00	-44.24	peak	

Test Mode: LTE Band 13_TX CH23230_5M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		34.8500	-73.28	4.67	-68.61	-13.00	-55.61	peak	
2		105.1750	-74.47	4.73	-69.74	-13.00	-56.74	peak	
3		647.8900	-76.76	14.87	-61.89	-13.00	-48.89	peak	
4		752.6500	-76.06	15.97	-60.09	-13.00	-47.09	peak	
5		941.8000	-76.29	18.63	-57.66	-13.00	-44.66	peak	
6	*	989.8150	-76.94	19.50	-57.44	-13.00	-44.44	peak	

Test Mode: LTE Band 13_TX CH23230_10M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		34.3650	-62.06	4.54	-57.52	-13.00	-44.52	peak	
2		54.2500	-70.89	5.67	-65.22	-13.00	-52.22	peak	
3		156.1000	-75.10	8.08	-67.02	-13.00	-54.02	peak	
4		670.2000	-77.11	15.18	-61.93	-13.00	-48.93	peak	
5		892.3300	-76.03	17.60	-58.43	-13.00	-45.43	peak	
6	*	940.8300	-75.42	18.61	-56.81	-13.00	-43.81	peak	

Test Mode: LTE Band 13_TX CH23230_10M

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		35.3350	-72.72	4.79	-67.93	-13.00	-54.93	peak	
2		104.2050	-75.45	4.66	-70.79	-13.00	-57.79	peak	
3		168.7100	-77.75	7.35	-70.40	-13.00	-57.40	peak	
4		632.8550	-77.53	14.54	-62.99	-13.00	-49.99	peak	
5		949.5600	-77.48	18.81	-58.67	-13.00	-45.67	peak	
6	*	995.6350	-77.35	19.59	-57.76	-13.00	-44.76	peak	

APPENDIX F - RADIATED EMISSION (ABOVE 1GHZ)

Test Mode: WCDMA Band IV _TX CH1413


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
-----	-----	--------------	-------------------------	-------------------------	-------------------------	--------------	--------------	----------	---------

Test Mode: WCDMA Band IV _TX CH1413


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17970.00	-74.75	31.04	-43.71	-13.00	-30.71	peak	

Test Mode: WCDMA Band IV_TX CH1413


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
		1750.00	0.00	0.00	0.00	-15.00	15.00		

Test Mode: WCDMA Band IV_TX CH1413


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	15232.50	-72.14	27.19	-44.95	-13.00	-31.95	peak	

Test Mode: LTE Band 4_TX CH20175_1.4M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
-----	-----	--------------	-------------------------	-------------------------	-------------------------	--------------	--------------	----------	---------

Test Mode: LTE Band 4_TX CH20175_1.4M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	15225.00	-72.45	27.18	-45.27	-13.00	-32.27	peak	

Test Mode: LTE Band 4_TX CH20175_1.4M


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
		1750.00	5.00		5.00	-13.00	18.00		

Test Mode: LTE Band 4_TX CH20175_1.4M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	18000.00	-75.86	31.11	-44.75	-13.00	-31.75	peak	

Test Mode: LTE Band 4_TX CH20175_5M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
		1755	0		0				

Test Mode: LTE Band 4_TX CH20175_5M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	16492.50	-72.95	27.63	-45.32	-13.00	-32.32	peak	

Test Mode: LTE Band 4_TX CH20175_5M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
		1750.00	5.00	0.00	5.00	-15.00	-10.00		

Test Mode: LTE Band 4_TX CH20175_5M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17985.00	-75.43	31.07	-44.36	-13.00	-31.36	peak	

Test Mode: LTE Band 4_TX CH20175_20M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
-----	-----	--------------	-------------------------	-------------------------	-------------------------	--------------	--------------	----------	---------

Test Mode: LTE Band 4_TX CH20175_20M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	18000.00	-75.34	31.11	-44.23	-13.00	-31.23	peak	

Test Mode: LTE Band 4_TX CH20175_20M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
		1750.00	5.00	0.00	5.00	-15.00	20.00		

Test Mode: LTE Band 4_TX CH20175_20M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17917.50	-75.39	30.89	-44.50	-13.00	-31.50	peak	

Test Mode: LTE Band 7_TX CH21100_5M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
		2550.000	5.0	0.0	5.0	-25.0	20.0		

Test Mode: LTE Band 7_TX CH21100_5M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	5062.500	-64.84	15.85	-48.99	-25.00	-23.99	peak	

Test Mode: LTE Band 7_TX CH21100_5M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	25633.00	-63.49	26.74	-36.75	-25.00	-11.75	peak	

Test Mode: LTE Band 7_TX CH21100_5M


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		

Test Mode: LTE Band 7_TX CH21100_5M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17962.50	-75.67	31.01	-44.66	-25.00	-19.66	peak	

Test Mode: LTE Band 7_TX CH21100_5M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	25599.00	-63.83	26.73	-37.10	-25.00	-12.10	peak	

Test Mode: LTE Band 7_TX CH21100_20M


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		

Test Mode: LTE Band 7_TX CH21100_20M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	5055.000	-65.99	15.83	-50.16	-25.00	-25.16	peak	

Test Mode: LTE Band 7_TX CH21100_20M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	25573.50	-64.82	26.72	-38.10	-25.00	-13.10	peak	

Test Mode: LTE Band 7_TX CH21100_20M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
-----	-----	--------------	-------------------------	-------------------------	-------------------------	--------------	--------------	----------	---------

Test Mode: LTE Band 7_TX CH21100_20M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17895.00	-74.03	30.84	-43.19	-25.00	-18.19	peak	

Test Mode: LTE Band 7_TX CH21100_20M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	25871.00	-63.29	26.80	-36.49	-25.00	-11.49	peak	

Test Mode: LTE Band 12_TX CH23095_1.4M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17490.00	-75.20	29.79	-45.41	-13.00	-32.41	peak	

Test Mode: LTE Band 12_TX CH23095_1.4M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17991.50	-76.11	31.08	-45.03	-13.00	-32.03	peak	

Test Mode: LTE Band 12_TX CH23095_5M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17966.00	-76.01	31.03	-44.98	-13.00	-31.98	peak	

Test Mode: LTE Band 12_TX CH23095_5M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	1714.000	-62.98	6.93	-56.05	-13.00	-43.05	peak	

Test Mode: LTE Band 12_TX CH23095_10M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	1714.000	-57.36	6.93	-50.43	-13.00	-37.43	peak	
2		3516.000	-65.57	12.87	-52.70	-13.00	-39.70	peak	

Test Mode: LTE Band 12_TX CH23095_10M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		1714.000	-62.30	6.93	-55.37	-13.00	-42.37	peak	
2	*	3949.500	-67.18	13.92	-53.26	-13.00	-40.26	peak	

Test Mode: LTE Band 13_TX CH23230_5M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	1600.000	-67.37	6.22	-61.15	-40.00	-21.15	peak	
2		18000.00	-75.80	31.11	-44.69	-13.00	-31.69	peak	

Test Mode: LTE Band 13_TX CH23230_5M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	1600.000	-65.88	6.22	-59.66	-40.00	-19.66	peak	
2		17991.50	-75.18	31.08	-44.10	-13.00	-31.10	peak	

Test Mode: LTE Band 13_TX CH23230_10M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	1600.000	-67.16	6.22	-60.94	-40.00	-20.94	peak	
2		16232.00	-72.65	27.13	-45.52	-13.00	-32.52	peak	

Test Mode: LTE Band 13_TX CH23230_10M

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	1600.000	-67.64	6.22	-61.42	-40.00	-21.42	peak	
2		1731.000	-61.40	7.04	-54.36	-13.00	-41.36	peak	