









6.1.1.2.3.2 Test Channel = MCH

6.1.1.2.3.2.1 Test RB = RB1#0









6.1.1.2.3.3 Test Channel = HCH

6.1.1.2.3.3.1 Test RB = RB1#0











6.1.1.2.4 Test Bandwidth = 10

6.1.1.2.4.1 Test Channel = LCH

6.1.1.2.4.1.1 Test RB = RB1#0










6.1.1.2.4.2 Test Channel = MCH

6.1.1.2.4.2.1 Test RB = RB1#0










6.1.1.2.4.3 Test Channel = HCH

6.1.1.2.4.3.1 Test RB = RB1#0









6.1.1.2.5 Test Bandwidth = 15

6.1.1.2.5.1 Test Channel = LCH

6.1.1.2.5.1.1 Test RB = RB1#0











6.1.1.2.5.2 Test Channel = MCH

6.1.1.2.5.2.1 Test RB = RB1#0









6.1.1.2.5.3 Test Channel = HCH

6.1.1.2.5.3.1 Test RB = RB1#0












6.1.1.2.6 Test Bandwidth = 20

6.1.1.2.6.1 Test Channel = LCH

6.1.1.2.6.1.1 Test RB = RB1#0









6.1.1.2.6.2 Test Channel = MCH

6.1.1.2.6.2.1 Test RB = RB1#0









6.1.1.2.6.3 Test Channel = HCH

6.1.2.2.6.3.1 Test RB = RB1#0







7Appendix_G: Field Strength of Spurious Radiation

Note:

9kHz~150kHz, VBW = 200Hz, VBW = 600 Hz, Detector: PK

150kHz~30MHz, VBW = 9kHz, VBW = 30k Hz, Detector: PK

30MHz~1GHz, RBW = 100 kHz, VBW = 300 kHz. Detector: PK

Above 1GHz, RBW = 1 MHz, VBW = 3 MHz. Detector: PK


We tested all modes, but the data presented below is the worst case.

Part I - Test Plots


7.1 For LTE

7.1.1 Test Band = BAND2


7.1.1.1 Test Bandwidth = 1.4




Copy of RSE-TX-DIRECTOR ABOVE 1.5G_L




Copy of RSE-TX-DIRECTOR ABOVE 1.5G_H








7.1.1.2 Test Bandwidth = 20



Copy of RSE-TX-DIRECTOR ABOVE 1.5G_L



Copy of RSE-TX-DIRECTOR ABOVE 1.5G_H



8Appendix_H: Frequency Stability

8.1 For LTE

8.1.1Frequency Error vs. Voltage:

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
BAND2	LTE/TM1	1.4	LCH	TN	VL	-1.85	-0.001	PASS
					VN	3.46	0.00187	PASS
					VH	-21.7	-0.01173	PASS
			MCH	TN	VL	-13.63	-0.00725	PASS
					VN	5.51	0.00293	PASS
					VH	76.78	0.04084	PASS
			HCH	TN	VL	-3.75	-0.00196	PASS
					VN	-3	-0.00157	PASS
					VH	-1.85	-0.00097	PASS
		3	LCH	TN	VL	-0.93	-0.0005	PASS
					VN	-11.06	-0.00597	PASS
					VH	0.69	0.00037	PASS
			MCH	TN	VL	-1	-0.00053	PASS
					VN	2.92	0.00155	PASS
					VH	-12.6	-0.0067	PASS
			HCH	TN	VL	1.93	0.00101	PASS
					VN	-5.29	-0.00277	PASS
					VH	2.69	0.00141	PASS
		5	LCH	TN	VL	-3.13	-0.00169	PASS
					VN	-2.49	-0.00134	PASS
					VH	-1.24	-0.00067	PASS
			MCH	TN	VL	0.97	0.00052	PASS
					VN	-0.6	-0.00032	PASS
					VH	-1.59	-0.00085	PASS
			HCH	TN	VL	1.03	0.00054	PASS
					VN	-1.76	-0.00092	PASS
					VH	-1.23	-0.00064	PASS
		10	LCH	TN	VL	-2.8	-0.00151	PASS
					VN	-0.7	-0.00038	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
			MCH	TN	VH	-0.36	-0.00019	PASS
					VL	-4.81	-0.00256	PASS
					VN	0.37	0.0002	PASS
					VH	-1.56	-0.00083	PASS
			HCH	TN	VL	0.17	0.00009	PASS
					VN	-0.43	-0.00023	PASS
					VH	3.55	0.00186	PASS
			LCH	TN	VL	-2.1	-0.00113	PASS
					VN	0.96	0.00052	PASS
					VH	-0.3	-0.00016	PASS
		15	MCH	TN	VL	-0.56	-0.0003	PASS
					VN	-0.14	-0.00007	PASS
					VH	-0.51	-0.00027	PASS
			HCH	TN	VL	-1.42	-0.00075	PASS
					VN	-2.27	-0.00119	PASS
					VH	0.69	0.00036	PASS
			LCH	TN	VL	2.59	0.00139	PASS
					VN	2.16	0.00116	PASS
					VH	3.19	0.00172	PASS
		20	MCH	TN	VL	-1.82	-0.00097	PASS
					VN	-1.62	-0.00086	PASS
					VH	-2.39	-0.00127	PASS
			HCH	TN	VL	-1.7	-0.00089	PASS
					VN	-0.64	-0.00034	PASS
					VH	-1.3	-0.00068	PASS
	LTE/TM2	1.4	LCH	TN	VL	3.19	0.00172	PASS
					VN	1.52	0.00082	PASS
					VH	-2.23	-0.0012	PASS
			MCH	TN	VL	-15.71	-0.00836	PASS
					VN	7.9	0.0042	PASS
					VH	-27.31	-0.01453	PASS
			HCH	TN	VL	-14.72	-0.00771	PASS
					VN	-29.25	-0.01532	PASS
					VH	-87.22	-0.04568	PASS
		3	LCH	TN	VL	-1.54	-0.00083	PASS
					VN	2.93	0.00158	PASS
					VH	-4.06	-0.00219	PASS
			MCH	TN	VL	-8.94	-0.00476	PASS
					VN	-8.58	-0.00456	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
			HCH	TN	VH	-6.45	-0.00343	PASS
					VL	0.49	0.00026	PASS
					VN	-2.65	-0.00139	PASS
					VH	-4.12	-0.00216	PASS
		5	LCH	TN	VL	2.86	0.00154	PASS
					VN	1.2	0.00065	PASS
					VH	-1.04	-0.00056	PASS
			MCH	TN	VL	-1.43	-0.00076	PASS
					VN	-2.25	-0.0012	PASS
					VH	0.62	0.00033	PASS
			HCH	TN	VL	-0.92	-0.00048	PASS
					VN	-1.03	-0.00054	PASS
					VH	0.04	0.00002	PASS
		10	LCH	TN	VL	9.51	0.00513	PASS
					VN	-2.22	-0.0012	PASS
					VH	0.59	0.00032	PASS
			MCH	TN	VL	-1.97	-0.00105	PASS
					VN	-0.43	-0.00023	PASS
					VH	-2.32	-0.00123	PASS
			HCH	TN	VL	-2.06	-0.00108	PASS
					VN	-0.7	-0.00037	PASS
					VH	-1.52	-0.0008	PASS
		15	LCH	TN	VL	-0.49	-0.00026	PASS
					VN	-1.69	-0.00091	PASS
					VH	-1.49	-0.0008	PASS
			MCH	TN	VL	-1.93	-0.00103	PASS
					VN	-3	-0.0016	PASS
					VH	-2.98	-0.00159	PASS
			HCH	TN	VL	-3.03	-0.00159	PASS
					VN	-2.1	-0.0011	PASS
					VH	-4.55	-0.00239	PASS
		20	LCH	TN	VL	1.8	0.00097	PASS
					VN	4.73	0.00254	PASS
					VH	2.22	0.00119	PASS
			MCH	TN	VL	-2.32	-0.00123	PASS
					VN	-0.73	-0.00039	PASS
					VH	-1.82	-0.00097	PASS
			HCH	TN	VL	-2.92	-0.00154	PASS
					VN	-2.52	-0.00133	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					VH	-4.15	-0.00218	PASS

8.1.2Frequency Error vs. Temperature:

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp .	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
BAND2	LTE/TM1	1.4	LCH	VN	-30	-10.73	-0.0058	PASS
					-20	-4.33	-0.00234	PASS
					-10	2.37	0.00128	PASS
					0	-1.89	-0.00102	PASS
					10	2.12	0.00115	PASS
					20	-0.53	-0.00029	PASS
					30	-2.99	-0.00162	PASS
					40	-2.69	-0.00145	PASS
					50	0.83	0.00045	PASS
			MCH	VN	-30	-8.5	-0.00452	PASS
					-20	-11.8	-0.00628	PASS
					-10	-5.39	-0.00287	PASS
					0	22.89	0.01218	PASS
					10	6.72	0.00357	PASS
					20	-5.84	-0.00311	PASS
					30	28.01	0.0149	PASS
					40	-9.63	-0.00512	PASS
					50	-12.62	-0.00671	PASS
			HCH	VN	-30	5.35	0.0028	PASS
					-20	-10.84	-0.00568	PASS
					-10	-2.5	-0.00131	PASS
					0	10.77	0.00564	PASS
					10	17.15	0.00898	PASS
					20	-4.59	-0.0024	PASS
					30	3.76	0.00197	PASS
					40	4.78	0.0025	PASS
					50	-2.33	-0.00122	PASS
		3	LCH	VN	-30	-4.89	-0.00264	PASS
					-20	0.76	0.00041	PASS
					-10	-3.4	-0.00184	PASS
					0	-1.7	-0.00092	PASS
					10	-0.4	-0.00022	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp .	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					20	-2.22	-0.0012	PASS
					30	-1.46	-0.00079	PASS
					40	-2	-0.00108	PASS
					50	-1.47	-0.00079	PASS
			MCH	VN	-30	-10.19	-0.00542	PASS
					-20	-2.47	-0.00131	PASS
					-10	-6.37	-0.00339	PASS
					0	-5.97	-0.00318	PASS
					10	-10.91	-0.0058	PASS
					20	-0.09	-0.00005	PASS
					30	-2.78	-0.00148	PASS
					40	-9.7	-0.00516	PASS
					50	-1.2	-0.00064	PASS
			HCH	VN	-30	-1.49	-0.00078	PASS
					-20	2.23	0.00117	PASS
					-10	-3.89	-0.00204	PASS
					0	-29.18	-0.01529	PASS
					10	-10.9	-0.00571	PASS
					20	-0.94	-0.00049	PASS
					30	-3.02	-0.00158	PASS
					40	2.26	0.00118	PASS
					50	-40.17	-0.02105	PASS
		5	LCH	VN	-30	-0.01	-0.00001	PASS
					-20	-0.94	-0.00051	PASS
					-10	-2.43	-0.00131	PASS
					0	-4.16	-0.00225	PASS
					10	-0.8	-0.00043	PASS
					20	-3.35	-0.00181	PASS
					30	0.5	0.00027	PASS
					40	-1.22	-0.00066	PASS
					50	1.5	0.00081	PASS
			MCH	VN	-30	-3.59	-0.00191	PASS
					-20	-3.26	-0.00173	PASS
					-10	-2.07	-0.0011	PASS
					0	-1.03	-0.00055	PASS
					10	-2.72	-0.00145	PASS
					20	-1.02	-0.00054	PASS
					30	-2.13	-0.00113	PASS
					40	-0.82	-0.00044	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp .	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
			HCH	VN	50	-3.15	-0.00168	PASS
					-30	-0.84	-0.00044	PASS
					-20	-3.48	-0.00182	PASS
					-10	-1.63	-0.00085	PASS
					0	-2.63	-0.00138	PASS
					10	-0.33	-0.00017	PASS
					20	-3.22	-0.00169	PASS
					30	-2.22	-0.00116	PASS
					40	-1	-0.00052	PASS
					50	-3.15	-0.00165	PASS
		10	LCH	VN	-30	-0.93	-0.0005	PASS
					-20	1.29	0.0007	PASS
					-10	-3.06	-0.00165	PASS
					0	-0.01	-0.00001	PASS
					10	-3.66	-0.00197	PASS
					20	-1.14	-0.00061	PASS
					30	-3.73	-0.00201	PASS
					40	-3.5	-0.00189	PASS
					50	-2.16	-0.00116	PASS
			MCH	VN	-30	0.41	0.00022	PASS
					-20	-2.19	-0.00116	PASS
					-10	-0.59	-0.00031	PASS
					0	-2.73	-0.00145	PASS
					10	0.67	0.00036	PASS
					20	-1.83	-0.00097	PASS
					30	0.53	0.00028	PASS
					40	0.04	0.00002	PASS
					50	0.07	0.00004	PASS
			HCH	VN	-30	2.13	0.00112	PASS
					-20	-1.13	-0.00059	PASS
					-10	-1.02	-0.00054	PASS
					0	-1.44	-0.00076	PASS
					10	-0.87	-0.00046	PASS
					20	1.39	0.00073	PASS
					30	-2.56	-0.00134	PASS
					40	0.01	0.00001	PASS
					50	-2.39	-0.00125	PASS
		15	LCH	VN	-30	-3.02	-0.00163	PASS
					-20	-2.6	-0.0014	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp .	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					-10	-0.67	-0.00036	PASS
					0	-2.66	-0.00143	PASS
					10	-2.65	-0.00143	PASS
					20	1.03	0.00055	PASS
					30	0.3	0.00016	PASS
					40	-1.27	-0.00068	PASS
					50	-1.4	-0.00075	PASS
			MCH	VN	-30	-0.24	-0.00013	PASS
					-20	-0.83	-0.00044	PASS
					-10	1.19	0.00063	PASS
					0	-1.52	-0.00081	PASS
					10	-0.27	-0.00014	PASS
					20	-1.09	-0.00058	PASS
					30	-2.26	-0.0012	PASS
					40	-1.96	-0.00104	PASS
					50	-0.29	-0.00015	PASS
			HCH	VN	-30	-0.31	-0.00016	PASS
					-20	0.2	0.00011	PASS
					-10	-0.56	-0.00029	PASS
					0	-3.15	-0.00166	PASS
					10	-3.22	-0.00169	PASS
					20	-0.53	-0.00028	PASS
					30	0.21	0.00011	PASS
					40	-0.24	-0.00013	PASS
					50	-1.56	-0.00082	PASS
		20	LCH	VN	-30	3.63	0.00195	PASS
					-20	3.6	0.00194	PASS
					-10	5.11	0.00275	PASS
					0	3.45	0.00185	PASS
					10	3.1	0.00167	PASS
					20	3.32	0.00178	PASS
					30	1.54	0.00083	PASS
					40	4.82	0.00259	PASS
					50	3.16	0.0017	PASS
			MCH	VN	-30	-1.32	-0.0007	PASS
					-20	-0.14	-0.00007	PASS
					-10	-1.07	-0.00057	PASS
					0	-0.62	-0.00033	PASS
					10	-1.6	-0.00085	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp .	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					20	-0.57	-0.0003	PASS
					30	-1.23	-0.00065	PASS
					40	-4.16	-0.00221	PASS
					50	-2.75	-0.00146	PASS
			HCH	VN	-30	-1.19	-0.00063	PASS
					-20	-2.63	-0.00138	PASS
					-10	-1.09	-0.00057	PASS
					0	-0.63	-0.00033	PASS
					10	-1.85	-0.00097	PASS
					20	-0.26	-0.00014	PASS
					30	-2.05	-0.00108	PASS
					40	-1.33	-0.0007	PASS
					50	-1.89	-0.00099	PASS
	LTE/TM2	1.4	LCH	VN	-30	-2.45	-0.00132	PASS
					-20	-1.66	-0.0009	PASS
					-10	-2.12	-0.00115	PASS
					0	-47.78	-0.02582	PASS
					10	1.92	0.00104	PASS
					20	-6.45	-0.00349	PASS
					30	-3.08	-0.00166	PASS
					40	7.98	0.00431	PASS
					50	3.59	0.00194	PASS
			MCH	VN	-30	-11.62	-0.00618	PASS
					-20	-17.04	-0.00906	PASS
					-10	1.53	0.00081	PASS
					0	-10.61	-0.00564	PASS
					10	2.17	0.00115	PASS
					20	-4.48	-0.00238	PASS
					30	-14.45	-0.00769	PASS
					40	3.89	0.00207	PASS
					50	-14.78	-0.00786	PASS
			HCH	VN	-30	-5.92	-0.0031	PASS
					-20	9.4	0.00492	PASS
					-10	-15.39	-0.00806	PASS
					0	-0.03	-0.00002	PASS
					10	13.23	0.00693	PASS
					20	-18.84	-0.00987	PASS
					30	0.06	0.00003	PASS
					40	14.98	0.00785	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp .	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
		3	LCH	VN	50	-2.7	-0.00141	PASS
					-30	0.82	0.00044	PASS
					-20	0.37	0.0002	PASS
					-10	-1.63	-0.00088	PASS
					0	0.1	0.00005	PASS
					10	-12.75	-0.00689	PASS
					20	3.46	0.00187	PASS
					30	-1.66	-0.0009	PASS
					40	1.24	0.00067	PASS
					50	1.29	0.0007	PASS
			MCH	VN	-30	-8.88	-0.00472	PASS
					-20	0.19	0.0001	PASS
					-10	-2.23	-0.00119	PASS
					0	-1.8	-0.00096	PASS
					10	2.25	0.0012	PASS
					20	-2.12	-0.00113	PASS
					30	-10.6	-0.00564	PASS
					40	0.7	0.00037	PASS
					50	-3.18	-0.00169	PASS
			HCH	VN	-30	-2.4	-0.00126	PASS
					-20	-1.76	-0.00092	PASS
					-10	-0.9	-0.00047	PASS
					0	-4.78	-0.0025	PASS
					10	1.36	0.00071	PASS
					20	-5.75	-0.00301	PASS
					30	-0.17	-0.00009	PASS
					40	-4.79	-0.00251	PASS
					50	-4.73	-0.00248	PASS
		5	LCH	VN	-30	0.17	0.00009	PASS
					-20	-0.92	-0.0005	PASS
					-10	0.14	0.00008	PASS
					0	0.39	0.00021	PASS
					10	-11.29	-0.00609	PASS
					20	-17.05	-0.0092	PASS
					30	-5.54	-0.00299	PASS
					40	-7.4	-0.00399	PASS
					50	-12.82	-0.00692	PASS
			MCH	VN	-30	-0.19	-0.0001	PASS
					-20	0.16	0.00009	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp .	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					-10	1.27	0.00068	PASS
					0	0.93	0.00049	PASS
					10	-0.3	-0.00016	PASS
					20	-1.5	-0.0008	PASS
					30	0.94	0.0005	PASS
					40	1.69	0.0009	PASS
					50	-0.3	-0.00016	PASS
			HCH	VN	-30	1.39	0.00073	PASS
					-20	-0.49	-0.00026	PASS
					-10	-4.23	-0.00222	PASS
					0	0.06	0.00003	PASS
					10	-2.39	-0.00125	PASS
					20	-2.1	-0.0011	PASS
					30	1.42	0.00074	PASS
					40	3.19	0.00167	PASS
					50	-1.04	-0.00055	PASS
		10	LCH	VN	-30	-2.42	-0.0013	PASS
					-20	-3.55	-0.00191	PASS
					-10	0.14	0.00008	PASS
					0	0.93	0.0005	PASS
					10	0.82	0.00044	PASS
					20	2.55	0.00137	PASS
					30	-3.55	-0.00191	PASS
					40	-0.26	-0.00014	PASS
					50	-4.52	-0.00244	PASS
			MCH	VN	-30	0.6	0.00032	PASS
					-20	-0.29	-0.00015	PASS
					-10	-0.33	-0.00018	PASS
					0	0.69	0.00037	PASS
					10	-1.89	-0.00101	PASS
					20	1.2	0.00064	PASS
					30	-1.62	-0.00086	PASS
					40	-0.51	-0.00027	PASS
					50	-2.43	-0.00129	PASS
			HCH	VN	-30	2.23	0.00117	PASS
					-20	0.86	0.00045	PASS
					-10	1.42	0.00075	PASS
					0	0.53	0.00028	PASS
					10	-0.27	-0.00014	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp .	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					20	0.09	0.00005	PASS
					30	1.92	0.00101	PASS
					40	0.34	0.00018	PASS
					50	-0.19	-0.0001	PASS
		15	LCH	VN	-30	-0.8	-0.00043	PASS
					-20	0.26	0.00014	PASS
					-10	0.54	0.00029	PASS
					0	-0.41	-0.00022	PASS
					10	-0.77	-0.00041	PASS
					20	-0.11	-0.00006	PASS
					30	0.31	0.00017	PASS
					40	-0.6	-0.00032	PASS
					50	-1.89	-0.00102	PASS
			MCH	VN	-30	-1.7	-0.0009	PASS
					-20	-0.66	-0.00035	PASS
					-10	-0.83	-0.00044	PASS
					0	-1.16	-0.00062	PASS
					10	-2.15	-0.00114	PASS
					20	-0.72	-0.00038	PASS
					30	-1.1	-0.00059	PASS
					40	0.93	0.00049	PASS
					50	0.54	0.00029	PASS
			HCH	VN	-30	0.21	0.00011	PASS
					-20	-1.52	-0.0008	PASS
					-10	-0.64	-0.00034	PASS
					0	-0.7	-0.00037	PASS
					10	-1.26	-0.00066	PASS
					20	-1.96	-0.00103	PASS
					30	-1.24	-0.00065	PASS
					40	-0.17	-0.00009	PASS
					50	0.09	0.00005	PASS
		20	LCH	VN	-30	3.09	0.00166	PASS
					-20	3.65	0.00196	PASS
					-10	2.65	0.00142	PASS
					0	2.65	0.00142	PASS
					10	3.2	0.00172	PASS
					20	1.03	0.00055	PASS
					30	2.57	0.00138	PASS
					40	0.67	0.00036	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp .	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
			MCH	VN	50	2.19	0.00118	PASS
					-30	-1.09	-0.00058	PASS
					-20	-1.36	-0.00072	PASS
					-10	-1.1	-0.00059	PASS
					0	-2.37	-0.00126	PASS
					10	-0.49	-0.00026	PASS
					20	-1.92	-0.00102	PASS
					30	-1.14	-0.00061	PASS
					40	-0.74	-0.00039	PASS
					50	0.72	0.00038	PASS
			HCH	VN	-30	-1.93	-0.00102	PASS
					-20	-1.47	-0.00077	PASS
					-10	-0.23	-0.00012	PASS
					0	-0.24	-0.00013	PASS
					10	-0.24	-0.00013	PASS
					20	-1.04	-0.00055	PASS
					30	-1.26	-0.00066	PASS
					40	-0.14	-0.00007	PASS
					50	0.67	0.00035	PASS

END