


Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5500MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5460.000	6.97	40.03	47.00	68.30	-21.30	peak	
2		5460.000	-2.47	40.03	37.56	54.00	-16.44	AVG	
3		5470.000	11.83	40.06	51.89	68.30	-16.41	peak	
4		5470.000	-0.38	40.06	39.68	54.00	-14.32	AVG	
5	*	5492.700	48.54	40.13	88.67	54.00	34.67	AVG	No Limit
6	X	5497.100	57.62	40.15	97.77	68.30	29.47	peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5500MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10999.65	36.40	11.38	47.78	68.30	-20.52	peak	
2	*	11000.80	26.55	11.38	37.93	54.00	-16.07	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5580MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5572.700	43.19	40.46	83.65	54.00	29.65	AVG	No Limit
2	X	5585.400	51.68	40.52	92.20	68.30	23.90	peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5580MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		11159.25	38.01	11.88	49.89	68.30	-18.41	peak	
2	*	11159.55	27.27	11.88	39.15	54.00	-14.85	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5580MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5578.300	57.03	40.48	97.51	68.30	29.21	peak	No Limit
2	*	5585.100	47.14	40.51	87.65	54.00	33.65	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5580MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11159.50	37.82	11.88	49.70	68.30	-18.60	peak	
2	*	11161.55	27.29	11.88	39.17	54.00	-14.83	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5700MHz

Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5694.800	53.66	40.97	94.63	68.30	26.33	peak	No Limit
2	*	5704.000	44.54	41.01	85.55	54.00	31.55	AVG	No Limit
3		5725.000	7.82	41.10	48.92	68.30	-19.38	peak	
4		5725.000	-0.19	41.10	40.91	54.00	-13.09	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5700MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11398.80	37.40	12.63	50.03	68.30	-18.27	peak	
2	*	11400.70	26.54	12.63	39.17	54.00	-14.83	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5700MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5692.800	47.38	40.96	88.34	54.00	34.34	AVG	No Limit
2	X	5695.900	56.30	40.97	97.27	68.30	28.97	peak	No Limit
3		5725.000	12.46	41.10	53.56	68.30	-14.74	peak	
4		5725.000	0.76	41.10	41.86	54.00	-12.14	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5700MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	11399.40	26.61	12.63	39.24	54.00	-14.76	AVG	
2		11400.30	36.90	12.63	49.53	68.30	-18.77	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5500MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5460.000	5.80	40.03	45.83	68.30	-22.47	peak	
2		5460.000	-2.91	40.03	37.12	54.00	-16.88	AVG	
3		5470.000	8.77	40.06	48.83	68.30	-19.47	peak	
4		5470.000	-1.66	40.06	38.40	54.00	-15.60	AVG	
5	X	5504.100	54.15	40.18	94.33	68.30	26.03	peak	No Limit
6	*	5505.000	44.62	40.18	84.80	54.00	30.80	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5500MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10999.95	27.17	11.38	38.55	54.00	-15.45	AVG	
2		11000.25	38.05	11.38	49.43	68.30	-18.87	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5500MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5460.000	8.47	40.03	48.50	68.30	-19.80	peak	
2		5460.000	-1.61	40.03	38.42	54.00	-15.58	AVG	
3		5470.000	12.84	40.06	52.90	68.30	-15.40	peak	
4		5470.000	1.02	40.06	41.08	54.00	-12.92	AVG	
5	*	5492.400	49.00	40.13	89.13	54.00	35.13	AVG	No Limit
6	X	5496.100	58.20	40.15	98.35	68.30	30.05	peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5500MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		10999.10	36.58	11.38	47.96	68.30	-20.34	peak	
2	*	10999.90	26.88	11.38	38.26	54.00	-15.74	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5580MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5574.900	51.92	40.47	92.39	68.30	24.09	peak	No Limit
2	*	5575.100	42.75	40.47	83.22	54.00	29.22	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5580MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11399.75	37.30	12.63	49.93	68.30	-18.37	peak	
2	*	11400.95	26.64	12.63	39.27	54.00	-14.73	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5580MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5574.400	55.35	40.47	95.82	68.30	27.52	peak	No Limit
2	*	5576.300	46.84	40.48	87.32	54.00	33.32	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5580MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		11397.90	37.76	12.62	50.38	68.30	-17.92	peak	
2	*	11399.50	26.61	12.63	39.24	54.00	-14.76	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5700MHz

Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5692.500	40.20	40.96	81.16	54.00	27.16	AVG	No Limit
2	X	5704.100	49.06	41.01	90.07	68.30	21.77	peak	No Limit
3		5725.000	9.07	41.10	50.17	68.30	-18.13	peak	
4		5725.000	-1.17	41.10	39.93	54.00	-14.07	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5700MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11157.30	38.47	11.87	50.34	68.30	-17.96	peak	
2	*	11161.10	27.02	11.88	38.90	54.00	-15.10	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5700MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5701.800	50.28	41.00	91.28	68.30	22.98	peak	No Limit
2	*	5705.000	40.46	41.01	81.47	54.00	27.47	AVG	No Limit
3		5725.000	9.00	41.10	50.10	68.30	-18.20	peak	
4		5725.000	-0.95	41.10	40.15	54.00	-13.85	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5700MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		11158.00	36.91	11.87	48.78	68.30	-19.52	peak	
2	*	11159.00	27.00	11.88	38.88	54.00	-15.12	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5510MHz

Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5460.000	12.69	40.03	52.72	68.30	-15.58	peak	
2		5460.000	0.86	40.03	40.89	54.00	-13.11	AVG	
3		5470.000	21.11	40.06	61.17	68.30	-7.13	peak	
4		5470.000	7.33	40.06	47.39	54.00	-6.61	AVG	
5	X	5496.200	49.65	40.15	89.80	68.30	21.50	peak	No Limit
6	*	5497.600	38.72	40.15	78.87	54.00	24.87	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5510MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	11018.60	26.92	11.44	38.36	54.00	-15.64	AVG	
2		11018.70	36.65	11.44	48.09	68.30	-20.21	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5510MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5460.000	17.68	40.03	57.71	68.30	-10.59	peak	
2		5460.000	3.72	40.03	43.75	54.00	-10.25	AVG	
3		5470.000	24.22	40.06	64.28	68.30	-4.02	peak	
4		5470.000	9.90	40.06	49.96	54.00	-4.04	AVG	
5	X	5506.600	55.93	40.19	96.12	68.30	27.82	peak	No Limit
6	*	5522.800	45.25	40.25	85.50	54.00	31.50	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5510MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		11019.05	36.72	11.44	48.16	68.30	-20.14	peak	
2	*	11020.00	26.54	11.44	37.98	54.00	-16.02	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5550MHz

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	X	5560.800	48.91	40.42	89.33	68.30	21.03	peak	No Limit
2	*	5562.400	39.33	40.42	79.75	54.00	25.75	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5550MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11099.50	38.11	11.69	49.80	68.30	-18.50	peak	
2	*	11101.10	26.86	11.69	38.55	54.00	-15.45	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5550MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5537.600	52.75	40.32	93.07	68.30	24.77	peak	No Limit
2	*	5562.800	43.14	40.42	83.56	54.00	29.56	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5550MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11098.90	39.61	11.69	51.30	68.30	-17.00	peak	
2	*	11100.85	26.81	11.69	38.50	54.00	-15.50	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5670MHz

Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5657.200	48.04	40.81	88.85	68.30	20.55	peak	No Limit
2	*	5658.600	38.14	40.82	78.96	54.00	24.96	AVG	No Limit
3		5725.000	8.84	41.10	49.94	68.30	-18.36	peak	
4		5725.000	-2.27	41.10	38.83	54.00	-15.17	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5670MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	11339.45	26.69	12.44	39.13	54.00	-14.87	AVG	
2		11341.55	37.60	12.45	50.05	68.30	-18.25	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5670MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5658.600	43.14	40.82	83.96	54.00	29.96	AVG	No Limit
2	X	5664.400	53.33	40.84	94.17	68.30	25.87	peak	No Limit
3		5725.000	8.83	41.10	49.93	68.30	-18.37	peak	
4		5725.000	-0.78	41.10	40.32	54.00	-13.68	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5670MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11338.90	36.54	12.44	48.98	68.30	-19.32	peak	
2	*	11340.20	26.66	12.44	39.10	54.00	-14.90	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5745MHz

Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5715.000	-2.23	41.06	38.83	68.30	-29.47	peak	
2		5715.000	10.19	41.06	51.25	54.00	-2.75	AVG	
3		5721.100	12.39	41.08	53.47	68.30	-14.83	peak	
4		5721.100	5.08	41.08	46.16	54.00	-7.84	AVG	
5		5725.000	16.43	41.10	57.53	68.30	-10.77	peak	
6		5725.000	3.72	41.10	44.82	54.00	-9.18	AVG	
7	*	5737.800	41.60	41.15	82.75	54.00	28.75	AVG	No Limit
8	X	5743.600	50.54	41.17	91.71	68.30	23.41	peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5745MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	11489.95	27.84	12.91	40.75	54.00	-13.25	AVG	
2		11491.65	38.48	12.91	51.39	68.30	-16.91	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5745MHz

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		5715.000	10.64	41.06	51.70	68.30	-16.60	peak	
2		5715.000	-0.43	41.06	40.63	54.00	-13.37	AVG	
3		5721.000	16.99	41.08	58.07	68.30	-10.23	peak	
4		5721.000	8.22	41.08	49.30	54.00	-4.70	AVG	
5		5725.000	20.14	41.10	61.24	68.30	-7.06	peak	
6		5725.000	7.72	41.10	48.82	54.00	-5.18	AVG	
7	*	5737.800	47.33	41.15	88.48	54.00	34.48	AVG	No Limit
8	X	5740.200	55.98	41.16	97.14	68.30	28.84	peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5745MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	11489.65	26.87	12.91	39.78	54.00	-14.22	AVG	
2		11490.35	37.15	12.91	50.06	68.30	-18.24	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5785MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	5780.100	43.45	41.32	84.77	54.00	30.77	AVG	No Limit
2	X	5789.800	52.86	41.37	94.23	68.30	25.93	peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5785MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11569.30	37.56	12.89	50.45	68.30	-17.85	peak	
2	*	11570.35	27.16	12.89	40.05	54.00	-13.95	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5785MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5781.200	47.07	41.33	88.40	54.00	34.40	AVG	No Limit
2	X	5789.200	56.30	41.36	97.66	68.30	29.36	peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5785MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	11570.45	27.04	12.89	39.93	54.00	-14.07	AVG	
2		11571.35	38.51	12.89	51.40	68.30	-16.90	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825MHz

Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5820.700	51.06	41.49	92.55	68.30	24.25	peak	No Limit
2	*	5829.700	41.97	41.53	83.50	54.00	29.50	AVG	No Limit
3		5850.000	6.71	41.62	48.33	68.30	-19.97	peak	
4		5850.000	-1.18	41.62	40.44	54.00	-13.56	AVG	
5		5860.000	8.36	41.65	50.01	68.30	-18.29	peak	
6		5860.000	-2.55	41.65	39.10	54.00	-14.90	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	11649.60	27.48	12.84	40.32	54.00	-13.68	AVG	
2		11650.35	39.24	12.84	52.08	68.30	-16.22	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5817.800	45.50	41.48	86.98	54.00	32.98	AVG	No Limit
2	X	5821.100	54.60	41.49	96.09	68.30	27.79	peak	No Limit
3		5850.000	9.84	41.62	51.46	68.30	-16.84	peak	
4		5850.000	-0.02	41.62	41.60	54.00	-12.40	AVG	
5		5860.000	8.46	41.65	50.11	68.30	-18.19	peak	
6		5860.000	-2.22	41.65	39.43	54.00	-14.57	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	11650.10	27.51	12.84	40.35	54.00	-13.65	AVG	
2		11650.45	37.62	12.84	50.46	68.30	-17.84	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5715.000	9.06	41.06	50.12	68.30	-18.18	peak	
2		5715.000	-1.08	41.06	39.98	54.00	-14.02	AVG	
3		5721.100	16.93	41.08	58.01	68.30	-10.29	peak	
4		5721.100	8.31	41.08	49.39	54.00	-4.61	AVG	
5		5725.000	18.99	41.10	60.09	68.30	-8.21	peak	
6		5725.000	8.30	41.10	49.40	54.00	-4.60	AVG	
7	*	5737.600	44.46	41.15	85.61	54.00	31.61	AVG	No Limit
8	X	5737.700	53.86	41.15	95.01	68.30	26.71	peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11489.55	38.08	12.91	50.99	68.30	-17.31	peak	
2	*	11490.90	27.85	12.91	40.76	54.00	-13.24	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5715.000	10.27	41.06	51.33	68.30	-16.97	peak	
2		5715.000	0.18	41.06	41.24	54.00	-12.76	AVG	
3		5721.000	19.59	41.08	60.67	68.30	-7.63	peak	
4		5721.000	9.65	41.08	50.73	54.00	-3.27	AVG	
5		5725.000	21.88	41.10	62.98	68.30	-5.32	peak	
6		5725.000	8.25	41.10	49.35	54.00	-4.65	AVG	
7	X	5737.100	55.57	41.14	96.71	68.30	28.41	peak	No Limit
8	*	5752.500	46.42	41.21	87.63	54.00	33.63	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	11490.50	26.92	12.91	39.83	54.00	-14.17	AVG	
2		11491.70	37.49	12.91	50.40	68.30	-17.90	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5785MHz

Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5779.600	51.97	41.32	93.29	68.30	24.99	peak	No Limit
2	*	5780.000	43.53	41.32	84.85	54.00	30.85	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5785MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11566.40	38.51	12.90	51.41	68.30	-16.89	peak	
2	*	11567.60	26.90	12.90	39.80	54.00	-14.20	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5785MHz

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	5780.000	46.78	41.32	88.10	54.00	34.10	AVG	No Limit
2	X	5781.400	55.17	41.33	96.50	68.30	28.20	peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5785MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11569.75	37.55	12.89	50.44	68.30	-17.86	peak	
2	*	11570.70	26.90	12.89	39.79	54.00	-14.21	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz

Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5829.800	41.78	41.53	83.31	54.00	29.31	AVG	No Limit
2	X	5831.200	50.86	41.54	92.40	68.30	24.10	peak	No Limit
3		5850.000	13.73	41.62	55.35	68.30	-12.95	peak	
4		5850.000	1.01	41.62	42.63	54.00	-11.37	AVG	
5		5860.000	9.32	41.65	50.97	68.30	-17.33	peak	
6		5860.000	-1.91	41.65	39.74	54.00	-14.26	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	11649.30	27.33	12.84	40.17	54.00	-13.83	AVG	
2		11651.85	38.26	12.84	51.10	68.30	-17.20	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5829.300	55.44	41.53	96.97	68.30	28.67	peak	No Limit
2	*	5832.500	45.93	41.54	87.47	54.00	33.47	AVG	No Limit
3		5850.000	15.49	41.62	57.11	68.30	-11.19	peak	
4		5850.000	2.56	41.62	44.18	54.00	-9.82	AVG	
5		5860.000	8.81	41.65	50.46	68.30	-17.84	peak	
6		5860.000	-1.59	41.65	40.06	54.00	-13.94	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	11647.65	27.39	12.84	40.23	54.00	-13.77	AVG	
2		11648.95	37.45	12.84	50.29	68.30	-18.01	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5715.000	15.14	41.06	56.20	68.30	-12.10	peak	
2		5715.000	4.54	41.06	45.60	54.00	-8.40	AVG	
3		5725.000	22.15	41.10	63.25	68.30	-5.05	peak	
4		5725.000	6.76	41.10	47.86	54.00	-6.14	AVG	
5	*	5743.800	40.07	41.17	81.24	54.00	27.24	AVG	No Limit
6	X	5767.400	50.55	41.28	91.83	68.30	23.53	peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11510.10	37.50	12.94	50.44	68.30	-17.86	peak	
2	*	11510.65	26.89	12.94	39.83	54.00	-14.17	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5715.000	16.39	41.06	57.45	68.30	-10.85	peak	
2		5715.000	5.56	41.06	46.62	54.00	-7.38	AVG	
3		5725.000	22.27	41.10	63.37	68.30	-4.93	peak	
4		5725.000	8.22	41.10	49.32	54.00	-4.68	AVG	
5	X	5753.400	53.91	41.21	95.12	68.30	26.82	peak	No Limit
6	*	5767.800	43.12	41.28	84.40	54.00	30.40	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11509.05	37.39	12.93	50.32	68.30	-17.98	peak	
2	*	11510.85	26.93	12.93	39.86	54.00	-14.14	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5783.800	40.23	41.34	81.57	54.00	27.57	AVG	No Limit
2	X	5792.600	50.75	41.38	92.13	68.30	23.83	peak	No Limit
3		5850.000	7.39	41.62	49.01	68.30	-19.29	peak	
4		5850.000	-2.11	41.62	39.51	54.00	-14.49	AVG	
5		5860.000	8.31	41.65	49.96	68.30	-18.34	peak	
6		5860.000	-2.45	41.65	39.20	54.00	-14.80	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11587.65	35.58	12.89	48.47	68.30	-19.83	peak	
2	*	11590.80	27.16	12.88	40.04	54.00	-13.96	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5782.400	42.82	41.33	84.15	54.00	30.15	AVG	No Limit
2	X	5784.400	53.65	41.34	94.99	68.30	26.69	peak	No Limit
3		5850.000	8.00	41.62	49.62	68.30	-18.68	peak	
4		5850.000	-1.46	41.62	40.16	54.00	-13.84	AVG	
5		5860.000	8.09	41.65	49.74	68.30	-18.56	peak	
6		5860.000	-2.26	41.65	39.39	54.00	-14.61	AVG	


Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11589.80	38.21	12.88	51.09	68.30	-17.21	peak	
2	*	11590.70	27.16	12.88	40.04	54.00	-13.96	AVG	

TX A Mode_DUTY CYCLE



Date: 11.NOV.2014 13:35:04

Duty cycle: TX 5180 MHz

Duty cycle = T_{ON} / T_{Total}

T_{ON} : 1.415 msec


T_{Total} : 1.576 msec

Duty cycle: 0.897

Duty Factor = $10 \log(1/\text{Duty cycle})$

Duty Factor = 0.47

TX N20 Mode_DUTY CYCLE



Date: 11.NOV.2014 13:36:38

Duty cycle: TX 5180 MHz

Duty cycle = T_{ON} / T_{Total}

T_{ON} : 1.327 msec


T_{Total} : 1.48 msec

Duty cycle: 0.897

Duty Factor = $10 \log(1/\text{Duty cycle})$

Duty Factor = 0.47

TX N40 Mode_DUTY CYCLE



Date: 11.NOV.2014 14:24:31

Duty cycle: TX 5190 MHz

Duty cycle = T_{ON} / T_{Total}

T_{ON} : 0.669 msec

T_{Total} : 0.845 msec


Duty cycle: 0.792

Duty Factor = $10 \log(1/\text{Duty cycle})$

Duty Factor = 1.01


ATTACHMENT E - BANDWIDTH

TX CH40



Date: 11.NOV.2014 10:47:23

TX CH48




Date: 11.NOV.2014 10:48:49

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH36	5180	41.89	20.00
CH40	5200	40.89	19.20
CH48	5240	40.59	19.10

TX CH36




Date: 11.NOV.2014 13:02:51

TX CH40



Date: 11.NOV.2014 13:04:35

TX CH48




Date: 11.NOV.2014 13:05:45

Test Mode: UNII-1/TX N40 Mode_CH38/CH46


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH38	5190	48.39	36.20
CH46	5230	48.39	36.20

TX CH38



Date: 11.NOV.2014 14:24:05

TX CH46




Date: 11.NOV.2014 14:28:23

Test Mode: UNII-2A/TX A Mode_CH52/CH60/CH64


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH52	5260	35.80	17.80
CH60	5300	35.00	17.90
CH64	5320	41.09	18.00

TX CH52




Date: 11.NOV.2014 10:50:28

TX CH60



Date: 11.NOV.2014 10:52:22

TX CH64




Date: 11.NOV.2014 10:53:38

Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH52	5260	32.59	18.50
CH60	5300	36.30	18.80
CH64	5320	28.59	18.50

TX CH52




Date: 11.NOV.2014 13:08:17

TX CH60



Date: 11.NOV.2014 13:09:57

TX CH64




Date: 11.NOV.2014 13:15:01

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH54	5270	48.40	36.20
CH62	5310	45.60	36.20

TX CH54



Date: 11.NOV.2014 14:32:40

TX CH62




Date: 11.NOV.2014 14:36:45

Test Mode: UNII-2C/TX A Mode_CH100/CH116/CH140


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH100	5500	23.29	17.40
CH116	5580	32.69	17.80
CH140	5700	28.39	17.50

TX CH100




Date: 11.NOV.2014 10:58:36

TX CH116



Date: 11.NOV.2014 11:00:36

TX CH140




Date: 11.NOV.2014 11:02:48

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH100	5500	27.49	18.40
CH116	5580	23.61	18.40
CH140	5700	28.10	18.50

TX CH100




Date: 11.NOV.2014 13:17:52

TX CH116



Date: 11.NOV.2014 13:20:46

TX CH140




Date: 11.NOV.2014 13:23:10

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH102	5510	48.40	36.20
CH110	5550	48.40	36.20
CH134	5670	48.60	36.40

TX CH102




Date: 11.NOV.2014 14:41:03

TX CH110



Date: 11.NOV.2014 14:44:42

TX CH134




Date: 11.NOV.2014 14:48:08

Test Mode: UNII-3/ TX A Mode_CH149/CH157/CH165


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (KHz)
CH149	5745	16.80	17.50	>=500
CH157	5785	16.59	17.60	>=500
CH165	5825	16.70	17.70	>=500

TX CH 149




Date: 11.NOV.2014 11:12:08

TX CH 157



Date: 11.NOV.2014 11:15:46

TX CH 165




Date: 11.NOV.2014 11:19:07

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (KHz)
CH149	5745	17.79	18.50	>=500
CH157	5785	17.89	18.50	>=500
CH165	5825	17.80	18.50	>=500

TX CH 149




Date: 11.NOV.2014 13:26:24

TX CH 157



Date: 11.NOV.2014 13:30:15

TX CH 165




Date: 11.NOV.2014 13:33:19

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (KHz)
CH151	5755	36.39	36.40	>=500
CH159	5795	36.39	36.20	>=500

TX CH 151



Date: 11.NOV.2014 14:52:52

TX CH 159



Date: 11.NOV.2014 15:12:07

ATTACHMENT F - MAXIMUM OUTPUT POWER

Test Mode: UNII-1/TX A Mode

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	10.71	24.00	0.25
CH40	5200	10.59	24.00	0.25
CH48	5240	10.99	24.00	0.25

Test Mode: UNII-1/TX N20 Mode

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	11.15	24.00	0.25
CH40	5200	10.66	24.00	0.25
CH48	5240	11.02	24.00	0.25

Test Mode: UNII-1/TX N40 Mode

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	11.38	24.00	0.25
CH46	5230	11.57	24.00	0.25

Test Mode: UNII-2A/TX A Mode

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	10.52	24.00	0.25
CH60	5300	11.51	24.00	0.25
CH64	5320	11.45	24.00	0.25

Test Mode: UNII-2A/TX N20 Mode

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	10.71	24.00	0.25
CH60	5300	11.36	24.00	0.25
CH64	5320	10.70	24.00	0.25

Test Mode: UNII-2A/TX N40 Mode

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	11.68	24.00	0.25
CH62	5310	11.48	24.00	0.25

Test Mode: UNII-2C/TX A Mode

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	10.55	24.00	0.25
CH116	5580	10.93	24.00	0.25
CH140	5700	11.12	24.00	0.25

Test Mode: UNII-2C/TX N20 Mode

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	10.70	24.00	0.25
CH116	5580	10.88	24.00	0.25
CH140	5700	11.14	24.00	0.25

Test Mode: UNII-2C/TX N40 Mode

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	11.46	24.00	0.25
CH110	5550	11.41	24.00	0.25
CH134	5670	11.81	24.00	0.25

Test Mode: UNII-3/ TX A Mode

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	10.71	30.00	1.00
CH157	5785	10.70	30.00	1.00
CH165	5825	10.82	30.00	1.00

Test Mode: UNII-3/TX N20 Mode

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	10.71	30.00	1.00
CH157	5785	10.64	30.00	1.00
CH165	5825	10.92	30.00	1.00


Test Mode: UNII-3/ TX N40 Mode

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	11.77	30.00	1.00
CH159	5795	11.47	30.00	1.00

ATTACHMENT G - ANTENNA CONDUCTED SPURIOUS EMISSION


Test Mode: UNII-1/TX A Mode

TX mode CH36



Date: 11.NOV.2014 13:34:27


TX mode CH48



Date: 11.NOV.2014 10:49:07


Test Mode: UNII-1/TX N20 Mode

TX mode CH36



Date: 11.NOV.2014 15:28:16


TX mode CH48



Date: 11.NOV.2014 13:06:03


Test Mode: UNII-1/TX N40 Mode

TX mode CH38



Date: 11.NOV.2014 14:24:21


TX mode CH46



Date: 10.JUL.2014 18:18:54


Test Mode: UNII-2A/TX A Mode

TX mode CH52



Date: 11.NOV.2014 10:50:46


TX mode CH64



Date: 11.NOV.2014 10:53:57


Test Mode:	UNII-2A/TX N20 Mode
-------------------	----------------------------

TX mode CH52



Date: 11.NOV.2014 13:08:36


TX mode CH64



Date: 11.NOV.2014 13:15:19


Test Mode:	UNII-2A/TX N40 Mode
-------------------	----------------------------

TX mode CH54



Date: 11.NOV.2014 14:32:57


TX mode CH62



Date: 11.NOV.2014 14:37:43


Test Mode: UNII-2C/TX A Mode

TX mode CH100



Date: 11.NOV.2014 10:58:54


TX mode CH140



Date: 11.NOV.2014 11:03:06


Test Mode:	UNII-2C/TX N20 Mode
------------	---------------------

TX mode CH100



Date: 11.NOV.2014 13:18:10


TX mode CH140



Date: 11.NOV.2014 13:23:28


Test Mode: UNII-2C/TX N40 Mode

TX mode CH102



Date: 11.NOV.2014 14:41:20


TX mode CH134



Date: 11.NOV.2014 14:48:25


Test Mode: UNII-3/TX A Mode

TX A Mode CH149



Date: 11.NOV.2014 15:22:54


TX A Mode CH165



Date: 11.NOV.2014 15:23:43


Test Mode: UNII-3/TX N20 Mode

TX HT20 mode CH149



Date: 11.NOV.2014 15:25:30


TX HT20 mode CH165



Date: 11.NOV.2014 15:26:18


Test Mode: UNII-3/TX N40 Mode

UNII-3/TX HT40 mode CH151



Date: 11.NOV.2014 15:17:56


UNII-3/TX HT40 mode CH159



Date: 11.NOV.2014 15:12:24


ATTACHMENT H - POWER SPECTRAL DENSITY

CH40



Date: 11.NOV.2014 10:47:33

CH48




Date: 11.NOV.2014 10:48:59

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	0.81	11.00
CH40	5200	0.34	11.00
CH48	5240	1.10	11.00

CH36




Date: 11.NOV.2014 13:03:01

CH40



Date: 11.NOV.2014 13:04:45

CH48




Date: 11.NOV.2014 13:05:55

Test Mode: UNII-1/TX N40 Mode_CH38/CH46


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-8.59	11.00
CH46	5230	-5.83	11.00

CH38



Date: 11.NOV.2014 14:24:14

CH46




Date: 11.NOV.2014 14:28:32

Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	1.46	11.00
CH60	5300	1.84	11.00
CH64	5320	1.95	11.00

CH52




Date: 11.NOV.2014 10:50:38

CH60




Date: 11.NOV.2014 10:52:32

CH64




Date: 11.NOV.2014 10:53:49

CH60



Date: 11.NOV.2014 13:10:07

CH64




Date: 11.NOV.2014 13:15:11

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-3.60	11.00
CH62	5310	-2.84	11.00

CH54



Date: 11.NOV.2014 14:32:50

CH62




Date: 11.NOV.2014 14:36:54

Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	0.51	11.00
CH116	5580	2.28	11.00
CH140	5700	1.48	11.00

CH100




Date: 11.NOV.2014 10:58:46

CH116



Date: 11.NOV.2014 11:00:46

CH140




Date: 11.NOV.2014 11:02:58

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	0.39	11.00
CH116	5580	0.30	11.00
CH140	5700	1.11	11.00

CH100




Date: 11.NOV.2014 13:18:02

CH116



Date: 11.NOV.2014 13:20:56


CH140



Date: 11.NOV.2014 13:23:20


Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-3.91	11.00
CH110	5550	-2.99	11.00
CH134	5670	-1.82	11.00

CH102



Date: 11.NOV.2014 14:41:13

CH110



Date: 11.NOV.2014 14:44:51

CH134




Date: 11.NOV.2014 14:48:18

Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-3.77	30.00
CH157	5785	-4.33	30.00
CH165	5825	-4.82	30.00

TX CH149




Date: 11.NOV.2014 15:22:46

TX CH157



Date: 11.NOV.2014 15:23:14

TX CH165




Date: 11.NOV.2014 15:23:35

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-4.02	30.00
CH157	5785	-4.58	30.00
CH165	5825	-5.26	30.00

TX CH149




Date: 11.NOV.2014 15:25:22

TX CH157



Date: 11.NOV.2014 15:25:49

TX CH165




Date: 11.NOV.2014 15:26:11

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-6.60	30.00
CH159	5795	-6.87	30.00

TX CH151



Date: 11.NOV.2014 14:53:02

TX CH159



Date: 11.NOV.2014 15:12:17

ATTACHMENT I - FREQUENCY STABILITY

Test Mode:	UNII-1
-------------------	---------------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
132	5180.0324
120	5180.0325
108	5180.0323
Max. Deviation (MHz)	0.0325
Max. Deviation (ppm)	6.2741

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5180.0000
-20	5180.0346
-5	5180.0347
0	5180.0349
5	5180.0341
10	5180.0345
15	5180.0347
20	5180.0351
25	5180.0346
30	5180.0343
35	5180.0347
40	5180.0346
45	5180.0340
50	5180.0349
55	5180.0345
Max. Deviation (MHz)	0.0351
Max. Deviation (ppm)	6.7761

Test Mode:	UNII-2A
-------------------	----------------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5260.0000
132	5260.0324
120	5260.0323
108	5260.0325
Max. Deviation (MHz)	0.0325
Max. Deviation (ppm)	6.1787

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5260.0000
-20	5260.0468
-5	5260.0462
0	5260.0463
5	5260.0461
10	5260.0469
15	5260.0463
20	5260.0460
25	5260.0465
30	5260.0467
35	5260.0463
40	5260.0462
45	5260.0464
50	5260.0463
55	5260.0461
Max. Deviation (MHz)	0.0469
Max. Deviation (ppm)	8.9163

Test Mode:	UNII-2C
-------------------	----------------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5500.0000
132	5500.3360
120	5500.3370
108	5500.3300
Max. Deviation (MHz)	0.3370
Max. Deviation (ppm)	61.2727

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5500.0000
-20	5500.0364
-5	5500.0366
0	5500.0361
5	5500.0360
10	5500.0367
15	5500.0366
20	5500.0362
25	5500.0367
30	5500.0369
35	5500.0363
40	5500.0367
45	5500.0367
50	5500.0361
55	5500.0365
Max. Deviation (MHz)	0.0369
Max. Deviation (ppm)	6.7091

Test Mode:	UNII-3
-------------------	---------------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
132	5745.0352
120	5745.0357
108	5745.0350
Max. Deviation (MHz)	0.0357
Max. Deviation (ppm)	6.2141

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5745.0000
-20	5745.0167
-5	5745.0161
0	5745.0167
5	5745.0168
10	5745.0164
15	5745.0169
20	5745.0164
25	5745.0166
30	5745.0163
35	5745.0161
40	5745.0162
45	5745.0168
50	5745.0164
55	5745.0163
Max. Deviation (MHz)	0.0169
Max. Deviation (ppm)	2.9417