

FCC SDoC REPORT

Canada ISED ICES-003 TEST REPORT

Test Report No. : T190304L01-F

Applicant : Huawei Technologies Co., Ltd.

Address : Administration Building, Headquarters of Huawei Technologies Co., Ltd., Bantian, Longgang District, Shenzhen, 518129, China (For FCC)
Administration Building, Headquarters of Huawei Technologies Co., Ltd., Bantian, Longgang District, Shenzhen, 518129, China (Peoples Republic Of) (For IC)

Manufacturer : Huawei Technologies Co., Ltd.

Address : Administration Building, Headquarters of Huawei Technologies Co., Ltd., Bantian, Longgang District, Shenzhen, 518129, China (For FCC)
Administration Building, Headquarters of Huawei Technologies Co., Ltd., Bantian, Longgang District, Shenzhen, 518129, China (Peoples Republic Of) (For IC)

Equipment Under Test (EUT) :

Product Name : Notebook Computer

Brand Name : HUAWEI; HONOR

Model No. : VLR-W09

Added Model(s) : VLR-W19; VLR-W29; VLR-WXXXXX (X Can be 0-9, A-Z, a-z, blank or symbol "-")

Standards : FCC Part 15, Subpart B, Class B
Canada ICES-003 Issue 6, April 2017 Updated, Class B

Date of Receipt : Mar. 04, 2019

Date of Test : Mar. 04 ~ 19, 2019

Date of Issue : Mar. 21, 2019

Test Result :	PASS
----------------------	-------------

In the configuration tested, the EUT complied with the standards specified above.

Remarks :

This report details the results of the testing carried out on one sample, the results contained in this test report do not relate to other samples of the same product. The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in this report.

This report may only be reproduced and distributed in full. If the product in this report is used in any configuration other than that detailed in the report, the manufacturer must ensure the new system complies with all relevant standards. Any mention of Compliance Certification Services Inc. Wugu Laboratory in connection with distribution or use of the product described in this report must be approved by Compliance Certification Services Inc. Wugu Laboratory in writing.

Tested By:

James Shen

James Shen (Engineer)

Date:

Mar. 21, 2019

Approved By:

Hex Chiang

Hex Chiang (Supervisor)

Date:

Mar. 21, 2019



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Compliance Certification Services Inc.

程智科技股份有限公司

No. 11, Wugong 6th Rd., Wugu Dist., New Taipei City 24891, Taiwan / 新北市五股區五工六路 11 號

t (886-2) 2299-9720

f (886-2) 2299-9721

www.sgs.tw

www.ccsrf.com

Member of SGS Group



Revision History

Report Number	Revision	Description	Issue Date
T190304L01-F	Rev.00	Initial creation of document	Mar. 21, 2019

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Contents

1. GENERAL INFORMATION	4
1.1 APPLICANT & MANUFACTURER INFORMATION	4
1.2 GENERAL DESCRIPTION OF EUT	4
1.3 DETAILS OF EUT	5
1.4 OPERATION PROCEDURE	6
1.5 DESCRIPTION OF SUPPORT UNITS	6
1.6 MODIFICATION LIST	6
1.7 ACCESSORIES CABLE LIST	6
1.8 TEST SET-UP CONFIGURATION	7
1.9 MEASUREMENT PROCEDURE	8
1.10 STANDARDS APPLICABLE FOR TESTING	8
1.11 SUMMARY OF RESULTS	8
2. EMISSION	9
2.1 TEST RESULTS	9
2.2 FREQUENCY RANGE	9
2.3 LIMITS OF CONDUCTED AND RADIATED EMISSION	10
2.3.1 LIMITS OF CONDUCTED EMISSION	10
2.3.2 LIMITS OF RADIATED EMISSIONS	10
2.4. TEST OF CONDUCTED EMISSION	12
2.4.1 TEST EQUIPMENTS	12
2.4.2 OPERATING ENVIRONMENT	12
2.4.3 MEASUREMENT LEVEL CALCULATION	12
2.4.4 MEASUREMENT DATA	13
2.5 TEST OF RADIATED EMISSION	15
2.5.1 TEST EQUIPMENTS	15
2.5.2 OPERATING ENVIRONMENT	17
2.5.3 MEASUREMENT LEVEL CALCULATION	17
2.5.4 MEASUREMENT DATA	18

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

1. General Information

1.1 Applicant & Manufacturer Information

Applicant : Huawei Technologies Co., Ltd.
Address of Applicant : Administration Building, Headquarters of Huawei Technologies Co., Ltd., Bantian, Longgang District, Shenzhen, 518129, China (For FCC)
Administration Building, Headquarters of Huawei Technologies Co., Ltd., Bantian, Longgang District, Shenzhen, 518129, China (Peoples Republic Of) (For IC)
Manufacturer : Huawei Technologies Co., Ltd.
Address of Manufacturer : Administration Building, Headquarters of Huawei Technologies Co., Ltd., Bantian, Longgang District, Shenzhen, 518129, China (For FCC)
Administration Building, Headquarters of Huawei Technologies Co., Ltd., Bantian, Longgang District, Shenzhen, 518129, China (Peoples Republic Of) (For IC)

1.2 General Description of EUT

Product Name : Notebook Computer
Brand Name : HUAWEI; HONOR
Model No. : VLR-W09
Added Model(s) : VLR-W19; VLR-W29; VLR-WXXXXX (X Can be 0-9, A-Z, a-z, blank or symbol “-”)
Model Difference : Marketing purpose.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

1.3 Details of EUT

Power Supply	AC100~240V	
Highest operate description	4.6 GHz	
Adapter	HUAWEI	HW-200325YYY(Y=0-9,A-Z or blank)
Adapter Power Rating	I/P: 100-240VAC, 50/60Hz, 1.8A O/P: 5VDC, 2A; 9VDC, 2A; 12VDC, 2A; 15VDC, 3A; 20VDC, 3.25A	
DC Power Cable Type	Shielded, 1.8m (Detachable) at Power Adapter	
Memory	on Board	
CPU	Intel	Up to 4.6GHz
LCD Panel	BOE	TV14YYY-YYY(Y=0-9,A-Z or blank)
	INNOLUX	N14YYYY-YYY(Y=0-9,A-Z or blank)
WLAN+BT	Intel	9560HUN
Graphics	Integrated Graphic	
	NVIDIA N17S	
Storage	One PCIE/SATA storage Device	
Battery	One re-chargeable battery pack	
Camera	One Camera optional	

Pre-test Mode

Mode	Main Board	CPU	Memory	Panel	Storage	WLAN+BT	Battery	Adapter
1	Quanta H96K	Intel 1.8GHz Up to 4.6GHz	DDR 4 16GB	BOE TV14FHM-NH0	TOSHIBA (1TB)	Intel 9560HUN	Huawei HB4593R1ECW	Huawei HW-200325UP0
2	Quanta H96K	Intel 2.1GHz Up to 3.9GHz	DDR 4 8GB	INNOLUX N140HCA-EAC	SAMSUNG (1TB)	Intel 9560HUN	Huawei HB4593R1ECW	Huawei HW-200325UP0
3	Quanta H96K	Intel 1.6GHz Up to 3.9GHz	DDR 4 16GB	BOE TV14FHM-NH0	Sandisk (1TB)	Intel 9560HUN	Huawei HB4593R1ECW	Huawei HW-200325UP0
4	Quanta H96K	Intel 1.8GHz Up to 4.6GHz	DDR 4 16GB	BOE TV14FHM-NH0	SAMSUNG (512GB)	Intel 9560HUN	Huawei HB4593R1ECW	Huawei HW-200325UP0
5	Quanta H96K	Intel 1.8GHz Up to 4.6GHz	DDR 4 16GB	BOE TV14FHM-NH0	Liteon (512GB)	Intel 9560HUN	Huawei HB4593R1ECW	Huawei HW-200325UP0
6	Quanta H96K	Intel 1.8GHz Up to 4.6GHz	DDR 4 16GB	BOE TV14FHM-NH0	TOSHIBA (512GB)	Intel 9560HUN	Huawei HB4593R1ECW	Huawei HW-200325UP0
7	Quanta H96K	Intel 1.8GHz Up to 4.6GHz	DDR 4 16GB	BOE TV14FHM-NH0	Hynix (512GB)	Intel 9560HUN	Huawei HB4593R1ECW	Huawei HW-200325UP0
8	Quanta H96K	Intel 1.8GHz Up to 4.6GHz	DDR 4 16GB	BOE TV14FHM-NH0	Sandisk (512GB)	Intel 9560HUN	Huawei HB4593R1ECW	Huawei HW-200325UP0
9	Quanta H96K	Intel 1.8GHz Up to 4.6GHz	DDR 4 16GB	BOE TV14FHM-NH0	TOSHIBA (256GB)	Intel 9560HUN	Huawei HB4593R1ECW	Huawei HW-200325UP0
10	Quanta H96K	Intel 1.8GHz Up to 4.6GHz	DDR 4 16GB	BOE TV14FHM-NH0	Liteon (256GB)	Intel 9560HUN	Huawei HB4593R1ECW	Huawei HW-200325UP0
11	Quanta H96K	Intel 1.8GHz Up to 4.6GHz	DDR 4 16GB	BOE TV14FHM-NH0	SAMSUNG (256GB)	Intel 9560HUN	Huawei HB4593R1ECW	Huawei HW-200325UP0
12	Quanta H96K	Intel 1.8GHz Up to 4.6GHz	DDR 4 16GB	BOE TV14FHM-NH0	Hynix (256GB)	Intel 9560HUN	Huawei HB4593R1ECW	Huawei HW-200325UP0
13	Quanta H96K	Intel 1.8GHz Up to 4.6GHz	DDR 4 16GB	BOE TV14FHM-NH0	Sandisk (256GB)	Intel 9560HUN	Huawei HB4593R1ECW	Huawei HW-200325UP0

EUT will be carried out in the worst case as followings:

Worst Case	
CE	Mode 1 (1920 x 1080 Resolution)
RE	Mode 1 (1920 x 1080 Resolution)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

1.4 Operation Procedure

Mode 1:

1. Turn on the power of all equipment.
2. The EUT communicates with Notebook PC by Bluetooth radio.
3. The EUT communicates with Wireless AP by WIFI radio.
4. The EUT will reads/writes disk through "BurnIn Test" test software .
5. EUT execute the "BurnIn Test" software to send "H" Pattern to display on the screen.
6. Setup the condition for test mode, and begin the test.

1.5 Description of Support Units

Mode 1:

PRODUCT	MANUFACTURER	MODEL NO.	SERIAL NO.
LCD Monitor	DELL	P2815QF	CN-0WJJGR-728272-454-AUYM
HDD	HP	pd 500a	WXQ1AC0R1874
Mouse	HP	MOAFUO	PSB1030013577
Earphone	APPLE	NA	NA
Wireless AP	D-Link	DIR-868L	R3X81D7000137
Notebook PC	HP	Pavilion dv6	CNF9491GLJ

Support Equipment Used in Tested Cable

Mode 1:

Cable Type	Core	Length	Shielding/Non-shielding
HDMI Cable (A)	N/A	1.8 m	Shielding
Type-C Cable(EUT) (B)	N/A	1.8 m	Shielding
USB HDD Cable (C)	N/A	0.6 m	Shielding
USB Mouse Cable (D)	N/A	1.8 m	Shielding
Earphone Cable (E)	N/A	1.0 m	Shielding

1.6 Modification List

No modification was made by Compliance Certification Services Inc. Wugu Laboratory.

1.7 Accessories Cable List

See clause 1.3 of this report

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



1.8 Test Set-Up Configuration

Mode 1



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

1.9 Measurement Procedure

Conducted Emission Testing was performed according to ANSI C63.4:2014 in a shielded room with peripherals placed on a table, 0.8m high over a metal floor. It was located more than required distance away from the shielded room wall.

Radiated Emission Testing was performed according to ANSI C63.4:2014 at the 3/10m semi-anechoic chamber. The EUT was placed on a 0.8m high table along with the peripherals. The turn table was placed 10m distance from the antenna. Cables were placed in a position to produce maximum emissions as determined by experimentation, and operation mode was selected for production of maximum emission.

The frequencies and amplitudes of maximum emission were measured at varying azimuths, antenna heights and antenna polarities. Maximum emission levels are then reported.

1.10 Standards Applicable for Testing

Tests to be carried out under FCC Part 15, Subpart B/CISPR 22

Test Standards	Status
FCC Part 15, Subpart B/ CISPR 22	Applicable
Deviation from Standard	No deviation

1.11 Summary of Results

Highest Emission					
Standard	Test Type	Result	Phase/Pol.	Frequency(MHz)	Margin(dB)
FCC Part 15 Subpart B Class B Canada ICES-003 Issue 6, April 2017 Updated, Class B	Conducted Emission	PASS	Line	0.1660	-10.10 (QP)
			Neutral	0.1539	-12.70 (QP)
	Radiated Emission	PASS	Ver.	478.1400	-5.62 (QP)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

2. EMISSION

2.1 Test Results

	Results
Conducted Emission	Pass
Radiated Emission	Pass

2.2 Frequency Range

FCC Part 15, Subpart B:

Conducted Emission : 150 kHz - 30 MHz

Radiated Emission : See below table

Highest frequency generated or Upper frequency of measurement
used in the device or on which the range (MHz)
device operates or tunes (MHz)

Below 1.705	30
1.705 - 108	1000
108 - 500	2000
500 - 1000	5000
Above 1000	5th harmonic of the highest frequency or 40 GHz, whichever is lower

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

2.3 Limits of Conducted and Radiated Emission

2.3.1 Limits of Conducted Emission

FCC Part 15, Subpart B/CISPR 22:

FREQUENCY (MHz)	Class A (dBuV)		Class B (dBuV)	
	Quasi - peak	Average	Quasi - peak	Average
0.15 - 0.5	79	66	66 - 56	56 - 46
0.50 - 5.0	73	60	56	46
5.0 - 30.0	73	60	60	50

Note : (1) The lower limit shall apply at the transition frequencies.

(2) The limit decreases linearly with the logarithm of the frequency in the range 0.15 to 0.50 MHz.

(3) All emanation from a class A/B digital device or system, including any network of conductors and apparatus connected there to, shall not exceed the level of field strengths specified above.

2.3.2 Limits of Radiated Emissions

FCC Part 15, Subpart B Limit:

● Detector Function : Quasi – Peak

FREQUENCY (MHz)	Class A (at 10m)	Class B (at 3m)
	dBuV/m	dBuV/m
30~88	39	40
88~216	43.5	43.5
216~960	46.44	46
Above 960	49.54	54

● Detector Function : Peak , Average

FREQUENCY (MHz)	Class A (dBuV/m) (at 3m)		Class B (dBuV/m) (at 3m)	
	Peak	Average	Peak	Average
Above 1000	79.3	59.3	73.9	53.9

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CISPR 22 Limit:

- Detector Function : Quasi – Peak

FREQUENCY (MHz)	Class A (at 10m)	Class B (at 10m)
	dBuV/m	dBuV/m
30-230	40	30
230-1000	47	37

NOTE 1 The lower limit shall apply at the transition frequency.

NOTE 2 Additional provisions may be required for cases where interference occurs.

FREQUENCY (GHz)	Class A (dBuV/m) (at 3m)		Class B (dBuV/m) (at 3m)	
	Average	Peak	Average	Peak
1~3	56	76	50	70
3~6	60	80	54	74

NOTE The lower limit applies at the transition frequency.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

2.4. Test of Conducted Emission

2.4.1 Test Equipments

Conducted Emission Room_B					
Name of Equipment	Manufacturer	Model	Serial Number	Calibration Date	Calibration Due
Coaxial Cable	EMCI	CFD300-NL	CE2	05/02/2018	05/01/2019
DC LISN	Schwarzbeck	NNBM 8124	629	03/08/2019	03/07/2020
DC LISN	Schwarzbeck	NNBM 8124	628	03/08/2019	03/07/2020
EMI Test Receiver	R&S	ESCI	101073	07/17/2018	07/16/2019
ISN	TESEQ	ISN ST08	36290	06/25/2018	06/24/2019
ISN	FCC	FCC-TLISN-T8-02-09	100106	09/18/2018	09/17/2019
LISN	R&S	ENV216	101054	05/02/2018	05/01/2019
LISN	Schwarzbeck	NSLK8128	5012	04/23/2018	04/22/2019
Software	CCS-3A1-CE				
Compliance Certification Services Inc. (Wugu Laboratory)					
No.139, Wugong Rd., Wugu Dist., New Taipei City 24886, Taiwan (R.O.C.)					
Measurement Uncertainty of Conducted Emission					
Expanded uncertainty (K=2) of conducted emission is 2.96 dB					

2.4.2 Operating Environment

Temperature : 24 degree C

Humidity : 50 %RH

Atmospheric Pressure : 992 mBar

2.4.3 Measurement Level Calculation

Factor = LISN insertion loss + Cable loss

Measurement Level = Reading Level + Factor

Over (Margin) = Measurement Level – Limit

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

2.4.4 Measurement Data:

Model No.: VLR-W09

Mode_1_L

Job No.:	T190304L01	Date:	2019/3/14
Company:	廣達	Time:	下午 07:27:50
Standard:	FCC Part 15 B Class B(QP)	Temp.(°C)/Hum.(%)	24(°C)/50%
Test item:	Conduction test	Test By:	Eason Liu
Line:	L1	Test Voltage:	AC 120V/60Hz
Model:	Mode 1		
Description:			



No.	Frequency	QuasiPeak reading	Average reading	Correction factor	QuasiPeak result	Average result	QuasiPeak limit	Average limit	QuasiPeak margin	Average margin	Remark
	(MHz)	(dBuV)	(dBuV)	(dB)	(dBuV)	(dBuV)	(dBuV)	(dBuV)	(dB)	(dB)	
1*	0.1660	45.29	27.20	9.76	55.05	36.96	65.15	55.16	-10.10	-18.20	Pass
2	0.1740	42.87	23.34	9.76	52.63	33.10	64.76	54.77	-12.13	-21.67	Pass
3	0.2340	31.89	14.47	9.76	41.65	24.23	62.30	52.31	-20.65	-28.08	Pass
4	0.2460	31.88	17.13	9.76	41.64	26.89	61.89	51.89	-20.25	-25.00	Pass
5	2.4060	20.42	14.46	9.80	30.22	24.26	56.00	46.00	-25.78	-21.74	Pass
6	9.5500	24.20	16.72	9.95	34.15	26.67	60.00	50.00	-25.85	-23.33	Pass


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Mode_1_N

Job No.:	T190304L01	Date:	2019/3/14
Company:	廣達	Time:	下午 07:31:50
Standard:	FCC Part 15 B Class B(QP)	Temp.(°C)/Hum.(%)	24(°C)/50%
Test item:	Conduction test	Test By:	Eason Liu
Line:	N	Test Voltage:	AC 120V/60Hz
Model:	Mode 1		
Description:			



No.	Frequency	QuasiPeak	Average	Correction	QuasiPeak	Average	QuasiPeak	Average	QuasiPeak	Average	Remark
	(MHz)	(dBuV)	(dBuV)	(dB)	(dBuV)	(dBuV)	(dBuV)	(dBuV)	(dB)	(dB)	
1*	0.1539	43.35	26.18	9.73	53.08	35.91	65.78	55.79	-12.70	-19.88	Pass
2	0.1700	41.41	24.04	9.73	51.14	33.77	64.96	54.96	-13.82	-21.19	Pass
3	0.1819	37.93	19.37	9.73	47.66	29.10	64.39	54.40	-16.73	-25.30	Pass
4	0.2460	29.30	16.40	9.73	39.03	26.13	61.89	51.89	-22.86	-25.76	Pass
5	2.0380	20.52	9.71	9.77	30.29	19.48	56.00	46.00	-25.71	-26.52	Pass
6	9.4300	24.28	17.01	9.94	34.22	26.95	60.00	50.00	-25.78	-23.05	Pass

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

2.5 Test of Radiated Emission

2.5.1 Test Equipments

Below 1GHz

Radiated Emission_966C (Below 1GHz)					
Name of Equipment	Manufacturer	Model	Serial Number	Calibration Date	Calibration Due
Bilog Antenna	Sunol Sciences	JB1	A100209-1	10/22/2018	10/21/2019
Coaxial Cable	Huber+Suhner	104PEA	34418/4PEA	05/02/2018	05/01/2019
Coaxial Cable	Huber+Suhner	104PEA	34376/4PEA	05/02/2018	05/01/2019
Coaxial Cable	Huber+Suhner	104PEA	33954/4PEA	05/02/2018	05/01/2019
EMI Test Receiver	R&S	ESCI	100312	05/07/2018	05/06/2019
Pre-Amplifier	MITEQ	1625-3000	1490938	05/02/2018	05/01/2019
Spectrum Analyzer	Agilent	E4407B	MY44212686	04/09/2018	04/08/2019
Thermo-Hygro Meter	ROTRONIC	M800	0GYM	04/18/2018	04/17/2019
AC POWER SOURE	APE	AFC-130	991265	N.C.R	N.C.R
Antenna Tower	CCS	CC-A-1F	N/A	N.C.R	N.C.R
Controller	CCS	CC-C-1F	N/A	N.C.R	N.C.R
Turn Table	CCS	CC-T-1F	N/A	N.C.R	N.C.R
Software	EZ-EMC (CCS-3A1RE)				
Compliance Certification Services Inc. (Wugu Laboratory)					
No.139, Wugong Rd., Wugu Dist., New Taipei City 24886, Taiwan (R.O.C.)					
Measurement Uncertainty of Radiated Emission					
Expanded uncertainty of radiated emission is 4.22 dB. (30MHz ~ 200MHz)					
Expanded uncertainty of radiated emission is 4.72 dB. (200MHz ~ 1000MHz)					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Above 1GHz

Radiated Emission_10m (Above 1GHz)					
Name of Equipment	Manufacturer	Model	Serial Number	Calibration Date	Calibration Due
Bilog Antenna	TESEQ	CBL 6112D	31674	03/06/2019	03/05/2020
Bilog Antenna	TESEQ	CBL 6112D	31675	03/29/2018	03/28/2019
Coaxial Cable	Huber+Suhner	SUCOFLEX 104PEA	330029	05/02/2018	05/01/2019
Coaxial Cable	Huber+Suhner	SUCOFLEX 104PEA	329383	05/02/2018	05/01/2019
Coaxial Cable	Huber+Suhner	104PEA	33949/4PEA	05/02/2018	05/01/2019
Coaxial Cable	Huber+Suhner	104PEA	33948/4PEA	05/02/2018	05/01/2019
EMI Test Receiver	R&S	ESCI	100961	07/04/2018	07/03/2019
EMI Test Receiver	R&S	ESCI	100962	07/10/2018	07/09/2019
Horn Antenna	ETS LINDGREN	3116	00026370	12/26/2018	12/25/2019
Horn Antenna	EMCO	3117	00055167	12/24/2018	12/23/2019
Pre-Amplifier	HP	8447D	2944A07754	05/02/2018	05/01/2019
Pre-Amplifier	HP	8447D	2944A08150	05/02/2018	05/01/2019
Pre-Amplifier	EMCI	EMC051845	980040	05/02/2018	05/01/2019
Pre-Amplifier	MITEQ	AMF-6F-260400-40-8P	985646	06/21/2018	06/20/2019
Spectrum Analyzer	Agilent	E4446A	MY48250297	08/30/2018	08/29/2019
AC POWER SOURE	APE	AFC-130	991259	N.C.R	N.C.R
Antenna Tower	CCS	CC-A-1F	N/A	N.C.R	N.C.R
Antenna Tower	Sunol Sciences	TLT2	031010-5	N.C.R	N.C.R
Controller	Sunol Sciences	SC104V	031010-1	N.C.R	N.C.R
Controller	CCS	CC-C-1F	N/A	N.C.R	N.C.R
Turn Table	CCS	CC-T-1F	N/A	N.C.R	N.C.R
Software	EZ-EMC (CCS-3A1RE)				
Compliance Certification Services Inc. (Wugu Laboratory) No.139, Wugong Rd., Wugu Dist., New Taipei City 24886, Taiwan (R.O.C.) Measurement Uncertainty of Radiated Emission Expanded uncertainty of radiated emission is 4.80 dB. (1000MHz ~ 6000MHz) Expanded uncertainty of radiated emission is 5.25 dB. (6000MHz ~ 18000MHz) Expanded uncertainty of radiated emission is 3.93 dB. (18000MHz ~ 26000MHz) Expanded uncertainty of radiated emission is 3.97 dB. (26000MHz ~ 40000MHz)					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



2.5.2 Operating Environment

Temperature : 22 degree C

Humidity : 54 %RH

Atmospheric Pressure : 996 mBar

2.5.3 Measurement Level Calculation

Correction Factor = Antenna Factor + Cable loss- Amplifier Gain

Measurement Level = Reading Level + Correction Factor

Over (Margin) = Measurement Level – Limit

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

2.5.4 Measurement Data

Below 1GHz

Model No.: VLR-W09

Mode_1_H

Test site:	966C Chamber	Ant.Polar.:	Horizontal
Standard:	FCC Part 15 B 3M Class B	Test Distance:	3m
Test item:	Radiation Test	Power:	AC 120V/60Hz
Temp.(°C)/Hum.(%RH):	22(°C)/54%RH	Date: 2019/3/18	Time: 18:30:52
Mode:	1		
Description:			



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Degree (°)	Remark
1	95.9600	61.35	-28.27	33.08	43.50	-10.42	300	75	QP
2	269.5900	63.63	-23.69	39.94	46.00	-6.06	100	214	QP
3	296.7178	63.73	-23.32	40.41	46.00	-5.59	104	0	QP
4	480.0800	58.14	-18.75	39.39	46.00	-6.61	100	180	QP
5	750.7100	50.52	-15.24	35.28	46.00	-10.72	300	273	QP
6	890.3900	52.55	-13.31	39.24	46.00	-6.76	100	89	QP

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Mode_1_V

Test site:	966C Chamber	Ant.Polar.:	Vertical
Standard:	FCC Part 15 B 3M Class B	Test Distance:	3m
Test item:	Radiation Test	Power:	AC 120V/60Hz
Temp.(°C)/Hum.(%RH):	22(°C)/54%RH	Date: 2019/3/18	Time: 18:16:53
Mode:	1		
Description:			



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Degree (°)	Remark
1	30.9470	47.41	-16.77	30.64	40.00	-9.36	100	178	QP
2	129.9100	54.33	-23.17	31.16	43.50	-12.34	100	233	QP
3	257.9500	61.13	-24.87	36.26	46.00	-9.74	200	351	QP
4	430.6100	58.59	-19.95	38.64	46.00	-7.36	111	360	QP
5	478.1400	59.16	-18.78	40.38	46.00	-5.62	100	35	QP
6	890.3900	50.18	-13.31	36.87	46.00	-9.13	200	180	QP

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Above 1GHz

Model No.: VLR-W09

Mode_1_H

Test site:	10M Chamber	Ant.Polar.:	Horizontal
Standard:	FCC Part 15B 3M Class B	Test Distance:	3m
Test item:	Radiation Test	Power:	AC 120V/60Hz
Temp.(°C)/Hum.(%RH):	26(°C)/60%RH	Date:2019/3/15	Time:04:45:59
Mode:	Mode 1		
Description:			



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Degree (°)	Remark
1	1782.000	70.15	-16.50	53.65	74.00	-20.35	200	321	peak
2	1782.000	55.33	-16.50	38.83	54.00	-15.17	200	321	AVG
3	8505.500	56.15	-3.32	52.83	74.00	-21.17	100	359	peak
4	8505.500	45.28	-3.32	41.96	54.00	-12.04	100	359	AVG
5	9321.500	55.50	-1.45	54.05	74.00	-19.95	102	0	peak
6	9321.500	44.79	-1.45	43.34	54.00	-10.66	102	0	AVG
7	10316.000	54.45	1.18	55.63	74.00	-18.37	200	348	peak
8	10316.000	43.06	1.18	44.24	54.00	-9.76	200	348	AVG
9	10426.500	54.05	1.44	55.49	74.00	-18.51	300	0	peak
10	10426.500	43.09	1.44	44.53	54.00	-9.47	300	0	AVG
11	12211.500	52.18	4.26	56.44	74.00	-17.56	188	0	peak
12	12211.500	42.31	4.26	46.57	54.00	-7.43	188	0	AVG
13	12381.500	52.85	4.41	57.26	74.00	-16.74	300	360	peak
14	12381.500	42.36	4.41	46.77	54.00	-7.23	300	360	AVG

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Compliance Certification Services Inc.

程智科技股份有限公司

No. 11, Wugong 6th Rd., Wugu Dist., New Taipei City 24891, Taiwan / 新北市五股區五工六路 11 號

t (886-2) 2299-9720


f (886-2) 2299-9721

www.sgs.tw

www.ccsrf.com

Mode_1_V

Test site:	10M Chamber	Ant.Polar.:	Vertical
Standard:	FCC Part 15B 3M Class B	Test Distance:	3m
Test item:	Radiation Test	Power:	AC 120V/60Hz
Temp.(°C)/Hum.(%RH):	26(°C)/60%RH	Date:2019/3/15	Time:04:45:59
Mode:	Mode 1		
Description:			



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Degree (°)	Remark
1	1484.500	70.55	-18.57	51.98	74.00	-22.02	188	0	peak
2	1484.500	56.43	-18.57	37.86	54.00	-16.14	188	0	AVG
3	1782.000	70.57	-16.21	54.36	74.00	-19.64	100	214	peak
4	1782.000	55.38	-16.21	39.17	54.00	-14.83	100	214	AVG
5	6771.500	56.63	-3.74	52.89	74.00	-21.11	163	0	peak
6	6771.500	45.02	-3.74	41.28	54.00	-12.72	163	0	AVG
7	8497.000	57.05	-2.72	54.33	74.00	-19.67	300	28	peak
8	8497.000	45.34	-2.72	42.62	54.00	-11.38	300	28	AVG
9	9185.500	54.65	-0.98	53.67	74.00	-20.33	249	360	peak
10	9185.500	44.55	-0.98	43.57	54.00	-10.43	249	360	AVG
11	12194.500	52.50	4.86	57.36	74.00	-16.64	300	180	peak
12	12194.500	42.26	4.86	47.12	54.00	-6.88	300	180	AVG

**** End of Report ****

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.