


4.3.2.80 11AC20_MIMO_44_Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6918.0959	53.41	12.47	74.00	20.59	150	53	Horizontal
2	6960.0980	46.36	12.62	54.00	7.64	150	82	Horizontal
3	10440.0000	49.18	-4.92	74.00	24.82	150	286	Horizontal
4	10440.0000	38.53	-4.92	54.00	15.47	150	342	Horizontal
5	15560.0000	47.94	-3.76	74.00	26.06	150	30	Horizontal
6	15560.0000	37.50	-3.76	54.00	16.50	150	116	Horizontal
7	17839.9420	47.26	1.09	54.00	6.74	150	4	Horizontal



4.3.2.81 11AC20_MIMO_48_Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6868.5934	44.27	12.28	54.00	9.73	150	285	Horizontal
2	6946.8973	52.90	12.57	74.00	21.10	150	114	Horizontal
3	10480.0000	49.83	-4.49	74.00	24.17	150	255	Horizontal
4	10480.0000	38.47	-4.49	54.00	15.53	150	227	Horizontal
5	15720.0000	50.18	-2.65	74.00	23.82	150	227	Horizontal
6	15720.0000	39.47	-2.65	54.00	14.53	150	114	Horizontal
7	17997.7999	47.18	1.63	54.00	6.82	150	342	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

4.3.2.82 11AC20_MIMO_52_Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6868.5934	44.27	12.28	54.00	9.73	150	285	Horizontal
2	6946.8973	52.90	12.57	74.00	21.10	150	114	Horizontal
3	10480.0000	49.83	-4.49	74.00	24.17	150	255	Horizontal
4	10480.0000	38.47	-4.49	54.00	15.53	150	227	Horizontal
5	15720.0000	50.18	-2.65	74.00	23.82	150	227	Horizontal
6	15720.0000	39.47	-2.65	54.00	14.53	150	114	Horizontal
7	17997.7999	47.18	1.63	54.00	6.82	150	342	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

4.3.2.83 11AC20_MIMO_60_Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6954.3977	53.99	12.60	74.00	20.01	150	157	Horizontal
2	6996.9999	43.88	12.76	54.00	10.12	150	12	Horizontal
3	10600.0000	50.81	-4.75	74.00	23.19	150	3	Horizontal
4	10600.0000	39.30	-4.75	54.00	14.70	150	342	Horizontal
5	15900.0000	48.58	-3.75	74.00	25.42	150	314	Horizontal
6	15900.0000	38.25	-3.75	54.00	15.75	150	342	Horizontal
7	17782.1891	47.39	1.19	54.00	6.61	150	115	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

4.3.2.84 11AC20_MIMO_64_Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6944.7972	44.23	12.57	54.00	9.77	150	190	Horizontal
2	6998.1999	53.67	12.76	74.00	20.33	150	313	Horizontal
3	10640.0000	50.73	-4.69	74.00	23.27	150	314	Horizontal
4	10640.0000	39.18	-4.69	54.00	14.82	150	314	Horizontal
5	15960.0000	50.03	-3.70	74.00	23.97	150	143	Horizontal
6	15960.0000	37.97	-3.70	54.00	16.03	150	58	Horizontal
7	17992.8496	47.20	1.60	54.00	6.80	150	58	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

4.3.2.85 11AC20_MIMO_100_Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6913.8957	43.93	12.45	54.00	10.07	150	342	Horizontal
2	6928.2964	53.37	12.50	74.00	20.63	150	171	Horizontal
3	11000.0000	49.50	-4.28	74.00	24.50	150	198	Horizontal
4	11000.0000	38.25	-4.28	54.00	15.75	150	342	Horizontal
5	16500.0000	51.33	-3.62	74.00	22.67	150	227	Horizontal
6	16500.0000	39.90	-3.62	54.00	14.10	150	312	Horizontal
7	17820.1410	47.25	1.16	54.00	6.75	150	342	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

4.3.2.86 11AC20_MIMO_116 _ Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6926.1963	44.40	12.50	54.00	9.60	150	198	Horizontal
2	6977.7989	53.55	12.69	74.00	20.45	150	84	Horizontal
3	11160.0000	51.04	-3.43	74.00	22.96	150	313	Horizontal
4	11160.0000	39.74	-3.43	54.00	14.26	150	47	Horizontal
5	16740.0000	50.95	-3.33	74.00	23.05	150	82	Horizontal
6	16740.0000	39.94	-3.33	54.00	14.06	150	342	Horizontal
7	17816.2908	47.23	1.17	54.00	6.77	150	253	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

4.3.2.87 11AC20_MIMO_140 _ Horizontal



Suspected List


Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6900.9951	53.64	12.40	74.00	20.36	150	285	Horizontal
2	6978.0989	44.42	12.69	54.00	9.58	150	171	Horizontal
3	11400.0000	49.34	-4.42	74.00	24.66	150	228	Horizontal
4	11400.0000	38.04	-4.42	54.00	15.96	150	142	Horizontal
5	17100.0000	52.08	-3.09	74.00	21.92	150	342	Horizontal
6	17100.0000	41.75	-3.09	54.00	12.25	150	171	Horizontal
7	17787.1394	47.14	1.20	54.00	6.86	150	57	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

4.3.2.88 11AC20_MIMO_149 _ Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6879.0940	44.17	12.32	54.00	9.83	150	1	Horizontal
2	6996.0998	53.74	12.76	74.00	20.26	150	228	Horizontal
3	11490.0000	46.68	-5.65	74.00	27.32	150	227	Horizontal
4	11490.0000	35.90	-5.65	54.00	18.10	150	87	Horizontal
5	17235.0000	54.61	-1.47	74.00	19.39	150	86	Horizontal
6	17235.0000	43.57	-1.47	54.00	10.43	150	342	Horizontal
7	17984.5992	47.03	1.53	54.00	6.97	150	342	Horizontal



4.3.2.89 11AC20_MIMO_157 _ Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6978.9990	53.49	12.69	74.00	20.51	150	254	Horizontal
2	6996.9999	44.43	12.76	54.00	9.57	150	1	Horizontal
3	11570.0000	47.98	-3.87	74.00	26.02	150	115	Horizontal
4	11570.0000	37.48	-3.87	54.00	16.52	150	3	Horizontal
5	17355.0000	53.27	-1.07	74.00	20.73	150	171	Horizontal
6	17355.0000	43.33	-1.07	54.00	10.67	150	313	Horizontal
7	17833.3417	47.10	1.12	54.00	6.90	150	284	Horizontal



4.3.2.90 11AC20_MIMO_165 _ Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6957.3979	54.29	12.61	74.00	19.71	150	228	Horizontal
2	6973.8987	44.27	12.67	54.00	9.73	150	85	Horizontal
3	11650.0000	48.92	-3.16	74.00	25.08	150	116	Horizontal
4	11650.0000	38.52	-3.16	54.00	15.48	150	200	Horizontal
5	17475.0000	55.27	0.02	74.00	18.73	150	172	Horizontal
6	17475.0000	42.81	0.02	54.00	11.19	150	58	Horizontal
7	17991.1996	47.13	1.58	54.00	6.87	150	342	Horizontal



4.3.2.91 11AC40_MIMO_38_Vertical




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6920.1960	45.24	12.47	54.00	8.76	150	48	Vertical
2	6972.9987	53.55	12.67	74.00	20.45	150	133	Vertical
3	10380.0000	48.20	-5.36	74.00	25.80	150	189	Vertical
4	10380.0000	37.21	-5.36	54.00	16.79	150	47	Vertical
5	15570.0000	48.23	-4.02	74.00	25.77	150	302	Vertical
6	15570.0000	37.49	-4.02	54.00	16.51	150	330	Vertical
7	17766.2383	47.30	1.16	54.00	6.70	150	18	Vertical



4.3.2.92 11AC40_MIMO_46_Vertical




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6874.5937	53.73	12.30	74.00	20.27	150	304	Vertical
2	6973.5987	45.76	12.67	54.00	8.24	150	18	Vertical
3	10460.0000	49.58	-4.70	74.00	24.42	150	165	Vertical
4	10460.0000	38.60	-4.70	54.00	15.40	150	137	Vertical
5	15690.0000	50.83	-2.93	74.00	23.17	150	107	Vertical
6	15690.0000	39.27	-2.93	54.00	14.73	150	359	Vertical
7	17979.0990	47.09	1.49	54.00	6.91	150	18	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

4.3.2.93 11AC40_MIMO_54_Veritical




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6931.2966	43.92	12.52	54.00	10.08	150	137	Vertical
2	6968.1984	53.99	12.65	74.00	20.01	150	79	Vertical
3	10540.0000	50.05	-4.46	74.00	23.95	150	103	Vertical
4	10540.0000	39.05	-4.46	54.00	14.95	150	274	Vertical
5	15810.0000	51.18	-2.42	74.00	22.82	150	75	Vertical
6	15810.0000	40.01	-2.42	54.00	13.99	150	189	Vertical
7	17994.4997	47.09	1.61	54.00	6.91	150	46	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

4.3.2.94 11AC40_MIMO_62_Vertical




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6900.0950	44.23	12.40	54.00	9.77	150	276	Vertical
2	6979.2990	53.65	12.69	74.00	20.35	150	133	Vertical
3	10620.0000	50.11	-4.72	74.00	23.89	150	246	Vertical
4	10620.0000	38.86	-4.72	54.00	15.14	150	357	Vertical
5	15930.0000	50.19	-3.73	74.00	23.81	150	47	Vertical
6	15930.0000	39.02	-3.73	54.00	14.98	150	302	Vertical
7	17998.8999	46.98	1.64	54.00	7.02	150	47	Vertical



4.3.2.95 11AC40_MIMO_102_Vertical




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6898.5949	53.39	12.39	74.00	20.61	150	220	Vertical
2	6982.5991	44.06	12.71	54.00	9.94	150	106	Vertical
3	11020.0000	49.44	-4.09	74.00	24.56	150	245	Vertical
4	11020.0000	38.59	-4.09	54.00	15.41	150	131	Vertical
5	16530.0000	39.52	-3.84	54.00	14.48	150	245	Vertical
6	16530.0000	51.15	-3.84	74.00	22.85	150	216	Vertical
7	17830.5915	47.11	1.13	54.00	6.89	150	103	Vertical



4.3.2.96 11AC40_MIMO_110_Vertical



Suspected List


Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6907.2954	43.87	12.43	54.00	10.13	150	110	Vertical
2	6989.4995	53.36	12.73	74.00	20.64	150	18	Vertical
3	11100.0000	51.28	-3.36	74.00	22.72	150	75	Vertical
4	11100.0000	39.72	-3.36	54.00	14.28	150	160	Vertical
5	16650.0000	49.79	-4.20	74.00	24.21	150	103	Vertical
6	16650.0000	39.58	-4.20	54.00	14.42	150	357	Vertical
7	17849.2925	47.45	1.06	54.00	6.55	150	302	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

4.3.2.97 11AC40_MIMO_134_Vertical




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6964.2982	44.29	12.64	54.00	9.71	150	77	Vertical
2	6989.7995	53.67	12.73	74.00	20.33	150	224	Vertical
3	11340.0000	49.95	-4.59	74.00	24.05	150	330	Vertical
4	11340.0000	38.95	-4.59	54.00	15.05	150	160	Vertical
5	17010.0000	50.66	-3.20	74.00	23.34	150	132	Vertical
6	17010.0000	40.04	-3.20	54.00	13.96	150	245	Vertical
7	17991.7496	47.57	1.59	54.00	6.43	150	217	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

4.3.2.98 11AC40_MIMO_151_Vertical




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6939.3970	53.66	12.55	74.00	20.34	150	76	Vertical
2	6942.3971	43.87	12.56	54.00	10.13	150	104	Vertical
3	11510.0000	47.41	-5.50	74.00	26.59	150	103	Vertical
4	11510.0000	36.57	-5.50	54.00	17.43	150	18	Vertical
5	17265.0000	54.22	-1.33	74.00	19.78	150	274	Vertical
6	17265.0000	43.35	-1.33	54.00	10.65	150	103	Vertical
7	17992.2996	47.23	1.59	54.00	6.77	150	18	Vertical



4.3.2.99 11AC40_MIMO_159_Vertical




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6965.1983	44.09	12.64	54.00	9.91	150	135	Vertical
2	6976.8988	53.28	12.68	74.00	20.72	150	47	Vertical
3	11590.0000	49.62	-3.32	74.00	24.38	150	18	Vertical
4	11590.0000	37.98	-3.32	54.00	16.02	150	246	Vertical
5	17385.0000	43.54	-1.02	54.00	10.46	150	246	Vertical
6	17385.0000	55.63	-1.02	74.00	18.37	150	161	Vertical
7	17784.3892	47.96	1.20	54.00	6.04	150	246	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

4.3.2.100 11AC40_MIMO_38_Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6920.1960	44.90	12.47	54.00	9.10	150	76	Horizontal
2	6942.3971	54.22	12.56	74.00	19.78	150	164	Horizontal
3	10380.0000	49.24	-5.36	74.00	24.76	150	86	Horizontal
4	10380.0000	37.62	-5.36	54.00	16.38	150	58	Horizontal
5	15570.0000	48.98	-4.02	74.00	25.02	150	3	Horizontal
6	15570.0000	36.97	-4.02	54.00	17.03	150	29	Horizontal
7	17990.0995	47.25	1.57	54.00	6.75	150	200	Horizontal



4.3.2.101 11AC40_MIMO_46_Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6973.5987	44.77	12.67	54.00	9.23	150	162	Horizontal
2	6990.9996	54.02	12.74	74.00	19.98	150	73	Horizontal
3	10460.0000	49.75	-4.70	74.00	24.25	150	306	Horizontal
4	10460.0000	38.32	-4.70	54.00	15.68	150	242	Horizontal
5	15690.0000	50.88	-2.93	74.00	23.12	150	119	Horizontal
6	15690.0000	39.49	-2.93	54.00	14.51	150	213	Horizontal
7	17837.1919	47.21	1.10	54.00	6.79	150	213	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

4.3.2.102 11AC40_MIMO_54_Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6901.2951	44.76	12.40	54.00	9.24	150	108	Horizontal
2	6968.1984	54.56	12.65	74.00	19.44	150	254	Horizontal
3	10540.0000	49.84	-4.46	74.00	24.16	150	88	Horizontal
4	10540.0000	38.91	-4.46	54.00	15.09	150	4	Horizontal
5	15810.0000	51.15	-2.42	74.00	22.85	150	314	Horizontal
6	15810.0000	39.43	-2.42	54.00	14.57	150	342	Horizontal
7	17832.2416	47.36	1.12	54.00	6.64	150	258	Horizontal



4.3.2.103 11AC40_MIMO_62_Horizontal



Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6956.4978	54.29	12.61	74.00	19.71	150	47	Horizontal
2	6961.5981	44.32	12.63	54.00	9.68	150	284	Horizontal
3	10620.0000	49.84	-4.72	74.00	24.16	150	3	Horizontal
4	10620.0000	39.36	-4.72	54.00	14.64	150	170	Horizontal
5	15930.0000	50.11	-3.73	74.00	23.89	150	85	Horizontal
6	15930.0000	38.88	-3.73	54.00	15.12	150	284	Horizontal
7	17996.1498	47.24	1.62	54.00	6.76	150	312	Horizontal




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

4.3.2.104 11AC40_MIMO_102_Horizontal

FCC PART 15 E




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6867.0934	44.36	12.27	54.00	9.64	150	27	Horizontal
2	6991.2996	53.24	12.74	74.00	20.76	150	2	Horizontal
3	11020.0000	49.44	-4.09	74.00	24.56	150	58	Horizontal
4	11020.0000	38.18	-4.09	54.00	15.82	150	143	Horizontal
5	16530.0000	50.57	-3.84	74.00	23.43	150	284	Horizontal
6	16530.0000	39.21	-3.84	54.00	14.79	150	114	Horizontal
7	17991.1996	47.09	1.58	54.00	6.91	150	284	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

4.3.2.105 11AC40_MIMO_110_Horizontal



Suspected List


Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6860.1930	44.10	12.25	54.00	9.90	150	342	Horizontal
2	6942.9972	53.64	12.56	74.00	20.36	150	133	Horizontal
3	11100.0000	51.12	-3.36	74.00	22.88	150	143	Horizontal
4	11100.0000	39.75	-3.36	54.00	14.25	150	58	Horizontal
5	16650.0000	49.70	-4.20	74.00	24.30	150	115	Horizontal
6	16650.0000	39.23	-4.20	54.00	14.77	150	30	Horizontal
7	17767.3384	47.26	1.16	54.00	6.74	150	285	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

4.3.2.106 11AC40_MIMO_134_Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6873.6937	52.90	12.30	74.00	21.10	150	110	Horizontal
2	6925.5963	44.21	12.49	54.00	9.79	150	285	Horizontal
3	11340.0000	50.41	-4.59	74.00	23.59	150	229	Horizontal
4	11340.0000	38.92	-4.59	54.00	15.08	150	144	Horizontal
5	17010.0000	50.89	-3.20	74.00	23.11	150	229	Horizontal
6	17010.0000	39.71	-3.20	54.00	14.29	150	285	Horizontal
7	17830.0415	47.57	1.13	54.00	6.43	150	4	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

4.3.2.107 11AC40_MIMO_151_Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6925.5963	44.10	12.49	54.00	9.90	150	101	Horizontal
2	6971.4986	53.44	12.66	74.00	20.56	150	342	Horizontal
3	11510.0000	47.17	-5.50	74.00	26.83	150	313	Horizontal
4	11510.0000	36.23	-5.50	54.00	17.77	150	58	Horizontal
5	17265.0000	54.19	-1.33	74.00	19.81	150	29	Horizontal
6	17265.0000	42.93	-1.33	54.00	11.07	150	58	Horizontal
7	17980.1990	47.56	1.50	54.00	6.44	150	171	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

4.3.2.108 11AC40_MIMO_159_Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6962.4981	44.18	12.63	54.00	9.82	150	1	Horizontal
2	6993.3997	53.64	12.75	74.00	20.36	150	82	Horizontal
3	11590.0000	49.38	-3.32	74.00	24.62	150	28	Horizontal
4	11590.0000	37.97	-3.32	54.00	16.03	150	228	Horizontal
5	17385.0000	54.71	-1.02	74.00	19.29	150	199	Horizontal
6	17385.0000	43.69	-1.02	54.00	10.31	150	171	Horizontal
7	17817.3909	47.70	1.17	54.00	6.30	150	342	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

4.3.2.109 11AC80_MIMO_42_Vertical




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6946.8973	46.00	12.57	54.00	8.00	150	18	Vertical
2	6947.4974	53.51	12.58	74.00	20.49	150	108	Vertical
3	10420.0000	49.51	-5.14	74.00	24.49	150	222	Vertical
4	10420.0000	38.18	-5.14	54.00	15.82	150	222	Vertical
5	15630.0000	37.74	-4.14	54.00	16.26	150	251	Vertical
6	15630.0000	48.59	-4.14	74.00	25.41	150	359	Vertical
7	17808.5904	47.71	1.20	54.00	6.29	150	165	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

4.3.2.110 11AC80_MIMO_58_Veritical



Suspected List


Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6989.7995	53.75	12.73	74.00	20.25	150	46	Vertical
2	6998.4999	44.08	12.76	54.00	9.92	150	360	Vertical
3	10580.0000	51.23	-4.65	74.00	22.77	150	190	Vertical
4	10580.0000	39.72	-4.65	54.00	14.28	150	190	Vertical
5	15870.0000	49.93	-3.31	74.00	24.07	150	275	Vertical
6	15870.0000	39.34	-3.31	54.00	14.66	150	132	Vertical
7	17831.1416	47.85	1.12	54.00	6.15	150	47	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

4.3.2.111 11AC80_MIMO_106_Vertical




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6931.5966	44.30	12.52	54.00	9.70	150	288	Vertical
2	6968.7984	53.76	12.65	74.00	20.24	150	145	Vertical
3	11060.0000	50.94	-3.73	74.00	23.06	150	75	Vertical
4	11060.0000	39.75	-3.73	54.00	14.25	150	218	Vertical
5	16590.0000	50.64	-4.27	74.00	23.36	150	18	Vertical
6	16590.0000	38.84	-4.27	54.00	15.16	150	18	Vertical
7	17835.5418	47.40	1.11	54.00	6.60	150	358	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

4.3.2.112 11AC80_MIMO_122_Vertical




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6934.8967	43.99	12.53	54.00	10.01	150	285	Vertical
2	6969.0985	53.29	12.66	74.00	20.71	150	194	Vertical
3	11220.0000	51.42	-3.73	74.00	22.58	150	332	Vertical
4	11220.0000	40.88	-3.73	54.00	13.12	150	246	Vertical
5	16830.0000	52.09	-2.15	74.00	21.91	150	246	Vertical
6	16830.0000	40.98	-2.15	54.00	13.02	150	103	Vertical
7	17774.4887	47.41	1.18	54.00	6.59	150	274	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

4.3.2.113 11AC80_MIMO_155_Veritical




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6948.0974	44.05	12.58	54.00	9.95	150	341	Vertical
2	6964.5982	54.35	12.64	74.00	19.65	150	341	Vertical
3	11550.0000	48.37	-4.41	74.00	25.63	150	250	Vertical
4	11550.0000	38.08	-4.41	54.00	15.92	150	359	Vertical
5	17325.0000	54.97	-1.12	74.00	19.03	150	18	Vertical
6	17325.0000	43.15	-1.12	54.00	10.85	150	18	Vertical
7	17828.3914	47.30	1.13	54.00	6.70	150	193	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

4.3.2.114 11AC80_MIMO_42_Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6974.1987	45.12	12.67	54.00	8.88	150	342	Horizontal
2	6995.1998	53.40	12.75	74.00	20.60	150	142	Horizontal
3	10420.0000	48.96	-5.14	74.00	25.04	150	48	Horizontal
4	10420.0000	38.08	-5.14	54.00	15.92	150	313	Horizontal
5	15630.0000	49.24	-4.14	74.00	24.76	150	284	Horizontal
6	15630.0000	37.80	-4.14	54.00	16.20	150	195	Horizontal
7	17852.0426	47.84	1.05	54.00	6.16	150	166	Horizontal



4.3.2.115 11AC80_MIMO_58_Horizontal



Suspected List


Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6912.3956	44.01	12.45	54.00	9.99	150	228	Horizontal
2	6998.4999	54.09	12.76	74.00	19.91	150	29	Horizontal
3	10580.0000	50.53	-4.65	74.00	23.47	150	198	Horizontal
4	10580.0000	39.67	-4.65	54.00	14.33	150	198	Horizontal
5	15870.0000	49.26	-3.31	74.00	24.74	150	342	Horizontal
6	15870.0000	38.94	-3.31	54.00	15.06	150	55	Horizontal
7	17779.9890	47.61	1.19	54.00	6.39	150	140	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

4.3.2.116 11AC80_MIMO_106_Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6957.9979	53.07	12.61	74.00	20.93	150	2	Horizontal
2	6996.6998	44.25	12.76	54.00	9.75	150	254	Horizontal
3	11060.0000	50.99	-3.73	74.00	23.01	150	223	Horizontal
4	11060.0000	39.44	-3.73	54.00	14.56	150	80	Horizontal
5	16590.0000	50.40	-4.27	74.00	23.60	150	194	Horizontal
6	16590.0000	39.20	-4.27	54.00	14.80	150	252	Horizontal
7	17802.5401	47.37	1.22	54.00	6.63	150	52	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

4.3.2.117 11AC80_MIMO_122_Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6974.1987	44.87	12.67	54.00	9.13	150	223	Horizontal
2	6996.6998	53.59	12.76	74.00	20.41	150	342	Horizontal
3	11220.0000	52.86	-3.73	74.00	21.14	150	2	Horizontal
4	11220.0000	41.28	-3.73	54.00	12.72	150	314	Horizontal
5	16830.0000	51.88	-2.15	74.00	22.12	150	284	Horizontal
6	16830.0000	40.97	-2.15	54.00	13.03	150	113	Horizontal
7	17997.2499	47.59	1.63	54.00	6.41	150	284	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

4.3.2.118 11AC80_MIMO_155_Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6887.4944	43.89	12.35	54.00	10.11	150	165	Horizontal
2	6996.6998	52.86	12.76	74.00	21.14	150	0	Horizontal
3	11550.0000	48.92	-4.41	74.00	25.08	150	18	Horizontal
4	11550.0000	37.64	-4.41	54.00	16.36	150	75	Horizontal
5	17325.0000	54.02	-1.12	74.00	19.98	150	47	Horizontal
6	17325.0000	43.25	-1.12	54.00	10.75	150	283	Horizontal
7	17842.6921	47.53	1.08	54.00	6.47	150	342	Horizontal



4.3.2.119 11AC160_MIMO_50_Vertical




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6991.2996	54.59	12.74	74.00	19.41	150	332	Vertical
2	7000.0000	44.22	12.77	54.00	9.78	150	75	Vertical
3	10500.0000	50.80	-4.27	74.00	23.20	150	359	Vertical
4	10500.0000	39.20	-4.27	54.00	14.80	150	77	Vertical
5	15750.0000	51.06	-2.50	74.00	22.94	150	193	Vertical
6	15750.0000	39.74	-2.50	54.00	14.26	150	280	Vertical
7	17831.6916	47.45	1.12	54.00	6.55	150	250	Vertical



4.3.2.120 11AC160_MIMO_114_Vertical




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6901.2951	43.78	12.40	54.00	10.22	150	193	Vertical
2	6985.8993	53.41	12.72	74.00	20.59	150	310	Vertical
3	11140.0000	53.05	-3.41	74.00	20.95	150	76	Vertical
4	11140.0000	40.68	-3.41	54.00	13.32	150	18	Vertical
5	16710.0000	49.68	-3.88	74.00	24.32	150	305	Vertical
6	16710.0000	39.11	-3.88	54.00	14.89	150	162	Vertical
7	17854.2427	47.15	1.05	54.00	6.85	150	247	Vertical



4.3.2.121 11AC160_MIMO_50_Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6962.4981	44.17	12.63	54.00	9.83	150	226	Horizontal
2	6999.7000	53.77	12.77	74.00	20.23	150	198	Horizontal
3	10500.0000	51.45	-4.27	74.00	22.55	150	165	Horizontal
4	10500.0000	39.23	-4.27	54.00	14.77	150	165	Horizontal
5	15750.0000	51.60	-2.50	74.00	22.40	150	137	Horizontal
6	15750.0000	39.92	-2.50	54.00	14.08	150	165	Horizontal
7	17996.6998	47.30	1.62	54.00	6.70	150	280	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

4.3.2.122 11AC160_MIMO_114_Horizontal



Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6965.7983	44.19	12.64	54.00	9.81	150	314	Horizontal
2	6974.4987	54.20	12.68	74.00	19.80	150	285	Horizontal
3	11140.0000	51.32	-3.41	74.00	22.68	150	199	Horizontal
4	11140.0000	40.41	-3.41	54.00	13.59	150	342	Horizontal
5	16710.0000	50.77	-3.88	74.00	23.23	150	199	Horizontal
6	16710.0000	38.99	-3.88	54.00	15.01	150	256	Horizontal
7	17830.0415	47.44	1.13	54.00	6.56	150	342	Horizontal


Remark:

- 1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:
Final Test Level = Receiver Reading + Antenna Factor + Cable Factor – Preamplifier Factor
- 2) Scan from 9kHz to 40GHz, The disturbance between 9KHz to 30MHz and 18GHz to 40GHz was very low, and the above harmonics were the highest point could be found when testing, so only the above harmonics had been displayed. The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported .
- 3) As shown in this section, for frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. So, only the peak measurements were shown in the report.
- 4) All modes have been tested, but only the worst case data displayed in this report.



4.4 Restricted bands around fundamental frequency

Test Requirement:	47 CFR Part 15 Section 15.407(b)		
Test Method:	ANSI C63.10: 2013		
Test Site:	Measurement Distance: 3m (Semi-Anechoic Chamber)		
Limit:	Frequency	Limit (dBuV/m @3m)	Remark
	30MHz-88MHz	40.0	Quasi-peak Value
	88MHz-216MHz	43.5	Quasi-peak Value
	216MHz-960MHz	46.0	Quasi-peak Value
	960MHz-1GHz	54.0	Quasi-peak Value
	Above 1GHz	54.0	Average Value
		74.0	Peak Value
Test Setup:			




<p>Test Procedure:</p>	<ol style="list-style-type: none"> a. The EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation. b. The EUT was set 3 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower. c. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement. d. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading. e. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode. f. Place a marker at the end of the restricted band closest to the transmit frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and modulation for lowest and highest channel g. Test the EUT in the outermost channels. h. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the X axis positioning which it is worse case. i. Repeat above procedures until all frequencies measured was complete.
<p>Exploratory Test Mode:</p>	<p>Transmitting with all kind of modulations, data rates.</p>
<p>Final Test Mode:</p>	<p>Through Pre-scan, find the 6Mbps of rate is the worst case of 802.11a; MCS0 of rate is the worst case of 802.11n(HT20); MCS0 of rate is the worst case of 802.11n(HT40); MCSAC0 of rate is the worst case of 802.11ac(HT20); MCSAC0 of rate is the worst case of 802.11ac(HT40); MCSAC0 of rate is the worst case of 802.11ac(HT80); MCSAC0 of rate is the worst case of 802.11ac(HT160) Only the worst case is recorded in the report.</p>
<p>Instruments Used:</p>	<p>Refer to section 6 for details</p>
<p>Test Results:</p>	<p>Pass</p>



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

4.4.1 Test plots (CDD & MIMO)

4.4.1.1 11A20_CDD_36_Veritical




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5107.0535	49.14	7.48	74.00	24.86	150	278	Vertical
2	5120.8604	35.04	7.51	54.00	18.96	150	183	Vertical
3	5126.9635	49.43	7.52	74.00	24.57	150	61	Vertical
4	5150.0000	35.09	7.56	54.00	18.91	150	46	Vertical
5	5180.0000	80.07	7.61	0.00	-80.07	150	38	Vertical
6	5180.0000	89.71	7.61	68.30	-21.41	150	42	Vertical



4.4.1.2 11A20_CDD_36 _ Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5131.4157	49.51	7.52	74.00	24.49	150	235	Horizontal
2	5134.6173	36.07	7.53	54.00	17.93	150	239	Horizontal
3	5142.6213	50.15	7.54	74.00	23.85	150	94	Horizontal
4	5150.0000	36.45	7.56	54.00	17.55	150	235	Horizontal
5	5180.0000	84.39	7.61	0.00	-84.39	150	205	Horizontal
6	5180.0000	95.15	7.61	68.30	-26.85	150	208	Horizontal



4.4.1.3 11A20_CDD_48_Vertical




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5240.0000	97.27	7.68	68.30	-28.97	150	34	Vertical
2	5240.0000	87.59	7.68	0.00	-87.59	150	30	Vertical
3	5350.01	47.39	7.84	74.00	26.61	150	342	Vertical
4	5350.0000	34.44	7.84	54.00	19.56	150	130	Vertical
5	5392.0760	49.15	7.92	74.00	24.85	150	76	Vertical
6	5393.2466	36.00	7.93	54.00	18.00	150	57	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

4.4.1.4 11A20_CDD_48 _ Horizontal



Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5240.0000	90.01	7.68	0.00	-90.01	150	228	Horizontal
2	5240.0000	100.08	7.68	68.30	-31.78	150	232	Horizontal
3	5350.0000	34.61	7.84	54.00	19.39	150	129	Horizontal
4	5350.01	47.57	7.84	74.00	26.43	150	217	Horizontal
5	5392.5263	37.89	7.93	54.00	16.11	150	205	Horizontal
6	5392.9765	50.24	7.93	74.00	23.76	150	339	Horizontal

