



5.1.1.2.3.1.2 Test RB = RB1#24






5.1.1.2.3.1.3 Test RB = RB12#6





5.1.1.2.3.1.4 Test RB = RB25#0




5.1.1.2.3.2 Test Channel = HCH

5.1.1.2.3.2.1 Test RB = RB1#0



5.1.1.2.3.2.2 Test RB = RB1#24





5.1.1.2.3.2.3 Test RB = RB12#6




5.1.1.2.3.2.4 Test RB = RB25#0



5.1.1.2.4 Test Bandwidth = 10

5.1.1.2.4.1 Test Channel = LCH

5.1.1.2.4.1.1 Test RB = RB1#0





5.1.1.2.4.1.2 Test RB = RB1#49





5.1.1.2.4.1.3 Test RB = RB25#13






5.1.1.2.4.1.4 Test RB = RB50#0




5.1.1.2.4.2 Test Channel = HCH

5.1.1.2.4.2.1 Test RB = RB1#0




5.1.1.2.4.2.2 Test RB = RB1#49






5.1.1.2.4.2.3 Test RB = RB25#13





5.1.1.2.4.2.4 Test RB = RB50#0



6Appendix_F: Spurious Emission at Antenna Terminal

NOTE: For the averaged unwanted emissions measurements, the measurement points in each sweep is greater than twice the Span/RBW in order to ensure bin-to-bin spacing of $< RBW/2$ so that narrowband signals are not lost between frequency bins. As to the present test item, the "Measurement Points = $k * (Span / RBW)$ " with k between 4 and 5, which results in an acceptable level error of less than 0.5 dB.

Part I - Test Plots

6.1 For LTE


6.1.1 Test Band = Band12


6.1.1.1 Test Mode = LTE/TM1


6.1.1.1.1 Test Bandwidth = 1.4

6.1.1.1.1.1 Test Channel = LCH

6.1.1.1.1.1.1 Test RB = RB1#0










6.1.1.1.1.2 Test Channel = MCH

6.1.1.1.1.2.1 Test RB = RB1#0









6.1.1.1.1.3 Test Channel = HCH

6.1.1.1.1.3.1 Test RB = RB1#0









6.2.1.1.2 Test Bandwidth = 3

6.2.1.1.2.1 Test Channel = LCH

6.2.1.1.2.1.1 Test RB = RB1#0










6.2.1.1.2.2 Test Channel = MCH

6.2.1.1.2.2.1 Test RB = RB1#0









6.2.1.1.2.3 Test Channel = HCH

6.2.1.1.2.3.1 Test RB = RB1#0









6.2.1.1.3 Test Bandwidth = 5

6.2.1.1.3.1 Test Channel = LCH

6.2.1.1.3.1.1 Test RB = RB1#0










6.2.1.1.3.2 Test Channel = MCH

6.2.1.1.3.2.1 Test RB = RB1#0









6.2.1.1.3.3 Test Channel = HCH

6.2.1.1.3.3.1 Test RB = RB1#0









6.2.1.1.4 Test Bandwidth = 10

6.2.1.1.4.1 Test Channel = LCH

6.2.1.1.4.1.1 Test RB = RB1#0









6.2.1.1.4.2 Test Channel = MCH

6.2.1.1.4.2.1 Test RB = RB1#0










6.2.1.1.4.3 Test Channel = HCH

6.2.1.1.4.3.1 Test RB = RB1#0








6.2.1.2 Test Mode = LTE/TM2


6.2.1.2.1 Test Bandwidth = 1.4

6.2.1.2.1.1 Test Channel = LCH

6.2.1.2.1.1.1 Test RB = RB1#0









6.2.1.2.1.2 Test Channel = MCH

6.2.1.2.1.2.1 Test RB = RB1#0










6.2.1.2.1.3 Test Channel = HCH

6.2.1.2.1.3.1 Test RB = RB1#0










6.2.1.2.2 Test Bandwidth = 3

6.2.1.2.2.1 Test Channel = LCH

6.2.1.2.2.1.1 Test RB = RB1#0









6.2.1.2.2.2 Test Channel = MCH

6.2.1.2.2.2.1 Test RB = RB1#0









6.2.1.2.2.3 Test Channel = HCH

6.2.1.2.2.3.1 Test RB = RB1#0










6.2.1.2.3 Test Bandwidth = 5

6.2.1.2.3.1 Test Channel = LCH

6.2.1.2.3.1.1 Test RB = RB1#0










6.2.1.2.3.2 Test Channel = MCH

6.2.1.2.3.2.1 Test RB = RB1#0










6.2.1.2.3.3 Test Channel = HCH

6.2.1.2.3.3.1 Test RB = RB1#0









6.2.1.2.4 Test Bandwidth = 10

6.2.1.2.4.1 Test Channel = LCH

6.2.1.2.4.1.1 Test RB = RB1#0









6.2.1.2.4.2 Test Channel = MCH

6.2.1.2.4.2.1 Test RB = RB1#0









6.2.1.2.4.3 Test Channel = HCH

6.2.1.2.4.3.1 Test RB = RB1#0







7Appendix_G: Field Strength of Spurious Radiation

Note: We tested all modes, but the data presented below is the worst case.

9kHz~150kHz, RBW = 200Hz, VBW = 600 Hz, Detector: PK

150kHz~30MHz, RBW = 9kHz, VBW = 30k Hz, Detector: PK

30MHz~1GHz, RBW = 100 kHz, VBW = 300 kHz. Detector: PK


Above 1GHz, RBW = 1 MHz, VBW = 3 MHz Detector: PK

Part I - Test Plots


7.1 For LTE

7.1.1 Test Band = Band12_ANT1


7.1.1.1 Test Bandwidth = 1.4




LTE FDD RSE-TX-DIRECTOR BELOW 1G_L




LTE FDD RSE-TX-DIRECTOR BELOW 1G_H




7.1.1.2 Test Bandwidth = 10



LTE FDD RSE-TX-DIRECTOR BELOW 1G_L




LTE FDD RSE-TX-DIRECTOR BELOW 1G_H




7.1.2 Test Band = Band12_ANT2


7.1.2.1 Test Bandwidth = 1.4




LTE FDD RSE-TX-DIRECTOR BELOW 1G_L




LTE FDD RSE-TX-DIRECTOR BELOW 1G_H




7.1.2.2 Test Bandwidth = 10



LTE FDD RSE-TX-DIRECTOR BELOW 1G_L



LTE FDD RSE-TX-DIRECTOR BELOW 1G_H



8Appendix_H: Frequency Stability

8.1 For LTE

8.1.1 Frequency Error vs. Voltage:

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
Band12	LTE/TM1	1.4	LCH	TN	VL	-2.23160	-0.00319	PASS
					VN	-4.87804	-0.00697	PASS
					VH	-7.20978	-0.01030	PASS
			MCH	TN	VL	-18.45360	-0.02608	PASS
					VN	-9.08375	-0.01284	PASS
					VH	-8.71181	-0.01231	PASS
			HCH	TN	VL	7.51018	0.01050	PASS
					VN	-6.00815	-0.00840	PASS
					VH	11.65867	0.01630	PASS
		3	LCH	TN	VL	1.25885	0.00180	PASS
					VN	-5.95093	-0.00850	PASS
					VH	-0.12875	-0.00018	PASS
			MCH	TN	VL	-7.13825	-0.01009	PASS
					VN	-2.77519	-0.00392	PASS
					VH	-2.03133	-0.00287	PASS
			HCH	TN	VL	-9.48429	-0.01327	PASS
					VN	-5.39303	-0.00755	PASS
					VH	-0.70095	-0.00098	PASS
		5	LCH	TN	VL	-4.59194	-0.00655	PASS
					VN	0.57220	0.00082	PASS
					VH	-3.29018	-0.00469	PASS
			MCH	TN	VL	-2.04563	-0.00289	PASS
					VN	5.30720	0.00750	PASS
					VH	-1.97411	-0.00279	PASS
			HCH	TN	VL	1.77383	0.00249	PASS
					VN	-1.10149	-0.00154	PASS
					VH	-4.50611	-0.00632	PASS
		10	LCH	TN	VL	-7.95364	-0.01130	PASS
					VN	-0.58651	-0.00083	PASS
					VH	-0.24319	-0.00035	PASS
			MCH	TN	VL	-1.20163	-0.00170	PASS
					VN	-2.68936	-0.00380	PASS



Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
	LTE/TM2	1.4	HCH	TN	VH	-0.15736	-0.00022	PASS
					VL	-3.11851	-0.00439	PASS
					VN	0.75817	0.00107	PASS
					VH	-6.92368	-0.00974	PASS
			LCH	TN	VL	0.42915	0.00061	PASS
					VN	-9.02653	-0.01290	PASS
					VH	8.08239	0.01155	PASS
					VL	4.10557	0.00580	PASS
			MCH	TN	VN	-3.26157	-0.00461	PASS
					VH	-3.94821	-0.00558	PASS
					VL	0.94414	0.00132	PASS
					VN	-1.21593	-0.00170	PASS
		HCH	TN	VH	0.48637	0.00068	PASS	
				VL	2.51770	0.00359	PASS	
				VN	-1.77383	-0.00253	PASS	
				VH	-1.77383	-0.00253	PASS	
		3	LCH	TN	VL	-1.34468	-0.00190	PASS
					VN	-2.37465	-0.00336	PASS
					VH	8.25405	0.01167	PASS
					VL	-6.50883	-0.00911	PASS
			MCH	TN	VN	-1.10149	-0.00154	PASS
					VH	-1.25885	-0.00176	PASS
					VL	-0.21458	-0.00031	PASS
					VN	-5.00679	-0.00714	PASS
			HCH	TN	VH	6.86646	0.00979	PASS
					VL	-1.83106	-0.00259	PASS
					VN	-1.58787	-0.00224	PASS
					VH	-1.97411	-0.00279	PASS
		5	LCH	TN	VL	-1.45912	-0.00205	PASS
					VN	-0.21458	-0.00030	PASS
					VH	-0.15736	-0.00022	PASS
					VL	-0.02861	-0.00004	PASS
			MCH	TN	VN	0.17166	0.00024	PASS
					VH	0.00000	0.00000	PASS
					VL	-0.28610	-0.00040	PASS
					VN	0.98705	0.00140	PASS
			HCH	TN	VH	0.72956	0.00103	PASS
					VL	-2.50339	-0.00352	PASS
					VN			
					VH			
		10	LCH	TN	VL			
					VN			
VH								
VL								
MCH	TN		VN					
			VH					
			VL					
			VN					
HCH	TN		VH					
			VL					
			VN					
			VH					

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					VN	-1.55926	-0.00219	PASS
					VH	-1.81675	-0.00256	PASS

8.1.2 Frequency Error vs. Temperature:

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
Band12	LTE/TM1	1.4	LCH	VN	-30	-13.13210	-0.01877	PASS
					-20	-8.29697	-0.01186	PASS
					-10	0.98705	0.00141	PASS
					0	9.69887	0.01386	PASS
					10	-1.88827	-0.00270	PASS
					20	-4.87804	-0.00697	PASS
					30	-12.01630	-0.01717	PASS
			40	-7.66754	-0.01096	PASS		
			50	0.45776	0.00065	PASS		
			MCH	VN	-30	0.90122	0.00127	PASS
					-20	4.24862	0.00601	PASS
					-10	-4.84943	-0.00685	PASS
					0	-3.54767	-0.00501	PASS
					10	-2.77519	-0.00392	PASS
		20			-9.08375	-0.01284	PASS	
		30			6.52313	0.00922	PASS	
		40	3.96252	0.00560	PASS			
		50	-10.22816	-0.01446	PASS			
		HCH	VN	-30	-9.55582	-0.01336	PASS	
				-20	2.10285	0.00294	PASS	
				-10	-6.58035	-0.00920	PASS	
				0	-4.96387	-0.00694	PASS	
				10	-3.10421	-0.00434	PASS	
				20	-6.00815	-0.00840	PASS	
				30	3.67641	0.00514	PASS	
		40	-1.84536	-0.00258	PASS			
		50	5.55039	0.00776	PASS			
		3	LCH	VN	-30	-9.79900	-0.01399	PASS
-20	1.61648				0.00231	PASS		
-10	-0.22888				-0.00033	PASS		
0	3.30448				0.00472	PASS		



Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict		
					10	2.84672	0.00406	PASS		
					20	-5.95093	-0.00850	PASS		
					30	-6.66618	-0.00952	PASS		
					40	0.72956	0.00104	PASS		
					50	-0.74387	-0.00106	PASS		
			MCH	VN	-30	2.41756	0.00342	PASS		
					-20	-0.20027	-0.00028	PASS		
					-10	1.27316	0.00180	PASS		
					0	-0.51498	-0.00073	PASS		
					10	-0.37193	-0.00053	PASS		
					20	-2.77519	-0.00392	PASS		
					30	4.49181	0.00635	PASS		
					40	3.86238	0.00546	PASS		
					50	5.70774	0.00807	PASS		
					HCH	VN	-30	-5.99384	-0.00839	PASS
			-20	-3.91960			-0.00549	PASS		
			-10	-2.74658			-0.00384	PASS		
			0	-1.31607			-0.00184	PASS		
			10	-2.20299			-0.00308	PASS		
			20	-5.39303			-0.00755	PASS		
			30	-0.92983			-0.00130	PASS		
			40	3.20435			0.00448	PASS		
			5		LCH	VN	50	-0.24319	-0.00034	PASS
							-30	-3.60489	-0.00514	PASS
							-20	0.75817	0.00108	PASS
							-10	3.10421	0.00443	PASS
							0	-6.43730	-0.00918	PASS
							10	-2.67506	-0.00381	PASS
							20	0.57220	0.00082	PASS
							30	-3.59058	-0.00512	PASS
					MCH	VN	40	1.25885	0.00179	PASS
							50	-0.24319	-0.00035	PASS
							-30	1.04427	0.00148	PASS
-20	-4.14848	-0.00586					PASS			
-10	0.62943	0.00089					PASS			
0	-3.97682	-0.00562					PASS			
10	-7.33852	-0.01037					PASS			
20	5.30720	0.00750	PASS							
30	1.91688	0.00271	PASS							



Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict		
					40	6.50883	0.00920	PASS		
					50	-1.81675	-0.00257	PASS		
			HCH	VN	-30	-4.77791	-0.00670	PASS		
					-20	-4.27723	-0.00599	PASS		
					-10	-5.32150	-0.00746	PASS		
					0	-1.21593	-0.00170	PASS		
					10	0.58651	0.00082	PASS		
					20	-1.10149	-0.00154	PASS		
					30	-5.03540	-0.00706	PASS		
					40	-3.16143	-0.00443	PASS		
					50	0.52929	0.00074	PASS		
					LCH	VN	-30	-3.43323	-0.00488	PASS
			-20	-6.48022			-0.00920	PASS		
			-10	-4.16279			-0.00591	PASS		
			0	0.85831			0.00122	PASS		
			10	-0.01431			-0.00002	PASS		
			20	-0.58651			-0.00083	PASS		
			30	-1.20163			-0.00171	PASS		
			40	-0.51498			-0.00073	PASS		
			MCH	VN	50	-0.41485	-0.00059	PASS		
		-30			-2.10285	-0.00297	PASS			
		-20			-1.71661	-0.00243	PASS			
		-10			0.04292	0.00006	PASS			
		0			-0.51498	-0.00073	PASS			
		10			-1.28746	-0.00182	PASS			
		20			-2.68936	-0.00380	PASS			
		30			-1.63078	-0.00230	PASS			
		HCH	VN	40	-3.91960	-0.00554	PASS			
				50	-0.65804	-0.00093	PASS			
				-30	-4.59194	-0.00646	PASS			
				-20	-5.00679	-0.00704	PASS			
				-10	-2.81811	-0.00396	PASS			
				0	-5.92232	-0.00833	PASS			
				10	-0.95844	-0.00135	PASS			
				20	0.75817	0.00107	PASS			
		1.4	LCH	VN	30	-2.13146	-0.00300	PASS		
					40	-0.48637	-0.00068	PASS		
		LTE/TM2					50	-5.82218	-0.00819	PASS
			LTE/TM2	1.4	LCH	VN	-30	1.80244	0.00258	PASS



Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict	
					-20	1.30177	0.00186	PASS	
					-10	-0.84400	-0.00121	PASS	
					0	-17.52377	-0.02504	PASS	
					10	2.04563	0.00292	PASS	
					20	-9.02653	-0.01290	PASS	
					30	1.90258	0.00272	PASS	
					40	3.30448	0.00472	PASS	
					50	2.80380	0.00401	PASS	
			MCH	VN	-30	4.34875	0.00615	PASS	
					-20	-3.08990	-0.00437	PASS	
					-10	-7.89642	-0.01116	PASS	
					0	-5.42164	-0.00766	PASS	
					10	-5.47886	-0.00774	PASS	
					20	-3.26157	-0.00461	PASS	
					30	-2.10285	-0.00297	PASS	
					40	0.25749	0.00036	PASS	
			HCH	VN	-30	3.89099	0.00544	PASS	
					-20	-3.94821	-0.00552	PASS	
					-10	-12.17365	-0.01702	PASS	
					0	0.34332	0.00048	PASS	
					10	1.94550	0.00272	PASS	
					20	-1.21593	-0.00170	PASS	
					30	-0.32902	-0.00046	PASS	
					40	9.24110	0.01292	PASS	
			3	LCH	VN	-30	6.55174	0.00935	PASS
						-20	0.58651	0.00084	PASS
						-10	0.64373	0.00092	PASS
						0	5.09262	0.00727	PASS
						10	-0.24319	-0.00035	PASS
						20	-1.77383	-0.00253	PASS
						30	3.30448	0.00472	PASS
						40	2.71797	0.00388	PASS
						50	-1.05858	-0.00151	PASS
						MCH	VN	-30	-2.83241
			-20	-11.32965	-0.01601			PASS	
			-10	1.64509	0.00233			PASS	
0	-2.91824	-0.00412	PASS						



Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict		
					10	7.43866	0.01051	PASS		
					20	-2.37465	-0.00336	PASS		
					30	-8.91209	-0.01260	PASS		
					40	4.93527	0.00698	PASS		
					50	-0.27180	-0.00038	PASS		
			HCH	VN	-30	-1.24455	-0.00174	PASS		
					-20	5.19276	0.00727	PASS		
					-10	2.47478	0.00346	PASS		
					0	-2.28882	-0.00320	PASS		
					10	10.22816	0.01432	PASS		
					20	-1.10149	-0.00154	PASS		
					30	-2.37465	-0.00332	PASS		
					40	-4.19140	-0.00587	PASS		
					50	-3.63350	-0.00509	PASS		
					LCH	VN	-30	-8.56876	-0.01221	PASS
							-20	0.22888	0.00033	PASS
							-10	-5.89371	-0.00840	PASS
							0	0.20027	0.00029	PASS
							10	-9.21249	-0.01313	PASS
							20	-5.00679	-0.00714	PASS
		30	5.12123	0.00730			PASS			
		40	1.35899	0.00194			PASS			
		50	-9.25541	-0.01319			PASS			
		MCH	VN	-30			-0.70095	-0.00099	PASS	
				-20	1.47343	0.00208	PASS			
				-10	-2.90394	-0.00410	PASS			
				0	-2.66075	-0.00376	PASS			
				10	-6.75201	-0.00954	PASS			
				20	-1.58787	-0.00224	PASS			
				30	4.19140	0.00592	PASS			
				40	3.16143	0.00447	PASS			
		HCH	VN	50	1.57356	0.00222	PASS			
				-30	-4.27723	-0.00599	PASS			
				-20	-2.76089	-0.00387	PASS			
				-10	-2.07424	-0.00291	PASS			
				0	-1.81675	-0.00255	PASS			
				10	1.01566	0.00142	PASS			
				20	-0.21458	-0.00030	PASS			
		30	-0.24319	-0.00034	PASS					
		5					-30	-8.56876	-0.01221	PASS
-20	0.22888						0.00033	PASS		
-10	-5.89371						-0.00840	PASS		
0	0.20027						0.00029	PASS		
10	-9.21249						-0.01313	PASS		
LCH	VN				20	-5.00679	-0.00714	PASS		
					30	5.12123	0.00730	PASS		
					40	1.35899	0.00194	PASS		
					50	-9.25541	-0.01319	PASS		
					MCH	VN	-30	-0.70095	-0.00099	PASS
-20	1.47343	0.00208	PASS							
-10	-2.90394	-0.00410	PASS							
0	-2.66075	-0.00376	PASS							
10	-6.75201	-0.00954	PASS							
HCH	VN	20	-1.58787	-0.00224	PASS					
		30	4.19140	0.00592	PASS					
		40	3.16143	0.00447	PASS					
		50	1.57356	0.00222	PASS					
		-30	-4.27723	-0.00599	PASS					
5					-20	-2.76089	-0.00387	PASS		
					-10	-2.07424	-0.00291	PASS		
					0	-1.81675	-0.00255	PASS		
					10	1.01566	0.00142	PASS		
					20	-0.21458	-0.00030	PASS		
					30	-0.24319	-0.00034	PASS		
					50	1.57356	0.00222	PASS		

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					40	3.08990	0.00433	PASS
					50	-0.55790	-0.00078	PASS
		10	LCH	VN	-30	-1.55926	-0.00221	PASS
					-20	0.68665	0.00098	PASS
					-10	-2.84672	-0.00404	PASS
					0	-0.24319	-0.00035	PASS
					10	3.83377	0.00545	PASS
					20	0.17166	0.00024	PASS
					30	-1.47343	-0.00209	PASS
					40	0.02861	0.00004	PASS
					50	-0.34332	-0.00049	PASS
					MCH	VN	-30	-0.15736
		-20	0.10014	0.00014			PASS	
		-10	-1.85966	-0.00263			PASS	
		0	-0.17166	-0.00024			PASS	
		10	-0.12875	-0.00018			PASS	
		20	0.98705	0.00140			PASS	
		30	2.05994	0.00291			PASS	
		40	-2.56062	-0.00362			PASS	
		HCH	VN	-30	-2.50339	-0.00352	PASS	
				-20	-4.23431	-0.00596	PASS	
				-10	-1.80244	-0.00254	PASS	
				0	1.33038	0.00187	PASS	
				10	-0.84400	-0.00119	PASS	
				20	-1.55926	-0.00219	PASS	
				30	-1.02997	-0.00145	PASS	
				40	-1.63078	-0.00229	PASS	
		50	-0.65804	-0.00093	PASS			

END