


|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2C/ TX N40 Mode 5510MHz |

### Horizontal

100 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 11020.0000   | 28.94                      | 16.31                   | 45.25                     | 74.20           | -28.95       | Peak     |         |
| 2 * | 16530.0000   | 32.54                      | 19.38                   | 51.92                     | 74.20           | -22.28       | Peak     |         |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2C/ TX N40 Mode 5510MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2C/ TX N40 Mode 5510MHz |

### Horizontal


80 dBuV/m



| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2C/ TX N40 Mode 5670MHz |


### Vertical



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|----------|
| 1   | *   | 5674.200     | 39.85                    | 42.40                   | 82.25                      | 54.00           | 28.25        | AVG      | No Limit |
| 2   | X   | 5674.800     | 50.01                    | 42.40                   | 92.41                      | 68.30           | 24.11        | peak     | No Limit |
| 3   |     | 5725.000     | 10.38                    | 42.58                   | 52.96                      | 68.30           | -15.34       | peak     |          |
| 4   |     | 5725.000     | 0.90                     | 42.58                   | 43.48                      | 54.00           | -10.52       | AVG      |          |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2C/ TX N40 Mode 5670MHz |

# Vertical




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2C/ TX N40 Mode 5670MHz |

### Vertical

100 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 11340.0000   | 28.92                      | 16.07                   | 44.99                     | 74.20           | -29.21       | Peak     |         |
| 2 * | 17010.0000   | 31.01                      | 21.86                   | 52.87                     | 74.20           | -21.33       | Peak     |         |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2C/ TX N40 Mode 5670MHz |

### Vertical

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2C/ TX N40 Mode 5670MHz |

**Vertical**

80 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2C/ TX N40 Mode 5670MHz |

### Horizontal


125 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5655.8000    | 43.12                      | 42.33                   | 85.45                     | 54.00           | 31.45        | AVG      | No Limit |
| 2   | 5656.4000    | 52.94                      | 42.34                   | 95.28                     | 68.30           | 26.98        | Peak     | No Limit |
| 3   | 5725.0000    | 11.91                      | 42.58                   | 54.49                     | 68.30           | -13.81       | Peak     |          |
| 4   | 5725.0000    | 1.06                       | 42.58                   | 43.64                     | 54.00           | -10.36       | AVG      |          |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2C/ TX N40 Mode 5670MHz |

### Horizontal




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2C/ TX N40 Mode 5670MHz |

### Horizontal

100 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 11340.0000   | 28.89                      | 16.07                   | 44.96                     | 74.20           | -29.24       | Peak     |         |
| 2 * | 17010.0000   | 31.69                      | 21.86                   | 53.55                     | 74.20           | -20.65       | Peak     |         |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2C/ TX N40 Mode 5670MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                              |
|-------------------|------------------------------|
| Orthogonal Axis : | X                            |
| Test Mode :       | UNII-2C/ TX N40 Mode 5670MHz |

### Horizontal


80 dBuV/m



| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                          |
|------------------|--------------------------|
| Orthogonal Axis: | X                        |
| Test Mode:       | UNII-3/TX A Mode 5745MHz |


# Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5715.0000    | 13.33                      | 42.55                   | 55.88                     | 109.40          | -53.52       | Peak     |          |
| 2   | 5715.0000    | 2.07                       | 42.55                   | 44.62                     | 109.40          | -64.78       | AVG      |          |
| 3   | 5725.0000    | 15.76                      | 42.58                   | 58.34                     | 122.20          | -63.86       | Peak     |          |
| 4   | 5725.0000    | 4.83                       | 42.58                   | 47.41                     | 122.20          | -74.79       | AVG      |          |
| 5 * | 5738.1000    | 56.66                      | 42.63                   | 99.29                     | 122.20          | -22.91       | Peak     | No Limit |
| 6   | 5742.3000    | 47.92                      | 42.64                   | 90.56                     | 122.20          | -31.64       | AVG      | No Limit |

|                  |                          |
|------------------|--------------------------|
| Orthogonal Axis: | X                        |
| Test Mode:       | UNII-3/TX A Mode 5745MHz |

### Vertical




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                          |
|------------------|--------------------------|
| Orthogonal Axis: | X                        |
| Test Mode:       | UNII-3/TX A Mode 5745MHz |

### Vertical

100 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 11490.0000   | 29.54                      | 15.96                   | 45.50                     | 74.20           | -28.70       | Peak     |         |
| 2 * | 17235.0000   | 31.40                      | 22.45                   | 53.85                     | 74.20           | -20.35       | Peak     |         |

|                  |                          |
|------------------|--------------------------|
| Orthogonal Axis: | X                        |
| Test Mode:       | UNII-3/TX A Mode 5745MHz |

### Vertical

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                          |
|------------------|--------------------------|
| Orthogonal Axis: | X                        |
| Test Mode:       | UNII-3/TX A Mode 5745MHz |

### Vertical

80 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                          |
|------------------|--------------------------|
| Orthogonal Axis: | X                        |
| Test Mode:       | UNII-3/TX A Mode 5745MHz |

### Horizontal


125 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5715.0000    | 12.23                      | 42.55                   | 54.78                     | 109.40          | -54.62       | Peak     |          |
| 2   | 5715.0000    | 2.15                       | 42.55                   | 44.70                     | 109.40          | -64.70       | AVG      |          |
| 3   | 5725.0000    | 13.45                      | 42.58                   | 56.03                     | 122.20          | -66.17       | Peak     |          |
| 4   | 5725.0000    | 4.37                       | 42.58                   | 46.95                     | 122.20          | -75.25       | AVG      |          |
| 5 * | 5744.1000    | 55.21                      | 42.65                   | 97.86                     | 122.20          | -24.34       | Peak     | No Limit |
| 6   | 5746.6000    | 45.76                      | 42.66                   | 88.42                     | 122.20          | -33.78       | AVG      | No Limit |

|                  |                          |
|------------------|--------------------------|
| Orthogonal Axis: | X                        |
| Test Mode:       | UNII-3/TX A Mode 5745MHz |

### Horizontal




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                          |
|------------------|--------------------------|
| Orthogonal Axis: | X                        |
| Test Mode:       | UNII-3/TX A Mode 5745MHz |

### Horizontal

100 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 11490.0000   | 29.41                      | 15.96                   | 45.37                     | 74.20           | -28.83       | Peak     |         |
| 2 * | 17235.0000   | 30.81                      | 22.45                   | 53.26                     | 74.20           | -20.94       | Peak     |         |

|                  |                          |
|------------------|--------------------------|
| Orthogonal Axis: | X                        |
| Test Mode:       | UNII-3/TX A Mode 5745MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                          |
|------------------|--------------------------|
| Orthogonal Axis: | X                        |
| Test Mode:       | UNII-3/TX A Mode 5745MHz |

### Horizontal


80 dBuV/m



| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                          |
|------------------|--------------------------|
| Orthogonal Axis: | X                        |
| Test Mode:       | UNII-3/TX A Mode 5825MHz |


### Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5820.1000    | 44.43                      | 42.92                   | 87.35                     | 122.20          | -34.85       | AVG      | No Limit |
| 2 * | 5820.6000    | 53.60                      | 42.92                   | 96.52                     | 122.20          | -25.68       | Peak     | No Limit |
| 3   | 5850.0000    | 10.92                      | 43.03                   | 53.95                     | 122.20          | -68.25       | Peak     |          |
| 4   | 5850.0000    | 1.72                       | 43.03                   | 44.75                     | 122.20          | -77.45       | AVG      |          |
| 5   | 5860.0000    | 11.55                      | 43.06                   | 54.61                     | 109.40          | -54.79       | Peak     |          |
| 6   | 5860.0000    | 1.36                       | 43.06                   | 44.42                     | 109.40          | -64.98       | AVG      |          |

|                  |                          |
|------------------|--------------------------|
| Orthogonal Axis: | X                        |
| Test Mode:       | UNII-3/TX A Mode 5825MHz |

### Vertical




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                          |
|------------------|--------------------------|
| Orthogonal Axis: | X                        |
| Test Mode:       | UNII-3/TX A Mode 5825MHz |

# Vertical

100 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 11650.0000   | 30.37                      | 15.98                   | 46.35                     | 74.20           | -27.85       | Peak     |         |
| 2 * | 17475.0000   | 30.58                      | 23.08                   | 53.66                     | 74.20           | -20.54       | Peak     |         |

|                  |                          |
|------------------|--------------------------|
| Orthogonal Axis: | X                        |
| Test Mode:       | UNII-3/TX A Mode 5825MHz |

### Vertical


100 dBuV/m



| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                          |
|------------------|--------------------------|
| Orthogonal Axis: | X                        |
| Test Mode:       | UNII-3/TX A Mode 5825MHz |


### Vertical



| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                          |
|------------------|--------------------------|
| Orthogonal Axis: | X                        |
| Test Mode:       | UNII-3/TX A Mode 5825MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5820.5000    | 44.89                      | 42.92                   | 87.81                     | 122.20          | -34.39       | AVG      | No Limit |
| 2 * | 5820.8000    | 54.23                      | 42.92                   | 97.15                     | 122.20          | -25.05       | Peak     | No Limit |
| 3   | 5850.0000    | 10.96                      | 43.03                   | 53.99                     | 122.20          | -68.21       | Peak     |          |
| 4   | 5850.0000    | 2.14                       | 43.03                   | 45.17                     | 122.20          | -77.03       | AVG      |          |
| 5   | 5860.0000    | 9.82                       | 43.06                   | 52.88                     | 109.40          | -56.52       | Peak     |          |
| 6   | 5860.0000    | 2.29                       | 43.06                   | 45.35                     | 109.40          | -64.05       | AVG      |          |

|                  |                          |
|------------------|--------------------------|
| Orthogonal Axis: | X                        |
| Test Mode:       | UNII-3/TX A Mode 5825MHz |

### Horizontal




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                          |
|------------------|--------------------------|
| Orthogonal Axis: | X                        |
| Test Mode:       | UNII-3/TX A Mode 5825MHz |

### Horizontal

100 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 11650.0000   | 29.85                      | 15.98                   | 45.83                     | 74.20           | -28.37       | Peak     |         |
| 2 * | 17475.0000   | 30.47                      | 23.08                   | 53.55                     | 74.20           | -20.65       | Peak     |         |

|                  |                          |
|------------------|--------------------------|
| Orthogonal Axis: | X                        |
| Test Mode:       | UNII-3/TX A Mode 5825MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                          |
|------------------|--------------------------|
| Orthogonal Axis: | X                        |
| Test Mode:       | UNII-3/TX A Mode 5825MHz |

### Horizontal

80 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5745MHz |

### Vertical

125 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5715.0000    | 11.93                      | 42.55                   | 54.48                     | 109.40          | -54.92       | Peak     |          |
| 2   | 5715.0000    | 3.48                       | 42.55                   | 46.03                     | 109.40          | -63.37       | AVG      |          |
| 3   | 5725.0000    | 24.55                      | 42.58                   | 67.13                     | 122.20          | -55.07       | Peak     |          |
| 4   | 5725.0000    | 6.56                       | 42.58                   | 49.14                     | 122.20          | -73.06       | AVG      |          |
| 5   | 5742.2000    | 47.39                      | 42.64                   | 90.03                     | 122.20          | -32.17       | AVG      | No Limit |
| 6 * | 5742.4000    | 57.12                      | 42.64                   | 99.76                     | 122.20          | -22.44       | Peak     | No Limit |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5745MHz |

### Vertical

106 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5745MHz |

### Vertical

100 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 11490.0000   | 29.65                      | 15.96                   | 45.61                     | 74.20           | -28.59       | Peak     |         |
| 2 * | 17235.0000   | 30.68                      | 22.45                   | 53.13                     | 74.20           | -21.07       | Peak     |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5745MHz |

### Vertical

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5745MHz |

### Vertical

80 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5745MHz |

### Horizontal


125 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5715.0000    | 10.56                      | 42.55                   | 53.11                     | 109.40          | -56.29       | Peak     |          |
| 2   | 5715.0000    | 1.98                       | 42.55                   | 44.53                     | 109.40          | -64.87       | AVG      |          |
| 3   | 5725.0000    | 18.46                      | 42.58                   | 61.04                     | 122.20          | -61.16       | Peak     |          |
| 4   | 5725.0000    | 4.86                       | 42.58                   | 47.44                     | 122.20          | -74.76       | AVG      |          |
| 5 * | 5740.2000    | 53.18                      | 42.63                   | 95.81                     | 122.20          | -26.39       | Peak     | No Limit |
| 6   | 5742.7000    | 43.58                      | 42.64                   | 86.22                     | 122.20          | -35.98       | AVG      | No Limit |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5745MHz |

### Horizontal




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5745MHz |

### Horizontal

100 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 11490.0000   | 29.54                      | 15.96                   | 45.50                     | 74.20           | -28.70       | Peak     |         |
| 2 * | 17235.0000   | 31.46                      | 22.45                   | 53.91                     | 74.20           | -20.29       | Peak     |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5745MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5745MHz |

### Horizontal


80 dBuV/m



| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5825MHz |


# Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5826.4000    | 43.52                      | 42.94                   | 86.46                     | 122.20          | -35.74       | AVG      | No Limit |
| 2 * | 5829.8000    | 54.19                      | 42.95                   | 97.14                     | 122.20          | -25.06       | Peak     | No Limit |
| 3   | 5850.0000    | 9.41                       | 43.03                   | 52.44                     | 122.20          | -69.76       | Peak     |          |
| 4   | 5850.0000    | 1.30                       | 43.03                   | 44.33                     | 122.20          | -77.87       | AVG      |          |
| 5   | 5860.0000    | 8.44                       | 43.06                   | 51.50                     | 109.40          | -57.90       | Peak     |          |
| 6   | 5860.0000    | 1.04                       | 43.06                   | 44.10                     | 109.40          | -65.30       | AVG      |          |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5825MHz |

### Vertical




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5825MHz |

# Vertical

100 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 11650.0000   | 29.71                      | 15.98                   | 45.69                     | 74.20           | -28.51       | Peak     |         |
| 2 * | 17475.0000   | 29.81                      | 23.08                   | 52.89                     | 74.20           | -21.31       | Peak     |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5825MHz |

### Vertical

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5825MHz |

### Vertical


80 dBuV/m



| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5825MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5820.0000    | 51.70                      | 42.92                   | 94.62                     | 122.20          | -27.58       | Peak     | No Limit |
| 2   | 5821.1000    | 42.34                      | 42.92                   | 85.26                     | 122.20          | -36.94       | AVG      | No Limit |
| 3   | 5850.0000    | 9.04                       | 43.03                   | 52.07                     | 122.20          | -70.13       | Peak     |          |
| 4   | 5850.0000    | 0.83                       | 43.03                   | 43.86                     | 122.20          | -78.34       | AVG      |          |
| 5   | 5860.0000    | 7.98                       | 43.06                   | 51.04                     | 109.40          | -58.36       | Peak     |          |
| 6   | 5860.0000    | 0.69                       | 43.06                   | 43.75                     | 109.40          | -65.65       | AVG      |          |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5825MHz |

### Horizontal




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5825MHz |

### Horizontal

100 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 11650.0000   | 30.52                      | 15.98                   | 46.50                     | 74.20           | -27.70       | Peak     |         |
| 2 * | 17475.0000   | 30.40                      | 23.08                   | 53.48                     | 74.20           | -20.72       | Peak     |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5825MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5825MHz |

### Horizontal


80 dBuV/m



| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N40 Mode 5755MHz |

### Vertical




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5715.0000    | 16.86                      | 42.55                   | 59.41                     | 109.40          | -49.99       | Peak     |          |
| 2   | 5715.0000    | 4.42                       | 42.55                   | 46.97                     | 109.40          | -62.43       | AVG      |          |
| 3   | 5725.0000    | 15.00                      | 42.58                   | 57.58                     | 122.20          | -64.62       | Peak     |          |
| 4   | 5725.0000    | 5.29                       | 42.58                   | 47.87                     | 122.20          | -74.33       | AVG      |          |
| 5   | 5741.8000    | 42.72                      | 42.64                   | 85.36                     | 122.20          | -36.84       | AVG      | No Limit |
| 6 * | 5744.8000    | 52.39                      | 42.65                   | 95.04                     | 122.20          | -27.16       | Peak     | No Limit |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N40 Mode 5755MHz |

### Vertical

106 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N40 Mode 5755MHz |

### Vertical

100 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 11510.0000   | 29.02                      | 15.96                   | 44.98                     | 74.20           | -29.22       | Peak     |         |
| 2 * | 17265.0000   | 30.41                      | 22.53                   | 52.94                     | 74.20           | -21.26       | Peak     |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N40 Mode 5755MHz |

### Vertical

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N40 Mode 5755MHz |

**Vertical**


80 dBuV/m



| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N40 Mode 5755MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5715.0000    | 13.15                      | 42.55                   | 55.70                     | 109.40          | -53.70       | Peak     |          |
| 2   | 5715.0000    | 3.40                       | 42.55                   | 45.95                     | 109.40          | -63.45       | AVG      |          |
| 3   | 5725.0000    | 14.71                      | 42.58                   | 57.29                     | 122.20          | -64.91       | Peak     |          |
| 4   | 5725.0000    | 4.91                       | 42.58                   | 47.49                     | 122.20          | -74.71       | AVG      |          |
| 5   | 5741.4000    | 41.15                      | 42.64                   | 83.79                     | 122.20          | -38.41       | AVG      | No Limit |
| 6 * | 5752.2000    | 51.63                      | 42.68                   | 94.31                     | 122.20          | -27.89       | Peak     | No Limit |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N40 Mode 5755MHz |

### Horizontal




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N40 Mode 5755MHz |

### Horizontal

100 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 11510.0000   | 28.89                      | 15.96                   | 44.85                     | 74.20           | -29.35       | Peak     |         |
| 2 * | 17265.0000   | 30.72                      | 22.53                   | 53.25                     | 74.20           | -20.95       | Peak     |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N40 Mode 5755MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N40 Mode 5755MHz |

### Horizontal


80 dBuV/m



| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N40 Mode 5795MHz |


### Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5789.6000    | 41.11                      | 42.81                   | 83.92                     | 122.20          | -38.28       | AVG      | No Limit |
| 2 * | 5792.6000    | 50.90                      | 42.82                   | 93.72                     | 122.20          | -28.48       | Peak     | No Limit |
| 3   | 5850.0000    | 9.70                       | 43.03                   | 52.73                     | 122.20          | -69.47       | Peak     |          |
| 4   | 5850.0000    | 0.30                       | 43.03                   | 43.33                     | 122.20          | -78.87       | AVG      |          |
| 5   | 5860.0000    | 8.26                       | 43.06                   | 51.32                     | 109.40          | -58.08       | Peak     |          |
| 6   | 5860.0000    | 0.26                       | 43.06                   | 43.32                     | 109.40          | -66.08       | AVG      |          |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N40 Mode 5795MHz |

### Vertical




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N40 Mode 5795MHz |

### Vertical

100 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 11590.0000   | 29.72                      | 15.97                   | 45.69                     | 74.20           | -28.51       | Peak     |         |
| 2 * | 17385.0000   | 30.30                      | 22.85                   | 53.15                     | 74.20           | -21.05       | Peak     |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N40 Mode 5795MHz |

Vertical

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N40 Mode 5795MHz |

### Vertical


80 dBuV/m



| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N40 Mode 5795MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5789.8000    | 41.73                      | 42.81                   | 84.54                     | 122.20          | -37.66       | AVG      | No Limit |
| 2 * | 5791.2000    | 51.81                      | 42.82                   | 94.63                     | 122.20          | -27.57       | Peak     | No Limit |
| 3   | 5850.0000    | 11.24                      | 43.03                   | 54.27                     | 122.20          | -67.93       | Peak     |          |
| 4   | 5850.0000    | 0.91                       | 43.03                   | 43.94                     | 122.20          | -78.26       | AVG      |          |
| 5   | 5860.0000    | 11.01                      | 43.06                   | 54.07                     | 109.40          | -55.33       | Peak     |          |
| 6   | 5860.0000    | 1.08                       | 43.06                   | 44.14                     | 109.40          | -65.26       | AVG      |          |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N40 Mode 5795MHz |

### Horizontal




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N40 Mode 5795MHz |

### Horizontal

100 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 11590.0000   | 30.08                      | 15.97                   | 46.05                     | 74.20           | -28.15       | Peak     |         |
| 2 * | 17385.0000   | 30.75                      | 22.85                   | 53.60                     | 74.20           | -20.60       | Peak     |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N40 Mode 5795MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N40 Mode 5795MHz |

### Horizontal


80 dBuV/m



| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5180MHz |


# Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5150.0000    | 11.72                      | 40.62                   | 52.34                     | 68.30           | -15.96       | Peak     |          |
| 2   | 5150.0000    | 1.83                       | 40.62                   | 42.45                     | 54.00           | -11.55       | AVG      |          |
| 3 * | 5181.5000    | 47.42                      | 40.73                   | 88.15                     | 54.00           | 34.15        | AVG      | No Limit |
| 4   | 5183.2000    | 58.69                      | 40.73                   | 99.42                     | 68.30           | 31.12        | Peak     | No Limit |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5180MHz |

### Vertical




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5180MHz |

### Vertical

100 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 10360.0000   | 29.90                      | 15.23                   | 45.13                     | 74.20           | -29.07       | Peak     |         |
| 2 * | 15540.0000   | 31.62                      | 18.87                   | 50.49                     | 74.20           | -23.71       | Peak     |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5180MHz |

### Vertical

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5180MHz |

### Vertical

80 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5180MHz |

### Horizontal


125 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5150.0000    | 10.32                      | 40.62                   | 50.94                     | 68.30           | -17.36       | Peak     |          |
| 2   | 5150.0000    | 1.98                       | 40.62                   | 42.60                     | 54.00           | -11.40       | AVG      |          |
| 3 * | 5183.0000    | 46.78                      | 40.73                   | 87.51                     | 54.00           | 33.51        | AVG      | No Limit |
| 4   | 5184.3000    | 56.06                      | 40.74                   | 96.80                     | 68.30           | 28.50        | Peak     | No Limit |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5180MHz |

### Horizontal




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5180MHz |

### Horizontal

100 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 10360.0000   | 29.93                      | 15.23                   | 45.16                     | 74.20           | -29.04       | Peak     |         |
| 2 * | 15540.0000   | 31.58                      | 18.87                   | 50.45                     | 74.20           | -23.75       | Peak     |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5180MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5180MHz |

### Horizontal

80 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5240MHz |

### Vertical

125 dBuV/m




| No. | Freq.     | Reading Level | Correct Factor | Measure ment | Limit  | Margin |          |          |
|-----|-----------|---------------|----------------|--------------|--------|--------|----------|----------|
|     | MHz       | dBuV/m        | dB             | dBuV/m       | dBuV/m | dB     | Detector | Comment  |
| 1 * | 5238.3000 | 49.34         | 40.92          | 90.26        | 54.00  | 36.26  | AVG      | No Limit |
| 2   | 5239.7000 | 58.57         | 40.92          | 99.49        | 68.30  | 31.19  | Peak     | No Limit |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5240MHz |

### Vertical

106 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5240MHz |

### Vertical

100 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 10480.0000   | 30.59                      | 15.54                   | 46.13                     | 74.20           | -28.07       | Peak     |         |
| 2 * | 15720.0000   | 31.88                      | 18.88                   | 50.76                     | 74.20           | -23.44       | Peak     |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5240MHz |

### Vertical

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5240MHz |

# Vertical


80 dBuV/m



| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5240MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5233.7000    | 58.04                      | 40.90                   | 98.94                     | 68.30           | 30.64        | Peak     | No Limit |
| 2 * | 5241.5000    | 49.13                      | 40.93                   | 90.06                     | 54.00           | 36.06        | AVG      | No Limit |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5240MHz |


### Horizontal



| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5240MHz |

### Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 10480.0000   | 30.96                      | 15.54                   | 46.50                     | 74.20           | -27.70       | Peak     |         |
| 2 * | 15720.0000   | 31.93                      | 18.88                   | 50.81                     | 74.20           | -23.39       | Peak     |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5240MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5240MHz |

### Horizontal

80 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC40 Mode 5190MHz |

### Vertical


125 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5150.0000    | 16.36                      | 40.62                   | 56.98                     | 68.30           | -11.32       | Peak     |          |
| 2   | 5150.0000    | 4.83                       | 40.62                   | 45.45                     | 54.00           | -8.55        | AVG      |          |
| 3   | 5194.0000    | 52.89                      | 40.77                   | 93.66                     | 68.30           | 25.36        | Peak     | No Limit |
| 4 * | 5194.6000    | 42.21                      | 40.77                   | 82.98                     | 54.00           | 28.98        | AVG      | No Limit |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC40 Mode 5190MHz |

**Vertical**




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC40 Mode 5190MHz |

### Vertical

100 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 10380.0000   | 30.88                      | 15.29                   | 46.17                     | 74.20           | -28.03       | Peak     |         |
| 2 * | 15570.0000   | 31.29                      | 18.87                   | 50.16                     | 74.20           | -24.04       | Peak     |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC40 Mode 5190MHz |

### Vertical

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC40 Mode 5190MHz |

### Vertical

80 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC40 Mode 5190MHz |

### Horizontal

125 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5150.0000    | 15.34                      | 40.62                   | 55.96                     | 68.30           | -12.34       | Peak     |          |
| 2   | 5150.0000    | 4.37                       | 40.62                   | 44.99                     | 54.00           | -9.01        | AVG      |          |
| 3   | 5182.6000    | 52.33                      | 40.73                   | 93.06                     | 68.30           | 24.76        | Peak     | No Limit |
| 4 * | 5184.4000    | 42.55                      | 40.74                   | 83.29                     | 54.00           | 29.29        | AVG      | No Limit |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC40 Mode 5190MHz |

### Horizontal

106 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC40 Mode 5190MHz |

### Horizontal

100 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 10380.0000   | 29.95                      | 15.29                   | 45.24                     | 74.20           | -28.96       | Peak     |         |
| 2 * | 15570.0000   | 31.13                      | 18.87                   | 50.00                     | 74.20           | -24.20       | Peak     |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC40 Mode 5190MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC40 Mode 5190MHz |

### Horizontal

80 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC40 Mode 5230MHz |

### Vertical


125 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5237.6000    | 43.92                      | 40.91                   | 84.83                     | 54.00           | 30.83        | AVG      | No Limit |
| 2   | 5241.2000    | 53.46                      | 40.93                   | 94.39                     | 68.30           | 26.09        | Peak     | No Limit |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC40 Mode 5230MHz |

### Vertical




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC40 Mode 5230MHz |

# Vertical

100 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 10460.0000   | 30.68                      | 15.49                   | 46.17                     | 74.20           | -28.03       | Peak     |         |
| 2 * | 16590.0000   | 32.28                      | 19.69                   | 51.97                     | 74.20           | -22.23       | Peak     |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC40 Mode 5230MHz |

### Vertical

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC40 Mode 5230MHz |

**Vertical**


80 dBuV/m



| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC40 Mode 5230MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5236.4000    | 55.18                      | 40.91                   | 96.09                     | 68.30           | 27.79        | Peak     | No Limit |
| 2 * | 5236.6000    | 46.13                      | 40.91                   | 87.04                     | 54.00           | 33.04        | AVG      | No Limit |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC40 Mode 5230MHz |

### Horizontal




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC40 Mode 5230MHz |

### Horizontal

100 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 10460.0000   | 30.65                      | 15.49                   | 46.14                     | 74.20           | -28.06       | Peak     |         |
| 2 * | 15690.0000   | 31.40                      | 18.88                   | 50.28                     | 74.20           | -23.92       | Peak     |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC40 Mode 5230MHz |


### Horizontal

100 dBuV/m



| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |


## Horizontal



|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC80 Mode 5210MHz |

# Vertical


125 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5150.0000    | 13.21                      | 40.62                   | 53.83                     | 68.30           | -14.47       | Peak     |          |
| 2   | 5150.0000    | 3.23                       | 40.62                   | 43.85                     | 54.00           | -10.15       | AVG      |          |
| 3 * | 5223.6000    | 37.40                      | 40.87                   | 78.27                     | 54.00           | 24.27        | AVG      | No Limit |
| 4   | 5224.0000    | 47.88                      | 40.87                   | 88.75                     | 68.30           | 20.45        | Peak     | No Limit |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC80 Mode 5210MHz |

### Vertical




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC80 Mode 5210MHz |

# Vertical

100 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 10420.0000   | 30.62                      | 15.39                   | 46.01                     | 74.20           | -28.19       | Peak     |         |
| 2 * | 15630.0000   | 31.69                      | 18.88                   | 50.57                     | 74.20           | -23.63       | Peak     |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC80 Mode 5210MHz |

Vertical

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC80 Mode 5210MHz |

**Vertical**

80 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC80 Mode 5210MHz |

### Horizontal


125 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5150.0000    | 15.49                      | 40.62                   | 56.11                     | 68.30           | -12.19       | Peak     |          |
| 2   | 5150.0000    | 5.32                       | 40.62                   | 45.94                     | 54.00           | -8.06        | AVG      |          |
| 3 * | 5223.2000    | 38.57                      | 40.87                   | 79.44                     | 54.00           | 25.44        | AVG      | No Limit |
| 4   | 5224.0000    | 49.51                      | 40.87                   | 90.38                     | 68.30           | 22.08        | Peak     | No Limit |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC80 Mode 5210MHz |

### Horizontal




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC80 Mode 5210MHz |

### Horizontal

100 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 10420.0000   | 29.51                      | 15.39                   | 44.90                     | 74.20           | -29.30       | Peak     |         |
| 2 * | 15630.0000   | 31.83                      | 18.88                   | 50.71                     | 74.20           | -23.49       | Peak     |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC80 Mode 5210MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC80 Mode 5210MHz |

### Horizontal


80 dBuV/m



| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC20 Mode 5260MHz |


### Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5263.1000    | 57.88                      | 41.00                   | 98.88                     | 68.30           | 30.58        | Peak     | No Limit |
| 2 * | 5265.4000    | 48.24                      | 41.01                   | 89.25                     | 54.00           | 35.25        | AVG      | No Limit |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC20 Mode 5260MHz |

### Vertical




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC20 Mode 5260MHz |

### Vertical

100 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 10520.0000   | 30.26                      | 15.62                   | 45.88                     | 74.20           | -28.32       | Peak     |         |
| 2 * | 15780.0000   | 31.92                      | 18.88                   | 50.80                     | 74.20           | -23.40       | Peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC20 Mode 5260MHz |

### Vertical

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC20 Mode 5260MHz |

### Vertical


80 dBuV/m



| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC20 Mode 5260MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5258.0000    | 50.97                      | 40.98                   | 91.95                     | 54.00           | 37.95        | AVG      | No Limit |
| 2   | 5263.1000    | 60.16                      | 41.00                   | 101.16                    | 68.30           | 32.86        | Peak     | No Limit |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC20 Mode 5260MHz |

### Horizontal




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC20 Mode 5260MHz |

### Horizontal

100 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 10520.0000   | 30.05                      | 15.62                   | 45.67                     | 74.20           | -28.53       | Peak     |         |
| 2 * | 15780.0000   | 31.29                      | 18.88                   | 50.17                     | 74.20           | -24.03       | Peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC20 Mode 5260MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC20 Mode 5260MHz |

### Horizontal


80 dBuV/m



| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC20 Mode 5320MHz |

# Vertical




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5327.0000    | 48.03                      | 41.21                   | 89.24                     | 54.00           | 35.24        | AVG      | No Limit |
| 2   | 5327.1000    | 57.36                      | 41.21                   | 98.57                     | 68.30           | 30.27        | Peak     | No Limit |
| 3   | 5350.0000    | 12.39                      | 41.28                   | 53.67                     | 68.30           | -14.63       | Peak     |          |
| 4   | 5350.0000    | 2.29                       | 41.28                   | 43.57                     | 54.00           | -10.43       | AVG      |          |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC20 Mode 5320MHz |

**Vertical**

106 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC20 Mode 5320MHz |

### Vertical

100 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 10640.0000   | 29.74                      | 15.80                   | 45.54                     | 74.20           | -28.66       | Peak     |         |
| 2 * | 15960.0000   | 32.31                      | 18.89                   | 51.20                     | 74.20           | -23.00       | Peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC20 Mode 5320MHz |

### Vertical

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC20 Mode 5320MHz |

**Vertical**


80 dBuV/m



| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC20 Mode 5320MHz |

### Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5318.8000    | 47.26                      | 41.18                   | 88.44                     | 54.00           | 34.44        | AVG      | No Limit |
| 2   | 5326.5000    | 55.83                      | 41.21                   | 97.04                     | 68.30           | 28.74        | Peak     | No Limit |
| 3   | 5350.0000    | 12.00                      | 41.28                   | 53.28                     | 68.30           | -15.02       | Peak     |          |
| 4   | 5350.0000    | 2.04                       | 41.28                   | 43.32                     | 54.00           | -10.68       | AVG      |          |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC20 Mode 5320MHz |

### Horizontal

106 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC20 Mode 5320MHz |

### Horizontal

100 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 10640.0000   | 30.24                      | 15.80                   | 46.04                     | 74.20           | -28.16       | Peak     |         |
| 2 * | 15960.0000   | 31.72                      | 18.89                   | 50.61                     | 74.20           | -23.59       | Peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC20 Mode 5320MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC20 Mode 5320MHz |

### Horizontal

80 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC40 Mode 5270MHz |

### Vertical

125 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5276.6000    | 54.30                      | 41.04                   | 95.34                     | 68.30           | 27.04        | Peak     | No Limit |
| 2 * | 5277.8000    | 44.11                      | 41.05                   | 85.16                     | 54.00           | 31.16        | AVG      | No Limit |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC40 Mode 5270MHz |

### Vertical

106 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC40 Mode 5270MHz |

# Vertical

100 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 10540.0000   | 30.87                      | 15.65                   | 46.52                     | 74.20           | -27.68       | Peak     |         |
| 2 * | 15810.0000   | 32.92                      | 18.88                   | 51.80                     | 74.20           | -22.40       | Peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC40 Mode 5270MHz |

Vertical

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC40 Mode 5270MHz |

### Vertical


80 dBuV/m



| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC40 Mode 5270MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5277.4000    | 47.99                      | 41.05                   | 89.04                     | 54.00           | 35.04        | AVG      | No Limit |
| 2   | 5281.6000    | 57.62                      | 41.06                   | 98.68                     | 68.30           | 30.38        | Peak     | No Limit |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC40 Mode 5270MHz |

### Horizontal




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC40 Mode 5270MHz |

### Horizontal

100 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 10540.0000   | 30.15                      | 15.65                   | 45.80                     | 74.20           | -28.40       | Peak     |         |
| 2 * | 15810.0000   | 31.60                      | 18.88                   | 50.48                     | 74.20           | -23.72       | Peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC40 Mode 5270MHz |

### Horizontal


100 dBuV/m



| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC40 Mode 5270MHz |

### Horizontal




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC40 Mode 5310MHz |

### Vertical


125 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5295.8000    | 42.80                      | 41.11                   | 83.91                     | 54.00           | 29.91        | AVG      | No Limit |
| 2   | 5320.4000    | 52.58                      | 41.19                   | 93.77                     | 68.30           | 25.47        | Peak     | No Limit |
| 3   | 5350.0000    | 10.69                      | 41.28                   | 51.97                     | 68.30           | -16.33       | Peak     |          |
| 4   | 5350.0000    | 2.01                       | 41.28                   | 43.29                     | 54.00           | -10.71       | AVG      |          |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC40 Mode 5310MHz |

### Vertical




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC40 Mode 5310MHz |

### Vertical

100 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 10620.0000   | 30.86                      | 15.77                   | 46.63                     | 74.20           | -27.57       | Peak     |         |
| 2 * | 15930.0000   | 32.01                      | 18.89                   | 50.90                     | 74.20           | -23.30       | Peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC40 Mode 5310MHz |

### Vertical

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC40 Mode 5310MHz |

**Vertical**

80 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC40 Mode 5310MHz |

### Horizontal


125 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5297.0000    | 42.49                      | 41.11                   | 83.60                     | 54.00           | 29.60        | AVG      | No Limit |
| 2   | 5297.8000    | 52.40                      | 41.11                   | 93.51                     | 68.30           | 25.21        | Peak     | No Limit |
| 3   | 5350.0000    | 12.37                      | 41.28                   | 53.65                     | 68.30           | -14.65       | Peak     |          |
| 4   | 5350.0000    | 2.47                       | 41.28                   | 43.75                     | 54.00           | -10.25       | AVG      |          |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC40 Mode 5310MHz |


### Horizontal



| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC40 Mode 5310MHz |

### Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 10620.0000   | 30.72                      | 15.77                   | 46.49                     | 74.20           | -27.71       | Peak     |         |
| 2 * | 15930.0000   | 32.79                      | 18.89                   | 51.68                     | 74.20           | -22.52       | Peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC40 Mode 5310MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC40 Mode 5310MHz |

### Horizontal


80 dBuV/m



| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC80 Mode 5290MHz |


### Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5319.2000    | 48.66                      | 41.18                   | 89.84                     | 68.30           | 21.54        | Peak     | No Limit |
| 2 * | 5320.4000    | 38.12                      | 41.19                   | 79.31                     | 54.00           | 25.31        | AVG      | No Limit |
| 3   | 5350.0000    | 10.62                      | 41.28                   | 51.90                     | 68.30           | -16.40       | Peak     |          |
| 4   | 5350.0000    | 1.23                       | 41.28                   | 42.51                     | 54.00           | -11.49       | AVG      |          |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC80 Mode 5290MHz |

### Vertical




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC80 Mode 5290MHz |

### Vertical

100 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 10580.0000   | 29.83                      | 15.71                   | 45.54                     | 74.20           | -28.66       | Peak     |         |
| 2 * | 15870.0000   | 32.21                      | 18.88                   | 51.09                     | 74.20           | -23.11       | Peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC80 Mode 5290MHz |

Vertical

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC80 Mode 5290MHz |

**Vertical**

80 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC80 Mode 5290MHz |

### Horizontal


125 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5277.6000    | 53.92                      | 41.05                   | 94.97                     | 68.30           | 26.67        | Peak     | No Limit |
| 2 * | 5280.4000    | 42.95                      | 41.06                   | 84.01                     | 54.00           | 30.01        | AVG      | No Limit |
| 3   | 5350.0000    | 11.68                      | 41.28                   | 52.96                     | 68.30           | -15.34       | Peak     |          |
| 4   | 5350.0000    | 2.99                       | 41.28                   | 44.27                     | 54.00           | -9.73        | AVG      |          |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC80 Mode 5290MHz |

### Horizontal




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC80 Mode 5290MHz |

### Horizontal

100 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 10580.0000   | 31.77                      | 15.71                   | 47.48                     | 74.20           | -26.72       | Peak     |         |
| 2 * | 15870.0000   | 31.30                      | 18.88                   | 50.18                     | 74.20           | -24.02       | Peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC80 Mode 5290MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2A/ TX AC80 Mode 5290MHz |

### Horizontal

80 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC20 Mode 5500MHz |

### Vertical


125 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5460.0000    | 10.03                      | 41.65                   | 51.68                     | 68.30           | -16.62       | Peak     |          |
| 2   | 5460.0000    | 1.48                       | 41.65                   | 43.13                     | 54.00           | -10.87       | AVG      |          |
| 3   | 5470.0000    | 10.52                      | 41.68                   | 52.20                     | 68.30           | -16.10       | Peak     |          |
| 4   | 5470.0000    | 2.19                       | 41.68                   | 43.87                     | 54.00           | -10.13       | AVG      |          |
| 5   | 5493.1000    | 56.49                      | 41.76                   | 98.25                     | 68.30           | 29.95        | Peak     | No Limit |
| 6 * | 5496.4000    | 46.56                      | 41.77                   | 88.33                     | 54.00           | 34.33        | AVG      | No Limit |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC20 Mode 5500MHz |


### Vertical



| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC20 Mode 5500MHz |

### Vertical




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 11000.0000   | 29.51                      | 16.33                   | 45.84                     | 74.20           | -28.36       | Peak     |         |
| 2 * | 16500.0000   | 32.40                      | 19.23                   | 51.63                     | 74.20           | -22.57       | Peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC20 Mode 5500MHz |

### Vertical

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC20 Mode 5500MHz |

### Vertical

80 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC20 Mode 5500MHz |

### Horizontal


125 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5460.0000    | 10.63                      | 41.65                   | 52.28                     | 68.30           | -16.02       | Peak     |          |
| 2   | 5460.0000    | 1.43                       | 41.65                   | 43.08                     | 54.00           | -10.92       | AVG      |          |
| 3   | 5470.0000    | 12.12                      | 41.68                   | 53.80                     | 68.30           | -14.50       | Peak     |          |
| 4   | 5470.0000    | 2.31                       | 41.68                   | 43.99                     | 54.00           | -10.01       | AVG      |          |
| 5   | 5493.9000    | 55.92                      | 41.76                   | 97.68                     | 68.30           | 29.38        | Peak     | No Limit |
| 6 * | 5494.7000    | 46.86                      | 41.76                   | 88.62                     | 54.00           | 34.62        | AVG      | No Limit |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC20 Mode 5500MHz |

### Horizontal




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC20 Mode 5500MHz |

### Horizontal

100 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 11000.0000   | 29.51                      | 16.33                   | 45.84                     | 74.20           | -28.36       | Peak     |         |
| 2 * | 16500.0000   | 32.16                      | 19.23                   | 51.39                     | 74.20           | -22.81       | Peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC20 Mode 5500MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC20 Mode 5500MHz |

### Horizontal

80 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC20 Mode 5700MHz |

### Vertical


125 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5695.3000    | 55.70                      | 42.48                   | 98.18                     | 68.30           | 29.88        | Peak     | No Limit |
| 2 * | 5707.0000    | 46.37                      | 42.52                   | 88.89                     | 54.00           | 34.89        | AVG      | No Limit |
| 3   | 5725.0000    | 11.45                      | 42.58                   | 54.03                     | 68.30           | -14.27       | Peak     |          |
| 4   | 5725.0000    | 2.77                       | 42.58                   | 45.35                     | 54.00           | -8.65        | AVG      |          |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC20 Mode 5700MHz |

### Vertical




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC20 Mode 5700MHz |

### Vertical

100 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 11400.0000   | 30.56                      | 16.03                   | 46.59                     | 74.20           | -27.61       | Peak     |         |
| 2 * | 17100.0000   | 30.47                      | 22.09                   | 52.56                     | 74.20           | -21.64       | Peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC20 Mode 5700MHz |

### Vertical

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC20 Mode 5700MHz |

### Vertical

80 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC20 Mode 5700MHz |

### Horizontal


125 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5707.2000    | 55.17                      | 42.52                   | 97.69                     | 68.30           | 29.39        | Peak     | No Limit |
| 2 * | 5707.4000    | 46.18                      | 42.52                   | 88.70                     | 54.00           | 34.70        | AVG      | No Limit |
| 3   | 5725.0000    | 11.87                      | 42.58                   | 54.45                     | 68.30           | -13.85       | Peak     |          |
| 4   | 5725.0000    | 2.50                       | 42.58                   | 45.08                     | 54.00           | -8.92        | AVG      |          |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC20 Mode 5700MHz |

### Horizontal




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC20 Mode 5700MHz |

### Horizontal

100 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 11400.0000   | 29.76                      | 16.03                   | 45.79                     | 74.20           | -28.41       | Peak     |         |
| 2 * | 17100.0000   | 30.32                      | 22.09                   | 52.41                     | 74.20           | -21.79       | Peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC20 Mode 5700MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC20 Mode 5700MHz |

### Horizontal


80 dBuV/m



| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC40 Mode 5510MHz |


# Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5460.0000    | 13.62                      | 41.65                   | 55.27                     | 68.30           | -13.03       | Peak     |          |
| 2   | 5460.0000    | 2.07                       | 41.65                   | 43.72                     | 54.00           | -10.28       | AVG      |          |
| 3   | 5470.0000    | 14.91                      | 41.68                   | 56.59                     | 68.30           | -11.71       | Peak     |          |
| 4   | 5470.0000    | 4.95                       | 41.68                   | 46.63                     | 54.00           | -7.37        | AVG      |          |
| 5   | 5515.8000    | 53.10                      | 41.84                   | 94.94                     | 68.30           | 26.64        | Peak     | No Limit |
| 6 * | 5516.0000    | 42.09                      | 41.84                   | 83.93                     | 54.00           | 29.93        | AVG      | No Limit |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC40 Mode 5510MHz |


### Vertical



| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC40 Mode 5510MHz |

### Vertical




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 11020.0000   | 29.32                      | 16.31                   | 45.63                     | 74.20           | -28.57       | Peak     |         |
| 2 * | 16530.0000   | 32.19                      | 19.38                   | 51.57                     | 74.20           | -22.63       | Peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC40 Mode 5510MHz |

### Vertical

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC40 Mode 5510MHz |

### Vertical

80 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC40 Mode 5510MHz |

### Horizontal


125 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5460.0000    | 9.86                       | 41.65                   | 51.51                     | 68.30           | -16.79       | Peak     |          |
| 2   | 5460.0000    | 1.85                       | 41.65                   | 43.50                     | 54.00           | -10.50       | AVG      |          |
| 3   | 5470.0000    | 13.22                      | 41.68                   | 54.90                     | 68.30           | -13.40       | Peak     |          |
| 4   | 5470.0000    | 4.82                       | 41.68                   | 46.50                     | 54.00           | -7.50        | AVG      |          |
| 5   | 5515.8000    | 52.42                      | 41.84                   | 94.26                     | 68.30           | 25.96        | Peak     | No Limit |
| 6 * | 5515.8000    | 42.66                      | 41.84                   | 84.50                     | 54.00           | 30.50        | AVG      | No Limit |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC40 Mode 5510MHz |


### Horizontal



| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC40 Mode 5510MHz |

### Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 11020.0000   | 30.28                      | 16.31                   | 46.59                     | 74.20           | -27.61       | Peak     |         |
| 2 * | 16530.0000   | 33.03                      | 19.38                   | 52.41                     | 74.20           | -21.79       | Peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC40 Mode 5510MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC40 Mode 5510MHz |

### Horizontal

80 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC40 Mode 5670MHz |

### Vertical


125 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5674.4000    | 41.97                      | 42.40                   | 84.37                     | 54.00           | 30.37        | AVG      | No Limit |
| 2   | 5677.6000    | 52.81                      | 42.41                   | 95.22                     | 68.30           | 26.92        | Peak     | No Limit |
| 3   | 5725.0000    | 11.74                      | 42.58                   | 54.32                     | 68.30           | -13.98       | Peak     |          |
| 4   | 5725.0000    | 1.68                       | 42.58                   | 44.26                     | 54.00           | -9.74        | AVG      |          |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC40 Mode 5670MHz |

### Vertical




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC40 Mode 5670MHz |

### Vertical

100 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 11340.0000   | 30.85                      | 16.07                   | 46.92                     | 74.20           | -27.28       | Peak     |         |
| 2 * | 17010.0000   | 31.10                      | 21.86                   | 52.96                     | 74.20           | -21.24       | Peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC40 Mode 5670MHz |

### Vertical

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC40 Mode 5670MHz |

### Vertical

80 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC40 Mode 5670MHz |

### Horizontal


125 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5653.8000    | 53.11                      | 42.33                   | 95.44                     | 68.30           | 27.14        | Peak     | No Limit |
| 2 * | 5656.4000    | 43.36                      | 42.34                   | 85.70                     | 54.00           | 31.70        | AVG      | No Limit |
| 3   | 5725.0000    | 9.89                       | 42.58                   | 52.47                     | 68.30           | -15.83       | Peak     |          |
| 4   | 5725.0000    | 2.21                       | 42.58                   | 44.79                     | 54.00           | -9.21        | AVG      |          |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC40 Mode 5670MHz |

### Horizontal




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC40 Mode 5670MHz |

### Horizontal

100 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 11340.0000   | 29.34                      | 16.07                   | 45.41                     | 74.20           | -28.79       | Peak     |         |
| 2 * | 17010.0000   | 30.99                      | 21.86                   | 52.85                     | 74.20           | -21.35       | Peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC40 Mode 5670MHz |

### Horizontal


100 dBuV/m



| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC40 Mode 5670MHz |

### Horizontal




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC80 Mode 5530MHz |

### Vertical

125 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5460.0000    | 14.92                      | 41.65                   | 56.57                     | 68.30           | -11.73       | Peak     |          |
| 2   | 5460.0000    | 4.36                       | 41.65                   | 46.01                     | 54.00           | -7.99        | AVG      |          |
| 3   | 5470.0000    | 14.82                      | 41.68                   | 56.50                     | 68.30           | -11.80       | Peak     |          |
| 4   | 5470.0000    | 5.77                       | 41.68                   | 47.45                     | 54.00           | -6.55        | AVG      |          |
| 5 * | 5539.6000    | 38.45                      | 41.92                   | 80.37                     | 54.00           | 26.37        | AVG      | No Limit |
| 6   | 5542.4000    | 48.87                      | 41.93                   | 90.80                     | 68.30           | 22.50        | Peak     | No Limit |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC80 Mode 5530MHz |

**Vertical**

106 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC80 Mode 5530MHz |

### Vertical

100 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 11060.0000   | 30.55                      | 16.28                   | 46.83                     | 74.20           | -27.37       | Peak     |         |
| 2 * | 16590.0000   | 32.19                      | 19.69                   | 51.88                     | 74.20           | -22.32       | Peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC80 Mode 5530MHz |


**Vertical**

100 dBuV/m



| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |


## Vertical



|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC80 Mode 5530MHz |

# Horizontal


125 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5460.0000    | 12.21                      | 41.65                   | 53.86                     | 68.30           | -14.44       | Peak     |          |
| 2   | 5460.0000    | 4.33                       | 41.65                   | 45.98                     | 54.00           | -8.02        | AVG      |          |
| 3   | 5470.0000    | 14.40                      | 41.68                   | 56.08                     | 68.30           | -12.22       | Peak     |          |
| 4   | 5470.0000    | 5.13                       | 41.68                   | 46.81                     | 54.00           | -7.19        | AVG      |          |
| 5   | 5516.0000    | 47.91                      | 41.84                   | 89.75                     | 68.30           | 21.45        | Peak     | No Limit |
| 6 * | 5560.8000    | 37.31                      | 42.00                   | 79.31                     | 54.00           | 25.31        | AVG      | No Limit |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC80 Mode 5530MHz |

### Horizontal




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC80 Mode 5530MHz |

### Horizontal

100 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 11060.0000   | 28.92                      | 16.28                   | 45.20                     | 74.20           | -29.00       | Peak     |         |
| 2 * | 16590.0000   | 32.15                      | 19.69                   | 51.84                     | 74.20           | -22.36       | Peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC80 Mode 5530MHz |


### Horizontal

100 dBuV/m



| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |
|     |       |               |                |             |        |        |          |         |


## Horizontal



|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC80 Mode 5610MHz |

### Vertical


125 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5583.2000    | 44.02                      | 42.08                   | 86.10                     | 68.30           | 17.80        | Peak     | No Limit |
| 2 * | 5594.4000    | 32.94                      | 42.12                   | 75.06                     | 54.00           | 21.06        | AVG      | No Limit |
| 3   | 5725.0000    | 8.52                       | 42.58                   | 51.10                     | 68.30           | -17.20       | Peak     |          |
| 4   | 5725.0000    | -0.22                      | 42.58                   | 42.36                     | 54.00           | -11.64       | AVG      |          |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC80 Mode 5610MHz |

**Vertical**




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC80 Mode 5610MHz |

### Vertical

100 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 11220.0000   | 29.58                      | 16.16                   | 45.74                     | 74.20           | -28.46       | Peak     |         |
| 2 * | 16830.0000   | 32.36                      | 20.94                   | 53.30                     | 74.20           | -20.90       | Peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC80 Mode 5610MHz |

### Vertical

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC80 Mode 5610MHz |

### Vertical

80 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC80 Mode 5610MHz |

### Horizontal

125 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5578.8000    | 50.15                      | 42.06                   | 92.21                     | 68.30           | 23.91        | Peak     | No Limit |
| 2 * | 5580.4000    | 39.31                      | 42.07                   | 81.38                     | 54.00           | 27.38        | AVG      | No Limit |
| 3   | 5725.0000    | 12.05                      | 42.58                   | 54.63                     | 68.30           | -13.67       | Peak     |          |
| 4   | 5725.0000    | 0.66                       | 42.58                   | 43.24                     | 54.00           | -10.76       | AVG      |          |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC80 Mode 5610MHz |

# Horizontal

106 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC80 Mode 5610MHz |

### Horizontal

100 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 11220.0000   | 29.88                      | 16.16                   | 46.04                     | 74.20           | -28.16       | Peak     |         |
| 2 * | 16830.0000   | 31.80                      | 20.94                   | 52.74                     | 74.20           | -21.46       | Peak     |         |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC80 Mode 5610MHz |

### Horizontal


100 dBuV/m



| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                   |                               |
|-------------------|-------------------------------|
| Orthogonal Axis : | X                             |
| Test Mode :       | UNII-2C/ TX AC80 Mode 5610MHz |

### Horizontal




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5745MHz |

### Vertical

125 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5715.0000    | 13.20                      | 42.55                   | 55.75                     | 109.40          | -53.65       | Peak     |          |
| 2   | 5715.0000    | 2.80                       | 42.55                   | 45.35                     | 109.40          | -64.05       | AVG      |          |
| 3   | 5725.0000    | 14.94                      | 42.58                   | 57.52                     | 122.20          | -64.68       | Peak     |          |
| 4   | 5725.0000    | 6.09                       | 42.58                   | 48.67                     | 122.20          | -73.53       | AVG      |          |
| 5   | 5742.4000    | 46.86                      | 42.64                   | 89.50                     | 122.20          | -32.70       | AVG      | No Limit |
| 6 * | 5748.7000    | 56.50                      | 42.67                   | 99.17                     | 122.20          | -23.03       | Peak     | No Limit |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5745MHz |

### Vertical

106 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5745MHz |

# Vertical

100 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 11490.0000   | 29.94                      | 15.96                   | 45.90                     | 74.20           | -28.30       | Peak     |         |
| 2 * | 17235.0000   | 31.12                      | 22.45                   | 53.57                     | 74.20           | -20.63       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5745MHz |

### Vertical

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5745MHz |

### Vertical


80 dBuV/m



| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5745MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5715.0000    | 11.64                      | 42.55                   | 54.19                     | 109.40          | -55.21       | Peak     |          |
| 2   | 5715.0000    | 2.78                       | 42.55                   | 45.33                     | 109.40          | -64.07       | AVG      |          |
| 3   | 5725.0000    | 19.39                      | 42.58                   | 61.97                     | 122.20          | -60.23       | Peak     |          |
| 4   | 5725.0000    | 6.28                       | 42.58                   | 48.86                     | 122.20          | -73.34       | AVG      |          |
| 5 * | 5747.2000    | 55.50                      | 42.66                   | 98.16                     | 122.20          | -24.04       | Peak     | No Limit |
| 6   | 5752.4000    | 46.11                      | 42.68                   | 88.79                     | 122.20          | -33.41       | AVG      | No Limit |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5745MHz |

### Horizontal




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5745MHz |

### Horizontal

100 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 11490.0000   | 29.36                      | 15.96                   | 45.32                     | 74.20           | -28.88       | Peak     |         |
| 2 * | 17235.0000   | 31.60                      | 22.45                   | 54.05                     | 74.20           | -20.15       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5745MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5745MHz |

### Horizontal


80 dBuV/m



| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5825MHz |

### Vertical




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5818.5000    | 53.56                      | 42.91                   | 96.47                     | 122.20          | -25.73       | Peak     | No Limit |
| 2   | 5818.8000    | 43.95                      | 42.91                   | 86.86                     | 122.20          | -35.34       | AVG      | No Limit |
| 3   | 5850.0000    | 10.47                      | 43.03                   | 53.50                     | 122.20          | -68.70       | Peak     |          |
| 4   | 5850.0000    | 1.70                       | 43.03                   | 44.73                     | 122.20          | -77.47       | AVG      |          |
| 5   | 5860.0000    | 9.90                       | 43.06                   | 52.96                     | 109.40          | -56.44       | Peak     |          |
| 6   | 5860.0000    | 1.27                       | 43.06                   | 44.33                     | 109.40          | -65.07       | AVG      |          |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5825MHz |

### Vertical

106 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5825MHz |

### Vertical

100 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 11650.0000   | 29.90                      | 15.98                   | 45.88                     | 74.20           | -28.32       | Peak     |         |
| 2 * | 17475.0000   | 30.40                      | 23.08                   | 53.48                     | 74.20           | -20.72       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5825MHz |

### Vertical

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5825MHz |

### Vertical


80 dBuV/m



| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5825MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5820.1000    | 45.24                      | 42.92                   | 88.16                     | 122.20          | -34.04       | AVG      | No Limit |
| 2 * | 5821.2000    | 54.48                      | 42.92                   | 97.40                     | 122.20          | -24.80       | Peak     | No Limit |
| 3   | 5850.0000    | 11.38                      | 43.03                   | 54.41                     | 122.20          | -67.79       | Peak     |          |
| 4   | 5850.0000    | 1.68                       | 43.03                   | 44.71                     | 122.20          | -77.49       | AVG      |          |
| 5   | 5860.0000    | 10.11                      | 43.06                   | 53.17                     | 109.40          | -56.23       | Peak     |          |
| 6   | 5860.0000    | 1.72                       | 43.06                   | 44.78                     | 109.40          | -64.62       | AVG      |          |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5825MHz |

# Horizontal




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5825MHz |

### Horizontal

100 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 11650.0000   | 29.54                      | 15.98                   | 45.52                     | 74.20           | -28.68       | Peak     |         |
| 2 * | 17475.0000   | 30.76                      | 23.08                   | 53.84                     | 74.20           | -20.36       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5825MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5825MHz |

### Horizontal


80 dBuV/m



| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5755MHz |

### Vertical




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5715.0000    | 14.39                      | 42.55                   | 56.94                     | 109.40          | -52.46       | Peak     |          |
| 2   | 5715.0000    | 4.44                       | 42.55                   | 46.99                     | 109.40          | -62.41       | AVG      |          |
| 3   | 5725.0000    | 13.65                      | 42.58                   | 56.23                     | 122.20          | -65.97       | Peak     |          |
| 4   | 5725.0000    | 5.60                       | 42.58                   | 48.18                     | 122.20          | -74.02       | AVG      |          |
| 5 * | 5741.4000    | 52.44                      | 42.64                   | 95.08                     | 122.20          | -27.12       | Peak     | No Limit |
| 6   | 5742.0000    | 42.24                      | 42.64                   | 84.88                     | 122.20          | -37.32       | AVG      | No Limit |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5755MHz |

### Vertical

106 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5755MHz |

### Vertical

100 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 11510.0000   | 29.59                      | 15.96                   | 45.55                     | 74.20           | -28.65       | Peak     |         |
| 2 * | 17265.0000   | 30.74                      | 22.53                   | 53.27                     | 74.20           | -20.93       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5755MHz |

Vertical

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5755MHz |

### Vertical


80 dBuV/m



| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5755MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5715.0000    | 15.57                      | 42.55                   | 58.12                     | 109.40          | -51.28       | Peak     |          |
| 2   | 5715.0000    | 4.46                       | 42.55                   | 47.01                     | 109.40          | -62.39       | AVG      |          |
| 3   | 5725.0000    | 15.57                      | 42.58                   | 58.15                     | 122.20          | -64.05       | Peak     |          |
| 4   | 5725.0000    | 5.55                       | 42.58                   | 48.13                     | 122.20          | -74.07       | AVG      |          |
| 5 * | 5741.6000    | 51.71                      | 42.64                   | 94.35                     | 122.20          | -27.85       | Peak     | No Limit |
| 6   | 5752.2000    | 41.72                      | 42.68                   | 84.40                     | 122.20          | -37.80       | AVG      | No Limit |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5755MHz |


### Horizontal



| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5755MHz |

### Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 11510.0000   | 30.67                      | 15.96                   | 46.63                     | 74.20           | -27.57       | Peak     |         |
| 2 * | 17265.0000   | 30.71                      | 22.53                   | 53.24                     | 74.20           | -20.96       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5755MHz |

### Horizontal


100 dBuV/m



| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5755MHz |


### Horizontal



| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5795MHz |


### Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5789.6000    | 40.40                      | 42.81                   | 83.21                     | 122.20          | -38.99       | AVG      | No Limit |
| 2 * | 5791.0000    | 50.61                      | 42.82                   | 93.43                     | 122.20          | -28.77       | Peak     | No Limit |
| 3   | 5850.0000    | 10.72                      | 43.03                   | 53.75                     | 122.20          | -68.45       | Peak     |          |
| 4   | 5850.0000    | 0.83                       | 43.03                   | 43.86                     | 122.20          | -78.34       | AVG      |          |
| 5   | 5860.0000    | 9.28                       | 43.06                   | 52.34                     | 109.40          | -57.06       | Peak     |          |
| 6   | 5860.0000    | 0.42                       | 43.06                   | 43.48                     | 109.40          | -65.92       | AVG      |          |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5795MHz |

### Vertical




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5795MHz |

# Vertical

100 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 11590.0000   | 29.86                      | 15.97                   | 45.83                     | 74.20           | -28.37       | Peak     |         |
| 2 * | 17385.0000   | 31.15                      | 22.85                   | 54.00                     | 74.20           | -20.20       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5795MHz |

**Vertical**

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5795MHz |

### Vertical


80 dBuV/m



| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5795MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5785.4000    | 51.33                      | 42.80                   | 94.13                     | 122.20          | -28.07       | Peak     | No Limit |
| 2   | 5790.6000    | 41.18                      | 42.81                   | 83.99                     | 122.20          | -38.21       | AVG      | No Limit |
| 3   | 5850.0000    | 10.37                      | 43.03                   | 53.40                     | 122.20          | -68.80       | Peak     |          |
| 4   | 5850.0000    | 1.14                       | 43.03                   | 44.17                     | 122.20          | -78.03       | AVG      |          |
| 5   | 5860.0000    | 10.06                      | 43.06                   | 53.12                     | 109.40          | -56.28       | Peak     |          |
| 6   | 5860.0000    | 1.39                       | 43.06                   | 44.45                     | 109.40          | -64.95       | AVG      |          |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5795MHz |

### Horizontal




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5795MHz |

### Horizontal

100 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 11590.0000   | 29.51                      | 15.97                   | 45.48                     | 74.20           | -28.72       | Peak     |         |
| 2 * | 17385.0000   | 30.33                      | 22.85                   | 53.18                     | 74.20           | -21.02       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5795MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5795MHz |

### Horizontal


80 dBuV/m



| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC80 Mode 5775MHz |


### Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5715.0000    | 16.21                      | 42.55                   | 58.76                     | 109.40          | -50.64       | Peak     |          |
| 2   | 5715.0000    | 4.35                       | 42.55                   | 46.90                     | 109.40          | -62.50       | AVG      |          |
| 3   | 5725.0000    | 15.74                      | 42.58                   | 58.32                     | 122.20          | -63.88       | Peak     |          |
| 4   | 5725.0000    | 4.68                       | 42.58                   | 47.26                     | 122.20          | -74.94       | AVG      |          |
| 5   | 5751.0000    | 38.42                      | 42.67                   | 81.09                     | 122.20          | -41.11       | AVG      | No Limit |
| 6 * | 5752.2000    | 49.12                      | 42.68                   | 91.80                     | 122.20          | -30.40       | Peak     | No Limit |
| 7   | 5850.0000    | 10.64                      | 43.03                   | 53.67                     | 122.20          | -68.53       | Peak     |          |
| 8   | 5850.0000    | 0.84                       | 43.03                   | 43.87                     | 122.20          | -78.33       | AVG      |          |
| 9   | 5860.0000    | 9.90                       | 43.06                   | 52.96                     | 109.40          | -56.44       | Peak     |          |
| 10  | 5860.0000    | 0.89                       | 43.06                   | 43.95                     | 109.40          | -65.45       | AVG      |          |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC80 Mode 5775MHz |

**Vertical**




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC80 Mode 5775MHz |

### Vertical


100 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 11550.0000   | 30.39                      | 15.96                   | 46.35                     | 74.20           | -27.85       | Peak     |         |
| 2 * | 17325.0000   | 30.11                      | 22.69                   | 52.80                     | 74.20           | -21.40       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC80 Mode 5775MHz |

# Vertical




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC80 Mode 5775MHz |

### Vertical


80 dBuV/m



| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC80 Mode 5775MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5715.0000    | 13.16                      | 42.55                   | 55.71                     | 109.40          | -53.69       | Peak     |          |
| 2   | 5715.0000    | 2.93                       | 42.55                   | 45.48                     | 109.40          | -63.92       | AVG      |          |
| 3   | 5725.0000    | 13.26                      | 42.58                   | 55.84                     | 122.20          | -66.36       | Peak     |          |
| 4   | 5725.0000    | 3.05                       | 42.58                   | 45.63                     | 122.20          | -76.57       | AVG      |          |
| 5   | 5742.2000    | 36.00                      | 42.64                   | 78.64                     | 122.20          | -43.56       | AVG      | No Limit |
| 6 * | 5748.2000    | 47.64                      | 42.66                   | 90.30                     | 122.20          | -31.90       | Peak     | No Limit |
| 7   | 5850.0000    | 10.33                      | 43.03                   | 53.36                     | 122.20          | -68.84       | Peak     |          |
| 8   | 5850.0000    | 0.23                       | 43.03                   | 43.26                     | 122.20          | -78.94       | AVG      |          |
| 9   | 5860.0000    | 9.19                       | 43.06                   | 52.25                     | 109.40          | -57.15       | Peak     |          |
| 10  | 5860.0000    | 0.44                       | 43.06                   | 43.50                     | 109.40          | -65.90       | AVG      |          |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC80 Mode 5775MHz |

### Horizontal




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC80 Mode 5775MHz |

### Horizontal

100 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 11550.0000   | 30.09                      | 15.96                   | 46.05                     | 74.20           | -28.15       | Peak     |         |
| 2 * | 17325.0000   | 29.51                      | 22.69                   | 52.20                     | 74.20           | -22.00       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC80 Mode 5775MHz |

### Horizontal

100 dBuV/m




| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC80 Mode 5775MHz |

### Horizontal

80 dBuV/m



| No. | Freq. | Reading Level | Correct Factor | Measurement | Limit  | Margin | Detector | Comment |
|-----|-------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz   | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     |          |         |