









6.1.1.2.2.2 Test Channel = MCH

6.1.1.2.2.2.1 Test RB = RB1#0










6.1.1.2.2.3 Test Channel = HCH

6.1.1.2.2.3.1 Test RB = RB1#0












6.1.1.2.3 Test Bandwidth = 5

6.1.1.2.3.1 Test Channel = LCH

6.1.1.2.3.1.1 Test RB = RB1#0












6.1.1.2.3.2 Test Channel = MCH

6.1.1.2.3.2.1 Test RB = RB1#0










6.1.1.2.3.3 Test Channel = HCH

6.1.1.2.3.3.1 Test RB = RB1#0












6.1.1.2.4 Test Bandwidth = 10

6.1.1.2.4.1 Test Channel = LCH

6.1.1.2.4.1.1 Test RB = RB1#0










6.1.1.2.4.2 Test Channel = MCH

6.1.1.2.4.2.1 Test RB = RB1#0










6.1.1.2.4.3 Test Channel = HCH

6.1.1.2.4.3.1 Test RB = RB1#0










6.1.1.2.5 Test Bandwidth = 15

6.1.1.2.5.1 Test Channel = LCH

6.1.1.2.5.1.1 Test RB = RB1#0












6.1.1.2.5.2 Test Channel = MCH

6.1.1.2.5.2.1 Test RB = RB1#0












6.1.1.2.5.3 Test Channel = HCH

6.1.1.2.5.3.1 Test RB = RB1#0










6.1.1.2.6 Test Bandwidth = 20

6.1.1.2.6.1 Test Channel = LCH

6.1.1.2.6.1.1 Test RB = RB1#0










6.1.1.2.6.2 Test Channel = MCH

6.1.1.2.6.2.1 Test RB = RB1#0












6.1.1.2.6.3 Test Channel = HCH

6.1.1.2.6.3.1 Test RB = RB1#0







7Appendix_G: Field Strength of Spurious Radiation

Note: We tested all modes, but the data presented below is the worst case.

9kHz~150kHz, VBW = 200Hz, VBW = 600 Hz, Detector: PK

150kHz~30MHz, VBW = 9kHz, VBW = 30k Hz, Detector: PK


30MHz~1GHz, RBW = 100 kHz, VBW = 300 kHz. Detector: PK

Above 1GHz, RBW = 1 MHz, VBW = 3 MHz. Detector: PK


7.1 For LTE

7.1.1 Test Band = BAND2_Ant1


7.1.1.1 Test Bandwidth = 1.4




Copy of RSE-TX-DIRECTOR ABOVE 1.5G_L




Copy of RSE-TX-DIRECTOR ABOVE 1.5G_H








7.1.1.2 Test Bandwidth = 20



Copy of RSE-TX-DIRECTOR ABOVE 1.5G_L




Copy of RSE-TX-DIRECTOR ABOVE 1.5G_H




7.1.2 Test Band = BAND2_Ant2



7.1.2.1 Test Bandwidth = 1.4




Copy of RSE-TX-DIRECTOR ABOVE 1.5G_L




Copy of RSE-TX-DIRECTOR ABOVE 1.5G_H





7.1.2.2 Test Bandwidth = 20



Copy of RSE-TX-DIRECTOR ABOVE 1.5G_L



Copy of RSE-TX-DIRECTOR ABOVE 1.5G_H



8Appendix_H: Frequency Stability

8.1 For LTE

8.1.1Frequency Error vs. Voltage:

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
BAND2	LTE/TM1	1.4	LCH	TN	VL	3.39	0.00183	PASS
					VN	3.39	0.00183	PASS
					VH	-1.04	-0.00056	PASS
			MCH	TN	VL	-6.52	-0.00347	PASS
					VN	6.25	0.00332	PASS
					VH	-13.82	-0.00735	PASS
			HCH	TN	VL	-6.95	-0.00364	PASS
					VN	-2.83	-0.00148	PASS
					VH	-6.38	-0.00334	PASS
		3	LCH	TN	VL	-7.44	-0.00402	PASS
					VN	-7.51	-0.00406	PASS
					VH	-3.19	-0.00172	PASS
			MCH	TN	VL	-6.48	-0.00345	PASS
					VN	-8.78	-0.00467	PASS
					VH	-7.55	-0.00402	PASS
			HCH	TN	VL	-4.28	-0.00224	PASS
					VN	-4.25	-0.00223	PASS
					VH	-3.72	-0.00195	PASS
		5	LCH	TN	VL	-1.33	-0.00072	PASS
					VN	1.66	0.0009	PASS
					VH	-4.62	-0.00249	PASS
			MCH	TN	VL	-4.18	-0.00222	PASS
					VN	-2.12	-0.00113	PASS
					VH	-6.68	-0.00355	PASS
			HCH	TN	VL	-9.11	-0.00478	PASS
					VN	-0.76	-0.0004	PASS
					VH	0.53	0.00028	PASS
		10	LCH	TN	VL	0.19	0.0001	PASS
					VN	-2.29	-0.00123	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
	LTE/TM2		MCH	TN	VH	0.11	0.00006	PASS
					VL	-1.65	-0.00088	PASS
					VN	-3.55	-0.00189	PASS
					VH	-5.88	-0.00313	PASS
			HCH	TN	VL	-0.63	-0.00033	PASS
					VN	-0.80	-0.00042	PASS
					VH	-4.38	-0.0023	PASS
			LCH	TN	VL	0.54	0.00029	PASS
					VN	10.66	0.00574	PASS
					VH	6.90	0.00371	PASS
			MCH	TN	VL	-2.56	-0.00136	PASS
					VN	-4.66	-0.00248	PASS
					VH	-2.59	-0.00138	PASS
		15	HCH	TN	VL	-2.42	-0.00127	PASS
					VN	-1.40	-0.00074	PASS
					VH	-3.23	-0.0017	PASS
			LCH	TN	VL	-14.72	-0.00791	PASS
					VN	-8.84	-0.00475	PASS
					VH	-8.64	-0.00465	PASS
			MCH	TN	VL	-3.98	-0.00212	PASS
					VN	-6.41	-0.00341	PASS
					VH	-8.48	-0.00451	PASS
			HCH	TN	VL	2.36	0.00124	PASS
					VN	1.06	0.00056	PASS
					VH	1.95	0.00103	PASS
		20	LCH	TN	VL	5.51	0.00298	PASS
					VN	-8.08	-0.00437	PASS
					VH	2.78	0.0015	PASS
			MCH	TN	VL	-10.29	-0.00547	PASS
					VN	-8.84	-0.0047	PASS
					VH	-0.23	-0.00012	PASS
			HCH	TN	VL	-3.38	-0.00177	PASS
					VN	2.89	0.00151	PASS
					VH	-1.02	-0.00053	PASS
		3	LCH	TN	VL	-2.62	-0.00142	PASS
					VN	-9.17	-0.00495	PASS
					VH	-14.72	-0.00795	PASS
			MCH	TN	VL	1.89	0.00101	PASS
					VN	-5.61	-0.00298	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
			HCH	TN	VH	-1.33	-0.00071	PASS
					VL	-0.51	-0.00027	PASS
					VN	-11.72	-0.00614	PASS
					VH	-1.22	-0.00064	PASS
		5	LCH	TN	VL	-2.55	-0.00138	PASS
					VN	-2.60	-0.0014	PASS
					VH	-2.68	-0.00145	PASS
			MCH	TN	VL	-6.05	-0.00322	PASS
					VN	-0.86	-0.00046	PASS
					VH	2.55	0.00136	PASS
			HCH	TN	VL	-1.95	-0.00102	PASS
					VN	-1.23	-0.00064	PASS
					VH	-3.73	-0.00196	PASS
		10	LCH	TN	VL	-6.62	-0.00357	PASS
					VN	-2.96	-0.0016	PASS
					VH	1.92	0.00104	PASS
			MCH	TN	VL	-2.35	-0.00125	PASS
					VN	0.59	0.00031	PASS
					VH	-2.29	-0.00122	PASS
			HCH	TN	VL	-0.66	-0.00035	PASS
					VN	-3.96	-0.00208	PASS
					VH	1.29	0.00068	PASS
		15	LCH	TN	VL	-3.09	-0.00166	PASS
					VN	-4.36	-0.00235	PASS
					VH	-1.70	-0.00092	PASS
			MCH	TN	VL	-2.07	-0.0011	PASS
					VN	-0.23	-0.00012	PASS
					VH	-3.30	-0.00176	PASS
			HCH	TN	VL	-1.89	-0.00099	PASS
					VN	0.20	0.00011	PASS
					VH	-2.06	-0.00108	PASS
		20	LCH	TN	VL	-0.50	-0.00027	PASS
					VN	-1.27	-0.00068	PASS
					VH	-1.04	-0.00056	PASS
			MCH	TN	VL	-0.50	-0.00027	PASS
					VN	-0.24	-0.00013	PASS
					VH	-1.77	-0.00094	PASS
			HCH	TN	VL	-1.82	-0.00096	PASS
					VN	-1.85	-0.00097	PASS
					VH	-1.85	-0.00097	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					VH	-2.13	-0.00112	PASS

8.1.2 Frequency Error vs. Temperature:

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
BAND2	LTE/TM1	1.4	LCH	VN	-30	-2.30	-0.00124	PASS
					-20	-9.21	-0.00498	PASS
					-10	3.99	0.00216	PASS
					0	-1.07	-0.00058	PASS
					10	-13.10	-0.00708	PASS
					20	-7.68	-0.00415	PASS
					30	-5.81	-0.00314	PASS
					40	3.53	0.00191	PASS
					50	-1.56	-0.00084	PASS
			MCH	VN	-30	14.85	0.0079	PASS
					-20	-1.00	-0.00053	PASS
					-10	-8.75	-0.00465	PASS
					0	-28.28	-0.01504	PASS
					10	8.24	0.00438	PASS
					20	2.09	0.00111	PASS
					30	-10.87	-0.00578	PASS
					40	-76.75	-0.04082	PASS
					50	6.47	0.00344	PASS
			HCH	VN	-30	-1.14	-0.0006	PASS
					-20	-3.98	-0.00208	PASS
					-10	-17.91	-0.00938	PASS
					0	-2.29	-0.0012	PASS
					10	-1.40	-0.00073	PASS
					20	-4.26	-0.00223	PASS
					30	-2.82	-0.00148	PASS
					40	-0.49	-0.00026	PASS
					50	-3.92	-0.00205	PASS
		3	LCH	VN	-30	-8.88	-0.0048	PASS
					-20	-2.72	-0.00147	PASS
					-10	-0.93	-0.0005	PASS
					0	-12.63	-0.00682	PASS
					10	0.89	0.00048	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					20	-9.10	-0.00491	PASS
					30	1.29	0.0007	PASS
					40	-11.66	-0.0063	PASS
					50	-2.39	-0.00129	PASS
			MCH	VN	-30	-11.63	-0.00619	PASS
					-20	-1.10	-0.00059	PASS
					-10	-9.76	-0.00519	PASS
					0	-1.22	-0.00065	PASS
					10	-10.96	-0.00583	PASS
					20	1.53	0.00081	PASS
					30	-8.63	-0.00459	PASS
					40	-1.02	-0.00054	PASS
					50	0.84	0.00045	PASS
			HCH	VN	-30	-10.86	-0.00569	PASS
					-20	-2.89	-0.00151	PASS
					-10	-2.79	-0.00146	PASS
					0	-10.64	-0.00558	PASS
					10	-6.87	-0.0036	PASS
					20	-12.03	-0.0063	PASS
					30	0.70	0.00037	PASS
					40	-1.32	-0.00069	PASS
					50	-16.58	-0.00869	PASS
		5	LCH	VN	-30	-3.22	-0.00174	PASS
					-20	-0.43	-0.00023	PASS
					-10	-0.21	-0.00011	PASS
					0	-4.88	-0.00263	PASS
					10	-2.26	-0.00122	PASS
					20	-2.43	-0.00131	PASS
					30	-0.13	-0.00007	PASS
					40	-3.25	-0.00175	PASS
					50	-2.70	-0.00146	PASS
			MCH	VN	-30	0.39	0.00021	PASS
					-20	-1.85	-0.00098	PASS
					-10	1.13	0.0006	PASS
					0	-0.99	-0.00053	PASS
					10	-0.93	-0.00049	PASS
					20	-0.13	-0.00007	PASS
					30	-0.44	-0.00023	PASS
					40	-0.72	-0.00038	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
			HCH	VN	50	0.84	0.00045	PASS
					-30	2.45	0.00128	PASS
					-20	3.28	0.00172	PASS
					-10	-0.76	-0.0004	PASS
					0	-0.31	-0.00016	PASS
					10	0.99	0.00052	PASS
					20	-0.21	-0.00011	PASS
					30	-0.56	-0.00029	PASS
					40	-1.06	-0.00056	PASS
					50	-1.52	-0.0008	PASS
		10	LCH	VN	-30	-2.70	-0.00146	PASS
					-20	1.52	0.00082	PASS
					-10	3.25	0.00175	PASS
					0	-1.22	-0.00066	PASS
					10	-2.95	-0.00159	PASS
					20	-0.90	-0.00049	PASS
					30	0.43	0.00023	PASS
					40	-3.10	-0.00167	PASS
					50	-3.13	-0.00169	PASS
			MCH	VN	-30	-0.23	-0.00012	PASS
					-20	-1.17	-0.00062	PASS
					-10	-0.30	-0.00016	PASS
					0	-1.46	-0.00078	PASS
					10	-0.03	-0.00002	PASS
					20	1.42	0.00076	PASS
					30	-1.69	-0.0009	PASS
					40	-0.77	-0.00041	PASS
					50	-3.08	-0.00164	PASS
			HCH	VN	-30	0.43	0.00023	PASS
					-20	2.59	0.00136	PASS
					-10	0.86	0.00045	PASS
					0	-0.34	-0.00018	PASS
					10	-0.39	-0.0002	PASS
					20	1.54	0.00081	PASS
					30	0.33	0.00017	PASS
					40	-0.30	-0.00016	PASS
					50	-0.17	-0.00009	PASS
		15	LCH	VN	-30	-5.51	-0.00297	PASS
					-20	-5.45	-0.00293	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					-10	-2.65	-0.00143	PASS
					0	-5.34	-0.00287	PASS
					10	-8.14	-0.00438	PASS
					20	-3.20	-0.00172	PASS
					30	-2.49	-0.00134	PASS
					40	-0.04	-0.00002	PASS
					50	-2.36	-0.00127	PASS
			MCH	VN	-30	36.28	0.0193	PASS
					-20	37.55	0.01997	PASS
					-10	30.61	0.01628	PASS
					0	34.36	0.01828	PASS
					10	33.19	0.01765	PASS
					20	26.24	0.01396	PASS
					30	29.18	0.01552	PASS
					40	40.81	0.02171	PASS
					50	25.13	0.01337	PASS
			HCH	VN	-30	-2.96	-0.00156	PASS
					-20	0.94	0.00049	PASS
					-10	0.04	0.00002	PASS
					0	-0.04	-0.00002	PASS
					10	-0.31	-0.00016	PASS
					20	-1.76	-0.00093	PASS
					30	-0.83	-0.00044	PASS
					40	-4.73	-0.00249	PASS
					50	-1.30	-0.00068	PASS
		20	LCH	VN	-30	0.03	0.00002	PASS
					-20	-38.81	-0.02087	PASS
					-10	-49.17	-0.02644	PASS
					0	-41.69	-0.02241	PASS
					10	-36.89	-0.01983	PASS
					20	-0.13	-0.00007	PASS
					30	0.26	0.00014	PASS
					40	0.00	0	PASS
					50	0.37	0.0002	PASS
			MCH	VN	-30	9.44	0.00502	PASS
					-20	3.93	0.00209	PASS
					-10	11.20	0.00596	PASS
					0	12.45	0.00662	PASS
					10	15.22	0.0081	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					20	12.04	0.0064	PASS
					30	12.02	0.00639	PASS
					40	3.72	0.00198	PASS
					50	-0.30	-0.00016	PASS
			HCH	VN	-30	-1.19	-0.00063	PASS
					-20	-2.15	-0.00113	PASS
					-10	-3.48	-0.00183	PASS
					0	-4.28	-0.00225	PASS
					10	-4.26	-0.00224	PASS
					20	-0.77	-0.00041	PASS
					30	-4.25	-0.00224	PASS
					40	-4.15	-0.00218	PASS
					50	-3.85	-0.00203	PASS
	LTE/TM2	1.4	LCH	VN	-30	-0.20	-0.00011	PASS
					-20	-6.97	-0.00377	PASS
					-10	-4.78	-0.00258	PASS
					0	-9.90	-0.00535	PASS
					10	-0.17	-0.00009	PASS
					20	-10.99	-0.00594	PASS
					30	-14.93	-0.00807	PASS
					40	-6.79	-0.00367	PASS
					50	-9.43	-0.0051	PASS
			MCH	VN	-30	38.70	0.02059	PASS
					-20	-17.82	-0.00948	PASS
					-10	-10.63	-0.00565	PASS
					0	-0.96	-0.00051	PASS
					10	0.49	0.00026	PASS
					20	-1.46	-0.00078	PASS
					30	-8.58	-0.00456	PASS
					40	5.87	0.00312	PASS
					50	0.19	0.0001	PASS
			HCH	VN	-30	4.81	0.00252	PASS
					-20	-4.69	-0.00246	PASS
					-10	-3.71	-0.00194	PASS
					0	2.09	0.00109	PASS
					10	-4.76	-0.00249	PASS
					20	-4.22	-0.00221	PASS
					30	-8.11	-0.00425	PASS
					40	3.60	0.00189	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
		3	LCH	VN	50	2.30	0.0012	PASS
					-30	-20.69	-0.01117	PASS
					-20	-7.80	-0.00421	PASS
					-10	-2.55	-0.00138	PASS
					0	-2.02	-0.00109	PASS
					10	-4.66	-0.00252	PASS
					20	-4.01	-0.00217	PASS
					30	-0.20	-0.00011	PASS
					40	-4.36	-0.00235	PASS
					50	0.82	0.00044	PASS
			MCH	VN	-30	-0.23	-0.00012	PASS
					-20	0.10	0.00005	PASS
					-10	-1.22	-0.00065	PASS
					0	-8.01	-0.00426	PASS
					10	-0.86	-0.00046	PASS
					20	-0.03	-0.00002	PASS
					30	-4.32	-0.0023	PASS
					40	-1.02	-0.00054	PASS
					50	-3.72	-0.00198	PASS
			HCH	VN	-30	-2.95	-0.00155	PASS
					-20	-1.66	-0.00087	PASS
					-10	-6.32	-0.00331	PASS
					0	0.00	0	PASS
					10	0.72	0.00038	PASS
					20	1.44	0.00075	PASS
					30	-8.27	-0.00433	PASS
					40	-13.70	-0.00718	PASS
					50	-10.31	-0.0054	PASS
		5	LCH	VN	-30	-0.70	-0.00038	PASS
					-20	-2.45	-0.00132	PASS
					-10	-0.62	-0.00033	PASS
					0	0.16	0.00009	PASS
					10	-2.92	-0.00158	PASS
					20	-0.49	-0.00026	PASS
					30	-3.65	-0.00197	PASS
					40	2.33	0.00126	PASS
					50	-2.85	-0.00154	PASS
			MCH	VN	-30	-0.09	-0.00005	PASS
					-20	0.99	0.00053	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					-10	0.31	0.00016	PASS
					0	-1.43	-0.00076	PASS
					10	-2.26	-0.0012	PASS
					20	0.14	0.00007	PASS
					30	0.70	0.00037	PASS
					40	0.97	0.00052	PASS
					50	-1.27	-0.00068	PASS
			HCH	VN	-30	-1.82	-0.00095	PASS
					-20	-4.85	-0.00254	PASS
					-10	-0.64	-0.00034	PASS
					0	-9.31	-0.00488	PASS
					10	-1.66	-0.00087	PASS
					20	1.02	0.00053	PASS
					30	-2.99	-0.00157	PASS
					40	0.19	0.0001	PASS
					50	-2.40	-0.00126	PASS
		10	LCH	VN	-30	-0.40	-0.00022	PASS
					-20	-5.98	-0.00322	PASS
					-10	-0.21	-0.00011	PASS
					0	-3.55	-0.00191	PASS
					10	-1.24	-0.00067	PASS
					20	-2.23	-0.0012	PASS
					30	-0.59	-0.00032	PASS
					40	-5.44	-0.00293	PASS
					50	-11.74	-0.00633	PASS
			MCH	VN	-30	-1.44	-0.00077	PASS
					-20	-2.35	-0.00125	PASS
					-10	-1.00	-0.00053	PASS
					0	0.73	0.00039	PASS
					10	0.00	0	PASS
					20	-0.94	-0.0005	PASS
					30	-0.63	-0.00034	PASS
					40	0.24	0.00013	PASS
					50	-0.54	-0.00029	PASS
			HCH	VN	-30	-3.62	-0.0019	PASS
					-20	-0.04	-0.00002	PASS
					-10	-2.17	-0.00114	PASS
					0	-0.37	-0.00019	PASS
					10	-1.66	-0.00087	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					20	1.20	0.00063	PASS
					30	-1.40	-0.00073	PASS
					40	2.19	0.00115	PASS
					50	0.40	0.00021	PASS
		15	LCH	VN	-30	4.46	0.0024	PASS
					-20	-0.57	-0.00031	PASS
					-10	-0.29	-0.00016	PASS
					0	4.12	0.00222	PASS
					10	2.33	0.00125	PASS
					20	4.39	0.00236	PASS
					30	-3.46	-0.00186	PASS
					40	2.23	0.0012	PASS
					50	0.63	0.00034	PASS
			MCH	VN	-30	7.87	0.00419	PASS
					-20	4.91	0.00261	PASS
					-10	2.80	0.00149	PASS
					0	6.11	0.00325	PASS
					10	1.03	0.00055	PASS
					20	6.18	0.00329	PASS
					30	1.66	0.00088	PASS
					40	-1.37	-0.00073	PASS
					50	0.03	0.00002	PASS
			HCH	VN	-30	-0.46	-0.00024	PASS
					-20	-0.50	-0.00026	PASS
					-10	-0.73	-0.00038	PASS
					0	-2.55	-0.00134	PASS
					10	0.03	0.00002	PASS
					20	-2.88	-0.00151	PASS
					30	-4.22	-0.00222	PASS
					40	-1.20	-0.00063	PASS
					50	1.62	0.00085	PASS
		20	LCH	VN	-30	-2.92	-0.00157	PASS
					-20	-1.97	-0.00106	PASS
					-10	2.46	0.00132	PASS
					0	-1.20	-0.00065	PASS
					10	6.64	0.00357	PASS
					20	7.60	0.00409	PASS
					30	3.62	0.00195	PASS
					40	10.66	0.00573	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
			MCH	VN	50	10.63	0.00572	PASS
					-30	-13.16	-0.007	PASS
					-20	-15.86	-0.00844	PASS
					-10	-10.37	-0.00552	PASS
					0	-9.86	-0.00524	PASS
					10	-6.95	-0.0037	PASS
					20	-9.27	-0.00493	PASS
					30	-15.52	-0.00826	PASS
					40	-16.05	-0.00854	PASS
					50	-20.26	-0.01078	PASS
			HCH	VN	-30	-2.47	-0.0013	PASS
					-20	1.03	0.00054	PASS
					-10	-0.17	-0.00009	PASS
					0	-1.80	-0.00095	PASS
					10	-2.29	-0.00121	PASS
					20	-2.49	-0.00131	PASS
					30	-0.60	-0.00032	PASS
					40	-1.79	-0.00094	PASS

END