


Annex A.6 Conducted Spurious Emission

SISO-ANT 0

1. 802.11a_20M_Band1_L

1.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	941.394	-51.84	-27	Pass	9700
1000	5150	0.1	Peak	5150	-32.1	-27	Pass	41499
5150	5350	0.1	Peak	5172.411	6.08	24	Pass	2000
5350	10300	0.1	Peak	9749.337	-48.21	-27	Pass	49499
10300	10700	0.1	Peak	10582.171	-48.65	-27	Pass	4000
10700	25000	0.1	Peak	16350.077	-44.86	-27	Pass	142999



2. 802.11a_20M_Band1_H

2.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	795.979	-51.17	-27	Pass	9700
1000	5150	0.1	Peak	4626.69	-49.57	-27	Pass	41499
5150	5350	0.1	Peak	5247.449	4.25	24	Pass	2000
5350	10300	0.1	Peak	6985.751	-48.15	-27	Pass	49499
10300	10700	0.1	Peak	10583.571	-48.46	-27	Pass	4000
10700	25000	0.1	Peak	17122.301	-46.02	-27	Pass	142999



3. 802.11a_20M_Band2_L

3.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	895.889	-51.74	-27	Pass	9700
1000	5150	1	Peak	5092.986	-37.91	-27	Pass	4150
5150	5350	1	Peak	5265.072	12.14	24	Pass	691
5350	10300	1	Peak	6907.315	-36.09	-27	Pass	4950
10300	10700	1	Peak	10685.507	-36.66	-27	Pass	691
10700	25000	1	Peak	15397.328	-33.76	-27	Pass	14300



4. 802.11a_20M_Band2_H

4.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	995.3	-51.72	-27	Pass	9700
1000	5150	1	Peak	4788.913	-38.13	-27	Pass	4150
5150	5350	1	Peak	5325.072	11.85	24	Pass	691
5350	10300	1	Peak	9939.927	-35.71	-27	Pass	4950
10300	10700	1	Peak	10696.522	-36.9	-27	Pass	691
10700	25000	1	Peak	15822.358	-33.66	-27	Pass	14300



5. 802.11a_20M_Band3_L

5.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	956.095	-51.05	-27	Pass	9700
1000	5470	1	Peak	5469	-35.06	-27	Pass	4470
5470	5725	1	Peak	5504.739	10.89	24	Pass	691
5725	10940	1	Peak	6930.231	-36.33	-27	Pass	5215
10940	11450	1	Peak	11215.696	-36.76	-27	Pass	691
11450	25000	1	Peak	15396.291	-33.93	-27	Pass	13550



6. 802.11a_20M_Band3_H

6.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	734.973	-51.85	-27	Pass	9700
1000	5470	1	Peak	5407.986	-37.77	-27	Pass	4470
5470	5725	1	Peak	5695.065	11.44	24	Pass	691
5725	10940	1	Peak	6919.229	-36.18	-27	Pass	5215
10940	11450	1	Peak	11427.826	-36.68	-27	Pass	691
11450	25000	1	Peak	16350.362	-34.01	-27	Pass	13550



7. 802.11a_20M_Band4_L

7.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	878.687	-52.33	-27	Pass	9700
1000	5650	1	Peak	5347.935	-38.15	-27	Pass	4650
5650	5700	1	Peak	5650.217	-38.55	-26.84	Pass	691
5700	5720	1	Peak	5700.464	-38.81	10.13	Pass	691
5720	5725	1	Peak	5720.268	-35.05	16.21	Pass	691
5725	5850	1	Peak	5750.725	11.01	30	Pass	691
5850	5855	1	Peak	5854.935	-36.72	15.75	Pass	691
5855	5875	1	Peak	5874.42	-37.06	10.16	Pass	691
5875	5925	1	Peak	5924.928	-38.57	-26.95	Pass	691
5925	25000	1	Peak	15821.519	-34.03	-27	Pass	19075



8. 802.11a_20M_Band4_H

8.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	967.097	-52.61	-27	Pass	9700
1000	5650	1	Peak	5493.966	-38.58	-27	Pass	4650
5650	5700	1	Peak	5651.304	-38.65	-26.03	Pass	691
5700	5720	1	Peak	5701.913	-37.79	10.54	Pass	691
5720	5725	1	Peak	5720.029	-37.76	15.67	Pass	691
5725	5850	1	Peak	5819.384	10.47	30	Pass	691
5850	5855	1	Peak	5854.862	-36.12	15.91	Pass	691
5855	5875	1	Peak	5873.174	-36.19	10.51	Pass	691
5875	5925	1	Peak	5924.203	-37.5	-26.41	Pass	691
5925	25000	1	Peak	15905.523	-34.09	-27	Pass	19075



9. 802.11ac_20M_Band1_L

9.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	841.584	-51	-27	Pass	9700
1000	5150	0.1	Peak	5057.08	-48.34	-27	Pass	41499
5150	5350	0.1	Peak	5184.917	3.53	24	Pass	2000
5350	10300	0.1	Peak	6924.449	-48.12	-27	Pass	49499
10300	10700	0.1	Peak	10490.148	-48.58	-27	Pass	4000
10700	25000	0.1	Peak	16482.681	-45.04	-27	Pass	142999



10. 802.11ac_20M_Band1_H

10.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	980.798	-52.22	-27	Pass	9700
1000	5150	0.1	Peak	4985.465	-49.93	-27	Pass	41499
5150	5350	0.1	Peak	5247.449	4.12	24	Pass	2000
5350	10300	0.1	Peak	6897.148	-47.91	-27	Pass	49499
10300	10700	0.1	Peak	10584.371	-48.37	-27	Pass	4000
10700	25000	0.1	Peak	16920.894	-45.93	-27	Pass	142999



11. 802.11ac_20M_Band2_L

11.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	973.597	-51.46	-27	Pass	9700
1000	5150	1	Peak	5006.966	-36.63	-27	Pass	4150
5150	5350	1	Peak	5255.507	11.46	24	Pass	691
5350	10300	1	Peak	5412.013	-36.54	-27	Pass	4950
10300	10700	1	Peak	10400.29	-36.9	-27	Pass	691
10700	25000	1	Peak	16391.398	-33.59	-27	Pass	14300



12. 802.11ac_20M_Band2_H

12.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	473.546	-51.62	-27	Pass	9700
1000	5150	1	Peak	5126.994	-37.44	-27	Pass	4150
5150	5350	1	Peak	5327.681	11.4	24	Pass	691
5350	10300	1	Peak	6988.331	-35.43	-27	Pass	4950
10300	10700	1	Peak	10688.986	-36.83	-27	Pass	691
10700	25000	1	Peak	15815.358	-34.13	-27	Pass	14300



13. 802.11ac_20M_Band3_L

13.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	989.599	-51.42	-27	Pass	9700
1000	5470	1	Peak	5470	-35.86	-27	Pass	4470
5470	5725	1	Peak	5495.87	10.5	24	Pass	691
5725	10940	1	Peak	6909.227	-36.25	-27	Pass	5215
10940	11450	1	Peak	11240.087	-37.28	-27	Pass	691
11450	25000	1	Peak	15824.323	-34.19	-27	Pass	13550



14. 802.11ac_20M_Band3_H

14.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	999.6	-50.71	-27	Pass	9700
1000	5470	1	Peak	4700.828	-37.78	-27	Pass	4470
5470	5725	1	Peak	5692.848	11.19	24	Pass	691
5725	10940	1	Peak	6985.242	-36.52	-27	Pass	5215
10940	11450	1	Peak	11110	-37.32	-27	Pass	691
11450	25000	1	Peak	15303.284	-34.1	-27	Pass	13550



15. 802.11ac_20M_Band4_L

15.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	982.998	-52.17	-27	Pass	9700
1000	5650	1	Peak	5336.933	-37.51	-27	Pass	4650
5650	5700	1	Peak	5650.652	-38.67	-26.52	Pass	691
5700	5720	1	Peak	5701.681	-37.44	10.47	Pass	691
5720	5725	1	Peak	5720.304	-33.21	16.29	Pass	691
5725	5850	1	Peak	5751.449	11.14	30	Pass	691
5850	5855	1	Peak	5854.522	-36.57	16.69	Pass	691
5855	5875	1	Peak	5872.768	-37.44	10.62	Pass	691
5875	5925	1	Peak	5924.638	-38.24	-26.73	Pass	691
5925	25000	1	Peak	16811.571	-34.6	-27	Pass	19075



16. 802.11ac_20M_Band4_H

16.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	954.195	-51.84	-27	Pass	9700
1000	5650	1	Peak	5234.911	-37.86	-27	Pass	4650
5650	5700	1	Peak	5650.725	-38.7	-26.46	Pass	691
5700	5720	1	Peak	5700.754	-38.1	10.21	Pass	691
5720	5725	1	Peak	5720.174	-38.27	16	Pass	691
5725	5850	1	Peak	5822.645	10.64	30	Pass	691
5850	5855	1	Peak	5854.978	-36.43	15.65	Pass	691
5855	5875	1	Peak	5874.043	-36.52	10.27	Pass	691
5875	5925	1	Peak	5923.913	-38.45	-26.2	Pass	691
5925	25000	1	Peak	16392.549	-33.69	-27	Pass	19075



17. 802.11n_20M_Band1_L

17.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	858.985	-52.1	-27	Pass	9700
1000	5150	0.1	Peak	4780.822	-48.84	-27	Pass	41499
5150	5350	0.1	Peak	5175.013	3.68	24	Pass	2000
5350	10300	0.1	Peak	10248.294	-47.9	-27	Pass	49499
10300	10700	0.1	Peak	10688.197	-48.85	-27	Pass	4000
10700	25000	0.1	Peak	16383.878	-45.13	-27	Pass	142999



18. 802.11n_20M_Band1_H

18.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	691.668	-52.07	-27	Pass	9700
1000	5150	0.1	Peak	5022.473	-49.24	-27	Pass	41499
5150	5350	0.1	Peak	5247.449	4.13	24	Pass	2000
5350	10300	0.1	Peak	5475.204	-47.61	-27	Pass	49499
10300	10700	0.1	Peak	10593.773	-47.28	-27	Pass	4000
10700	25000	0.1	Peak	16304.575	-45.51	-27	Pass	142999



19. 802.11n_20M_Band2_L

19.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	847.584	-51.52	-27	Pass	9700
1000	5150	1	Peak	5069.981	-38.21	-27	Pass	4150
5150	5350	1	Peak	5255.507	11.33	24	Pass	691
5350	10300	1	Peak	9829.905	-35.86	-27	Pass	4950
10300	10700	1	Peak	10687.826	-36.72	-27	Pass	691
10700	25000	1	Peak	16386.398	-33.67	-27	Pass	14300



20. 802.11n_20M_Band2_H

20.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	913.791	-51.94	-27	Pass	9700
1000	5150	1	Peak	4679.887	-38.04	-27	Pass	4150
5150	5350	1	Peak	5322.754	11.26	24	Pass	691
5350	10300	1	Peak	6903.314	-36.13	-27	Pass	4950
10300	10700	1	Peak	10589.275	-36.87	-27	Pass	691
10700	25000	1	Peak	16373.397	-34.48	-27	Pass	14300



21. 802.11n_20M_Band3_L

21.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	955.895	-51.64	-27	Pass	9700
1000	5470	1	Peak	5465.999	-35.39	-27	Pass	4470
5470	5725	1	Peak	5504.739	10.47	24	Pass	691
5725	10940	1	Peak	6907.227	-35.98	-27	Pass	5215
10940	11450	1	Peak	11433.739	-36.76	-27	Pass	691
11450	25000	1	Peak	15773.319	-33.76	-27	Pass	13550



22. 802.11n_20M_Band3_H

22.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	984.398	-51.44	-27	Pass	9700
1000	5470	1	Peak	5374.979	-37.22	-27	Pass	4470
5470	5725	1	Peak	5693.217	11.11	24	Pass	691
5725	10940	1	Peak	9327.691	-36.7	-27	Pass	5215
10940	11450	1	Peak	11203.87	-37.29	-27	Pass	691
11450	25000	1	Peak	15882.327	-33.36	-27	Pass	13550



23. 802.11n_20M_Band4_L

23.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	711.17	-51.72	-27	Pass	9700
1000	5650	1	Peak	5323.93	-37.71	-27	Pass	4650
5650	5700	1	Peak	5650.435	-39.69	-26.68	Pass	691
5700	5720	1	Peak	5700.696	-37.51	10.19	Pass	691
5720	5725	1	Peak	5720.08	-33.66	15.78	Pass	691
5725	5850	1	Peak	5751.268	10.78	30	Pass	691
5850	5855	1	Peak	5854.739	-36.71	16.19	Pass	691
5855	5875	1	Peak	5873.957	-37.04	10.29	Pass	691
5875	5925	1	Peak	5924.348	-37.98	-26.52	Pass	691
5925	25000	1	Peak	16131.535	-34.81	-27	Pass	19075



24. 802.11n_20M_Band4_H

24.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	983.298	-52.34	-27	Pass	9700
1000	5650	1	Peak	5522.973	-38.27	-27	Pass	4650
5650	5700	1	Peak	5650.652	-39.25	-26.52	Pass	691
5700	5720	1	Peak	5700.232	-38.19	10.06	Pass	691
5720	5725	1	Peak	5720.051	-37.6	15.72	Pass	691
5725	5850	1	Peak	5828.08	10.12	30	Pass	691
5850	5855	1	Peak	5854.935	-35.67	15.75	Pass	691
5855	5875	1	Peak	5874.536	-37.67	10.13	Pass	691
5875	5925	1	Peak	5923.116	-37.51	-25.61	Pass	691
5925	25000	1	Peak	15408.497	-34.47	-27	Pass	19075



25. 802.11n_40M_Band1_L

25.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	751.274	-51.75	-27	Pass	9700
1000	5150	0.1	Peak	5144.999	-47.77	-27	Pass	41499
5150	5350	0.1	Peak	5178.714	0.68	24	Pass	2000
5350	10300	0.1	Peak	10146.082	-48.24	-27	Pass	49499
10300	10700	0.1	Peak	10673.493	-48.96	-27	Pass	4000
10700	25000	0.1	Peak	15933.564	-45.37	-27	Pass	142999



26. 802.11n_40M_Band1_H

26.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	975.097	-51.88	-27	Pass	9700
1000	5150	0.1	Peak	4948.158	-49.52	-27	Pass	41499
5150	5350	0.1	Peak	5233.742	0.62	24	Pass	2000
5350	10300	0.1	Peak	6900.248	-48.35	-27	Pass	49499
10300	10700	0.1	Peak	10582.471	-47.72	-27	Pass	4000
10700	25000	0.1	Peak	17039.098	-45.05	-27	Pass	142999



27. 802.11n_40M_Band2_L

27.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	821.282	-51.7	-27	Pass	9700
1000	5150	1	Peak	4843.926	-38.54	-27	Pass	4150
5150	5350	1	Peak	5263.913	8.84	24	Pass	691
5350	10300	1	Peak	6918.317	-35.73	-27	Pass	4950
10300	10700	1	Peak	10596.812	-37.11	-27	Pass	691
10700	25000	1	Peak	16352.395	-34.04	-27	Pass	14300



28. 802.11n_40M_Band2_H

28.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	996.2	-51.45	-27	Pass	9700
1000	5150	1	Peak	4689.889	-38.23	-27	Pass	4150
5150	5350	1	Peak	5320.435	8.45	24	Pass	691
5350	10300	1	Peak	5351	-32.38	-27	Pass	4950
10300	10700	1	Peak	10606.667	-37.14	-27	Pass	691
10700	25000	1	Peak	15985.37	-34.06	-27	Pass	14300



29. 802.11n_40M_Band3_L

29.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	608.66	-50.52	-27	Pass	9700
1000	5470	1	Peak	5464.999	-33.11	-27	Pass	4470
5470	5725	1	Peak	5520.63	8.57	24	Pass	691
5725	10940	1	Peak	6928.231	-35.98	-27	Pass	5215
10940	11450	1	Peak	11217.174	-36.23	-27	Pass	691
11450	25000	1	Peak	16397.365	-33.91	-27	Pass	13550



30. 802.11n_40M_Band3_H

30.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	987.799	-51.56	-27	Pass	9700
1000	5470	1	Peak	5343.972	-37.23	-27	Pass	4470
5470	5725	1	Peak	5680.652	9.07	24	Pass	691
5725	10940	1	Peak	5855.025	-36.6	-27	Pass	5215
10940	11450	1	Peak	11207.565	-36.85	-27	Pass	691
11450	25000	1	Peak	16349.362	-33.9	-27	Pass	13550



31. 802.11n_40M_Band4_L

31.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	865.186	-51.68	-27	Pass	9700
1000	5650	1	Peak	5125.887	-38.3	-27	Pass	4650
5650	5700	1	Peak	5650.072	-39.14	-26.95	Pass	691
5700	5720	1	Peak	5700.232	-35.09	10.06	Pass	691
5720	5725	1	Peak	5720.007	-32.74	15.62	Pass	691
5725	5850	1	Peak	5766.667	8.47	30	Pass	691
5850	5855	1	Peak	5854.819	-37.5	16.01	Pass	691
5855	5875	1	Peak	5872.797	-37.31	10.62	Pass	691
5875	5925	1	Peak	5925	-38.55	-27	Pass	691
5925	25000	1	Peak	16464.553	-34.56	-27	Pass	19075



32. 802.11n_40M_Band4_H

32.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	960.396	-52.06	-27	Pass	9700
1000	5650	1	Peak	5501.968	-38.26	-27	Pass	4650
5650	5700	1	Peak	5650.145	-38.46	-26.89	Pass	691
5700	5720	1	Peak	5700.145	-37.33	10.04	Pass	691
5720	5725	1	Peak	5720	-37.6	15.6	Pass	691
5725	5850	1	Peak	5781.159	8.94	30	Pass	691
5850	5855	1	Peak	5854.877	-36.36	15.88	Pass	691
5855	5875	1	Peak	5873.029	-36.31	10.55	Pass	691
5875	5925	1	Peak	5924.928	-39.21	-26.95	Pass	691
5925	25000	1	Peak	15391.496	-34.9	-27	Pass	19075



33. 802.11ac_40M_Band1_L

33.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	763.776	-52.39	-27	Pass	9700
1000	5150	0.1	Peak	5148.5	-46.85	-27	Pass	41499
5150	5350	0.1	Peak	5184.917	0.76	24	Pass	2000
5350	10300	0.1	Peak	6188.426	-48	-27	Pass	49499
10300	10700	0.1	Peak	10596.774	-48.06	-27	Pass	4000
10700	25000	0.1	Peak	16723.788	-44.97	-27	Pass	142999



34. 802.11ac_40M_Band1_H

34.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	997.1	-51.78	-27	Pass	9700
1000	5150	0.1	Peak	5003.269	-49.2	-27	Pass	41499
5150	5350	0.1	Peak	5244.947	0.93	24	Pass	2000
5350	10300	0.1	Peak	6932.949	-48.3	-27	Pass	49499
10300	10700	0.1	Peak	10698.3	-48.63	-27	Pass	4000
10700	25000	0.1	Peak	16298.375	-44.94	-27	Pass	142999



35. 802.11ac_40M_Band2_L

35.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	964.896	-51.62	-27	Pass	9700
1000	5150	1	Peak	5014.967	-37.49	-27	Pass	4150
5150	5350	1	Peak	5276.957	8.79	24	Pass	691
5350	10300	1	Peak	9311.8	-35.93	-27	Pass	4950
10300	10700	1	Peak	10581.739	-36.41	-27	Pass	691
10700	25000	1	Peak	15833.359	-34.92	-27	Pass	14300



36. 802.11ac_40M_Band2_H

36.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	377.136	-51.16	-27	Pass	9700
1000	5150	1	Peak	5030.971	-37.31	-27	Pass	4150
5150	5350	1	Peak	5325.072	8.61	24	Pass	691
5350	10300	1	Peak	5351	-32.47	-27	Pass	4950
10300	10700	1	Peak	10690.725	-37.02	-27	Pass	691
10700	25000	1	Peak	15818.358	-34.6	-27	Pass	14300



37. 802.11ac_40M_Band3_L

37.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	826.182	-50.97	-27	Pass	9700
1000	5470	1	Peak	5465.999	-31.65	-27	Pass	4470
5470	5725	1	Peak	5502.522	8.26	24	Pass	691
5725	10940	1	Peak	6908.227	-36.37	-27	Pass	5215
10940	11450	1	Peak	11425.609	-36.98	-27	Pass	691
11450	25000	1	Peak	15408.292	-33.85	-27	Pass	13550



38. 802.11ac_40M_Band3_H

38.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	924.192	-51.54	-27	Pass	9700
1000	5470	1	Peak	5402.985	-37.49	-27	Pass	4470
5470	5725	1	Peak	5683.239	9.03	24	Pass	691
5725	10940	1	Peak	6977.24	-36.45	-27	Pass	5215
10940	11450	1	Peak	11229	-37.3	-27	Pass	691
11450	25000	1	Peak	16385.364	-34.42	-27	Pass	13550



39. 802.11ac_40M_Band4_L

39.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	980.598	-52.45	-27	Pass	9700
1000	5650	1	Peak	5465.96	-38.64	-27	Pass	4650
5650	5700	1	Peak	5650.435	-38.85	-26.68	Pass	691
5700	5720	1	Peak	5700.957	-34.46	10.27	Pass	691
5720	5725	1	Peak	5720.254	-31.7	16.18	Pass	691
5725	5850	1	Peak	5770.652	8.67	30	Pass	691
5850	5855	1	Peak	5854.964	-37.51	15.68	Pass	691
5855	5875	1	Peak	5874.188	-37.15	10.23	Pass	691
5875	5925	1	Peak	5924.638	-38.75	-26.73	Pass	691
5925	25000	1	Peak	16393.549	-34.48	-27	Pass	19075



40. 802.11ac_40M_Band4_H

40.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	792.679	-51.16	-27	Pass	9700
1000	5650	1	Peak	5367.939	-38.27	-27	Pass	4650
5650	5700	1	Peak	5651.304	-37.97	-26.03	Pass	691
5700	5720	1	Peak	5701.362	-38.4	10.38	Pass	691
5720	5725	1	Peak	5720.138	-36.67	15.91	Pass	691
5725	5850	1	Peak	5780.254	8.78	30	Pass	691
5850	5855	1	Peak	5854.884	-36.29	15.86	Pass	691
5855	5875	1	Peak	5872.304	-36.28	10.75	Pass	691
5875	5925	1	Peak	5924.928	-38.8	-26.95	Pass	691
5925	25000	1	Peak	15837.52	-34.51	-27	Pass	19075



41. 802.11ac_80M_Band1_M

41.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	762.376	-52.17	-27	Pass	9700
1000	5150	0.1	Peak	5114.993	-43.72	-27	Pass	41499
5150	5350	0.1	Peak	5235.043	-2.17	24	Pass	2000
5350	10300	0.1	Peak	6911.049	-47.22	-27	Pass	49499
10300	10700	0.1	Peak	10595.974	-48.28	-27	Pass	4000
10700	25000	0.1	Peak	15847.961	-44.66	-27	Pass	142999



42. 802.11ac_80M_Band2_M

42.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	911.991	-51.32	-27	Pass	9700
1000	5150	1	Peak	5025.97	-37.74	-27	Pass	4150
5150	5350	1	Peak	5267.391	5.57	24	Pass	691
5350	10300	1	Peak	5357.001	-32.1	-27	Pass	4950
10300	10700	1	Peak	10577.101	-37.15	-27	Pass	691
10700	25000	1	Peak	15922.365	-34.67	-27	Pass	14300



43. 802.11ac_80M_Band3_M

43.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	863.586	-51.48	-27	Pass	9700
1000	5470	1	Peak	5460.998	-34.52	-27	Pass	4470
5470	5725	1	Peak	5549.087	5.22	24	Pass	691
5725	10940	1	Peak	6913.228	-36.32	-27	Pass	5215
10940	11450	1	Peak	11439.652	-36.56	-27	Pass	691
11450	25000	1	Peak	15825.323	-34.47	-27	Pass	13550



44. 802.11ac_80M_Band4_M

44.1. A.6-Conducted Spurious Emission(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	948.495	-51.97	-27	Pass	9700
1000	5650	1	Peak	5248.914	-38.44	-27	Pass	4650
5650	5700	1	Peak	5650	-38.18	-27	Pass	691
5700	5720	1	Peak	5701.101	-35.56	10.31	Pass	691
5720	5725	1	Peak	5720.333	-32.57	16.36	Pass	691
5725	5850	1	Peak	5779.891	5.5	30	Pass	691
5850	5855	1	Peak	5854.703	-36.32	16.28	Pass	691
5855	5875	1	Peak	5874.536	-36.87	10.13	Pass	691
5875	5925	1	Peak	5924.783	-38.25	-26.84	Pass	691
5925	25000	1	Peak	15506.502	-34.36	-27	Pass	19075




SISO-ANT 1

1. 802.11a_20M_Band1_L

1.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	612.76	-51.28	-27	Pass	9700
1000	5150	0.1	Peak	5149.7	-46.28	-27	Pass	41499
5150	5350	0.1	Peak	5173.712	3.49	24	Pass	2000
5350	10300	0.1	Peak	6956.35	-46.73	-27	Pass	49499
10300	10700	0.1	Peak	10587.172	-48.49	-27	Pass	4000
10700	25000	0.1	Peak	15765.058	-45.75	-27	Pass	142999



2. 802.11a_20M_Band1_H

2.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	913.991	-51.46	-27	Pass	9700
1000	5150	0.1	Peak	5121.594	-48.31	-27	Pass	41499
5150	5350	0.1	Peak	5247.449	4.34	24	Pass	2000
5350	10300	0.1	Peak	6925.149	-46.97	-27	Pass	49499
10300	10700	0.1	Peak	10686.397	-48.26	-27	Pass	4000
10700	25000	0.1	Peak	16795.99	-45.14	-27	Pass	142999



3. 802.11a_20M_Band2_L

3.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	952.995	-50.98	-27	Pass	9700
1000	5150	1	Peak	5023.97	-37.7	-27	Pass	4150
5150	5350	1	Peak	5265.072	12.94	24	Pass	691
5350	10300	1	Peak	6178.167	-36.42	-27	Pass	4950
10300	10700	1	Peak	10692.464	-35.69	-27	Pass	691
10700	25000	1	Peak	15819.358	-33.51	-27	Pass	14300



4. 802.11a_20M_Band2_H

4.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	690.968	-50.95	-27	Pass	9700
1000	5150	1	Peak	5080.983	-38.12	-27	Pass	4150
5150	5350	1	Peak	5325.072	12.66	24	Pass	691
5350	10300	1	Peak	9956.931	-35.63	-27	Pass	4950
10300	10700	1	Peak	10685.507	-36.4	-27	Pass	691
10700	25000	1	Peak	16367.396	-34.02	-27	Pass	14300



5. 802.11a_20M_Band3_L

5.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	961.996	-50.83	-27	Pass	9700
1000	5470	1	Peak	5408.986	-37.48	-27	Pass	4470
5470	5725	1	Peak	5504.739	11.37	24	Pass	691
5725	10940	1	Peak	6985.242	-36.46	-27	Pass	5215
10940	11450	1	Peak	11013.913	-36.79	-27	Pass	691
11450	25000	1	Peak	15827.323	-33.69	-27	Pass	13550



6. 802.11a_20M_Band3_H

6.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	996.5	-50.68	-27	Pass	9700
1000	5470	1	Peak	5383.981	-37.5	-27	Pass	4470
5470	5725	1	Peak	5705.043	11.51	24	Pass	691
5725	10940	1	Peak	6161.084	-35.16	-27	Pass	5215
10940	11450	1	Peak	11006.522	-36.71	-27	Pass	691
11450	25000	1	Peak	16270.356	-33.58	-27	Pass	13550



7. 802.11a_20M_Band4_L

7.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	910.491	-52	-27	Pass	9700
1000	5650	1	Peak	5443.956	-37.64	-27	Pass	4650
5650	5700	1	Peak	5650.217	-37.13	-26.84	Pass	691
5700	5720	1	Peak	5700.232	-37.28	10.06	Pass	691
5720	5725	1	Peak	5720.014	-35.42	15.63	Pass	691
5725	5850	1	Peak	5749.457	11.49	30	Pass	691
5850	5855	1	Peak	5854.804	-36.5	16.05	Pass	691
5855	5875	1	Peak	5874.188	-37.17	10.23	Pass	691
5875	5925	1	Peak	5924.855	-38.29	-26.89	Pass	691
5925	25000	1	Peak	15301.492	-34.28	-27	Pass	19075



8. 802.11a_20M_Band4_H

8.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	982.698	-50.82	-27	Pass	9700
1000	5650	1	Peak	5435.954	-37.75	-27	Pass	4650
5650	5700	1	Peak	5650.217	-38.71	-26.84	Pass	691
5700	5720	1	Peak	5700.406	-37.72	10.11	Pass	691
5720	5725	1	Peak	5720.058	-37.1	15.73	Pass	691
5725	5850	1	Peak	5830.616	11.77	30	Pass	691
5850	5855	1	Peak	5854.949	-35.92	15.72	Pass	691
5855	5875	1	Peak	5874.449	-37.23	10.15	Pass	691
5875	5925	1	Peak	5924.493	-37.26	-26.62	Pass	691
5925	25000	1	Peak	16341.546	-34.61	-27	Pass	19075



9. 802.11ac_20M_Band1_L

9.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	994.599	-51.57	-27	Pass	9700
1000	5150	0.1	Peak	4720.31	-49.14	-27	Pass	41499
5150	5350	0.1	Peak	5173.712	3.49	24	Pass	2000
5350	10300	0.1	Peak	6903.149	-47.02	-27	Pass	49499
10300	10700	0.1	Peak	10589.972	-47.87	-27	Pass	4000
10700	25000	0.1	Peak	15300.544	-45.09	-27	Pass	142999



10. 802.11ac_20M_Band1_H

10.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	439.742	-50.73	-27	Pass	9700
1000	5150	0.1	Peak	4977.664	-47.55	-27	Pass	41499
5150	5350	0.1	Peak	5233.742	4.51	24	Pass	2000
5350	10300	0.1	Peak	9301.886	-47.55	-27	Pass	49499
10300	10700	0.1	Peak	10699.1	-48.07	-27	Pass	4000
10700	25000	0.1	Peak	15843.961	-43.75	-27	Pass	142999



11. 802.11ac_20M_Band2_L

11.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	991.399	-51.21	-27	Pass	9700
1000	5150	1	Peak	4693.89	-37.31	-27	Pass	4150
5150	5350	1	Peak	5265.362	11.98	24	Pass	691
5350	10300	1	Peak	6896.312	-34.95	-27	Pass	4950
10300	10700	1	Peak	10338.261	-36.93	-27	Pass	691
10700	25000	1	Peak	15405.329	-34.05	-27	Pass	14300



12. 802.11ac_20M_Band2_H

12.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	854.985	-51.04	-27	Pass	9700
1000	5150	1	Peak	4711.894	-37.39	-27	Pass	4150
5150	5350	1	Peak	5326.812	11.83	24	Pass	691
5350	10300	1	Peak	6998.333	-35.66	-27	Pass	4950
10300	10700	1	Peak	10585.797	-36.54	-27	Pass	691
10700	25000	1	Peak	18082.516	-33.8	-27	Pass	14300



13. 802.11ac_20M_Band3_L

13.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	771.276	-51.05	-27	Pass	9700
1000	5470	1	Peak	5325.968	-37.36	-27	Pass	4470
5470	5725	1	Peak	5504.739	11.04	24	Pass	691
5725	10940	1	Peak	6905.226	-35.81	-27	Pass	5215
10940	11450	1	Peak	11113.696	-37.05	-27	Pass	691
11450	25000	1	Peak	15288.283	-33.21	-27	Pass	13550



14. 802.11ac_20M_Band3_H

14.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	972.497	-51.13	-27	Pass	9700
1000	5470	1	Peak	5239.949	-36.97	-27	Pass	4470
5470	5725	1	Peak	5697.652	11.31	24	Pass	691
5725	10940	1	Peak	10702.955	-36.04	-27	Pass	5215
10940	11450	1	Peak	11220.87	-36.88	-27	Pass	691
11450	25000	1	Peak	15397.291	-33.57	-27	Pass	13550



15. 802.11ac_20M_Band4_L

15.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	617.661	-51.98	-27	Pass	9700
1000	5650	1	Peak	5335.932	-37.97	-27	Pass	4650
5650	5700	1	Peak	5650	-37.62	-27	Pass	691
5700	5720	1	Peak	5704.957	-36.41	11.39	Pass	691
5720	5725	1	Peak	5720.13	-36.23	15.9	Pass	691
5725	5850	1	Peak	5748.007	11.11	30	Pass	691
5850	5855	1	Peak	5854.529	-36.12	16.67	Pass	691
5855	5875	1	Peak	5872.826	-36.43	10.61	Pass	691
5875	5925	1	Peak	5924.855	-38.6	-26.89	Pass	691
5925	25000	1	Peak	16434.551	-34.68	-27	Pass	19075



16. 802.11ac_20M_Band4_H

16.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	346.933	-51.83	-27	Pass	9700
1000	5650	1	Peak	5411.949	-38.07	-27	Pass	4650
5650	5700	1	Peak	5650.435	-37.44	-26.68	Pass	691
5700	5720	1	Peak	5700.087	-37.78	10.02	Pass	691
5720	5725	1	Peak	5720.138	-37.43	15.91	Pass	691
5725	5850	1	Peak	5820.109	11.4	30	Pass	691
5850	5855	1	Peak	5854.942	-36.08	15.73	Pass	691
5855	5875	1	Peak	5873.841	-36.34	10.32	Pass	691
5875	5925	1	Peak	5924.638	-37.81	-26.73	Pass	691
5925	25000	1	Peak	17018.582	-33.58	-27	Pass	19075



17. 802.11n_20M_Band1_L

17.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	990.399	-51.28	-27	Pass	9700
1000	5150	0.1	Peak	5147.8	-48.67	-27	Pass	41499
5150	5350	0.1	Peak	5184.917	3.81	24	Pass	2000
5350	10300	0.1	Peak	6978.551	-47.28	-27	Pass	49499
10300	10700	0.1	Peak	10596.674	-47.31	-27	Pass	4000
10700	25000	0.1	Peak	15833.66	-44.45	-27	Pass	142999



18. 802.11n_20M_Band1_H

18.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	908.391	-50.74	-27	Pass	9700
1000	5150	0.1	Peak	4968.762	-48.84	-27	Pass	41499
5150	5350	0.1	Peak	5234.942	4.35	24	Pass	2000
5350	10300	0.1	Peak	6927.349	-47.41	-27	Pass	49499
10300	10700	0.1	Peak	10379.52	-47.21	-27	Pass	4000
10700	25000	0.1	Peak	15936.164	-45.13	-27	Pass	142999



19. 802.11n_20M_Band2_L

19.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	787.178	-51.01	-27	Pass	9700
1000	5150	1	Peak	5057.978	-37.97	-27	Pass	4150
5150	5350	1	Peak	5265.942	11.98	24	Pass	691
5350	10300	1	Peak	6910.315	-36.24	-27	Pass	4950
10300	10700	1	Peak	10618.841	-36.52	-27	Pass	691
10700	25000	1	Peak	15828.359	-33.95	-27	Pass	14300



20. 802.11n_20M_Band2_H

20.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	592.758	-51.09	-27	Pass	9700
1000	5150	1	Peak	5121.993	-37.1	-27	Pass	4150
5150	5350	1	Peak	5314.638	11.96	24	Pass	691
5350	10300	1	Peak	6988.331	-35.9	-27	Pass	4950
10300	10700	1	Peak	10592.754	-36.75	-27	Pass	691
10700	25000	1	Peak	16926.435	-33.74	-27	Pass	14300



21. 802.11n_20M_Band3_L

21.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	889.589	-51.02	-27	Pass	9700
1000	5470	1	Peak	5429.991	-37.5	-27	Pass	4470
5470	5725	1	Peak	5505.478	11.01	24	Pass	691
5725	10940	1	Peak	6963.237	-36.44	-27	Pass	5215
10940	11450	1	Peak	11026.478	-37.16	-27	Pass	691
11450	25000	1	Peak	15310.285	-33.57	-27	Pass	13550



22. 802.11n_20M_Band3_H

22.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	309.029	-51.54	-27	Pass	9700
1000	5470	1	Peak	5123.923	-37.53	-27	Pass	4470
5470	5725	1	Peak	5705.783	10.97	24	Pass	691
5725	10940	1	Peak	6910.227	-35.39	-27	Pass	5215
10940	11450	1	Peak	11443.348	-36.21	-27	Pass	691
11450	25000	1	Peak	16359.362	-33.54	-27	Pass	13550



23. 802.11n_20M_Band4_L

23.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	796.979	-51.51	-27	Pass	9700
1000	5650	1	Peak	5123.887	-36.94	-27	Pass	4650
5650	5700	1	Peak	5650.58	-37.39	-26.57	Pass	691
5700	5720	1	Peak	5700.058	-37.34	10.02	Pass	691
5720	5725	1	Peak	5720.174	-35.26	16	Pass	691
5725	5850	1	Peak	5738.043	11.13	30	Pass	691
5850	5855	1	Peak	5854.884	-36.64	15.86	Pass	691
5855	5875	1	Peak	5873.551	-36.76	10.41	Pass	691
5875	5925	1	Peak	5924.928	-37.78	-26.95	Pass	691
5925	25000	1	Peak	16394.549	-33.91	-27	Pass	19075



24. 802.11n_20M_Band4_H

24.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	611.36	-51.83	-27	Pass	9700
1000	5650	1	Peak	5411.949	-37.29	-27	Pass	4650
5650	5700	1	Peak	5650.652	-38.58	-26.52	Pass	691
5700	5720	1	Peak	5700.087	-38.05	10.02	Pass	691
5720	5725	1	Peak	5720.13	-37.19	15.9	Pass	691
5725	5850	1	Peak	5819.022	11.23	30	Pass	691
5850	5855	1	Peak	5854.804	-36.94	16.05	Pass	691
5855	5875	1	Peak	5874.71	-37.03	10.08	Pass	691
5875	5925	1	Peak	5924.783	-38.43	-26.84	Pass	691
5925	25000	1	Peak	17679.616	-34.08	-27	Pass	19075



25. 802.11n_40M_Band1_L

25.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	934.593	-50.77	-27	Pass	9700
1000	5150	0.1	Peak	5140.698	-47.59	-27	Pass	41499
5150	5350	0.1	Peak	5185.018	0.89	24	Pass	2000
5350	10300	0.1	Peak	6116.024	-47.48	-27	Pass	49499
10300	10700	0.1	Peak	10689.697	-48.02	-27	Pass	4000
10700	25000	0.1	Peak	16474.48	-45.8	-27	Pass	142999



26. 802.11n_40M_Band1_H

26.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	573.056	-51.44	-27	Pass	9700
1000	5150	0.1	Peak	4752.316	-49.08	-27	Pass	41499
5150	5350	0.1	Peak	5234.942	1.22	24	Pass	2000
5350	10300	0.1	Peak	6921.649	-47.99	-27	Pass	49499
10300	10700	0.1	Peak	10664.291	-48.04	-27	Pass	4000
10700	25000	0.1	Peak	15838.761	-45.29	-27	Pass	142999



27. 802.11n_40M_Band2_L

27.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	760.275	-50.84	-27	Pass	9700
1000	5150	1	Peak	4772.909	-37.41	-27	Pass	4150
5150	5350	1	Peak	5260.725	9.3	24	Pass	691
5350	10300	1	Peak	6990.331	-35.85	-27	Pass	4950
10300	10700	1	Peak	10599.13	-36.46	-27	Pass	691
10700	25000	1	Peak	17110.448	-33.61	-27	Pass	14300



28. 802.11n_40M_Band2_H

28.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	999.2	-51.14	-27	Pass	9700
1000	5150	1	Peak	5077.983	-36.87	-27	Pass	4150
5150	5350	1	Peak	5301.014	9.33	24	Pass	691
5350	10300	1	Peak	5353.001	-34.04	-27	Pass	4950
10300	10700	1	Peak	10480.29	-36.49	-27	Pass	691
10700	25000	1	Peak	17765.494	-33.3	-27	Pass	14300



29. 802.11n_40M_Band3_L

29.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	997.4	-50.91	-27	Pass	9700
1000	5470	1	Peak	5466.999	-37.05	-27	Pass	4470
5470	5725	1	Peak	5522.478	8.57	24	Pass	691
5725	10940	1	Peak	6892.224	-36.33	-27	Pass	5215
10940	11450	1	Peak	11410.826	-36.06	-27	Pass	691
11450	25000	1	Peak	16325.36	-33.16	-27	Pass	13550



30. 802.11n_40M_Band3_H

30.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	830.783	-51.03	-27	Pass	9700
1000	5470	1	Peak	5437.993	-37.12	-27	Pass	4470
5470	5725	1	Peak	5681.022	9.13	24	Pass	691
5725	10940	1	Peak	6176.086	-36.2	-27	Pass	5215
10940	11450	1	Peak	11220.13	-36.26	-27	Pass	691
11450	25000	1	Peak	15817.322	-33.14	-27	Pass	13550



31. 802.11n_40M_Band4_L

31.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	575.856	-51.85	-27	Pass	9700
1000	5650	1	Peak	5214.906	-37.91	-27	Pass	4650
5650	5700	1	Peak	5650	-38.91	-27	Pass	691
5700	5720	1	Peak	5702.609	-33.25	10.73	Pass	691
5720	5725	1	Peak	5720.37	-30.33	16.44	Pass	691
5725	5850	1	Peak	5770.29	8.75	30	Pass	691
5850	5855	1	Peak	5854.942	-37.25	15.73	Pass	691
5855	5875	1	Peak	5874.159	-36.73	10.24	Pass	691
5875	5925	1	Peak	5923.333	-37.1	-25.77	Pass	691
5925	25000	1	Peak	15829.519	-34.24	-27	Pass	19075



32. 802.11n_40M_Band4_H

32.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	938.194	-51.46	-27	Pass	9700
1000	5650	1	Peak	5345.935	-37.89	-27	Pass	4650
5650	5700	1	Peak	5650.362	-38.65	-26.73	Pass	691
5700	5720	1	Peak	5703.13	-36.07	10.88	Pass	691
5720	5725	1	Peak	5720.203	-35.58	16.06	Pass	691
5725	5850	1	Peak	5785.87	9.43	30	Pass	691
5850	5855	1	Peak	5854.957	-35.87	15.7	Pass	691
5855	5875	1	Peak	5874.507	-37.04	10.14	Pass	691
5875	5925	1	Peak	5924.855	-37.87	-26.89	Pass	691
5925	25000	1	Peak	15828.519	-34.46	-27	Pass	19075



33. 802.11ac_40M_Band1_L

33.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	979.498	-52.02	-27	Pass	9700
1000	5150	0.1	Peak	5146.999	-47.89	-27	Pass	41499
5150	5350	0.1	Peak	5201.226	0.56	24	Pass	2000
5350	10300	0.1	Peak	6955.15	-47.15	-27	Pass	49499
10300	10700	0.1	Peak	10345.911	-48.13	-27	Pass	4000
10700	25000	0.1	Peak	15370.346	-45.48	-27	Pass	142999



34. 802.11ac_40M_Band1_H

34.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	859.886	-51.76	-27	Pass	9700
1000	5150	0.1	Peak	5140.498	-47.51	-27	Pass	41499
5150	5350	0.1	Peak	5234.942	1.19	24	Pass	2000
5350	10300	0.1	Peak	6921.949	-46.75	-27	Pass	49499
10300	10700	0.1	Peak	10469.342	-48.1	-27	Pass	4000
10700	25000	0.1	Peak	16902.594	-43.94	-27	Pass	142999



35. 802.11ac_40M_Band2_L

35.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	987.899	-50.79	-27	Pass	9700
1000	5150	1	Peak	4530.851	-37.19	-27	Pass	4150
5150	5350	1	Peak	5276.957	9.42	24	Pass	691
5350	10300	1	Peak	6951.324	-35.7	-27	Pass	4950
10300	10700	1	Peak	10569.565	-36.18	-27	Pass	691
10700	25000	1	Peak	15405.329	-34.19	-27	Pass	14300



36. 802.11ac_40M_Band2_H

36.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	852.985	-50.79	-27	Pass	9700
1000	5150	1	Peak	4646.879	-36.84	-27	Pass	4150
5150	5350	1	Peak	5298.696	9.17	24	Pass	691
5350	10300	1	Peak	5353.001	-34.72	-27	Pass	4950
10300	10700	1	Peak	10697.681	-36.59	-27	Pass	691
10700	25000	1	Peak	16368.396	-33.09	-27	Pass	14300



37. 802.11ac_40M_Band3_L

37.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	546.153	-50.82	-27	Pass	9700
1000	5470	1	Peak	5468	-36.94	-27	Pass	4470
5470	5725	1	Peak	5498.826	8.53	24	Pass	691
5725	10940	1	Peak	6928.231	-35.8	-27	Pass	5215
10940	11450	1	Peak	11410.087	-37	-27	Pass	691
11450	25000	1	Peak	15831.323	-33.25	-27	Pass	13550



38. 802.11ac_40M_Band3_H

38.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	969.497	-50.97	-27	Pass	9700
1000	5470	1	Peak	5429.991	-37.24	-27	Pass	4470
5470	5725	1	Peak	5677.696	8.83	24	Pass	691
5725	10940	1	Peak	6911.227	-36.24	-27	Pass	5215
10940	11450	1	Peak	11366.478	-36.36	-27	Pass	691
11450	25000	1	Peak	15737.316	-33.63	-27	Pass	13550



39. 802.11ac_40M_Band4_L

39.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	985.899	-51.74	-27	Pass	9700
1000	5650	1	Peak	5439.955	-37.07	-27	Pass	4650
5650	5700	1	Peak	5650.362	-38.38	-26.73	Pass	691
5700	5720	1	Peak	5701.159	-33.39	10.32	Pass	691
5720	5725	1	Peak	5720.254	-32.93	16.18	Pass	691
5725	5850	1	Peak	5771.558	8.8	30	Pass	691
5850	5855	1	Peak	5854.703	-36.48	16.28	Pass	691
5855	5875	1	Peak	5873.928	-36.76	10.3	Pass	691
5875	5925	1	Peak	5924.203	-38.25	-26.41	Pass	691
5925	25000	1	Peak	16384.548	-34.62	-27	Pass	19075



40. 802.11ac_40M_Band4_H

40.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	787.278	-51.88	-27	Pass	9700
1000	5650	1	Peak	5351.936	-38.1	-27	Pass	4650
5650	5700	1	Peak	5650	-39.04	-27	Pass	691
5700	5720	1	Peak	5701.942	-35.93	10.54	Pass	691
5720	5725	1	Peak	5720.08	-36.57	15.78	Pass	691
5725	5850	1	Peak	5787.681	9.63	30	Pass	691
5850	5855	1	Peak	5854.986	-36.21	15.63	Pass	691
5855	5875	1	Peak	5869.29	-34.85	11.6	Pass	691
5875	5925	1	Peak	5924.13	-37.66	-26.36	Pass	691
5925	25000	1	Peak	16684.564	-34.73	-27	Pass	19075



41. 802.11ac_80M_Band1_M

41.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	949.395	-51.89	-27	Pass	9700
1000	5150	0.1	Peak	5144.999	-45.78	-27	Pass	41499
5150	5350	0.1	Peak	5193.722	-1.71	24	Pass	2000
5350	10300	0.1	Peak	9319.888	-47.81	-27	Pass	49499
10300	10700	0.1	Peak	10349.012	-47.95	-27	Pass	4000
10700	25000	0.1	Peak	16360.877	-45.46	-27	Pass	142999



42. 802.11ac_80M_Band2_M

42.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	997.5	-50.98	-27	Pass	9700
1000	5150	1	Peak	4706.893	-38.1	-27	Pass	4150
5150	5350	1	Peak	5267.101	6.31	24	Pass	691
5350	10300	1	Peak	5360.002	-35.06	-27	Pass	4950
10300	10700	1	Peak	10301.159	-36.65	-27	Pass	691
10700	25000	1	Peak	16347.395	-34.21	-27	Pass	14300



43. 802.11ac_80M_Band3_M

43.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	576.356	-51.38	-27	Pass	9700
1000	5470	1	Peak	5406.986	-37.01	-27	Pass	4470
5470	5725	1	Peak	5549.087	5.79	24	Pass	691
5725	10940	1	Peak	9206.668	-36.24	-27	Pass	5215
10940	11450	1	Peak	11213.478	-36.46	-27	Pass	691
11450	25000	1	Peak	15309.285	-34.2	-27	Pass	13550



44. 802.11ac_80M_Band4_M

44.1. A.6-Conducted Spurious Emission(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	997.3	-52.07	-27	Pass	9700
1000	5650	1	Peak	5223.908	-37.45	-27	Pass	4650
5650	5700	1	Peak	5650.797	-37.37	-26.41	Pass	691
5700	5720	1	Peak	5700.377	-32.02	10.11	Pass	691
5720	5725	1	Peak	5720.435	-30.86	16.59	Pass	691
5725	5850	1	Peak	5788.768	5.91	30	Pass	691
5850	5855	1	Peak	5854.674	-36.01	16.34	Pass	691
5855	5875	1	Peak	5874.768	-36.73	10.06	Pass	691
5875	5925	1	Peak	5925	-38.41	-27	Pass	691
5925	25000	1	Peak	15398.497	-34.35	-27	Pass	19075




MIMO-ANT 0

1. 802.11n_20M_Band1_L

1.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	979.198	-49.71	-27	Pass	9700
1000	5150	0.1	Peak	4723.71	-48.21	-27	Pass	41499
5150	5350	0.1	Peak	5187.419	-1.7	24	Pass	2000
5350	10300	0.1	Peak	10172.485	-46.14	-27	Pass	49499
10300	10700	0.1	Peak	10359.915	-46.91	-27	Pass	4000
10700	25000	0.1	Peak	15412.347	-44.06	-27	Pass	142999



2. 802.11n_20M_Band1_H

2.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	767.076	-50.87	-27	Pass	9700
1000	5150	0.1	Peak	5144.399	-48.34	-27	Pass	41499
5150	5350	0.1	Peak	5244.947	-0.92	24	Pass	2000
5350	10300	0.1	Peak	6896.748	-46.42	-27	Pass	49499
10300	10700	0.1	Peak	10624.881	-46.06	-27	Pass	4000
10700	25000	0.1	Peak	16391.878	-44.91	-27	Pass	142999



3. 802.11n_20M_Band2_L

3.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	598.459	-50.14	-27	Pass	9700
1000	5150	1	Peak	5116.992	-37	-27	Pass	4150
5150	5350	1	Peak	5263.043	6.7	24	Pass	691
5350	10300	1	Peak	6961.326	-35.89	-27	Pass	4950
10300	10700	1	Peak	10676.232	-35.78	-27	Pass	691
10700	25000	1	Peak	16395.398	-33.47	-27	Pass	14300



4. 802.11n_20M_Band2_H

4.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	354.433	-50.83	-27	Pass	9700
1000	5150	1	Peak	4738.901	-37.46	-27	Pass	4150
5150	5350	1	Peak	5315.797	6.21	24	Pass	691
5350	10300	1	Peak	6157.163	-35.4	-27	Pass	4950
10300	10700	1	Peak	10471.014	-35.78	-27	Pass	691
10700	25000	1	Peak	15828.359	-33.1	-27	Pass	14300



5. 802.11n_20M_Band3_L

5.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	959.796	-49.95	-27	Pass	9700
1000	5470	1	Peak	5367.977	-36.76	-27	Pass	4470
5470	5725	1	Peak	5505.478	5.85	24	Pass	691
5725	10940	1	Peak	6908.227	-35.35	-27	Pass	5215
10940	11450	1	Peak	11245.261	-36.63	-27	Pass	691
11450	25000	1	Peak	16395.365	-33.36	-27	Pass	13550



6. 802.11n_20M_Band3_H

6.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	995.8	-50.19	-27	Pass	9700
1000	5470	1	Peak	5286.959	-36.67	-27	Pass	4470
5470	5725	1	Peak	5692.478	6.47	24	Pass	691
5725	10940	1	Peak	9414.708	-35.51	-27	Pass	5215
10940	11450	1	Peak	11118.87	-36.69	-27	Pass	691
11450	25000	1	Peak	17550.45	-33.33	-27	Pass	13550



7. 802.11n_20M_Band4_L

7.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	353.133	-50.17	-27	Pass	9700
1000	5650	1	Peak	5061.874	-36.95	-27	Pass	4650
5650	5700	1	Peak	5650.507	-37.76	-26.62	Pass	691
5700	5720	1	Peak	5711.565	-19.21	13.24	Pass	691
5720	5725	1	Peak	5720.616	-16.02	17	Pass	691
5725	5850	1	Peak	5747.101	6.85	30	Pass	691
5850	5855	1	Peak	5854.928	-36.26	15.77	Pass	691
5855	5875	1	Peak	5873.899	-35.68	10.31	Pass	691
5875	5925	1	Peak	5924.058	-36.99	-26.3	Pass	691
5925	25000	1	Peak	16344.546	-32.27	-27	Pass	19075



8. 802.11n_20M_Band4_H

8.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	967.397	-49.98	-27	Pass	9700
1000	5650	1	Peak	5445.956	-37.03	-27	Pass	4650
5650	5700	1	Peak	5650.797	-38.24	-26.41	Pass	691
5700	5720	1	Peak	5700.29	-37.16	10.08	Pass	691
5720	5725	1	Peak	5720.37	-35.57	16.44	Pass	691
5725	5850	1	Peak	5821.014	5.7	30	Pass	691
5850	5855	1	Peak	5854.717	-35.27	16.24	Pass	691
5855	5875	1	Peak	5873.435	-36.35	10.44	Pass	691
5875	5925	1	Peak	5924.565	-37.33	-26.68	Pass	691
5925	25000	1	Peak	16367.547	-32.87	-27	Pass	19075



9. 802.11n_40M_Band1_L

9.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	622.861	-50.41	-27	Pass	9700
1000	5150	0.1	Peak	4663.898	-47	-27	Pass	41499
5150	5350	0.1	Peak	5184.917	-4.07	24	Pass	2000
5350	10300	0.1	Peak	8253.191	-46.84	-27	Pass	49499
10300	10700	0.1	Peak	10575.369	-47.1	-27	Pass	4000
10700	25000	0.1	Peak	15835.96	-43.19	-27	Pass	142999



10. 802.11n_40M_Band1_H

10.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	945.894	-50.32	-27	Pass	9700
1000	5150	0.1	Peak	5031.775	-47.28	-27	Pass	41499
5150	5350	0.1	Peak	5244.947	-4.01	24	Pass	2000
5350	10300	0.1	Peak	5831.115	-46.32	-27	Pass	49499
10300	10700	0.1	Peak	10461.94	-46.61	-27	Pass	4000
10700	25000	0.1	Peak	16309.375	-44.11	-27	Pass	142999



11. 802.11n_40M_Band2_L

11.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	992.799	-50.73	-27	Pass	9700
1000	5150	1	Peak	4125.753	-37.3	-27	Pass	4150
5150	5350	1	Peak	5276.667	4.02	24	Pass	691
5350	10300	1	Peak	5874.106	-35.59	-27	Pass	4950
10300	10700	1	Peak	10697.681	-36.1	-27	Pass	691
10700	25000	1	Peak	15301.322	-33.31	-27	Pass	14300



12. 802.11n_40M_Band2_H

12.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	844.684	-50.22	-27	Pass	9700
1000	5150	1	Peak	5127.995	-37.48	-27	Pass	4150
5150	5350	1	Peak	5324.493	3.54	24	Pass	691
5350	10300	1	Peak	6931.319	-35.02	-27	Pass	4950
10300	10700	1	Peak	10680.29	-35.58	-27	Pass	691
10700	25000	1	Peak	17059.445	-33.67	-27	Pass	14300



13. 802.11n_40M_Band3_L

13.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	878.888	-50.65	-27	Pass	9700
1000	5470	1	Peak	5221.945	-36.88	-27	Pass	4470
5470	5725	1	Peak	5502.152	3.2	24	Pass	691
5725	10940	1	Peak	9837.789	-35.65	-27	Pass	5215
10940	11450	1	Peak	11428.565	-35.49	-27	Pass	691
11450	25000	1	Peak	15820.323	-32.91	-27	Pass	13550



14. 802.11n_40M_Band3_H

14.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	880.588	-50.25	-27	Pass	9700
1000	5470	1	Peak	5331.969	-36.37	-27	Pass	4470
5470	5725	1	Peak	5679.543	3.92	24	Pass	691
5725	10940	1	Peak	6932.231	-35.81	-27	Pass	5215
10940	11450	1	Peak	11441.13	-36.23	-27	Pass	691
11450	25000	1	Peak	16295.358	-33.27	-27	Pass	13550



15. 802.11n_40M_Band4_L

15.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	958.796	-49.98	-27	Pass	9700
1000	5650	1	Peak	5522.973	-36.53	-27	Pass	4650
5650	5700	1	Peak	5650	-37.7	-27	Pass	691
5700	5720	1	Peak	5701.188	-36.41	10.33	Pass	691
5720	5725	1	Peak	5720.116	-33.74	15.86	Pass	691
5725	5850	1	Peak	5765.942	4.14	30	Pass	691
5850	5855	1	Peak	5854.413	-35.06	16.94	Pass	691
5855	5875	1	Peak	5872.971	-36.27	10.57	Pass	691
5875	5925	1	Peak	5923.841	-36.34	-26.14	Pass	691
5925	25000	1	Peak	15935.525	-33.17	-27	Pass	19075



16. 802.11n_40M_Band4_H

16.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	758.275	-49.74	-27	Pass	9700
1000	5650	1	Peak	5415.95	-36.58	-27	Pass	4650
5650	5700	1	Peak	5650	-38.07	-27	Pass	691
5700	5720	1	Peak	5700.928	-37.47	10.26	Pass	691
5720	5725	1	Peak	5720.014	-36.61	15.63	Pass	691
5725	5850	1	Peak	5780.616	4.09	30	Pass	691
5850	5855	1	Peak	5854.891	-36.27	15.85	Pass	691
5855	5875	1	Peak	5874.565	-36.21	10.12	Pass	691
5875	5925	1	Peak	5924.855	-38.17	-26.89	Pass	691
5925	25000	1	Peak	17124.587	-32.95	-27	Pass	19075



17. 802.11ac_20M_Band1_L

17.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	772.577	-50.89	-27	Pass	9700
1000	5150	0.1	Peak	5029.075	-48.31	-27	Pass	41499
5150	5350	0.1	Peak	5184.917	-1.29	24	Pass	2000
5350	10300	0.1	Peak	9320.388	-46.79	-27	Pass	49499
10300	10700	0.1	Peak	10570.268	-46.72	-27	Pass	4000
10700	25000	0.1	Peak	17654.317	-44.47	-27	Pass	142999



18. 802.11ac_20M_Band1_H

18.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	340.432	-50.92	-27	Pass	9700
1000	5150	0.1	Peak	5059.181	-48.85	-27	Pass	41499
5150	5350	0.1	Peak	5247.449	-1.02	24	Pass	2000
5350	10300	0.1	Peak	6177.626	-46.17	-27	Pass	49499
10300	10700	0.1	Peak	10692.198	-46.19	-27	Pass	4000
10700	25000	0.1	Peak	16704.488	-43.02	-27	Pass	142999



19. 802.11ac_20M_Band2_L

19.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	916.091	-50.31	-27	Pass	9700
1000	5150	1	Peak	5135.997	-36.03	-27	Pass	4150
5150	5350	1	Peak	5265.652	7.12	24	Pass	691
5350	10300	1	Peak	6997.333	-35.55	-27	Pass	4950
10300	10700	1	Peak	10596.232	-36.16	-27	Pass	691
10700	25000	1	Peak	16330.394	-33.2	-27	Pass	14300



20. 802.11ac_20M_Band2_H

20.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	904.29	-50.51	-27	Pass	9700
1000	5150	1	Peak	4691.89	-37.01	-27	Pass	4150
5150	5350	1	Peak	5325.942	6.26	24	Pass	691
5350	10300	1	Peak	6978.329	-36.13	-27	Pass	4950
10300	10700	1	Peak	10372.464	-35.95	-27	Pass	691
10700	25000	1	Peak	15385.328	-33.19	-27	Pass	14300



21. 802.11ac_20M_Band3_H

21.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	935.593	-49.53	-27	Pass	9700
1000	5470	1	Peak	5455.997	-36.89	-27	Pass	4470
5470	5725	1	Peak	5693.957	6.67	24	Pass	691
5725	10940	1	Peak	6087.069	-35.42	-27	Pass	5215
10940	11450	1	Peak	11129.957	-36.02	-27	Pass	691
11450	25000	1	Peak	16320.359	-33.8	-27	Pass	13550



22. 802.11ac_20M_Band4_L

22.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	289.227	-50.65	-27	Pass	9700
1000	5650	1	Peak	5026.866	-36.77	-27	Pass	4650
5650	5700	1	Peak	5650.435	-37.97	-26.68	Pass	691
5700	5720	1	Peak	5701.884	-37.05	10.53	Pass	691
5720	5725	1	Peak	5720.123	-35.66	15.88	Pass	691
5725	5850	1	Peak	5751.63	6.12	30	Pass	691
5850	5855	1	Peak	5854.732	-35.85	16.21	Pass	691
5855	5875	1	Peak	5874.826	-36.64	10.05	Pass	691
5875	5925	1	Peak	5924.71	-37.78	-26.79	Pass	691
5925	25000	1	Peak	15499.502	-32.82	-27	Pass	19075



23. 802.11ac_20M_Band4_H

23.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	947.695	-50.58	-27	Pass	9700
1000	5650	1	Peak	5328.931	-37.09	-27	Pass	4650
5650	5700	1	Peak	5650	-37.7	-27	Pass	691
5700	5720	1	Peak	5700.348	-37.61	10.1	Pass	691
5720	5725	1	Peak	5720.109	-37.21	15.85	Pass	691
5725	5850	1	Peak	5820.833	6.29	30	Pass	691
5850	5855	1	Peak	5854.928	-24.52	15.77	Pass	691
5855	5875	1	Peak	5861.29	-23.92	13.84	Pass	691
5875	5925	1	Peak	5924.565	-36.97	-26.68	Pass	691
5925	25000	1	Peak	15961.526	-33.27	-27	Pass	19075



24. 802.11ac_40M_Band1_L

24.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	970.697	-50.65	-27	Pass	9700
1000	5150	0.1	Peak	4545.773	-48.71	-27	Pass	41499
5150	5350	0.1	Peak	5184.917	-4.22	24	Pass	2000
5350	10300	0.1	Peak	5864.216	-46.16	-27	Pass	49499
10300	10700	0.1	Peak	10396.824	-46.86	-27	Pass	4000
10700	25000	0.1	Peak	17017.297	-44.27	-27	Pass	142999



25. 802.11ac_40M_Band1_H

25.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	720.071	-51.03	-27	Pass	9700
1000	5150	0.1	Peak	4774.221	-48.7	-27	Pass	41499
5150	5350	0.1	Peak	5244.947	-3.87	24	Pass	2000
5350	10300	0.1	Peak	6918.749	-46.99	-27	Pass	49499
10300	10700	0.1	Peak	10588.272	-46.77	-27	Pass	4000
10700	25000	0.1	Peak	16349.277	-43.88	-27	Pass	142999



26. 802.11ac_40M_Band2_L

26.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	203.818	-50.08	-27	Pass	9700
1000	5150	1	Peak	5127.995	-37.39	-27	Pass	4150
5150	5350	1	Peak	5262.174	4.07	24	Pass	691
5350	10300	1	Peak	6890.311	-35.22	-27	Pass	4950
10300	10700	1	Peak	10582.899	-35.51	-27	Pass	691
10700	25000	1	Peak	16351.395	-33.22	-27	Pass	14300



27. 802.11ac_40M_Band2_H

27.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	957.596	-50	-27	Pass	9700
1000	5150	1	Peak	5095.987	-37.27	-27	Pass	4150
5150	5350	1	Peak	5320.725	3.44	24	Pass	691
5350	10300	1	Peak	6930.319	-35.25	-27	Pass	4950
10300	10700	1	Peak	10581.159	-35.31	-27	Pass	691
10700	25000	1	Peak	16271.39	-32.98	-27	Pass	14300



28. 802.11ac_40M_Band3_L

28.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	718.771	-50.82	-27	Pass	9700
1000	5470	1	Peak	5440.994	-36.19	-27	Pass	4470
5470	5725	1	Peak	5499.196	3.03	24	Pass	691
5725	10940	1	Peak	9297.685	-35.8	-27	Pass	5215
10940	11450	1	Peak	11418.957	-36.39	-27	Pass	691
11450	25000	1	Peak	16351.362	-33.41	-27	Pass	13550



29. 802.11ac_40M_Band3_H

29.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	375.336	-50.45	-27	Pass	9700
1000	5470	1	Peak	5348.973	-37.28	-27	Pass	4470
5470	5725	1	Peak	5677.326	3.81	24	Pass	691
5725	10940	1	Peak	10711.956	-36.02	-27	Pass	5215
10940	11450	1	Peak	11434.478	-35.95	-27	Pass	691
11450	25000	1	Peak	17120.418	-33.42	-27	Pass	13550



31. 802.11ac_40M_Band4_L

31.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	886.088	-50.22	-27	Pass	9700
1000	5650	1	Peak	5360.938	-36.31	-27	Pass	4650
5650	5700	1	Peak	5650.29	-37.9	-26.79	Pass	691
5700	5720	1	Peak	5701.246	-36.89	10.35	Pass	691
5720	5725	1	Peak	5720.283	-34.26	16.24	Pass	691
5725	5850	1	Peak	5767.21	4.16	30	Pass	691
5850	5855	1	Peak	5854.746	-35.72	16.18	Pass	691
5855	5875	1	Peak	5873.232	-36.35	10.5	Pass	691
5875	5925	1	Peak	5924.783	-37.7	-26.84	Pass	691
5925	25000	1	Peak	15718.513	-33.67	-27	Pass	19075



32. 802.11ac_40M_Band4_H

32.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	801.58	-49.81	-27	Pass	9700
1000	5650	1	Peak	5332.932	-37.16	-27	Pass	4650
5650	5700	1	Peak	5650.29	-38.3	-26.79	Pass	691
5700	5720	1	Peak	5701.333	-36.95	10.37	Pass	691
5720	5725	1	Peak	5720.123	-36.51	15.88	Pass	691
5725	5850	1	Peak	5784.42	4.15	30	Pass	691
5850	5855	1	Peak	5854.884	-35.43	15.86	Pass	691
5855	5875	1	Peak	5874.71	-35.85	10.08	Pass	691
5875	5925	1	Peak	5924.42	-36.55	-26.57	Pass	691
5925	25000	1	Peak	16676.564	-33.01	-27	Pass	19075



33. 802.11ac_80M_Band1_M

33.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	991.699	-50.45	-27	Pass	9700
1000	5150	0.1	Peak	5129.096	-47.11	-27	Pass	41499
5150	5350	0.1	Peak	5184.917	-6.17	24	Pass	2000
5350	10300	0.1	Peak	6893.248	-47.28	-27	Pass	49499
10300	10700	0.1	Peak	10600.375	-47.3	-27	Pass	4000
10700	25000	0.1	Peak	15799.459	-44.4	-27	Pass	142999



34. 802.11ac_80M_Band2_M

34.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	675.567	-49.88	-27	Pass	9700
1000	5150	1	Peak	5077.983	-36.89	-27	Pass	4150
5150	5350	1	Peak	5277.536	1.73	24	Pass	691
5350	10300	1	Peak	9752.889	-35.09	-27	Pass	4950
10300	10700	1	Peak	10691.304	-35.99	-27	Pass	691
10700	25000	1	Peak	14938.296	-33.12	-27	Pass	14300



35. 802.11ac_80M_Band3_L

35.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	988.099	-50.47	-27	Pass	9700
1000	5470	1	Peak	5396.984	-36.33	-27	Pass	4470
5470	5725	1	Peak	5511.761	1.02	24	Pass	691
5725	10940	1	Peak	6981.241	-35.56	-27	Pass	5215
10940	11450	1	Peak	11197.217	-35.89	-27	Pass	691
11450	25000	1	Peak	16328.36	-32.49	-27	Pass	13550



37. 802.11ac_80M_Band4_M

37.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	497.948	-50.84	-27	Pass	9700
1000	5650	1	Peak	5401.947	-36.38	-27	Pass	4650
5650	5700	1	Peak	5650.072	-38.19	-26.95	Pass	691
5700	5720	1	Peak	5701.971	-35.99	10.55	Pass	691
5720	5725	1	Peak	5720.022	-36.21	15.65	Pass	691
5725	5850	1	Peak	5789.312	1.56	30	Pass	691
5850	5855	1	Peak	5854.949	-36.23	15.72	Pass	691
5855	5875	1	Peak	5874.13	-34.78	10.24	Pass	691
5875	5925	1	Peak	5924.71	-37.7	-26.79	Pass	691
5925	25000	1	Peak	16331.546	-33.3	-27	Pass	19075



38. 802.11ac_160M_Band2_M

38.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	571.956	-50.94	-27	Pass	9700
1000	5150	1	Peak	5132.996	-36.04	-27	Pass	4150
5150	5350	1	Peak	5271.159	-0.69	24	Pass	691
5350	10300	1	Peak	6900.313	-35.24	-27	Pass	4950
10300	10700	1	Peak	10677.971	-36.26	-27	Pass	691
10700	25000	1	Peak	16279.39	-33.48	-27	Pass	14300



39. 802.11ac_160M_Band3_M

39.1. A.6-Conducted Spurious Emission(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	768.976	-49.78	-27	Pass	9700
1000	5470	1	Peak	5458.998	-37.08	-27	Pass	4470
5470	5725	1	Peak	5552.043	-1.41	24	Pass	691
5725	10940	1	Peak	6978.24	-35.76	-27	Pass	5215
10940	11450	1	Peak	11200.913	-36.37	-27	Pass	691
11450	25000	1	Peak	16337.361	-33.03	-27	Pass	13550




MIMO-ANT 1

1. 802.11n_20M_Band1_L

1.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	946.294	-50.15	-27	Pass	9700
1000	5150	0.1	Peak	4348.631	-47.5	-27	Pass	41499
5150	5350	0.1	Peak	5187.419	0.35	24	Pass	2000
5350	10300	0.1	Peak	6997.851	-46.44	-27	Pass	49499
10300	10700	0.1	Peak	10562.566	-47.52	-27	Pass	4000
10700	25000	0.1	Peak	17047.298	-44.27	-27	Pass	142999



2. 802.11n_20M_Band1_H

2.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	973.797	-50.5	-27	Pass	9700
1000	5150	0.1	Peak	5133.397	-47.73	-27	Pass	41499
5150	5350	0.1	Peak	5233.742	-0.54	24	Pass	2000
5350	10300	0.1	Peak	6908.949	-46.44	-27	Pass	49499
10300	10700	0.1	Peak	10575.869	-46.25	-27	Pass	4000
10700	25000	0.1	Peak	15445.248	-44.16	-27	Pass	142999



3. 802.11n_20M_Band2_L

3.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	843.484	-50.6	-27	Pass	9700
1000	5150	1	Peak	4746.903	-36.73	-27	Pass	4150
5150	5350	1	Peak	5264.783	6.95	24	Pass	691
5350	10300	1	Peak	6895.312	-35.66	-27	Pass	4950
10300	10700	1	Peak	10594.493	-36.08	-27	Pass	691
10700	25000	1	Peak	16393.398	-33.35	-27	Pass	14300



4. 802.11n_20M_Band3_L

4.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	996.3	-50.85	-27	Pass	9700
1000	5470	1	Peak	5223.945	-37.02	-27	Pass	4470
5470	5725	1	Peak	5502.891	5.85	24	Pass	691
5725	10940	1	Peak	6915.228	-35.43	-27	Pass	5215
10940	11450	1	Peak	11303.652	-36.22	-27	Pass	691
11450	25000	1	Peak	15281.283	-32.97	-27	Pass	13550



5. 802.11n_20M_Band3_H

5.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	876.587	-50.14	-27	Pass	9700
1000	5470	1	Peak	4920.877	-36.34	-27	Pass	4470
5470	5725	1	Peak	5705.413	6.05	24	Pass	691
5725	10940	1	Peak	6893.224	-35.69	-27	Pass	5215
10940	11450	1	Peak	11217.913	-36.24	-27	Pass	691
11450	25000	1	Peak	16937.405	-33.78	-27	Pass	13550



7. 802.11n_20M_Band4_L

7.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	842.784	-50.3	-27	Pass	9700
1000	5650	1	Peak	5196.903	-36.34	-27	Pass	4650
5650	5700	1	Peak	5650.145	-37.87	-26.89	Pass	691
5700	5720	1	Peak	5705.275	-36.19	11.48	Pass	691
5720	5725	1	Peak	5720.007	-36.16	15.62	Pass	691
5725	5850	1	Peak	5738.768	6.24	30	Pass	691
5850	5855	1	Peak	5854.942	-36.77	15.73	Pass	691
5855	5875	1	Peak	5874.623	-36.52	10.11	Pass	691
5875	5925	1	Peak	5925	-37.88	-27	Pass	691
5925	25000	1	Peak	17026.582	-33.73	-27	Pass	19075



8. 802.11n_20M_Band4_H

8.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	983.798	-49.8	-27	Pass	9700
1000	5650	1	Peak	5332.932	-36.51	-27	Pass	4650
5650	5700	1	Peak	5650.217	-37.6	-26.84	Pass	691
5700	5720	1	Peak	5700.116	-37.83	10.03	Pass	691
5720	5725	1	Peak	5720.065	-36.74	15.75	Pass	691
5725	5850	1	Peak	5817.572	6.15	30	Pass	691
5850	5855	1	Peak	5854.978	-35.95	15.65	Pass	691
5855	5875	1	Peak	5874.826	-36.82	10.05	Pass	691
5875	5925	1	Peak	5924.928	-37.09	-26.95	Pass	691
5925	25000	1	Peak	16317.545	-33.75	-27	Pass	19075



9. 802.11n_40M_Band1_L

9.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	750.774	-50.39	-27	Pass	9700
1000	5150	0.1	Peak	4973.663	-47.44	-27	Pass	41499
5150	5350	0.1	Peak	5184.917	-3.8	24	Pass	2000
5350	10300	0.1	Peak	6967.951	-46.69	-27	Pass	49499
10300	10700	0.1	Peak	10609.977	-47.23	-27	Pass	4000
10700	25000	0.1	Peak	16276.274	-44.48	-27	Pass	142999



10. 802.11n_40M_Band1_H

10.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	899.99	-50.57	-27	Pass	9700
1000	5150	0.1	Peak	5136.397	-45.61	-27	Pass	41499
5150	5350	0.1	Peak	5244.947	-4.02	24	Pass	2000
5350	10300	0.1	Peak	5359.9	-45.4	-27	Pass	49499
10300	10700	0.1	Peak	10694.999	-47.32	-27	Pass	4000
10700	25000	0.1	Peak	16302.275	-43.25	-27	Pass	142999



11. 802.11n_40M_Band2_L

11.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	993.999	-50.55	-27	Pass	9700
1000	5150	1	Peak	5094.987	-37.56	-27	Pass	4150
5150	5350	1	Peak	5258.696	3.54	24	Pass	691
5350	10300	1	Peak	9856.91	-35.76	-27	Pass	4950
10300	10700	1	Peak	10683.188	-36.29	-27	Pass	691
10700	25000	1	Peak	15841.36	-33.35	-27	Pass	14300



12. 802.11n_40M_Band2_H

12.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	791.779	-49.88	-27	Pass	9700
1000	5150	1	Peak	5096.987	-37.85	-27	Pass	4150
5150	5350	1	Peak	5295.217	3.28	24	Pass	691
5350	10300	1	Peak	6893.312	-35.54	-27	Pass	4950
10300	10700	1	Peak	10345.217	-36.31	-27	Pass	691
10700	25000	1	Peak	16371.397	-33.7	-27	Pass	14300



13. 802.11n_40M_Band3_L

13.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	368.735	-50.62	-27	Pass	9700
1000	5470	1	Peak	5172.934	-36.31	-27	Pass	4470
5470	5725	1	Peak	5501.783	2.81	24	Pass	691
5725	10940	1	Peak	6908.227	-35.74	-27	Pass	5215
10940	11450	1	Peak	11000.609	-36.09	-27	Pass	691
11450	25000	1	Peak	16389.365	-32.83	-27	Pass	13550



14. 802.11n_40M_Band3_H

14.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	617.961	-50.18	-27	Pass	9700
1000	5470	1	Peak	5138.926	-36.35	-27	Pass	4470
5470	5725	1	Peak	5680.652	3.18	24	Pass	691
5725	10940	1	Peak	5899.033	-35.19	-27	Pass	5215
10940	11450	1	Peak	11347.261	-36.24	-27	Pass	691
11450	25000	1	Peak	16309.359	-33.38	-27	Pass	13550



15. 802.11n_40M_Band4_L

15.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	890.289	-49.88	-27	Pass	9700
1000	5650	1	Peak	5444.956	-36.81	-27	Pass	4650
5650	5700	1	Peak	5650.435	-37.41	-26.68	Pass	691
5700	5720	1	Peak	5700.667	-36.95	10.19	Pass	691
5720	5725	1	Peak	5720.007	-34.63	15.62	Pass	691
5725	5850	1	Peak	5769.746	3.62	30	Pass	691
5850	5855	1	Peak	5854.841	-35.31	15.96	Pass	691
5855	5875	1	Peak	5872.217	-36.32	10.78	Pass	691
5875	5925	1	Peak	5925	-37.54	-27	Pass	691
5925	25000	1	Peak	16362.547	-33.45	-27	Pass	19075



16. 802.11n_40M_Band4_H

16.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	940.894	-50.85	-27	Pass	9700
1000	5650	1	Peak	4787.815	-36.45	-27	Pass	4650
5650	5700	1	Peak	5650.29	-37.33	-26.79	Pass	691
5700	5720	1	Peak	5700.377	-36.42	10.11	Pass	691
5720	5725	1	Peak	5720.036	-36.86	15.68	Pass	691
5725	5850	1	Peak	5788.768	3.59	30	Pass	691
5850	5855	1	Peak	5854.884	-35.93	15.86	Pass	691
5855	5875	1	Peak	5873.957	-35.89	10.29	Pass	691
5875	5925	1	Peak	5924.928	-36.87	-26.95	Pass	691
5925	25000	1	Peak	16327.545	-33.1	-27	Pass	19075



17. 802.11ac_20M_Band1_L

17.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	990.399	-50.59	-27	Pass	9700
1000	5150	0.1	Peak	5129.096	-47.46	-27	Pass	41499
5150	5350	0.1	Peak	5184.917	-1.14	24	Pass	2000
5350	10300	0.1	Peak	10264.096	-45.89	-27	Pass	49499
10300	10700	0.1	Peak	10468.342	-47.06	-27	Pass	4000
10700	25000	0.1	Peak	16396.378	-44.24	-27	Pass	142999



18. 802.11ac_20M_Band1_H

18.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	987.799	-50.51	-27	Pass	9700
1000	5150	0.1	Peak	4987.066	-49.01	-27	Pass	41499
5150	5350	0.1	Peak	5234.942	-0.86	24	Pass	2000
5350	10300	0.1	Peak	6919.949	-46.83	-27	Pass	49499
10300	10700	0.1	Peak	10671.393	-47.32	-27	Pass	4000
10700	25000	0.1	Peak	17016.597	-44.54	-27	Pass	142999



19. 802.11ac_20M_Band2_L

19.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	770.376	-50.31	-27	Pass	9700
1000	5150	1	Peak	4941.95	-37.61	-27	Pass	4150
5150	5350	1	Peak	5264.493	6.5	24	Pass	691
5350	10300	1	Peak	9303.799	-35.35	-27	Pass	4950
10300	10700	1	Peak	10694.783	-35.83	-27	Pass	691
10700	25000	1	Peak	16449.402	-32.92	-27	Pass	14300



20. 802.11ac_20M_Band2_H

20.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	839.383	-50.53	-27	Pass	9700
1000	5150	1	Peak	5135.997	-37.14	-27	Pass	4150
5150	5350	1	Peak	5326.232	5.97	24	Pass	691
5350	10300	1	Peak	6893.312	-35.99	-27	Pass	4950
10300	10700	1	Peak	10697.681	-36.01	-27	Pass	691
10700	25000	1	Peak	15406.329	-33.13	-27	Pass	14300



21. 802.11ac_20M_Band3_L

21.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	698.069	-50.93	-27	Pass	9700
1000	5470	1	Peak	5439.993	-36.89	-27	Pass	4470
5470	5725	1	Peak	5496.609	5.32	24	Pass	691
5725	10940	1	Peak	10696.953	-35.97	-27	Pass	5215
10940	11450	1	Peak	11315.478	-35.23	-27	Pass	691
11450	25000	1	Peak	15408.292	-33.31	-27	Pass	13550



22. 802.11ac_20M_Band3_H

22.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	951.095	-51.19	-27	Pass	9700
1000	5470	1	Peak	5433.992	-37.23	-27	Pass	4470
5470	5725	1	Peak	5706.152	5.52	24	Pass	691
5725	10940	1	Peak	6901.226	-35.41	-27	Pass	5215
10940	11450	1	Peak	11002.826	-36.03	-27	Pass	691
11450	25000	1	Peak	15398.291	-33.01	-27	Pass	13550



23. 802.11ac_20M_Band4_L

23.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	553.554	-50.01	-27	Pass	9700
1000	5650	1	Peak	5338.933	-36.82	-27	Pass	4650
5650	5700	1	Peak	5650.797	-37.75	-26.41	Pass	691
5700	5720	1	Peak	5700.638	-37.48	10.18	Pass	691
5720	5725	1	Peak	5720.058	-36.66	15.73	Pass	691
5725	5850	1	Peak	5738.406	5.74	30	Pass	691
5850	5855	1	Peak	5854.949	-36.18	15.72	Pass	691
5855	5875	1	Peak	5874.536	-36.42	10.13	Pass	691
5875	5925	1	Peak	5924.855	-37.42	-26.89	Pass	691
5925	25000	1	Peak	16391.549	-32.51	-27	Pass	19075



24. 802.11ac_20M_Band4_H

24.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	920.492	-50.61	-27	Pass	9700
1000	5650	1	Peak	4763.809	-36.96	-27	Pass	4650
5650	5700	1	Peak	5650.652	-37.2	-26.52	Pass	691
5700	5720	1	Peak	5700.203	-36.43	10.06	Pass	691
5720	5725	1	Peak	5720.087	-37.1	15.8	Pass	691
5725	5850	1	Peak	5819.746	5.85	30	Pass	691
5850	5855	1	Peak	5854.971	-36.12	15.67	Pass	691
5855	5875	1	Peak	5874.739	-36.36	10.07	Pass	691
5875	5925	1	Peak	5924.565	-37.3	-26.68	Pass	691
5925	25000	1	Peak	18180.642	-33.8	-27	Pass	19075



25. 802.11ac_40M_Band1_L

25.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	885.688	-50.1	-27	Pass	9700
1000	5150	0.1	Peak	5114.192	-47.69	-27	Pass	41499
5150	5350	0.1	Peak	5184.917	-4.3	24	Pass	2000
5350	10300	0.1	Peak	9435.801	-45.48	-27	Pass	49499
10300	10700	0.1	Peak	10682.296	-46.8	-27	Pass	4000
10700	25000	0.1	Peak	17013.197	-44.37	-27	Pass	142999



26. 802.11ac_40M_Band1_H

26.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	425.241	-50.34	-27	Pass	9700
1000	5150	0.1	Peak	4473.358	-47.96	-27	Pass	41499
5150	5350	0.1	Peak	5234.942	-4.21	24	Pass	2000
5350	10300	0.1	Peak	10291.499	-46.59	-27	Pass	49499
10300	10700	0.1	Peak	10695.399	-46.55	-27	Pass	4000
10700	25000	0.1	Peak	15832.66	-44.57	-27	Pass	142999



27. 802.11ac_40M_Band2_L

27.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	946.795	-49.6	-27	Pass	9700
1000	5150	1	Peak	4697.891	-37.28	-27	Pass	4150
5150	5350	1	Peak	5265.362	3.8	24	Pass	691
5350	10300	1	Peak	9945.928	-35.29	-27	Pass	4950
10300	10700	1	Peak	10603.188	-34.68	-27	Pass	691
10700	25000	1	Peak	15872.362	-33.81	-27	Pass	14300



28. 802.11ac_40M_Band2_H

28.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	867.986	-50.84	-27	Pass	9700
1000	5150	1	Peak	5083.984	-37.64	-27	Pass	4150
5150	5350	1	Peak	5318.116	3.44	24	Pass	691
5350	10300	1	Peak	5866.104	-34.92	-27	Pass	4950
10300	10700	1	Peak	10687.826	-36.18	-27	Pass	691
10700	25000	1	Peak	15402.329	-33.46	-27	Pass	14300



29. 802.11ac_40M_Band3_L

29.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	939.194	-50.54	-27	Pass	9700
1000	5470	1	Peak	5356.975	-36.84	-27	Pass	4470
5470	5725	1	Peak	5522.109	3.27	24	Pass	691
5725	10940	1	Peak	6906.227	-34.55	-27	Pass	5215
10940	11450	1	Peak	11005.043	-36.21	-27	Pass	691
11450	25000	1	Peak	16374.363	-32.5	-27	Pass	13550



30. 802.11ac_40M_Band3_H

30.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	559.555	-50.88	-27	Pass	9700
1000	5470	1	Peak	5054.907	-37.43	-27	Pass	4470
5470	5725	1	Peak	5678.065	3.11	24	Pass	691
5725	10940	1	Peak	6912.228	-35.51	-27	Pass	5215
10940	11450	1	Peak	11226.783	-36.05	-27	Pass	691
11450	25000	1	Peak	17020.411	-33.34	-27	Pass	13550



31. 802.11ac_40M_Band4_L

31.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	992.499	-49.87	-27	Pass	9700
1000	5650	1	Peak	5375.941	-36.82	-27	Pass	4650
5650	5700	1	Peak	5651.377	-37.51	-25.98	Pass	691
5700	5720	1	Peak	5711.362	-34	13.18	Pass	691
5720	5725	1	Peak	5720.116	-32.82	15.86	Pass	691
5725	5850	1	Peak	5769.746	3.62	30	Pass	691
5850	5855	1	Peak	5854.971	-36.29	15.67	Pass	691
5855	5875	1	Peak	5873.899	-36.26	10.31	Pass	691
5875	5925	1	Peak	5923.986	-37.17	-26.25	Pass	691
5925	25000	1	Peak	15833.519	-33.48	-27	Pass	19075



32. 802.11ac_40M_Band4_H

32.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	560.255	-50.74	-27	Pass	9700
1000	5650	1	Peak	5215.907	-36.99	-27	Pass	4650
5650	5700	1	Peak	5650.362	-38.25	-26.73	Pass	691
5700	5720	1	Peak	5701.13	-36.83	10.32	Pass	691
5720	5725	1	Peak	5720.094	-35.98	15.81	Pass	691
5725	5850	1	Peak	5782.79	3.22	30	Pass	691
5850	5855	1	Peak	5854.986	-36.47	15.63	Pass	691
5855	5875	1	Peak	5874.13	-36.32	10.24	Pass	691
5875	5925	1	Peak	5924.203	-37.14	-26.41	Pass	691
5925	25000	1	Peak	15792.517	-32.43	-27	Pass	19075



33. 802.11ac_80M_Band1_M

33.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	887.788	-50.08	-27	Pass	9700
1000	5150	0.1	Peak	5127.495	-48.6	-27	Pass	41499
5150	5350	0.1	Peak	5193.722	-6.21	24	Pass	2000
5350	10300	0.1	Peak	6907.749	-46.08	-27	Pass	49499
10300	10700	0.1	Peak	10461.64	-47.11	-27	Pass	4000
10700	25000	0.1	Peak	15844.161	-44.07	-27	Pass	142999



34. 802.11ac_80M_Band2_M

34.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	988.499	-49.76	-27	Pass	9700
1000	5150	1	Peak	5059.978	-37.02	-27	Pass	4150
5150	5350	1	Peak	5273.188	1.53	24	Pass	691
5350	10300	1	Peak	9312.801	-35.67	-27	Pass	4950
10300	10700	1	Peak	10691.304	-35.66	-27	Pass	691
10700	25000	1	Peak	15810.357	-33.05	-27	Pass	14300



35. 802.11ac_80M_Band3_L

35.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	998	-50.15	-27	Pass	9700
1000	5470	1	Peak	5370.978	-36.75	-27	Pass	4470
5470	5725	1	Peak	5542.065	0.87	24	Pass	691
5725	10940	1	Peak	6997.244	-35.55	-27	Pass	5215
10940	11450	1	Peak	11096.696	-36.16	-27	Pass	691
11450	25000	1	Peak	17015.411	-33.39	-27	Pass	13550



36. 802.11ac_80M_Band4_M

36.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	964.696	-49.71	-27	Pass	9700
1000	5650	1	Peak	5384.943	-36.63	-27	Pass	4650
5650	5700	1	Peak	5650.87	-36.94	-26.36	Pass	691
5700	5720	1	Peak	5700.899	-36.79	10.25	Pass	691
5720	5725	1	Peak	5720.384	-35.61	16.48	Pass	691
5725	5850	1	Peak	5786.413	1.11	30	Pass	691
5850	5855	1	Peak	5854.79	-35.52	16.08	Pass	691
5855	5875	1	Peak	5871.174	-34.91	11.07	Pass	691
5875	5925	1	Peak	5924.565	-37.22	-26.68	Pass	691
5925	25000	1	Peak	15837.52	-33.83	-27	Pass	19075



37. 802.11ac_160M_Band2_M

37.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	911.791	-50.96	-27	Pass	9700
1000	5150	1	Peak	5137.997	-37.1	-27	Pass	4150
5150	5350	1	Peak	5264.783	-0.71	24	Pass	691
5350	10300	1	Peak	6987.331	-35.38	-27	Pass	4950
10300	10700	1	Peak	10683.768	-35.62	-27	Pass	691
10700	25000	1	Peak	15300.322	-33.57	-27	Pass	14300



38. 802.11ac_160M_Band3_M

38.1. A.6-Conducted Spurious Emission(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	547.053	-50.36	-27	Pass	9700
1000	5470	1	Peak	5445.995	-36.39	-27	Pass	4470
5470	5725	1	Peak	5550.935	-2.29	24	Pass	691
5725	10940	1	Peak	6893.224	-35.67	-27	Pass	5215
10940	11450	1	Peak	10991	-34.95	-27	Pass	691
11450	25000	1	Peak	16343.361	-33.05	-27	Pass	13550



END