


ANNEX K: The EUT Appearances and Test Configuration



a: EUT



b: Back View

TA Technology (Shanghai) Co., Ltd.
Test Report

Report No.: RHA1402-0029SAR01R3

Page 245 of 255



Battery 1 (Main Battery)



Battery 2

TA Technology (Shanghai) Co., Ltd.
Test Report

Report No.: RHA1402-0029SAR01R3

Page 246 of 255



Battery 3



Battery 4

TA Technology (Shanghai) Co., Ltd.
Test Report

Report No.: RHA1402-0029SAR01R3

Page 247 of 255



Battery 5



Battery 6

TA Technology (Shanghai) Co., Ltd.
Test Report

Report No.: RHA1402-0029SAR01R3

Page 248 of 255




Battery 7
c: Battery

TA Technology (Shanghai) Co., Ltd.
Test Report

Report No.: RHA1402-0029SAR01R3

Page 249 of 255



d: Antenna

Picture 8: Constituents of EUT



Picture 9: Left Hand Touch Cheek Position




Picture 10: Left Hand Tilt 15 Degree Position




Picture 11: Right Hand Touch Cheek Position



Picture 12: Right Hand Tilt 15 Degree Position



Picture 13: Back Side, the distance from handset to the bottom of the Phantom is 10mm




Picture 14: Front Side, the distance from handset to the bottom of the Phantom is 10mm


TA Technology (Shanghai) Co., Ltd.
Test Report

Report No.: RHA1402-0029SAR01R3

Page 253 of 255



Picture 15: Left Edge, the distance from handset to the bottom of the Phantom is 10mm



Picture 16: Right Edge, the distance from handset to the bottom of the Phantom is 10mm


TA Technology (Shanghai) Co., Ltd.
Test Report

Report No.: RHA1402-0029SAR01R3

Page 254 of 255



Picture 17: Top Edge, the distance from handset to the bottom of the Phantom is 10mm



Picture 18: Bottom Edge, the distance from handset to the bottom of the Phantom is 10mm

TA Technology (Shanghai) Co., Ltd.
Test Report

Report No.: RHA1402-0029SAR01R3

Page 255 of 255



Picture 19: Back Side with earphone, the distance from handset to the bottom of the Phantom is 10mm