


Appendix G

Spurious emission radiated


Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III / Ch.: 128
Test Site / Operator: ETS / Mr. Pfeufer
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 178.196MHz, Pmax: -64.72dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III / Ch.: 128
Test Site / Operator: ETS / Mr. Pfeufer
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 182.625MHz, Pmax: -47.00dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III / Ch.: 128
Test Site / Operator: ETS / Mr. Pfeufer
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL 223+notch
Comment 2: Freq: 875.944MHz, Pmax: -48.74dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III / Ch.: 128
Test Site / Operator: ETS / Mr. Pfeufer
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL 223+notch
Comment 2: Freq: 873.018MHz, Pmax: -33.16dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III / Ch.: 128
Test Site / Operator: ETS / Mr. Schostek
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 3.898GHz, Pmax: -47.43dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III / Ch.: 128
Test Site / Operator: ETS / Mr. Schostek
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 3.958GHz, Pmax: -48.43dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III / Ch.: 128
Test Site / Operator: ETS / Mr. Schostek
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 6.966GHz, Pmax: -59.91dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III / Ch.: 128
Test Site / Operator: ETS / Mr. Schostek
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 6.974GHz, Pmax: -40.90dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III / Ch.: 128
Test Site / Operator: ETS / Mr. Schostek
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 11.631GHz, Pmax: -58.83dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III / Ch.: 128
Test Site / Operator: ETS / Mr. Schostek
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 11.639GHz, Pmax: -39.69dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III / Ch.: 188
Test Site / Operator: ETS / Mr. Pfeufer
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 167.976MHz, Pmax: -64.34dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III / Ch.: 188
Test Site / Operator: ETS / Mr. Pfeufer
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 180.240MHz, Pmax: -46.98dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III / Ch.: 188
Test Site / Operator: ETS / Mr. Pfeufer
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL 223+notch
Comment 2: Freq: 875.944MHz, Pmax: -48.46dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III / Ch.: 188
Test Site / Operator: ETS / Mr. Pfeufer
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL 223+notch
Comment 2: Freq: 854.585MHz, Pmax: -32.71dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III / Ch.: 188
Test Site / Operator: ETS / Mr. Schostek
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 3.519GHz, Pmax: -47.70dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III / Ch.: 188
Test Site / Operator: ETS / Mr. Schostek
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 3.934GHz, Pmax: -48.45dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III / Ch.: 188
Test Site / Operator: ETS / Mr. Schostek
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 6.974GHz, Pmax: -60.52dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III / Ch.: 188
Test Site / Operator: ETS / Mr. Schostek
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 6.990GHz, Pmax: -41.21dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III / Ch.: 188
Test Site / Operator: ETS / Mr. Schostek
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 11.623GHz, Pmax: -59.05dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III / Ch.: 188
Test Site / Operator: ETS / Mr. Schostek
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 11.647GHz, Pmax: -40.06dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III / Ch.: 251
Test Site / Operator: ETS / Mr. Pfeufer
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 174.108MHz, Pmax: -64.50dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III / Ch.: 251
Test Site / Operator: ETS / Mr. Pfeufer
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 178.878MHz, Pmax: -47.13dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III / Ch.: 251
Test Site / Operator: ETS / Mr. Pfeufer
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL 223+notch
Comment 2: Freq: 875.944MHz, Pmax: -49.43dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III / Ch.: 251
Test Site / Operator: ETS / Mr. Pfeufer
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL 223+notch
Comment 2: Freq: 871.555MHz, Pmax: -33.17dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III / Ch.: 251
Test Site / Operator: ETS / Mr. Schostek
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 3.543GHz, Pmax: -47.85dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III / Ch.: 251
Test Site / Operator: ETS / Mr. Schostek
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 3.886GHz, Pmax: -48.18dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III / Ch.: 251
Test Site / Operator: ETS / Mr. Schostek
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 6.966GHz, Pmax: -59.60dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III / Ch.: 251
Test Site / Operator: ETS / Mr. Schostek
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 6.974GHz, Pmax: -41.47dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III / Ch.: 251
Test Site / Operator: ETS / Mr. Schostek
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 11.695GHz, Pmax: -58.82dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III / Ch.: 251
Test Site / Operator: ETS / Mr. Schostek
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 11.655GHz, Pmax: -39.54dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III / Ch.: 512
Test Site / Operator: ETS / Mr. Pfeufer
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 183.647MHz, Pmax: -64.48dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III / Ch.: 512
Test Site / Operator: ETS / Mr. Pfeufer
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 171.383MHz, Pmax: -63.34dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III / Ch.: 512
Test Site / Operator: ETS / Mr. Pfeufer
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL 223
Comment 2: Freq: 991.984MHz, Pmax: -52.96dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III / Ch.: 512
Test Site / Operator: ETS / Mr. Pfeufer
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL 223
Comment 2: Freq: 847.695MHz, Pmax: -50.84dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III / Ch.: 512
Test Site / Operator: ETS / Mr. Pfeufer
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 3.958GHz, Pmax: -28.07dBm, RBW: 1MHz/3kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III / Ch.: 512
Test Site / Operator: ETS / Mr. Pfeufer
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 1.850GHz, Pmax: -21.45dBm, RBW: 1MHz/3kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III / Ch.: 512
Test Site / Operator: ETS / Mr. Pfeufer
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.631GHz, Pmax: -43.01dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III / Ch.: 512
Test Site / Operator: ETS / Mr. Pfeufer
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.639GHz, Pmax: -42.96dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III / Ch.: 512
Test Site / Operator: ETS / Mr. Pfeufer
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 11.078GHz, Pmax: -37.54dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III / Ch.: 512
Test Site / Operator: ETS / Mr. Pfeufer
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 11.118GHz, Pmax: -38.11dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III / Ch.: 512
Test Site / Operator: ETS / Mr. Pfeufer
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 17.952GHz, Pmax: -31.65dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III / Ch.: 512
Test Site / Operator: ETS / Mr. Pfeufer
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 17.399GHz, Pmax: -31.98dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III / Ch.: 512
Test Site / Operator: ETS / Mr. Pfeufer
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 26.023GHz, Pmax: -33.86dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III / Ch.: 512
Test Site / Operator: ETS / Mr. Pfeufer
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 25.461GHz, Pmax: -32.94dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III / Ch.: 661
Test Site / Operator: ETS / Mr. Pfeufer
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 96.092MHz, Pmax: -62.75dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III / Ch.: 661
Test Site / Operator: ETS / Mr. Pfeufer
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 179.559MHz, Pmax: -63.98dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III / Ch.: 661
Test Site / Operator: ETS / Mr. Pfeufer
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL 223
Comment 2: Freq: 988.778MHz, Pmax: -52.82dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III / Ch.: 661
Test Site / Operator: ETS / Mr. Pfeufer
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL 223
Comment 2: Freq: 868.537MHz, Pmax: -50.91dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III / Ch.: 661
Test Site / Operator: ETS / Mr. Pfeufer
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 3.870GHz, Pmax: -27.92dBm, RBW: 1MHz/3kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III / Ch.: 661
Test Site / Operator: ETS / Mr. Pfeufer
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 1.910GHz, Pmax: -23.60dBm, RBW: 1MHz/3kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III / Ch.: 661
Test Site / Operator: ETS / Mr. Pfeufer
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.615GHz, Pmax: -42.73dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III / Ch.: 661
Test Site / Operator: ETS / Mr. Pfeufer
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.615GHz, Pmax: -43.04dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III / Ch.: 661
Test Site / Operator: ETS / Mr. Pfeufer
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 11.134GHz, Pmax: -38.30dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III / Ch.: 661
Test Site / Operator: ETS / Mr. Pfeufer
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 11.190GHz, Pmax: -37.89dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III / Ch.: 661
Test Site / Operator: ETS / Mr. Pfeufer
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 17.976GHz, Pmax: -32.39dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III / Ch.: 661
Test Site / Operator: ETS / Mr. Pfeufer
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 17.315GHz, Pmax: -32.28dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III / Ch.: 661
Test Site / Operator: ETS / Mr. Pfeufer
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 26.023GHz, Pmax: -35.05dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III / Ch.: 661
Test Site / Operator: ETS / Mr. Pfeufer
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 26.074GHz, Pmax: -34.45dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III / Ch.: 810
Test Site / Operator: ETS / Mr. Pfeufer
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 182.966MHz, Pmax: -64.95dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III / Ch.: 810
Test Site / Operator: ETS / Mr. Pfeufer
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 86.894MHz, Pmax: -65.25dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III / Ch.: 810
Test Site / Operator: ETS / Mr. Pfeufer
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL 223
Comment 2: Freq: 980.762MHz, Pmax: -52.22dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III / Ch.: 810
Test Site / Operator: ETS / Mr. Pfeufer
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL 223
Comment 2: Freq: 857.315MHz, Pmax: -50.78dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III / Ch.: 810
Test Site / Operator: ETS / Mr. Pfeufer
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 3.549GHz, Pmax: -28.00dBm, RBW: 1MHz/3kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III / Ch.: 810
Test Site / Operator: ETS / Mr. Pfeufer
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 1.910GHz, Pmax: -23.37dBm, RBW: 1MHz/3kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III / Ch.: 810
Test Site / Operator: ETS / Mr. Pfeufer
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.591GHz, Pmax: -43.09dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III / Ch.: 810
Test Site / Operator: ETS / Mr. Pfeufer
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.639GHz, Pmax: -41.02dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III / Ch.: 810
Test Site / Operator: ETS / Mr. Pfeufer
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 11.094GHz, Pmax: -38.26dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III / Ch.: 810
Test Site / Operator: ETS / Mr. Pfeufer
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 11.792GHz, Pmax: -37.86dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III / Ch.: 810
Test Site / Operator: ETS / Mr. Pfeufer
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 17.976GHz, Pmax: -32.07dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III / Ch.: 810
Test Site / Operator: ETS / Mr. Pfeufer
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 17.976GHz, Pmax: -32.19dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III / Ch.: 810
Test Site / Operator: ETS / Mr. Pfeufer
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 26.040GHz, Pmax: -35.56dBm, RBW: 1MHz



Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III / Ch.: 810
Test Site / Operator: ETS / Mr. Pfeufer
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 25.989GHz, Pmax: -36.51dBm, RBW: 1MHz




Appendix H

Block edge compliance

FCC Part 22 H
Lower Block edge

EUT	GSM/GPRS/GPS Module
Model	Step III
Approval Holder	Falcom
Temperature / Voltage	23°C / Unom.: 13.50 V DC
Test Site / Operator	ETS / Mr. Walter
Test Specification	FCC Part 22 Subpart H
Comment 1	Channel: 128
Comment 2	
Comment 3	



Date: 8.JUN.2007 12:43:17


Measurement diagram

ETS Product Service AG
Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

FCC Part 22 H
Higher Block edge

EUT	GSM/GPRS/GPS Module
Model	Step III
Approval Holder	Falcom
Temperature / Voltage	23°C / Unom.: 13.50 V DC
Test Site / Operator	ETS / Mr. Walter
Test Specification	FCC Part 22 Subpart H
Comment 1	Channel: 251
Comment 2	
Comment 3	



Date: 8 JUN 2007 12:41:03


Measurement diagram

ETS Product Service AG
Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

FCC Part 24 E
Lower Block edge

EUT	GSM/GPRS/GPS Module
Model	Step III
Approval Holder	Falcom
Temperature / Voltage	23°C / Unom.: 13.50 V DC
Test Site / Operator	ETS / Mr. Walter
Test Specification	FCC Part 24 Subpart E
Comment 1	Channel: 512
Comment 2	
Comment 3	



Date: 8.JUN.2007 13:16:04


Measurement diagram

ETS Product Service AG
Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

FCC Part 24 E
Higher Block edge

EUT	GSM/GPRS/GPS Module
Model	Step III
Approval Holder	Falcom
Temperature / Voltage	23°C / Unom.: 13.50 V DC
Test Site / Operator	ETS / Mr. Walter
Test Specification	FCC Part 24 Subpart E
Comment 1	Channel: 810
Comment 2	
Comment 3	



Date: 8.JUN.2007 13:12:54

Measurement diagram

ETS Product Service AG
Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

Appendix I


AC power line conducted emissions

Appendix J

Receiver radiated emission


Field Strength under normal conditions
Standards Industry Canada, RSS-GEN

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III
Test Site / Operator: ETS / Mr. Pfeufer
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq:185.010MHz Emax:35.62dBμV/m RBW: 100 kHz




Field Strength under normal conditions
Standards Industry Canada, RSS-GEN

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III
Test Site / Operator: ETS / Mr. Pfeufer
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq:133.226MHz Emax:34.17dBμV/m RBW: 100 kHz




Field Strength under normal conditions
Standards Industry Canada, RSS-GEN

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III
Test Site / Operator: ETS / Mr. Pfeufer
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HL 223, ampl.
Comment 2: Freq: 876.553MHz Emax: 44.15dBµV/m RBW: 100 kHz




Field Strength under normal conditions
Standards Industry Canada, RSS-GEN

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III
Test Site / Operator: ETS / Mr. Pfeufer
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HL 223, ampl.
Comment 2: Freq: 753.106MHz Emax: 38.94dBµV/m RBW: 100 kHz




Field Strength under normal conditions
Standards Industry Canada, RSS-GEN

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III
Test Site / Operator: ETS / Mr. Pfeufer
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HL025, ampl.
Comment 2: Freq:3.988GHz Emax:49.97dBµV/m RBW: 1 MHz




Field Strength under normal conditions
Standards Industry Canada, RSS-GEN

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III
Test Site / Operator: ETS / Mr. Pfeufer
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HL025, ampl.
Comment 2: Freq:3.922GHz Emax:49.83dBμV/m RBW: 1 MHz




Field Strength under normal conditions
Standards Industry Canada, RSS-GEN

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III
Test Site / Operator: ETS / Mr. Pfeufer
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq:166.613MHz Emax:35.45dBμV/m RBW: 100 kHz




Field Strength under normal conditions
Standards Industry Canada, RSS-GEN

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III
Test Site / Operator: ETS / Mr. Pfeufer
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq:166.613MHz Emax:37.27dBμV/m RBW: 100 kHz




Field Strength under normal conditions
Standards Industry Canada, RSS-GEN

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III
Test Site / Operator: ETS / Mr. Pfeufer
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HL 223, ampl.
Comment 2: Freq: 498.196MHz Emax: 38.15dBμV/m RBW: 100 kHz




Field Strength under normal conditions
Standards Industry Canada, RSS-GEN

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III
Test Site / Operator: ETS / Mr. Pfeufer
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HL 223, ampl.
Comment 2: Freq: 890.982MHz Emax: 41.24dB μ V/m RBW: 100 kHz




Field Strength under normal conditions
Standards Industry Canada, RSS-GEN

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III
Test Site / Operator: ETS / Mr. Pfeufer
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HL025, ampl.
Comment 2: Freq:3.892GHz Emax:49.68dB μ V/m RBW: 1 MHz




Field Strength under normal conditions
Standards Industry Canada, RSS-GEN

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III
Test Site / Operator: ETS / Mr. Pfeufer
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HL025, ampl.
Comment 2: Freq:3.946GHz Emax:49.82dBuV/m RBW: 1 MHz



Field Strength under normal conditions
Standards Industry Canada, RSS-GEN

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III
Test Site / Operator: ETS / Mr. Pfeufer
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HL025, ampl.
Comment 2: Freq: 5.371GHz Emax: 33.81dBµV/m RBW: 1 MHz



Field Strength under normal conditions
Standards Industry Canada, RSS-GEN

Approval Holder: Falcom Wireless Communications GmbH
EUT: GSM/GPRS-GPS-tracking unit
Model: Stepp III
Test Site / Operator: ETS / Mr. Pfeufer
Operating Conditions: 23°C / Unom.: 13.5 VDC
Test Specification: according to RSS-Gen Issue 1
Comment 1: Dist.: 3m, Ant.: HL025, ampl.
Comment 2: Freq: 5.868GHz Emax: 33.52dBµV/m RBW: 1 MHz

