



VERITAS Curtis-Straus LLC, a wholly owned subsidiary of BV CPS

Report No	ES1799-1
-----------	----------

Client Escort Incorporated

Address 5440 West Chester Road West Chester, OH 45069

Phone (513) 870-8500

Items tested FCC ID QKLIXC QKLIXC 0007508732

Equipment Type Part 15 Radar Detector CRD

FCC Rule Parts | CFR Title 47 FCC Part 15.109(h)

Test Dates July 2, 2018

Results As detailed within this report

Prepared by Kristyler Szuml

ermotophier Eramino, 1 eet Engineer

Yunus Faziloglu-8r. Engineer

Issue Date 7/18/2018

Conditions of Issue This Test Report is issued subject to the conditions stated in the 'Conditions of Testing' section on page 8 of this report.

Curtis-Straus LLC is accredited by the American Association for Laboratory Accreditation for the specific scope of accreditation under Certificate Number 1627-01. This report may contain data which is not covered by the A2LA accreditation.



Authorized by



Contents

Contents	.2
Summary	
Test Methodology	
Product Tested	.4
Configuration Documentation	
Statement of Conformity	.5
Test Results	
Radiated Emissions:	.6
Measurement Uncertainty	.7
Conditions Of Testing	

REV 06-FEB-15 (SC)



Summary

This report supports an application for Certification of a radar detector operating pursuant to: CFR Title 47 FCC Part 15.109(h)

We found that the Escort iXc met the above requirements without modification. Test sample was received in good condition.

Test Methodology

Radiated emissions testing was performed in accordance with the procedures in ANSI C63.4-2014. Testing was performed at a distance of 1 meter. Emissions from the device were measured in the 11.7-12.2GHz frequency range. The device was powered by a 12Vdc supply during testing.

Issue No.

Reason for change

Date Issued

1

Original Release

July 18, 2018

page 3 of 9



Product Tested

Configuration Documentation

Work Or	.dow	S1799				T Configuration						
Comp	any:		scort Incorporated.									
Company Add	ress:	5440 V	40 West Chester Road									
		West C	Chester, OH,	45069								
Con	tact:	John K	uhn									
					-							
				MN						SN		
F	EUT:			CORT iXc						1J999006	5 9999	
FC	C ID	QKLIX	KC									
EUT Descript	tion:	Windsl	hield mounte	d Radar/Laser D	etector							
Support Equipment				M	N				SN			
OC Supply				PS91	KX							
		-		I			1	1				
Port Label	Port	Type	# ports	# populated	cable typ	e shielded	ferrites	length (m)	in/out	under test	comment	
OC Power/Mute Button	other		1	1	other	No	No	1.5	in	yes	RJ11 to SmartCord	
JSB	USB		1	1	USB	Yes	No	1	in	yes	On SmartCord	
Mini USB	USB		1	1	USB	Yes	No	1	in	yes	On Detector	
Headphone	other		1	1	other	No	No	1	in	yes	3.5mm	
Software Operating M	ode De	scrintio	n·									



Statement of Conformity

CFR Title 47 FCC Part 15.109(h) states:

"Radar detectors shall comply with the emission limits in paragraph (a) of this section over the frequency range of 11.7-12.2GHz."

The applicable limit being 500µV/m measured at a distance of 3m.

Device complied with this requirement as shown in the next section.





Test Results

Radiated Emissions:

Radiated	Emissio	ons Tab	ole											
Date:	02-Jul-18			Company:	Cedar Elec	ctronics						V	Vork Order:	S1799
Engineer:	Chris Bramley			EUT Desc:	Escort iXc	- Radar D	Detector				EUT Operat	ing Voltage/	Frequency:	12Vdc
Temp:	26.6°C			Humidity:	39%			Pressure:	1009mBar					
		Freque	ncy Range:	11.7-12.2G	Hz						Measureme	nt Distance:	1 m	
	No emissions Noise Floor re		rded											
Antenna		Peak	Average	Preamp	Antenna	Cable	Adjusted	Adjusted	47 CFR §15.	109(h)- High - Peak	Frequency	47 CFR §15.	.109(h) High Average	Frequency -
Polarization	Frequency	Reading	Reading	Factor	Factor	Factor	Peak Reading	Avg Reading	Limit	Margin	Result	Limit	Margin	Result
(H/V)	(MHz)	(dBµV)	(dBµV)	(dB)	(dB/m)	(dB)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	(Pass/Fail)	(dBµV/m)	(dB)	(Pass/Fail)
v	11749.0	43.16	30.3	33.9	38.6	8.0	55.9	43.0	83.5	-27.6	Pass	63.5	-20.5	Pass
v	11800.0	43.034	30.3	33.7	38.7	8.0	56.0	43.3	83.5	-27.5	Pass	63.5	-20.2	Pass
h	11867.0	43.487	30.4	33.9	38.8	8.1	56.5	43.4	83.5	-27.0	Pass	63.5	-20.1	Pass
h	11956.0	43.204	30.5	33.9	39.0	8.2	56.5	43.8	83.5	-27.0	Pass	63.5	-19.7	Pass
v	12028.0	42.805	30.2	34.0	39.1	8.3	56.2	43.6	83.5	-27.3	Pass	63.5	-19.9	Pass
h	12184.0	44.7	30.5	33.5	39.3	8.4	58.9	44.7	83.5	-24.6	Pass	63.5	-18.8	Pass
Table	e Result:		Pass	by	-18.8	dB					W	orst Freq:	12184.0	MHz
Test Site:	EMI Chamber	1		Cable 1:	Asset #24	80				Cable 2:	Asset #2456	5	Cable 3:	Asset #2467
Analyzer: CSsoft Radiate	Rental SA#1	alculator	v 1.017.203		Asset #21	11				Antenna:	Blue Horn		0	s-Straus LLC 2000
Adjusted Readi					Cable Fac	tor							Copyright Curti	s-Straus LLC 2000

Rev. 6/27/2018								
Spectrum Analyzers / Receivers / Preselectors	Range	MN	Mfr	SN	Asset	Cat	Calibration Due	Calibrated on
Rental MXE EMI Receiver(1170725)	20Hz-26.5GHz	N9038A	Agilent	MY51210151	1170725	I	4/10/2019	4/10/2018
Radiated Emissions Sites	FCC Code	IC Code	VCCI Code	Range	Asset	Cat	Calibration Due	Calibrated on
EMI Chamber 1	719150	2762A-6	A-0015	1-18GHz	1685	I	12/21/2018	12/21/2016
Preamps/Couplers Attenuators / Filters	Range	MN	Mfr	SN	Asset	Cat	Calibration Due	Calibrated on
2111 HF Preamp	0.5-18GHz	PAM-118A	COM-POWER	551063	2111	II	11/19/2018	11/19/2017
Antennas	Range	MN	Mfr	SN	Asset	Cat	Calibration Due	Calibrated on
Blue Horn	1-18Ghz	3117	ETS	157647	1861	I	2/14/2019	2/14/2017
Meteorological Meters/Chambers		MN	Mfr	SN	Asset	Cat	Calibration Due	Calibrated on
Weather Clock (Pressure Only)		BA928	Oregon Scientific	C3166-1	831	- 1	5/15/2020	5/15/2018
TH A#2084		HTC-1	HDE		2084	II	3/22/2019	3/22/2018
Cables	Range		Mfr			Cat	Calibration Due	Calibrated on
Asset #2456	9KHz-18GHz		MegaPhase			II	10/29/2018	10/29/2017
Asset #2467	9KHz-18GHz		MegaPhase			II	10/29/2018	10/29/2017
Asset #2480	9KHz-18GHz		MegaPhase			II	10/29/2018	10/29/2017

All equipment is calibrated using standards traceable to NIST or other nationally recognized calibration standard.





Measurement Uncertainty

Radiated Emissions (04-1000MHz)		Every and addition and alies to be 0	Manipus all soughts and addition
NIST	Measurement Radiated Emissions (30-1000MHz)	Expanded Uncertainty k=2	Maximum allowable uncertainty
Radiated Emissions (above 26.5GHz)	NIST		
Magnetic Radiated Emissions 5,6dB	Radiated Emissions (1-26.5GHz)	4.6dB	N/A
Conducted Emissions	Radiated Emissions (above 26.5GHz)	4.9dB	N/A
NIST	Magnetic Radiated Emissions	5.6dB	N/A
Telco Conducted Emissions (Current)	NIST		
Electrostatic Discharge			
Electrostatic Discharge	Telco Conducted Emissions (Voltage)	4.4dB	N/A
Radiated RF Immunity (Uniform Field) 1.6dB N/A Electrical Fast Transients 23.1% N/A Surge 23.1% N/A Conducted RF Immunity 3dB N/A Magnetic Immunity 12.8% N/A Dips and Interrupts 2.3V N/A Harmonics 3.5% N/A Flicker 3.5% N/A Radio frequency (@ 2.4GHz) 3.23 x 10.8 1 x 10.7 R power, conducted 0.40dB 0.75dB Maximum frequency deviation: Within 300Hz and 8kHz of audio frequency / Within 6kHz and 2.34% 5% Within 300Hz and 8kHz of audio frequency / Within 6kHz and 2.94B 3.4% 5% Adjacent channel power 1.9dB 3dB Conducted spurious emission of transmitter, valid up to 12.75GHz 2.39dB 3dB Conducted emission of transmitter, valid up to 26.5GHz 3.9dB 6dB Radiated emission of transmitter, valid up to 26.5GHz 3.9dB 6dB Radiated emission of receiver, valid up to 26.5GHz 3.9dB 6dB Radiated emission of receiver, valid up to 26.5GHz	, , ,	11.5%	N/A
Electrical Fast Transients		1.6dB	N/A
Surge	, · · · · · · · · · · · · · · · · · · ·		
Conducted RF Immunity 3dB			
Magnetic Immunity	-		
Dips and Interrupts	,		
Harmonics 3.5% N/A Flicker 3.5% N/A Radio frequency (② 2.4GHz) 3.23 x 10 d 1 x 10	<u> </u>		
Flicker 3.5% NA Radio frequency (@ 2.4GHz) 3.23 x 10³ 1 x 10⁻ RF power, conducted 0.40dB 0.75dB Maximum frequency deviation: ■ Within 300Hz and 6kHz of audio frequency / Within 6kHz and 0.3dB 3dB — Adjacent channel power 1.9dB 3dB Conducted spurious emission of transmitter, valid up to 12.75GHz 2.39dB 3dB Conducted emission of fransmitter, valid up to 12.75GHz 3.9dB 3dB Radiated emission of transmitter, valid up to 26.5GHz 3.9dB 6dB Radiated emission of fransmitter, valid up to 80GHz 3.3dB 6dB Radiated emission of receiver, valid up to 80GHz 3.9dB 6dB Radiated emission of receiver, valid up to 80GHz 3.3dB Radiated emission of receiver, valid up to 80GHz 3.3dB Radiated emission of receiver, valid up to 80GHz 3.3dB Radiated emission of receiver, valid up to 80GHz 3.3dB Radiated emission of receiver, valid up to 80GHz 3.3dB Radiated emission of receiver, valid up to 80GHz 3.3dB	<u>'</u>		
Radio frequency (@ 2.4GHz) 3.23 x 10 ⁻⁸ 1 x 10 ⁻⁷ RF power, conducted 0.40dB 0.75dB Maximum frequency deviation:			
RF power, conducted 0.40dB 0.75dB Maximum frequency deviation:			
Maximum frequency deviation: Within 300Hz and 6kHz of audio frequency / Within 6kHz and 25kHz of audio frequency 3.4% 5% 3dB 3dB Adjacent channel power 1.9dB 3dB Conducted spurious emission of transmitter, valid up to 12.75GHz 2.39dB 3dB Conducted emission of transmitter, valid up to 26.5GHz 3.9dB 3dB Radiated emission of transmitter, valid up to 80GHz 3.3dB 6dB Radiated emission of receiver, valid up to 80GHz 3.9dB 6dB Radiated emission of receiver, valid up to 26.5GHz 3.9dB 6dB Radiated emission of receiver, valid up to 80GHz 3.3dB 6dB Radiated emission of receiver, valid up to 80GHz 3.3dB 6dB Humidity 2.37% 5% Temperature 0.7°C 1.0°C Time 4.1% 10% RF Power Density, Conducted 0.4dB 3dB DC and low frequency voltages 1.3% 3% Voltage (AC, <10kHz) 1.3% 2% Voltage (DC) 0.62% 1%			
25kHz of audio frequency 0.3dB 3dB Adjacent channel power 1.9dB 3dB Conducted spurious emission of transmitter, valid up to 12.75GHz 2.39dB 3dB Conducted emission of receivers 1.3dB 3dB Radiated emission of transmitter, valid up to 26.5GHz 3.9dB 6dB Radiated emission of transmitter, valid up to 80GHz 3.3dB 6dB Radiated emission of receiver, valid up to 26.5GHz 3.9dB 6dB Radiated emission of receiver, valid up to 80GHz 3.3dB 6dB Humidity 2.37% 5% Temperature 0.7°C 1.0°C Time 4.1% 10% RF Power Density, Conducted 0.4dB 3dB DC and low frequency voltages 1.3% 3% Voltage (AC, <10kHz)		0.4000	0.7305
Conducted spurious emission of transmitter, valid up to 12.75GHz 2.39dB 3dB Conducted emission of receivers 1.3dB 3dB Radiated emission of transmitter, valid up to 26.5GHz 3.9dB 6dB Radiated emission of transmitter, valid up to 80GHz 3.3dB 6dB Radiated emission of receiver, valid up to 26.5GHz 3.9dB 6dB Radiated emission of receiver, valid up to 80GHz 3.3dB 6dB Humidity 2.37% 5% Temperature 0.7°C 1.0°C Time 4.1% 10% RF Power Density, Conducted 0.4dB 3dB DC and low frequency voltages 1.3% 3% Voltage (AC, <10kHz)			
Conducted emission of receivers 1.3dB 3dB Radiated emission of transmitter, valid up to 26.5GHz 3.9dB 6dB Radiated emission of transmitter, valid up to 80GHz 3.3dB 6dB Radiated emission of receiver, valid up to 26.5GHz 3.9dB 6dB Radiated emission of receiver, valid up to 80GHz 3.3dB 6dB Humidity 2.37% 5% Temperature 0.7°C 1.0°C Time 4.1% 10% RF Power Density, Conducted 0.4dB 3dB DC and low frequency voltages 1.3% 3% Voltage (AC, <10kHz)	Adjacent channel power	1.9dB	3dB
Radiated emission of transmitter, valid up to 26.5GHz 3.9dB 6dB Radiated emission of transmitter, valid up to 80GHz 3.3dB 6dB Radiated emission of receiver, valid up to 26.5GHz 3.9dB 6dB Radiated emission of receiver, valid up to 80GHz 3.3dB 6dB Humidity 2.37% 5% Temperature 0.7°C 1.0°C Time 4.1% 10% RF Power Density, Conducted 0.4dB 3dB DC and low frequency voltages 1.3% 3% Voltage (AC, <10kHz)	Conducted spurious emission of transmitter, valid up to 12.75GHz	2.39dB	3dB
Radiated emission of transmitter, valid up to 80GHz 3.3dB 6dB Radiated emission of receiver, valid up to 26.5GHz 3.9dB 6dB Radiated emission of receiver, valid up to 80GHz 3.3dB 6dB Humidity 2.37% 5% Temperature 0.7°C 1.0°C Time 4.1% 10% RF Power Density, Conducted 0.4dB 3dB DC and low frequency voltages 1.3% 3% Voltage (AC, <10kHz)	Conducted emission of receivers	1.3dB	3dB
Radiated emission of receiver, valid up to 26.5GHz 3.9dB 6dB Radiated emission of receiver, valid up to 80GHz 3.3dB 6dB Humidity 2.37% 5% Temperature 0.7°C 1.0°C Time 4.1% 10% RF Power Density, Conducted 0.4dB 3dB DC and low frequency voltages 1.3% 3% Voltage (AC, <10kHz)	Radiated emission of transmitter, valid up to 26.5GHz	3.9dB	6dB
Radiated emission of receiver, valid up to 80GHz 3.3dB 6dB Humidity 2.37% 5% Temperature 0.7°C 1.0°C Time 4.1% 10% RF Power Density, Conducted 0.4dB 3dB DC and low frequency voltages 1.3% 3% Voltage (AC, <10kHz)	Radiated emission of transmitter, valid up to 80GHz	3.3dB	6dB
Humidity 2.37% 5% Temperature 0.7°C 1.0°C Time 4.1% 10% RF Power Density, Conducted 0.4dB 3dB DC and low frequency voltages 1.3% 3% Voltage (AC, <10kHz) 1.3% 2% Voltage (DC) 0.62% 1%	Radiated emission of receiver, valid up to 26.5GHz	3.9dB	6dB
Temperature 0.7°C 1.0°C Time 4.1% 10% RF Power Density, Conducted 0.4dB 3dB DC and low frequency voltages 1.3% 3% Voltage (AC, <10kHz)	Radiated emission of receiver, valid up to 80GHz	3.3dB	6dB
Time 4.1% 10% RF Power Density, Conducted 0.4dB 3dB DC and low frequency voltages 1.3% 3% Voltage (AC, <10kHz) 1.3% 2% Voltage (DC) 0.62% 1%	Humidity	2.37%	5%
RF Power Density, Conducted 0.4dB 3dB DC and low frequency voltages 1.3% 3% Voltage (AC, <10kHz)	Temperature	0.7°C	1.0°C
DC and low frequency voltages 1.3% 3% Voltage (AC, <10kHz)	Time	4.1%	10%
Voltage (AC, <10kHz)	RF Power Density, Conducted	0.4dB	3dB
Voltage (DC) 0.62% 1%	DC and low frequency voltages	1.3%	3%
	Voltage (AC, <10kHz)	1.3%	2%
The above reflects a 95% confidence level	Voltage (DC)	0.62%	1%
	The above reflects a 95% confidence level		



Conditions Of Testing

[Bureau Veritas Consumer Products Services, Inc., a Massachusetts corporation], and/or its affiliates (collectively, the "Company") will conduct, at the request of the Submitter ("Client"), the tests specified on the submitted Test Request Form or equivalent in accordance with, and subject to, the following terms and conditions (collectively, "Conditions"):

- 1. All orders for tests are subject to acceptance by the Company, and no order will constitute a binding commitment of the Company unless and until such order is accepted by it, as evidenced by the issuance of a written report ("Test Report") by the Company. The Test Report is issued solely by the Company, is intended for the exclusive use of Client and shall not be published, used for advertising purposes, copied or replicated for distribution to any other person or entity or otherwise publicly disclosed without the prior written consent of the Company. By submitting a request for services to the Company, Client consents to the disclosure to accreditation bodies of those records of Client relevant to the accreditation body's assessment of the Company's competence and compliance with relevant accreditation criteria. The Company shall not be liable for any loss or damage whatsoever resulting from the failure of the Company to provide its services within any time period for completion estimated by the Company. If Client anticipates using the Test Report in any legal proceeding, arbitration, dispute resolution forum or other proceeding, it shall so notify the Company prior to submitting the Test Report in such proceeding. The Company has no obligation to provide a fact or expert witness at such proceeding unless the Company agrees in advance to do so for a separate and additional fee.
- 2. The Test Report will set forth the findings of the Company solely with respect to the test samples identified therein. Unless specifically and expressly indicated in the Test Report, the results set forth in such Test Report are not intended to be indicative or representative of the quality or characteristics of the lot from which a test sample is taken, and Client shall not rely upon the Test Report as being so indicative or representative of the lot or of the tested product in general. The Test Report will reflect the findings of the Company at the time of testing only, and the Company shall have no obligation to update the Test Report after its issuance. The Test Report will set forth the results of the tests performed by the Company based upon the written information provided to the Company. The Test Report will be based solely on the samples and written information submitted to the Company by Client, and the Company shall not be obligated to conduct any independent investigation or inquiry with respect thereto.
- 3. The Company may, in its sole discretion, destroy samples which have been furnished to the Company for testing and which have not been destroyed in the course of testing. The Company may delegate the performance of all or a portion of the services contemplated hereunder to an affiliate, agent or subcontractor of the Company, and Client consents to such delegation.
- 4. These Conditions and the Test Report represent the entire understanding of the parties hereto with respect to the subject matter hereof and of the Test Report, and no modification, variance or extrapolation with respect thereto shall be permitted without the prior written consent of the Company.
- 5. The names, service marks, trademarks and copyrights of the Company and its affiliates, including the names "BUREAU VERITAS," "BUREAU VERITAS CONSUMER PRODUCTS SERVICES," "BVCPS", "MTL", "ACTS", "MTL-ACTS" and CURTIS-STRAUS (collectively, the "Marks") are and shall remain the sole property of the Company or its affiliates and shall not be used by Client except solely to the extent that Client obtains the prior written approval of the Company and then only in the manner prescribed by the Company. Client shall not contest the validity of the Marks or take any action that might impair the value or goodwill associated with the Marks or the image or reputation of the Company or its affiliates.
- 6. Payment in full shall be due 30 days after the date of invoice. Interest shall be due on overdue amounts from the due date until paid at an interest rate of 1.5% per month or, if less, the maximum rate permitted by law. The Company reserves the right, at any time and from time to time, to revoke any credit extended to Client. Client shall reimburse the Company for any costs it incurs in collecting past due amounts, including court costs and fees and expenses of attorneys and collection agencies. The Test Report may not be used or relied upon by Client if and for so long as Client fails to pay when due any invoice issued by the Company or any affiliate of it to Client or any affiliate or subsidiary of Client together with interest and penalties, if any, accrued thereon.
- 7. The Company disclaims any and all responsibility or liability arising out of or in connection with e-mail transmissions of such information.
- 8. Client understands and agrees that the Company is neither an insurer nor a guarantor, that the Company does not take the place of Client or any designer, manufacturer, agent, buyer, distributor or transportation or shipping company, and that the Company disclaims all liability in such capacities. Client further understands that if it seeks assurance against loss or damage, it should obtain appropriate insurance.
- 9. Client agrees that the Company, by providing the services, does not take the place of Client nor any third party, nor does the Company release them from any of their obligations, nor does the Company otherwise assume, abridge, abrogate or undertake to discharge any duty of any third party to Client or any duty of Client or any third party to any other third party, and Client will not release any third party from its obligations and duties with respect to the tested goods.
- 10. Client shall, on a timely basis, (a) provide adequate instructions to the Company in order to enable the Company to perform properly its services, (b) provide, or cause Client's suppliers and contractors to provide, the Company with all documents necessary to enable the Company to perform its services, (c) furnish the Company with all relevant information regarding Client's intended use and purposes of the tested goods, (d) advise the Company of essential dates and deadlines relevant to the tested goods and (e) fully exercise all rights and remedies available to Client against third parties in respect of the tested goods.
- 11. The Company shall undertake due care and ordinary skill in the performance of its services to Client, and the Company shall accept responsibility only were such skill has not been exercised and, even in such event, only to the extent of the limitation of liability set forth herein.
- 12. If Client desires to assert a claim arising from or relating to (i) the performance, purported performance or non-performance of any services by the Company or (ii) the sale, resale, manufacture, distribution or use of any tested goods, it must submit that claim to the Company in a writing that sets forth with particularity the basis for such claim within 60 days from discovery of the potential claim and not more than six months after the date of issuance of the Test Report to Client. Client waives any and all such claims including, without limitation, claims that the Test Report is inaccurate, incomplete or misleading or that additional or different testing is required, unless and then only to the extent that Client submits a written claim to the Company within both such time periods.
- 13. CLIENT SHALL, EXCEPT TO THE EXTENT OF COMPANY'S LIABILITY TO CLIENT HEREUNDER (WHICH IN NO EVENT SHALL EXCEED THE LIMITATION OF LIABILITY HEREIN), HOLD HARMLESS AND INDEMNIFY THE COMPANY, ITS AFFILIATES AND THEIR RESPECTIVE DIRECTORS, OFFICERS, EMPLOYEES, AGENTS AND SUBCONTRACTORS AGAINST ALL ACTUAL OR ALLEGED THIRD PARTY CLAIMS FOR LOSS, DAMAGE OR EXPENSE OF WHATSOEVER NATURE AND HOWSOEVER ARISING FROM OR RELATING TO (i) THE PERFORMANCE, PURPORTED PERFORMANCE OR NON-PERFORMANCE OF ANY SERVICES BY THE COMPANY OR (ii) THE SALE, RESALE, MANUFACTURE, DISTRIBUTION OR USE OF ANY TESTED GOODS.
- 14. EXCEPT AS MAY OTHERWISE BE EXPRESSLY AGREED TO IN WRITING BY THE COMPANY AND NOTWITHSTANDING ANY PROVISION TO THE CONTRARY CONTAINED HEREIN OR IN ANY TEST REPORT, NO WARRANTY OR GUARANTEE, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR USE, IS MADE.





15. (A) IN NO EVENT WHATSOEVER SHALL THE COMPANY BE LIABLE FOR ANY CONSEQUENTIAL, SPECIAL, INCIDENTAL, EXEMPLARY OR PUNITIVE DAMAGES IN CONNECTION WITH, RELATING TO OR ARISING OUT OF THE TEST REPORT OR THE SERVICES PROVIDED BY THE COMPANY HEREUNDER, INCLUDING WITHOUT LIMITATION LOSS OF OR DAMAGE TO PROPERTY; LOSS OF INCOME, PROFIT OR USE; OR ANY CLAIMS OR DEMANDS MADE AGAINST CLIENT OR ANY OTHER PERSON BY ANY THIRD PARTY IN CONNECTION WITH, RELATING TO OR ARISING OUT OF THE SERVICES PROVIDED BY THE COMPANY HERE LINDER

(B)NOTWITHSTANDING ANY PROVISION TO THE CONTRARY CONTAINED HEREIN, AND IN RECOGNITION OF THE RELATIVE RISKS AND BENEFITS TO CLIENT AND THE COMPANY ASSOCIATED WITH THE TESTING SERVICES CONTEMPLATED HEREBY, THE RISKS HAVE BEEN ALLOCATED SUCH THAT UNDER NO CIRCUMSTANCES WHATSOEVER SHALL THE LIABILITY OF THE COMPANY TO CLIENT OR ANY THIRD PARTY IN RESPECT OF ANY CLAIM FOR LOSS, DAMAGE OR EXPENSE, OF WHATSOEVER NATURE OR MAGNITUDE, AND HOWSOEVER ARISING, EXCEED AN AMOUNT EQUAL TO FIVE (5) TIMES THE AMOUNT OF THE FEES PAID TO THE COMPANY FOR THE SPECIFIC SERVICES WHICH GAVE RISE TO SUCH CLAIM OR U.S.\$10,000, WHICHEVER IS THE LESSER AMOUNT.

- 16. The Company shall not be liable for any loss or damage resulting from any delay or failure in performance of its obligations hereunder resulting directly or indirectly from any event of force majeure or any event outside the control of the Company. If any such event occurs, the Company may immediately cancel or suspend its performance hereunder without incurring any liability whatsoever to Client.
- 17. Company's services, including these Conditions, shall be governed by, and construed in accordance with, the local laws of the country where the Company performs the tests or, in the case of tests performed in the United States of America, the laws of Massachusetts without regard to conflicts of laws principles. If any aspect(s) of these Conditions is found to be illegal or unenforceable, the validity, legality and enforceability of all remaining aspects of these Conditions shall not in any way be affected or impaired thereby. Any proceeding related to the subject matter hereof shall be brought, if at all, in the courts of the country where the Company performs the tests or, in the case of tests performed in the United States of America, in the courts of Massachusetts. Client waives the right to interpose any counterclaim or setoffs of any nature in any litigation arising hereunder.

The complete list of the Approved Subcontractors Curtis-Straus may use to delegate the performance of work can be provided upon request. Rev.160009121(2)_#684340 v14CS



