

Test Report

Report No EI0052-1

Client Escort Inc.

5440 West Chester Road

West Chester, OH 45069

Phone (513)-870-8542

FRN 0007508732

Model 9500ci

FCC ID QKLM3R

Equipment Type Radar Detector Equipment Code CRD

Prepared by

Results

yle Neffendorf – Compliance Engineer

Authorized by

Michael Buchholz – EMC Manager

As detailed within this report

Issue Date 3/13/08

Conditions of issue This Test Report is issued subject to the conditions stated in 'terms and conditions' section of this report.

Curtis-Straus LLC is accredited by the American Association for Laboratory Accreditation for the specific scope of accreditation under Certificate Number 1627-01. This report may contain data which is not covered by the A2LA accreditation.



Table Of Contents

Summary	;
EUT Configuration	
Statement of Conformity	
Test Methodology	4
Radiated Emissions Measurements	
Test Equipment Used	
Terms And Conditions	
Terms And Conditions	٠. '

Summary

This report is an application for Certification of a radar detector operating pursuant to 47 CFR 15.109(h). This report is designed to demonstrate the compliance of the 9500ci with the requirements outlined in Part 15 (using the methods outlined in Part 2) of 47 CFR.

EUT Configuration

EUT Configuration

Work Order: 10052 Company: Escort

Company Address: 5440 West Chester Road

West Chester, OH 45069

Contact: John Kuhn

MN SN

EUT: 9500 ci Sample 1

EUT Description: Radar Detector System

EUT Max Frequency: 16MHz

Support Equipment: MN SN

N/A

EUT Cables:	Qty	Shielded?	Length	Ferrites	Comment
Front receiver cable	1	no	2m	no	
Front Shifter Cable	2	no	4m	no	
Rear Shifter Cable	1	no	5m	no	
GPS module	1	no	5m	no	
Display Module	1	no	1	no	
Control Module	1	no	1	no	
Conceal Alert LED	1	no	1	no	
DC cable	1	no	2m	no	
Speaker power Cable	1	no	2m	yes	at the speaker end
Speaker audio cable	1	yes	2m	yes	at the speaker end

Unpopulated EUT Ports:	Qty	Reason
Radio Mute	1	Diag Purposes only
Test	1	Diag Purposes only
	Radio Mute	Radio Mute 1

Software / Operating Mode Description:

Display console displays the current detector setting. When radar signal is detected, the display console will display the type of signal detected.

Statement of Conformity

47 CFR 15.109(h) states that "Radar detectors shall comply with the emissions limits...of [section 15.109(a)] over the frequency range of 11.7 – 12.2GHz." The applicable limit being 500µV/m measured at a distance of 3m. The Escort 9500ci has been tested and found to comply with this requirement.

Test Methodology

Radiated emission testing was performed according to the procedures in ANSI C63.4 (2003). The testing was performed at a distance of 1 meter. The device's performance was investigated in the range 11.7-12.2GHz. The 6500ci was powered by an HP E3612A variable DC power supply. Since the device is a hand-held unit, the emissions were maximized around the three orthogonal axes and the maximum reading was recorded. The integrated antenna cannot be maximized separately.

Radiated Emissions Measurements

LIMIT


Average: $500\mu V/m = 54dB\mu V/m @ 3m [15.109(a)]$

Note: If peak measurements meet the Average limit, then Average measurements are not required.

MEASUREMENTS

Radiated	Emissi	ons Tab	ole								Curtis-S	Straus LLC				
Date: 27-Feb-08 Company:				7-Feb-08 Company: Escort, Inc Work Order: 10052												
Engineer:							Engineer: David Harris EUT Desc:				EUT Operating Voltage/Frequency: 120V/60Hz					120V/60Hz
	Frequency Range: 11.7-12.2GHz Measurement Distance: 1 m															
Notes:																
Antenna			Preamp	Antenna	Cable	Adjusted					FCC Class	В				
Polarization	Frequency	Reading	Factor	Factor	Factor	Reading	Limit	Margin	Result	Limit	Margin	Result				
(H / V)	(MHz)	(dBµV)	(dB)	(dB/m)	(dB)	(dBµV/m)	(dBµV/m)	(dB)	(Pass/Fail)	(dBµV/m)	(dB)	(Pass/Fail)				
Noise Floor peak	11906.0	50.7	38.0	39.9	2.9	55.5				63.5	-8.0	Pass				
Table	Result:	Pass	by	-8.0	dB		•		Wo	rst Freq:	11906.0	MHz				
Test Site:	"T"	Pre-Amp:	Red-Blue	Cable:	EMIR-H	IIGH-21	Analyzer:	White	Antenna: Orange Horn							

ANALYZER PLOT



Test Equipment Used

				REv. 22-FEB-2008						
SPECTRUM ANALYZER RECEIVERS	RS/	ANGE	MN	MFR	12	N	ASSET	Сат	C	ALIBRATION DUE
WHITE (REFERENC	E) 9kHz	z-22GHz	8593E A	gilent	3547U	7U01252 00022		I	31-OCT-2008	
OPEN AREA TEST S	TES (OATS)		FCC CODE	ı	C CODE	V	CCI CODE	CAT	CA	LIBRATION DUE
SITE T	SITE T		93448	IC	2762A-2	762A-2 R-905		II	23-JUN-2008	
PREAMPS /COUPLERS ATTENUATORS / FILTERS	RANGE		MN		MFR		SN	ASSET	Сат	CALIBRATION DUE
RED-BLUE	1-20GHz	PE2-38	38-218-4R5-17-15-SFF		C-S	PL3177		1257	II	19-APR-2008
	·									
ANTENNAS	RANGE	MN	MFR		SN	ASSET	Сат		CALIBRA	TION DUE
ORANGE HORN	1-18GHz	3115	EMCO	000	4-6123	00390	ı	12-JUN-20	09 (EMI)	/ 16-MAY-2008 (RFI)

All equipment is calibrated using standards traceable to NIST or other nationally recognized calibration standard.

Measurement Uncertainty

The listed uncertainties are the worst case uncertainty for the entire range of measurement. Please note that the uncertainty values are provided for informational purposes only and are not used in determining the PASS/FAIL results.

Measurement	Expanded Uncertainty k=2	Maximum allowable uncertainty (ETSI)
Radiated Emissions (30-1000MHz)	5.6dB	N/A
Radiated Emissions (1-26.5GHz)	4.6dB	N/A
Radiated Emissions (above 26.5GHz)	4.9dB	N/A
Magnetic Radiated Emissions	5.6dB	N/A
Conducted Emissions	3.9dB	N/A
Telco Conducted Emissions (Current)	2.9dB	N/A
Telco Conducted Emissions (Voltage)	4.4dB	N/A
Electrostatic Discharge	11.5%	N/A
Radiated RF Immunity (Uniform Field)	1.6dB	N/A
Electrical Fast Transients	23.1%	N/A
Surge	23.1%	N/A
Conducted RF Immunity	3dB	N/A
Magnetic Immunity	12.8%	N/A
Dips and Interrupts	2.3V	N/A
Harmonics	3.5%	N/A
Flicker	3.5%	N/A
Radio frequency	8.2 x 10 ⁻⁸	1 x 10 ⁻⁷
RF power, conducted	0.7dB	0.75dB
Maximum frequency deviation: Within 300Hz and 6kHz of audio frequency Within 6kHz and 25kHz of audio frequency	1.2%0.1dB	5%3dB
Adjacent channel power	1.9dB	3dB
Conducted spurious emission of transmitter, valid up to 12.75GHz	0.7dB	3dB
Conducted emission of receivers	0.7dB	1dB
Radiated emission of transmitter, valid up to 26.5GHz	5.6dB	6dB
Radiated emission of transmitter, valid up to 80GHz	5.6dB	6dB
Radiated emission of receiver, valid up to 26.5GHz	5.6dB	6dB
Radiated emission of receiver, valid up to 80GHz	5.6dB	6dB
RF level uncertainty for a given BER	0.7dB	1dB
Humidity	2.31%	5%
Temperature	0.6°C	1.0°C
Time	0.8%	10%
RF Power Density, Conducted	2.2dB	3dB
DC and low frequency voltages	1.29%	3%
Voltage (AC, <10kHz)	1.29%	2%
Voltage (DC)	0.23%	1%
The above reflects a 95% confidence level		

Terms And Conditions

Paragraph 1. SERVICES. LABORATORY will:

Use the degree of care and skill ordinarily exercised by and consistent with the standards of the profession.

Perform all technical services in substantial accordance with the generally accepted laboratory principles and practices.

Retain all pertinent records relating to the services performed for a period of three (3) years following submission of the report describing 1.3 such services, during which period the records will be made available to CLIENT upon reasonable request.

Paragraph 2. CLIENT'S RESPONSIBILITIES. CLIENT or his authorized representative will:

Provide LABORATORY with all plans, schematics, specifications, addenda, change orders, drawings and other information for the proper 2.1

performance of technical services.

Designate a person to act as CLIENT's representative with respect to LABORATORY's services to be performed on behalf of the 2.2 CLIENT; such person or firm to have complete authority to transmit instructions, receive information and data, interpret and define CLIENT's policies and decisions with respect to the LABORATORY's work on behalf of the CLIENT and to order, at CLIENT's expense, such technical services as may be required.

Designate a person who is authorized to receive copies of LABORATORY's reports.

Undertake the following:

(a) Secure and deliver to LABORATORY, without cost to LABORATORY, preliminary representative samples of the equipment proposed to require technical services, together with any relevant data.

Furnish such labor and equipment needed by LABORATORY to handle samples at the LABORATORY and to facilitate the specified

Paragraph 3. GENERAL CONDITIONS:

LABORATORY, by the performance of services covered hereunder, does not in any way assume any of those duties or responsibilities customarily vested in the CLIENT, its employees, or any other party, agency or authority.

LABORATORY shall not be responsible for acts of omissions of any other party or parties involved in the design, manufacture or maintenance of the equipment or the failure of any employee, contractor or subcontractor to undertake any aspect of equipment's design, manufacture or maintenance.

3.3 LABORATORY is not authorized to revoke, alter, release, enlarge or release any requirement of the equipment's design, manufacture or maintenance unless specifically authorized by CLIENT or his authorized representative.

THE ONLY WARRANTY MADE BY LABORATORY IN CONNECTION WITH ITS SERVICE PERFORMED HEREUNDER IS THAT IT WILL USE THAT DEGREE OF CARE AND SKILL AS SET FORTH IN PARAGRAPH I ABOVE. NO OTHER WARRANTY, EXPRESS OR IMPLIED, IS MADE OR INTENDED FOR SERVICES PROVIDED HEREUNDER.

Where the LABORATORY indicates that additional testing is advisable to obtain more valid or useful data, and where such testing has not been authorized, CLIENT agrees to view such test reports as inconclusive and preliminary. 3.5

The LABORATORY will supply technical service and prepare a report based solely on the sample submitted to the LABORATORY by the CLIENT. The CLIENT understands that application of the data to other devices is highly speculative and should be applied with 3.6 extreme caution.

The LABORATORY agrees to exercise ordinary care in receiving, preserving and shipping (F.O.B. Littleton, MA) any sample to be tested, but assumes no responsibility for damages, either direct or consequential, which arise from loss, damage or destruction of the samples due to the act of examination, modification or testing, or technical services or circumstances beyond LABORATORY's control.

3.8 The LABORATORY will hold samples for thirty (30) days after tests are completed, or until the CLIENT's outstanding debts to the LABORATORY are satisfied, whichever is later.

The CLIENT recognizes that generally accepted error variances apply and agrees to consider such error variances in its use of test data.

It is agreed between LABORATORY and CLIENT that no distribution of any tests, reports or analysis other than that described below shall be made to any third party without the prior written consent of both parties unless such distribution is mandated by operation of law. It is agreed that tests, reports, or analysis results may be disclosed to third party auditors of the laboratory at the laboratory facility in the course of accreditation maintenance audits. No reference to reports or technical services of the LABORATORY shall be made in any

advertising or promotional literature without the express written permission of the LABORATORY.

3.11 The CLIENT acknowledges that all employees of LABORATORY operate under employment contracts with the LABORATORY and

CLIENT agrees not to solicit employment of such employees or to solicit information related to other clients from said employees.

3.12 In recognition of the relative risks and benefits of the project to both CLIENT and LABORATORY, the risks have been allocated such that the CLIENT agrees, to the fullest extent permitted by law, to limit the liability of the LABORATORY to the CLIENT for any and all claims, losses, costs, damages of any nature whatsoever or claims expenses from any cause or causes, including attorneys' fees and costs and expert witness fees and costs, so that the total aggregate liability of the LABORATORY to the CLIENT shall not exceed \$100,000, or the LABORATORY'S total fee for services rendered on this project, whichever is greater. It is intended that this limitation apply to any and all liability or cause of action however alleged or arising, unless otherwise prohibited by law.

Paragraph 4. INSURANCE:

LABORATORY shall secure and maintain throughout the full period of the services provided to the CLIENT adequate insurance to protect it from claims under applicable Workmen's Compensation Acts and also shall maintain one million dollars of general liability coverage to cover claims for bodily injury, death or property damage as may arise from the performance of its services

4.2 The CLIENT hereby warrants that it has sufficient insurance to protect its employees adequately under applicable Workmen's Compensation Acts and for bodily injury, death, or property damage.

No insurance of whatever kind or type, which may be carried by either party is to be considered as in any way limiting any other party's responsibility for damages resulting from their operations or for furnishing work and materials.

Paragraph 5. PAYMENT:

CLIENT shall pay to LABORATORY such fees for services as previously agreed, orally or in writing, within 30 days of presentment of a bill for such services performed. In the event CLIENT ordered, orally or in writing, services but such services were not assigned a rate for billing, such services shall be billed at the LABORATORY's reasonable and customary rate.

CLIENT shall be responsible for all shipping, customs and other expenses related to services provided by LABORATORY to the CLIENT, and shall fully insure any test sample or other equipment provided to LABORATORY by the CLIENT. Amounts overdue from CLIENT to LABORATORY shall be charged interest at a rate of 1½% per month.

Paragraph 6. ISO/IEC GUIDE 17025 ADDITIONS:

- CLIENT agrees that this test report will not be reproduced except in full, without written approval from the LABORATORY. CLIENT agrees that this test report shall not be used to claim product endorsement by A2LA or ANSI or any agency of the U.S. 6.2 Government.
- CLIENT agrees that test results presented herein relate only to the sample tested by the LABORATORY.A2LA