




APPENDIX B – EUT TEST SETUP PHOTOGRAPHS





[Tissue Liquid Depth : 15cm]



[Conducted Power Set-up Photographs]




■ Battery Type: Rocket (Alkaline)

GMRS	
Time	Power Out
0	4.410
2	4.311
4	4.220
6	4.101
8	3.906
10	3.820
12	3.780
14	3.740
16	3.710
18	3.670
20	3.630
22	3.580
24	3.540
26	3.490
28	3.460
30	3.410
32	3.360
34	3.320
36	3.270
38	3.240
40	3.200



■ Battery Type: Duracell (Alkaline)

FRS	
Time	Power Out
0	0.810
2	0.780
4	0.740
6	0.710
8	0.680
10	0.675
12	0.666
14	0.661
16	0.654
18	0.649
20	0.643
22	0.639
24	0.635
26	0.631
28	0.628
30	0.626
32	0.623
34	0.620
36	0.616
38	0.613
40	0.610



Date : October 30, 2003

Federal Communications Commission
Authorization and Evaluation Division
7435 Oskland Mills Road
Columbia, MD21046

Subject : XGM950 Model Battery Type

To whom it may concern

Here we would like to confirm that the 'AA' type batteries only should be used
For this subject model XGM950.(FCC ID: QL2GMRSXGM950)

Sincerely Yours,
Global Link Corporation Limited.

Signed by

President



Feb' 24 '2003