



VERITAS Curtis-Straus LLC, a wholly owned subsidiary of BV CPS

Report No	EP1958-1
-----------	----------

Client Escort Inc.

Address 5440 West Chester Road West Chester, OH 45069

Phone (513) 870 - 8517

Equipment Type CRD

Equipment Code Radar Detector

FCC Rule Parts 47 CRF 15.109(h)

Test Dates July 24, 2015

Results As detailed within this report

Prepared by Szamley Szamley Test Engineer

Authorized by Christoph hypothesis

Issue Date 8/25/2015

Conditions of Issue This Test Report is issued subject to the conditions stated in the 'Conditions of Testing' section on page 8 of this report.

Curtis-Straus LLC is accredited by the American Association for Laboratory Accreditation for the specific scope of accreditation under Certificate Number 1627-01. This report may contain data which is not covered by the A2LA accreditation.





Contents

Contents	2
Summary	
Test Methodology	
Product Tested	
Configuration Documentation	4
Statement of Conformity	5
Test Results	
Radiated Emissions	6
Measurement Uncertainty	
Conditions Of Testing	

REV 06-FEB-15 (SC)



Summary

This report is an application for Certification of a radar detector operating pursuant to 47 CFR 15.109(h). This report is designed to demonstrate the compliance with the requirements outlined in Part 15 (using the methods outlined in Part 2) of 47 CFR.

We found that the product met the above requirements without modification. The test sample was received in good condition.

Test Methodology

Radiated emission testing was performed according to the procedures in ANSI C63.4 (2009). The testing was performed at a distance of 1 meter. The device's performance was investigated in the range 11.7-12.2GHz. The radar detector was powered by a variable power supply. Since the device is a hand-held unit, the emissions were maximized around the three orthogonal axes and the maximum reading was recorded. The integrated antenna cannot be maximized separately.

Issue No.

Reason for change

Date Issued

1

Original Release

August 18, 2015



page 3 of 9



Product Tested

Configuration Documentation

					EU1	Configuration							
Work (Order:	P1958	<u>-</u>										
Com	npany:	Escort	scort Inc.										
Company Add	dress:	5440 V	Vest Cheste	er Road									
•		West 0	/est Chester, OH, 45069										
		•											
Co	ntact:	Wanda	a Densford										
				MN		•	PN	N SN					
	EUT:		FCC ID): QL4G7M5		16	20X50-1				99999999	9999	
EUT Descri	iption:	Winds	Windshield mounted radar/laser detector										
Support Equipmer	nt	MN SN											
DC Supply		NFB 61											
Port Label	Port	Туре	# ports	# populated	cable typ	e shielded	ferrite s	lengt h (m)	max lengt h (m)	in/out	under test	comment	
DC Power/mute button	other	r	1	1	other	No	No	1.5	1.5	in	yes		
Headphone	other		1	1	other	No	No	1	5	in	yes		
USB	USB		1	1	USB	Yes	No	1	5	in	yes		
Software Operation EUT is scanning for		•		ange 11.7 to 12	2.2GHz.								



Statement of Conformity

47 CFR 15.109(h) states that "Radar detectors shall comply with the emissions limits…of [section 15.109(a)] over the frequency range of 11.7-12.2GHz". The applicable limit being 500μV/m measured at a distance of 3m. The radar detector has been tested and found to comply with this requirement



Test Results

Radiated Emissions

Peak Reading (dBµV) 33.13	Average Reading (dBµV)	Humidity:	45%	Cable Factor (dB)	d radar/laser dete		47 CFR §15.	109(h)- High - Peak ^{Margin}	Measureme	nt Distance: 47 CFR §15	1 m	
Peak y Reading (dBµV)	Average Reading (dBµV)	Preamp Factor	Antenna Factor	Factor	Peak Reading	Adjusted	47 CFR §15.	- Peak	n Frequency	47 CFR §15	.109(h) High Average	
Peak y Reading (dBµV)	Average Reading (dBµV)	Preamp Factor	Antenna Factor	Factor	Peak Reading		·	- Peak	n Frequency	47 CFR §15	.109(h) High Average	
y Reading (dBµV)	Reading (dBµV)	Factor	Factor	Factor	Peak Reading		·	- Peak			Average	
y Reading (dBµV)	Reading (dBµV)	Factor	Factor	Factor	Peak Reading		·	- Peak			Average	
y Reading (dBµV)	Reading (dBµV)	Factor	Factor	Factor	Peak Reading		Limit		Result	Limit		Result
(dBµV)	(dBµV)					Avg Reading	Limit	Margin	Result	Limit	Margin	Result
		(dB)	(dB/m)									
33 13					(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	(Pass/Fail)	(dBµV/m)	(dB)	(Pass/Fail)
00.10	19.3	18.4	39.1	6.8	60.6	46.8	83.5	-22.9	Pass	63.5	-16.7	Pass
32.21	19.4	18.2	39.1	6.9	60.0	47.2	83.5	-23.5	Pass	63.5	-16.3	Pass
32.88	20.2	18.2	39.2	6.9	60.8	48.1	83.5	-22.7	Pass	63.5	-15.4	Pass
33.82	20.4	18.2	39.2	6.8	61.6	48.2	83.5	-21.9	Pass	63.5	-15.3	Pass
32.46	19.3	18.2	39.3	6.8	60.4	47.2	83.5	-23.1	Pass	63.5	-16.3	Pass
32.68	19.2	18.1	39.3	6.8	60.7	47.2	83.5	-22.8	Pass	63.5	-16.3	Pass
33.15	19.4	18.1	39.3	7.1	61.5	47.7	83.5	-22.0	Pass	63.5	-15.8	Pass
33.28	19.6	18.0	39.4	6.9	61.6	47.9	83.5	-21.9	Pass	63.5	-15.6	Pass
t:	Pass	by	-15.3	dB					W	orst Freq:	11859.0	MHz
	33.82 32.46 32.68 33.15	33.82 20.4 32.46 19.3 32.68 19.2 33.15 19.4 0 33.28 19.6 1t: Pass	0 33.82 20.4 18.2 18.2 19.3 18.2 19.3 18.2 18.1 19.3 18.2 18.1 19.3 18.1 19.4 18.1 19.3 33.28 19.6 18.0 18.0 18.1 19.6 18.0 18.1 19.6 18.0 18.1 19.6 18.0 18.1 19.6 18.0 18.1 19.6 18.0 18.1 19.6 18.0 18.1 19.6 18.0 18.1 19.6 18.0 19.6 18.0 19.6 18.0 19.6 18.0 19.6 19.6 19.6 19.6 19.6 19.6 19.6 19.6	0 33.82 20.4 18.2 39.2 18.2 39.3 32.46 19.3 18.2 39.3 33.5 19.4 18.1 39.3 33.25 19.6 18.0 39.4 18.1 29.3 ber 1 Pass by -15.3 ber 1 Cable 1: Asset #20	0 33.82 20.4 18.2 39.2 6.8 19.3 18.2 39.3 6.8 19.3 18.2 39.3 6.8 33.15 19.4 18.1 39.3 7.1 39.3 15.1 19.4 18.1 39.3 7.1 19.4 18.1 39.3 7.1 19.5 19.6 18.0 39.4 6.9 16.5 Pass by -15.3 dB	0 33.82 20.4 18.2 39.2 6.8 61.6 19.3 18.2 39.3 6.8 60.4 19.3 18.2 39.3 6.8 60.4 60.7 19.3 18.1 39.3 6.8 60.7 19.4 18.1 39.3 7.1 61.5 19.4 18.1 39.3 7.1 61.5 19.4 18.1 39.3 7.1 61.5 19.5 19.6 18.0 39.4 6.9 61.6 18.0 19.6 18.0 39.4 6.9 61.6 19.6 19.6 19.6 19.6 19.6 19.6	0 33.82 20.4 18.2 39.2 6.8 61.6 48.2 39.3 6.8 50.4 47.2 39.3 6.8 60.7 47.2 31.5 19.4 18.1 39.3 6.8 60.7 47.2 33.15 19.4 18.1 39.3 7.1 61.5 47.7 33.28 19.6 18.0 39.4 6.9 61.6 47.9 18.1 47.9 18.1 39.3 6.8 60.7 47.2 61.5 47.7 61.	0 33.82 20.4 18.2 39.2 6.8 61.6 48.2 83.5 23.46 19.3 18.2 39.3 6.8 60.4 47.2 83.5 23.68 19.2 18.1 39.3 6.8 60.7 47.2 83.5 23.15 19.4 18.1 39.3 7.1 61.5 47.7 83.5 25 25 25 25 25 25 25 25 25 25 25 25 25	0 33.82 20.4 18.2 39.2 6.8 61.6 48.2 83.5 -21.9 20.3 22.46 19.3 18.2 39.3 6.8 60.4 47.2 83.5 -23.1 20.3 22.68 19.2 18.1 39.3 6.8 60.7 47.2 83.5 -22.8 20.3 32.15 19.4 18.1 39.3 6.8 60.7 47.2 83.5 -22.0 20.3 32.8 19.6 18.0 39.4 6.9 61.6 47.9 83.5 -21.9 20.1 20.3 20.3 20.3 20.3 20.3 20.3 20.3 20.3	0 33.82 20.4 18.2 39.2 6.8 61.6 48.2 83.5 -21.9 Pass 23.46 19.3 18.2 39.3 6.8 60.4 47.2 83.5 -23.1 Pass 23.68 19.2 18.1 39.3 6.8 60.7 47.2 83.5 -22.8 Pass 25.3 33.15 19.4 18.1 39.3 7.1 61.5 47.7 83.5 -22.0 Pass 25.3 33.28 19.6 18.0 39.4 6.9 61.6 47.9 83.5 -21.9 Pass 25.1 1t: Pass by -15.3 dB W Cable 1: Asset #2051 Cable 2: Asset #2051	0 33.82 20.4 18.2 39.2 6.8 61.6 48.2 83.5 -21.9 Pass 63.5 23.46 19.3 18.2 39.3 6.8 60.4 47.2 83.5 -23.1 Pass 63.5 23.48 19.2 18.1 39.3 6.8 60.7 47.2 83.5 -22.8 Pass 63.5 23.15 19.4 18.1 39.3 7.1 61.5 47.7 83.5 -22.0 Pass 63.5 23.18 19.6 18.0 39.4 6.9 61.6 47.9 83.5 -21.9 Pass 63.5 24.9 Pass 63.5 25.1	33.82 20.4 18.2 39.2 6.8 61.6 48.2 83.5 -21.9 Pass 63.5 -15.3 22.46 19.3 18.2 39.3 6.8 60.4 47.2 83.5 -23.1 Pass 63.5 -16.3 23.68 19.2 18.1 39.3 6.8 60.7 47.2 83.5 -22.8 Pass 63.5 -16.3 23.15 19.4 18.1 39.3 7.1 61.5 47.7 83.5 -22.0 Pass 63.5 -15.8 63.5 15.8 60.5 33.28 19.6 18.0 39.4 6.9 61.6 47.9 83.5 -21.9 Pass 63.5 -15.6 14: Pass by -15.3 dB Worst Freq: 11859.0

Rev.7/23/2015 Spectrum Analyzers / Receivers /Preselectors SA EMI Chamber (1327)	Range 9kHz-13.2 GHz	MN E4405B	Mfr Agilent	SN MY45103416	Asset 1327	Cat 	Calibration Due 7/10/2016	Calibrated on 7/10/2015
Radiated Emissions Sites EMI Chamber 1	FCC Code 719150	IC Code 2762A-6	VCCI Code A-0015	Range 30-1000MHz		Cat II	Calibration Due 3/21/2017	Calibrated on 3/21/2015
Preamps /Couplers Attenuators / Filters 1517 HF Preamp	Range 1-20GHz	MN CS	Mfr CS	SN N/A	Asset 1517	Cat II	Calibration Due 9/9/2015	Calibrated on 9/9/2014
Antennas Blue Horn	Range 1-18Ghz	MN 3117	Mfr ETS	SN 157647	Asset 1861	Cat I	Calibration Due 2/8/2017	Calibrated on 2/8/2015
Cables Asset #2051 Asset #2054	Range 9kHz - 18GHz 9kHz - 18GHz		Mfr Florida RF Florida RF			Cat II II	Calibration Due 3/8/2016 3/8/2016	Calibrated on 3/8/2015 3/8/2015
Meteorological Meters Weather Clock (Pressure Only) TH A#2080		MN BA928 HTC-1	Mfr Oregon Scientific HDE	SN C3166-1	Asset 831 2080	Cat I II	Calibration Due 3/19/2016 4/2/2016	Calibrated on 3/19/2014

All equipment is calibrated using standards traceable to NIST or other nationally recognized calibration standard.



Measurement Uncertainty

Radiated Emissions (30+100MHz)	Measurement	Expanded Uncertainty k=2	Maximum allowable uncertainty
CISPR 4.66B 5.26B (Usispr)		5 6dB	N/A
Radiated Emissions (above 26.5GHz)	CISPR	4.6dB	5.2dB (Ucispr)
Magnetic Radiated Emissions 5.6dB	Radiated Emissions (1-26.5GHz)	4.6dB	N/A
Conducted Emissions 3.94B 3.66B 3.66B (Usingh)	Radiated Emissions (above 26.5GHz)	4.9dB	N/A
NIST	9	5.6dB	N/A
Teloo Conducted Emissions (Voltage)	NIST		
Electrostatic Discharge	Telco Conducted Emissions (Current)	2.9dB	N/A
Radiated RF Immunity (Uniforn Field)	Telco Conducted Emissions (Voltage)	4.4dB	N/A
Electrical Fast Transients	Electrostatic Discharge	11.5%	N/A
Surge 23.1% N/A	Radiated RF Immunity (Uniform Field)	1.6dB	N/A
Conducted RF Immunity 3dB	Electrical Fast Transients	23.1%	N/A
Magnetic Immunity 12.8% N/A Dips and Interrupts 2.3V N/A Harmonics 3.5% N/A Flicker 3.5% N/A Radio frequency (@ 2.4GHz) 3.23 x 10³ 1 x 10⁻ R F power, conducted 0.40dB 0.75dB Maximum frequency deviation: *** • Within 300Hz and 6kHz of audio frequency / Within 6kHz and 25kHz of audio frequency - 0.3dB 3dB Adjacent channel power 1.9dB 3dB Conducted spurious emission of transmitter, valid up to 12.75GHz 2.39dB 3dB Conducted emission of transmitter, valid up to 26.5GHz 3.9dB 6dB Radiated emission of transmitter, valid up to 26.5GHz 3.9dB 6dB Radiated emission of receiver, valid up to 80GHz 3.3dB 6dB Radiated emission of receiver, valid up to 80GHz 3.3dB 6dB Radiated emission of receiver, valid up to 80GHz 3.3dB 6dB Radiated emission of receiver, valid up to 80GHz 3.3dB 6dB Radiated emission of receiver, valid up to 80GHz 3.3dB 6dB Temperature <td< td=""><td>Surge</td><td>23.1%</td><td>N/A</td></td<>	Surge	23.1%	N/A
Dips and Interrupts 2.3V N/A Harmonics 3.5% N/A Flicker 3.5% N/A Radio frequency (@ 2.4GHz) 3.23 x 10 ⁻⁸ 1 x 10 ⁻⁷ RF power, conducted 0.40dB 0.75dB Maximum frequency deviation: ■ Within 300Hz and 6kHz of audio frequency / Within 6kHz and 25kHz of audio frequency / Within 6kHz and 3.4% 5% 3.3dB 3.dB Conducted spurious emission of transmitter, valid up to 12.75GHz 2.39dB 3.dB Conducted spurious emission of transmitter, valid up to 12.75GHz 2.39dB 3.dB Conducted emission of transmitter, valid up to 26.5GHz 3.9dB 6.dB Radiated emission of transmitter, valid up to 80GHz 3.3dB 6.dB Radiated emission of transmitter, valid up to 80GHz 3.3dB 6.dB Radiated emission of receiver, valid up to 80GHz 3.3dB Radiated emission of receiver, valid up to 80GHz 3.3dB Radiated emission of receiver, valid up to 80GHz 3.3	Conducted RF Immunity	3dB	N/A
Harmonics 3.5% NVA Flicker 3.5% NVA Radio frequency (@ 2.4GHz) 3.23 x 10 ⁻⁴ 1 x 10 ⁻⁷ RF power, conducted 0.40dB 0.75dB Maximum frequency deviation: ■ Within 300Hz and 6kHz of audio frequency / Within 6kHz and 2.5kHz of audio frequency / Within 80Hz and 6kHz of audio frequency / Within 6kHz and 3.4% 5% 3.3dB 3.dB Conducted spurious emission of transmitter, valid up to 12.75GHz 2.39dB 3.dB Conducted spurious emission of freceivers 1.3dB 3.dB Radiated emission of transmitter, valid up to 26.5GHz 3.9dB 6.dB Radiated emission of transmitter, valid up to 80GHz 3.3dB 6.dB Radiated emission of receiver, valid up to 26.5GHz 3.9dB 6.dB Radiated emission of receiver, valid up to 80GHz 3.3dB Radiated emission of receiver, valid up to 80GHz 3.3dB Radi	Magnetic Immunity	12.8%	N/A
Flicker 3.5% N/A Radio frequency (@ 2.4GHz) 3.23 x 10 ⁻⁸ 1 x 10 ⁻⁷ RF power, conducted 0.40dB 0.75dB Maximum frequency deviatin:	Dips and Interrupts	2.3V	N/A
Radio frequency (@ 2.4GHz) 3.23 x 10³³ 1 x 10⁻√ RF power, conducted 0.40dB 0.75dB Maximum frequency devidion: Within 300Hz and 6kHz of audio frequency / Within 6kHz and 25kHz of audio frequency O.3dB 3dB Adjacent channel power 1.9dB 3dB Conducted spurious emission of transmitter, valid up to 12.75GHz 2.39dB 3dB Conducted emission of receivers 1.3dB 3dB Radiated emission of transmitter, valid up to 26.5GHz 3.9dB 6dB Radiated emission of transmitter, valid up to 80GHz 3.3dB 6dB Radiated emission of receiver, valid up to 26.5GHz 3.9dB 6dB Radiated emission of receiver, valid up to 80GHz 3.3dB 6dB Radiated emission of receiver, valid up to 80GHz 3.3dB 6dB Temperature 0.7°C 1.0°C Time 4.1% 10% RF Power Density, Conducted 0.4dB 3dB	Harmonics	3.5%	N/A
RF power, conducted 0.40dB 0.75dB Maximum frequency deviation:	Flicker	3.5%	N/A
Maximum frequency deviation: Within 300Hz and 6kHz of audio frequency / Within 6kHz and 0.3dB 3dB Adjacent channel power 1.9dB 3dB Conducted spurious emission of transmitter, valid up to 12.75GHz 2.39dB 3dB Conducted emission of freceivers 1.3dB 3dB Radiated emission of transmitter, valid up to 26.5GHz 3.9dB 6dB Radiated emission of transmitter, valid up to 80GHz 3.3dB 6dB Radiated emission of receiver, valid up to 26.5GHz 3.9dB 6dB Radiated emission of receiver, valid up to 80GHz 3.3dB 6dB Radiated emission of receiver, valid up to 80GHz 3.3dB 6dB Radiated emission of receiver, valid up to 80GHz 3.3dB 6dB Radiated emission of receiver, valid up to 80GHz 3.3dB 6dB Radiated emission of receiver, valid up to 80GHz 3.3dB 6dB Radiated emission of receiver, valid up to 80GHz 3.3dB 6dB Radiated emission of receiver, valid up to 80GHz 3.3dB 6dB DC and low frequency voltages 1.3% 3dB Voltage (AC, <10kHz) 1.3% 2%	Radio frequency (@ 2.4GHz)	3.23 x 10 ⁻⁸	1 x 10 ⁻⁷
• Within 300Hz and 6kHz of audio frequency / Within 6kHz and 25kHz of audio frequency 3.4% 5% 3dB 5% 3dB 25kHz of audio frequency 1.9dB 3dB Adjacent channel power 1.9dB 3dB Conducted spurious emission of transmitter, valid up to 12.75GHz 2.39dB 3dB Conducted emission of receivers 1.3dB 3dB Radiated emission of transmitter, valid up to 26.5GHz 3.9dB 6dB Radiated emission of receiver, valid up to 80GHz 3.9dB 6dB Radiated emission of receiver, valid up to 80GHz 3.9dB 6dB Radiated emission of receiver, valid up to 80GHz 3.3dB 6dB Humidity 2.37% 5% Temperature 0.7°C 1.0°C Time 4.1% 10% RF Power Density, Conducted 0.4dB 3dB DC and low frequency voltages 1.3% 3% Voltage (AC, <10kHz)	RF power, conducted	0.40dB	0.75dB
Adjacent channel power 1.9dB 3dB Conducted spurious emission of transmitter, valid up to 12.75GHz 2.39dB 3dB Conducted emission of receivers 1.3dB 3dB Radiated emission of transmitter, valid up to 26.5GHz 3.9dB 6dB Radiated emission of transmitter, valid up to 80GHz 3.3dB 6dB Radiated emission of receiver, valid up to 26.5GHz 3.9dB 6dB Radiated emission of receiver, valid up to 80GHz 3.3dB 6dB Humidity 2.37% 5% Temperature 0.7°C 1.0°C Time 4.1% 10% RF Power Density, Conducted 0.4dB 3dB DC and low frequency voltages 1.3% 3% Voltage (AC, <10kHz)	 Within 300Hz and 6kHz of audio frequency / Within 6kHz and 		
Conducted emission of receivers 1.3dB 3dB Radiated emission of transmitter, valid up to 26.5GHz 3.9dB 6dB Radiated emission of transmitter, valid up to 80GHz 3.3dB 6dB Radiated emission of receiver, valid up to 26.5GHz 3.9dB 6dB Radiated emission of receiver, valid up to 80GHz 3.3dB 6dB Humidity 2.37% 5% Temperature 0.7°C 1.0°C Time 4.1% 10% RF Power Density, Conducted 0.4dB 3dB DC and low frequency voltages 1.3% 3% Voltage (AC, <10kHz)			
Radiated emission of transmitter, valid up to 26.5GHz 3.9dB 6dB Radiated emission of transmitter, valid up to 80GHz 3.3dB 6dB Radiated emission of receiver, valid up to 26.5GHz 3.9dB 6dB Radiated emission of receiver, valid up to 80GHz 3.3dB 6dB Humidity 2.37% 5% Temperature 0.7°C 1.0°C Time 4.1% 10% RF Power Density, Conducted 0.4dB 3dB DC and low frequency voltages 1.3% 3% Voltage (AC, <10kHz)	Conducted spurious emission of transmitter, valid up to 12.75GHz	2.39dB	3dB
Radiated emission of transmitter, valid up to 80GHz 3.3dB 6dB Radiated emission of receiver, valid up to 26.5GHz 3.9dB 6dB Radiated emission of receiver, valid up to 80GHz 3.3dB 6dB Humidity 2.37% 5% Temperature 0.7°C 1.0°C Time 4.1% 10% RF Power Density, Conducted 0.4dB 3dB DC and low frequency voltages 1.3% 3% Voltage (AC, <10kHz)	Conducted emission of receivers	1.3dB	3dB
Radiated emission of receiver, valid up to 26.5GHz 3.9dB 6dB Radiated emission of receiver, valid up to 80GHz 3.3dB 6dB Humidity 2.37% 5% Temperature 0.7°C 1.0°C Time 4.1% 10% RF Power Density, Conducted 0.4dB 3dB DC and low frequency voltages 1.3% 3% Voltage (AC, <10kHz)	Radiated emission of transmitter, valid up to 26.5GHz	3.9dB	6dB
Radiated emission of receiver, valid up to 80GHz 3.3dB 6dB Humidity 2.37% 5% Temperature 0.7°C 1.0°C Time 4.1% 10% RF Power Density, Conducted 0.4dB 3dB DC and low frequency voltages 1.3% 3% Voltage (AC, <10kHz)	Radiated emission of transmitter, valid up to 80GHz	3.3dB	6dB
Humidity 2.37% 5% Temperature 0.7°C 1.0°C Time 4.1% 10% RF Power Density, Conducted 0.4dB 3dB DC and low frequency voltages 1.3% 3% Voltage (AC, <10kHz) 1.3% 2%	Radiated emission of receiver, valid up to 26.5GHz	3.9dB	6dB
Temperature 0.7°C 1.0°C Time 4.1% 10% RF Power Density, Conducted 0.4dB 3dB DC and low frequency voltages 1.3% 3% Voltage (AC, <10kHz)	Radiated emission of receiver, valid up to 80GHz	3.3dB	6dB
Time 4.1% 10% RF Power Density, Conducted 0.4dB 3dB DC and low frequency voltages 1.3% 3% Voltage (AC, <10kHz) 1.3% 2%	Humidity	2.37%	5%
RF Power Density, Conducted 0.4dB 3dB DC and low frequency voltages 1.3% 3% Voltage (AC, <10kHz)	Temperature	0.7°C	1.0°C
DC and low frequency voltages 1.3% 3% Voltage (AC, <10kHz)	Time	4.1%	10%
Voltage (AC, <10kHz) 1.3% 2%	RF Power Density, Conducted	0.4dB	3dB
	DC and low frequency voltages	1.3%	3%
Voltage (DC) 0.62% 1%	Voltage (AC, <10kHz)	1.3%	2%
1 5.02/0 1/0	Voltage (DC)	0.62%	1%
The above reflects a 95% confidence level	The above reflects a 95% confidence level		



Conditions Of Testing

[Bureau Veritas Consumer Products Services, Inc., a Massachusetts corporation], and/or its affiliates (collectively, the "Company") will conduct, at the request of the Submitter ("Client"), the tests specified on the submitted Test Request Form or equivalent in accordance with, and subject to, the following terms and conditions (collectively, "Conditions"):

- 1. All orders for tests are subject to acceptance by the Company, and no order will constitute a binding commitment of the Company unless and until such order is accepted by it, as evidenced by the issuance of a written report ("Test Report") by the Company. The Test Report is issued solely by the Company, is intended for the exclusive use of Client and shall not be published, used for advertising purposes, copied or replicated for distribution to any other person or entity or otherwise publicly disclosed without the prior written consent of the Company. By submitting a request for services to the Company, Client consents to the disclosure to accreditation bodies of those records of Client relevant to the accreditation body's assessment of the Company's competence and compliance with relevant accreditation criteria. The Company shall not be liable for any loss or damage whatsoever resulting from the failure of the Company to provide its services within any time period for completion estimated by the Company. If Client anticipates using the Test Report in any legal proceeding, arbitration, dispute resolution forum or other proceeding, it shall so notify the Company prior to submitting the Test Report in such proceeding. The Company has no obligation to provide a fact or expert witness at such proceeding unless the Company agrees in advance to do so for a separate and additional fee.
- 2. The Test Report will set forth the findings of the Company solely with respect to the test samples identified therein. Unless specifically and expressly indicated in the Test Report, the results set forth in such Test Report are not intended to be indicative or representative of the quality or characteristics of the lot from which a test sample is taken, and Client shall not rely upon the Test Report as being so indicative or representative of the lot or of the tested product in general. The Test Report will reflect the findings of the Company at the time of testing only, and the Company shall have no obligation to update the Test Report after its issuance. The Test Report will set forth the results of the tests performed by the Company based upon the written information provided to the Company. The Test Report will be based solely on the samples and written information submitted to the Company by Client, and the Company shall not be obligated to conduct any independent investigation or inquiry with respect thereto.
- 3. The Company may, in its sole discretion, destroy samples which have been furnished to the Company for testing and which have not been destroyed in the course of testing. The Company may delegate the performance of all or a portion of the services contemplated hereunder to an affiliate, agent or subcontractor of the Company, and Client consents to such delegation.
- 4. These Conditions and the Test Report represent the entire understanding of the parties hereto with respect to the subject matter hereof and of the Test Report, and no modification, variance or extrapolation with respect thereto shall be permitted without the prior written consent of the Company.
- 5. The names, service marks, trademarks and copyrights of the Company and its affiliates, including the names "BUREAU VERITAS,"
 "BUREAU VERITAS CONSUMER PRODUCTS SERVICES," "BVCPS", "MTL", "ACTS", "MTL-ACTS" and CURTIS-STRAUS
 (collectively, the "Marks") are and shall remain the sole property of the Company or its affiliates and shall not be used by Client except solely to the extent that Client obtains the prior written approval of the Company and then only in the manner prescribed by the Company. Client shall not contest the validity of the Marks or take any action that might impair the value or goodwill associated with the Marks or the image or reputation of the Company or its affiliates.
- 6. Payment in full shall be due 30 days after the date of invoice. Interest shall be due on overdue amounts from the due date until paid at an interest rate of 1.5% per month or, if less, the maximum rate permitted by law. The Company reserves the right, at any time and from time to time, to revoke any credit extended to Client. Client shall reimburse the Company for any costs it incurs in collecting past due amounts, including court costs and fees and expenses of attorneys and collection agencies. The Test Report may not be used or relied upon by Client if and for so long as Client fails to pay when due any invoice issued by the Company or any affiliate of it to Client or any affiliate or subsidiary of Client together with interest and penalties, if any, accrued thereon.
- 7. The Company disclaims any and all responsibility or liability arising out of or in connection with e-mail transmissions of such information.
- 8. Client understands and agrees that the Company is neither an insurer nor a guarantor, that the Company does not take the place of Client or any designer, manufacturer, agent, buyer, distributor or transportation or shipping company, and that the Company disclaims all liability in such capacities. Client further understands that if it seeks assurance against loss or damage, it should obtain appropriate insurance.
- 9. Client agrees that the Company, by providing the services, does not take the place of Client nor any third party, nor does the Company release them from any of their obligations, nor does the Company otherwise assume, abridge, abrogate or undertake to discharge any duty of any third party to Client or any duty of Client or any third party to any other third party, and Client will not release any third party from its obligations and duties with respect to the tested goods.
- 10. Client shall, on a timely basis, (a) provide adequate instructions to the Company in order to enable the Company to perform properly its services, (b) provide, or cause Client's suppliers and contractors to provide, the Company with all documents necessary to enable the Company to perform its services, (c) furnish the Company with all relevant information regarding Client's intended use and purposes of the tested goods, (d) advise the Company of essential dates and deadlines relevant to the tested goods and (e) fully exercise all rights and remedies available to Client against third parties in respect of the tested goods.
- 11. The Company shall undertake due care and ordinary skill in the performance of its services to Client, and the Company shall accept responsibility only were such skill has not been exercised and, even in such event, only to the extent of the limitation of liability set forth herein
- 12. If Client desires to assert a claim arising from or relating to (i) the performance, purported performance or non-performance of any services by the Company or (ii) the sale, resale, manufacture, distribution or use of any tested goods, it must submit that claim to the Company in a writing that sets forth with particularity the basis for such claim within 60 days from discovery of the potential claim and not more than six months after the date of issuance of the Test Report to Client. Client waives any and all such claims including, without limitation, claims that the Test Report is inaccurate, incomplete or misleading or that additional or different testing is required, unless and then only to the extent that Client submits a written claim to the Company within both such time periods.
- 13. CLIENT SHALL, EXCEPT TO THE EXTENT OF COMPANY'S LIABILITY TO CLIENT HEREUNDER (WHICH IN NO EVENT SHALL EXCEED THE LIMITATION OF LIABILITY HEREIN), HOLD HARMLESS AND INDEMNIFY THE COMPANY, ITS AFFILIATES AND THEIR RESPECTIVE DIRECTORS, OFFICERS, EMPLOYEES, AGENTS AND SUBCONTRACTORS AGAINST ALL ACTUAL OR ALLEGED THIRD PARTY CLAIMS FOR LOSS, DAMAGE OR EXPENSE OF WHATSOEVER NATURE AND HOWSOEVER ARISING FROM OR RELATING TO (i) THE PERFORMANCE, PURPORTED PERFORMANCE OR NON-PERFORMANCE OF ANY SERVICES BY THE COMPANY OR (ii) THE SALE, RESALE, MANUFACTURE, DISTRIBUTION OR USE OF ANY TESTED GOODS.
- 14. EXCEPT AS MAY OTHERWISE BE EXPRESSLY AGREED TO IN WRITING BY THE COMPANY AND NOTWITHSTANDING ANY PROVISION TO THE CONTRARY CONTAINED HEREIN OR IN ANY TEST REPORT, NO WARRANTY OR GUARANTEE, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR USE, IS MADE.





15. (A) IN NO EVENT WHATSOEVER SHALL THE COMPANY BE LIABLE FOR ANY CONSEQUENTIAL, SPECIAL, INCIDENTAL, EXEMPLARY OR PUNITIVE DAMAGES IN CONNECTION WITH, RELATING TO OR ARISING OUT OF THE TEST REPORT OR THE SERVICES PROVIDED BY THE COMPANY HEREUNDER, INCLUDING WITHOUT LIMITATION LOSS OF OR DAMAGE TO PROPERTY; LOSS OF INCOME, PROFIT OR USE; OR ANY CLAIMS OR DEMANDS MADE AGAINST CLIENT OR ANY OTHER PERSON BY ANY THIRD PARTY IN CONNECTION WITH, RELATING TO OR ARISING OUT OF THE SERVICES PROVIDED BY THE COMPANY

(B)NOTWITHSTANDING ANY PROVISION TO THE CONTRARY CONTAINED HEREIN, AND IN RECOGNITION OF THE RELATIVE RISKS AND BENEFITS TO CLIENT AND THE COMPANY ASSOCIATED WITH THE TESTING SERVICES CONTEMPLATED HEREBY, THE RISKS HAVE BEEN ALLOCATED SUCH THAT UNDER NO CIRCUMSTANCES WHATSOEVER SHALL THE LIABILITY OF THE COMPANY TO CLIENT OR ANY THIRD PARTY IN RESPECT OF ANY CLAIM FOR LOSS, DAMAGE OR EXPENSE, OF WHATSOEVER NATURE OR MAGNITUDE, AND HOWSOEVER ARISING, EXCEED AN AMOUNT EQUAL TO FIVE (5) TIMES THE AMOUNT OF THE FEES PAID TO THE COMPANY FOR THE SPECIFIC SERVICES WHICH GAVE RISE TO SUCH CLAIM OR U.S.\$10,000, WHICHEVER IS THE LESSER AMOUNT.

- 16. The Company shall not be liable for any loss or damage resulting from any delay or failure in performance of its obligations hereunder resulting directly or indirectly from any event of force majeure or any event outside the control of the Company. If any such event occurs, the Company may immediately cancel or suspend its performance hereunder without incurring any liability whatsoever to Client.
- 17. Company's services, including these Conditions, shall be governed by, and construed in accordance with, the local laws of the country where the Company performs the tests or, in the case of tests performed in the United States of America, the laws of Massachusetts without regard to conflicts of laws principles. If any aspect(s) of these Conditions is found to be illegal or unenforceable, the validity, legality and enforceability of all remaining aspects of these Conditions shall not in any way be affected or impaired thereby. Any proceeding related to the subject matter hereof shall be brought, if at all, in the courts of the country where the Company performs the tests or, in the case of tests performed in the United States of America, in the courts of Massachusetts. Client waives the right to interpose any counterclaim or setoffs of any nature in any litigation arising hereunder.

The complete list of the Approved Subcontractors Curtis-Straus may use to delegate the performance of work can be provided upon request. Rev.160009121(2)_#684340 v14CS



