



Band 7 – Antenna 2




Plot 7-211. Lower Band Edge Plot (Band 7 - 5.0MHz QPSK)




Plot 7-212. Lower Extended Band Edge Plot (Band 7 - 5.0MHz QPSK)

FCC ID: QLJ4GRFN-007		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1803150046-01.QLJ	Test Dates: 7/23-8/2/2018	EUT Type: Remote Radio Head		Page 128 of 172




Plot 7-213. Upper Band Edge Plot (Band 7 - 5.0MHz QPSK)




Plot 7-214. Upper Extended Band Edge Plot (Band 7 - 5.0MHz QPSK)

FCC ID: QLJ4GRFN-007		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1803150046-01.QLJ	Test Dates: 7/23-8/2/2018	EUT Type: Remote Radio Head		Page 129 of 172



Plot 7-215. Lower Band Edge Plot (Band 7 - 5.0MHz 16-QAM)




Plot 7-216. Lower Extended Band Edge Plot (Band 7 - 5.0MHz 16-QAM)

FCC ID: QLJ4GRFN-007		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1803150046-01.QLJ	Test Dates: 7/23-8/2/2018	EUT Type: Remote Radio Head		Page 130 of 172




Plot 7-217. Upper Band Edge Plot (Band 7 - 5.0MHz 16-QAM)




Plot 7-218. Upper Extended Band Edge Plot (Band 7 - 5.0MHz 16-QAM)

FCC ID: QLJ4GRFN-007		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1803150046-01.QLJ	Test Dates: 7/23-8/2/2018	EUT Type: Remote Radio Head		Page 131 of 172




Plot 7-219. Lower Band Edge Plot (Band 7 - 5.0MHz 64-QAM)




Plot 7-220. Lower Extended Band Edge Plot (Band 7 - 5.0MHz 64-QAM)

FCC ID: QLJ4GRFN-007		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1803150046-01.QLJ	Test Dates: 7/23-8/2/2018	EUT Type: Remote Radio Head		Page 132 of 172




Plot 7-221. Upper Band Edge Plot (Band 7 - 5.0MHz 64-QAM)




Plot 7-222. Upper Extended Band Edge Plot (Band 7 - 5.0MHz 64-QAM)

FCC ID: QLJ4GRFN-007		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1803150046-01.QLJ	Test Dates: 7/23-8/2/2018	EUT Type: Remote Radio Head		Page 133 of 172




Plot 7-223. Lower Band Edge Plot (Band 7 - 5.0MHz 256-QAM)




Plot 7-224. Lower Extended Band Edge Plot (Band 7 - 5.0MHz 256-QAM)

FCC ID: QLJ4GRFN-007		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1803150046-01.QLJ	Test Dates: 7/23-8/2/2018	EUT Type: Remote Radio Head		Page 134 of 172




Plot 7-225. Upper Band Edge Plot (Band 7 - 5.0MHz 256-QAM)




Plot 7-226. Upper Extended Band Edge Plot (Band 7 - 5.0MHz 256-QAM)

FCC ID: QLJ4GRFN-007		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1803150046-01.QLJ	Test Dates: 7/23-8/2/2018	EUT Type: Remote Radio Head		Page 135 of 172




Plot 7-227. Lower Band Edge Plot (Band 7 - 10.0MHz QPSK)




Plot 7-228. Lower Extended Band Edge Plot (Band 7 - 10.0MHz QPSK)

FCC ID: QLJ4GRFN-007		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1803150046-01.QLJ	Test Dates: 7/23-8/2/2018	EUT Type: Remote Radio Head		Page 136 of 172



Plot 7-229. Upper Band Edge Plot (Band 7 - 10.0MHz QPSK)




Plot 7-230. Upper Extended Band Edge Plot (Band 7 - 10.0MHz QPSK)

FCC ID: QLJ4GRFN-007		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1803150046-01.QLJ	Test Dates: 7/23-8/2/2018	EUT Type: Remote Radio Head		Page 137 of 172




Plot 7-231. Lower Band Edge Plot (Band 7 - 10.0MHz 16-QAM)




Plot 7-232. Lower Extended Band Edge Plot (Band 7 - 10.0MHz 16-QAM)

FCC ID: QLJ4GRFN-007		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1803150046-01.QLJ	Test Dates: 7/23-8/2/2018	EUT Type: Remote Radio Head		Page 138 of 172




Plot 7-233. Upper Band Edge Plot (Band 7 - 10.0MHz 16-QAM)




Plot 7-234. Upper Extended Band Edge Plot (Band 7 - 10.0MHz 16-QAM)

FCC ID: QLJ4GRFN-007		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1803150046-01.QLJ	Test Dates: 7/23-8/2/2018	EUT Type: Remote Radio Head		Page 139 of 172




Plot 7-235. Lower Band Edge Plot (Band 7 - 10.0MHz 64-QAM)




Plot 7-236. Lower Extended Band Edge Plot (Band 7 - 10.0MHz 64-QAM)

FCC ID: QLJ4GRFN-007		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1803150046-01.QLJ	Test Dates: 7/23-8/2/2018	EUT Type: Remote Radio Head		Page 140 of 172




Plot 7-237. Upper Band Edge Plot (Band 7 - 10.0MHz 64-QAM)




Plot 7-238. Upper Extended Band Edge Plot (Band 7 - 10.0MHz 64-QAM)

FCC ID: QLJ4GRFN-007		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1803150046-01.QLJ	Test Dates: 7/23-8/2/2018	EUT Type: Remote Radio Head		Page 141 of 172




Plot 7-239. Lower Band Edge Plot (Band 7 - 10.0MHz 256-QAM)




Plot 7-240. Lower Extended Band Edge Plot (Band 7 - 10.0MHz 256-QAM)

FCC ID: QLJ4GRFN-007		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1803150046-01.QLJ	Test Dates: 7/23-8/2/2018	EUT Type: Remote Radio Head		Page 142 of 172




Plot 7-241. Upper Band Edge Plot (Band 7 - 10.0MHz 256-QAM)




Plot 7-242. Upper Extended Band Edge Plot (Band 7 - 10.0MHz 256-QAM)

FCC ID: QLJ4GRFN-007		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1803150046-01.QLJ	Test Dates: 7/23-8/2/2018	EUT Type: Remote Radio Head		Page 143 of 172




Plot 7-243. Lower Band Edge Plot (Band 7 - 15.0MHz QPSK)




Plot 7-244. Lower Extended Band Edge Plot (Band 7 - 15.0MHz QPSK)

FCC ID: QLJ4GRFN-007		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1803150046-01.QLJ	Test Dates: 7/23-8/2/2018	EUT Type: Remote Radio Head		Page 144 of 172




Plot 7-245. Upper Band Edge Plot (Band 7 - 15.0MHz QPSK)




Plot 7-246. Upper Extended Band Edge Plot (Band 7 - 15.0MHz QPSK)

FCC ID: QLJ4GRFN-007		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1803150046-01.QLJ	Test Dates: 7/23-8/2/2018	EUT Type: Remote Radio Head		Page 145 of 172




Plot 7-247. Lower Band Edge Plot (Band 7 - 15.0MHz 16-QAM)




Plot 7-248. Lower Extended Band Edge Plot (Band 7 - 15.0MHz 16-QAM)

FCC ID: QLJ4GRFN-007		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1803150046-01.QLJ	Test Dates: 7/23-8/2/2018	EUT Type: Remote Radio Head		Page 146 of 172




Plot 7-249. Upper Band Edge Plot (Band 7 - 15.0MHz 16-QAM)




Plot 7-250. Upper Extended Band Edge Plot (Band 7 - 15.0MHz 16-QAM)

FCC ID: QLJ4GRFN-007		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1803150046-01.QLJ	Test Dates: 7/23-8/2/2018	EUT Type: Remote Radio Head		Page 147 of 172




Plot 7-251. Lower Band Edge Plot (Band 7 - 15.0MHz 64-QAM)




Plot 7-252. Lower Extended Band Edge Plot (Band 7 - 15.0MHz 64-QAM)

FCC ID: QLJ4GRFN-007		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1803150046-01.QLJ	Test Dates: 7/23-8/2/2018	EUT Type: Remote Radio Head		Page 148 of 172




Plot 7-253. Upper Band Edge Plot (Band 7 - 15.0MHz 64-QAM)




Plot 7-254. Upper Extended Band Edge Plot (Band 7 - 15.0MHz 64-QAM)

FCC ID: QLJ4GRFN-007		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1803150046-01.QLJ	Test Dates: 7/23-8/2/2018	EUT Type: Remote Radio Head		Page 149 of 172




Plot 7-255. Lower Band Edge Plot (Band 7 - 15.0MHz 256-QAM)




Plot 7-256. Lower Extended Band Edge Plot (Band 7 - 15.0MHz 256-QAM)

FCC ID: QLJ4GRFN-007		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1803150046-01.QLJ	Test Dates: 7/23-8/2/2018	EUT Type: Remote Radio Head		Page 150 of 172




Plot 7-257. Upper Band Edge Plot (Band 7 - 15.0MHz 256-QAM)




Plot 7-258. Upper Extended Band Edge Plot (Band 7 - 15.0MHz 256-QAM)

FCC ID: QLJ4GRFN-007		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1803150046-01.QLJ	Test Dates: 7/23-8/2/2018	EUT Type: Remote Radio Head		Page 151 of 172




Plot 7-259. Lower Band Edge Plot (Band 7 - 20.0MHz QPSK)




Plot 7-260. Lower Extended Band Edge Plot (Band 7 - 20.0MHz QPSK)

FCC ID: QLJ4GRFN-007		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1803150046-01.QLJ	Test Dates: 7/23-8/2/2018	EUT Type: Remote Radio Head		Page 152 of 172




Plot 7-261. Upper Band Edge Plot (Band 7 - 20.0MHz QPSK)




Plot 7-262. Upper Extended Band Edge Plot (Band 7 - 20.0MHz QPSK)

FCC ID: QLJ4GRFN-007		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1803150046-01.QLJ	Test Dates: 7/23-8/2/2018	EUT Type: Remote Radio Head		Page 153 of 172




Plot 7-263. Lower Band Edge Plot (Band 7 - 20.0MHz 16-QAM)




Plot 7-264. Lower Extended Band Edge Plot (Band 7 - 20.0MHz 16-QAM)

FCC ID: QLJ4GRFN-007		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1803150046-01.QLJ	Test Dates: 7/23-8/2/2018	EUT Type: Remote Radio Head		Page 154 of 172




Plot 7-265. Upper Band Edge Plot (Band 7 - 20.0MHz 16-QAM)




Plot 7-266. Upper Extended Band Edge Plot (Band 7 - 20.0MHz 16-QAM)

FCC ID: QLJ4GRFN-007		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1803150046-01.QLJ	Test Dates: 7/23-8/2/2018	EUT Type: Remote Radio Head		Page 155 of 172




Plot 7-267. Lower Band Edge Plot (Band 7 - 20.0MHz 64-QAM)




Plot 7-268. Lower Extended Band Edge Plot (Band 7 - 20.0MHz 64-QAM)

FCC ID: QLJ4GRFN-007		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1803150046-01.QLJ	Test Dates: 7/23-8/2/2018	EUT Type: Remote Radio Head		Page 156 of 172




Plot 7-269. Upper Band Edge Plot (Band 7 - 20.0MHz 64-QAM)




Plot 7-270. Upper Extended Band Edge Plot (Band 7 - 20.0MHz 64-QAM)

FCC ID: QLJ4GRFN-007		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1803150046-01.QLJ	Test Dates: 7/23-8/2/2018	EUT Type: Remote Radio Head		Page 157 of 172




Plot 7-271. Lower Band Edge Plot (Band 7 - 20.0MHz 256-QAM)




Plot 7-272. Lower Extended Band Edge Plot (Band 7 - 20.0MHz 256-QAM)

FCC ID: QLJ4GRFN-007		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1803150046-01.QLJ	Test Dates: 7/23-8/2/2018	EUT Type: Remote Radio Head		Page 158 of 172



Plot 7-273. Upper Band Edge Plot (Band 7 - 20.0MHz 256-QAM)



Plot 7-274. Upper Extended Band Edge Plot (Band 7 - 20.0MHz 256-QAM)

FCC ID: QLJ4GRFN-007		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1803150046-01.QLJ	Test Dates: 7/23-8/2/2018	EUT Type: Remote Radio Head		Page 159 of 172

Band 7 – MIMO Coducted Band Edge Measurement

Channel Frequency [MHz]	Channel Bandwidth [MHz]	Mod.	Band Edge	Ant 1 Cond. Band Edge [dBm]	Ant 2 Cond. Band Edge [dBm]	MIMO Cond. Band Edge [dBm]	MIMO Cond. Band Edge Limit [dBm]	Cond. Band Edge Margin [dB]
2622.50	5	QPSK	Lower	-22.89	-24.59	-20.64	-13	-7.64
2622.50	5	QPSK	Lower Extended	-16.44	-16.47	-13.44	-13	-0.44
2687.50	5	QPSK	Upper	-24.17	-24.34	-21.25	-13	-8.25
2687.50	5	QPSK	Upper Extended	-17.03	-15.53	-13.21	-13	-0.21
2622.50	5	16-QAM	Lower	-22.83	-23.98	-20.36	-13	-7.36
2622.50	5	16-QAM	Lower Extended	-16.66	-16.18	-13.40	-13	-0.40
2687.50	5	16-QAM	Upper	-24.25	-23.06	-20.60	-13	-7.60
2687.50	5	16-QAM	Upper Extended	-16.57	-15.89	-13.21	-13	-0.21
2622.50	5	64-QAM	Lower	-22.05	-23.78	-19.82	-13	-6.82
2622.50	5	64-QAM	Lower Extended	-16.74	-15.63	-13.14	-13	-0.14
2687.50	5	64-QAM	Upper	-24.00	-22.48	-20.16	-13	-7.16
2687.50	5	64-QAM	Upper Extended	-16.79	-15.59	-13.14	-13	-0.14
2622.50	5	256-QAM	Lower	-22.09	-22.98	-19.50	-13	-6.50
2622.50	5	256-QAM	Lower Extended	-16.20	-16.69	-13.43	-13	-0.43
2687.50	5	256-QAM	Upper	-22.39	-23.25	-19.79	-13	-6.79
2687.50	5	256-QAM	Upper Extended	-16.60	-15.96	-13.26	-13	-0.26
2625.00	10	QPSK	Lower	-22.87	-24.05	-20.41	-13	-7.41
2625.00	10	QPSK	Lower Extended	-15.50	-16.86	-13.12	-13	-0.12
2685.00	10	QPSK	Upper	-18.25	-21.40	-16.54	-13	-3.54
2685.00	10	QPSK	Upper Extended	-16.43	-15.97	-13.18	-13	-0.18
2625.00	10	16-QAM	Lower	-23.16	-23.89	-20.50	-13	-7.50
2625.00	10	16-QAM	Lower Extended	-15.84	-16.83	-13.30	-13	-0.30
2685.00	10	16-QAM	Upper	-18.54	-22.78	-17.15	-13	-4.15
2685.00	10	16-QAM	Upper Extended	-16.19	-16.80	-13.47	-13	-0.47
2625.00	10	64-QAM	Lower	-23.39	-23.04	-20.20	-13	-7.20
2625.00	10	64-QAM	Lower Extended	-16.04	-16.26	-13.14	-13	-0.14
2685.00	10	64-QAM	Upper	-17.86	-24.30	-16.97	-13	-3.97
2685.00	10	64-QAM	Upper Extended	-16.30	-16.51	-13.39	-13	-0.39
2625.00	10	256-QAM	Lower	-22.87	-22.12	-19.47	-13	-6.47
2625.00	10	256-QAM	Lower Extended	-15.71	-17.01	-13.30	-13	-0.30
2685.00	10	256-QAM	Upper	-17.70	-23.79	-16.74	-13	-3.74
2685.00	10	256-QAM	Upper Extended	-16.02	-16.40	-13.20	-13	-0.20

Channel Frequency [MHz]	Channel Bandwidth [MHz]	Mod.	Band Edge	Ant 1 Cond. Band Edge [dBm]	Ant 2 Cond. Band Edge [dBm]	MIMO Cond. Band Edge [dBm]	MIMO Cond. Band Edge Limit [dBm]	Cond. Band Edge Margin [dB]
2627.50	15	QPSK	Lower	-23.27	-23.23	-20.24	-13	-7.24
2627.50	15	QPSK	Lower Extended	-17.45	-17.77	-14.60	-13	-1.60
2682.50	15	QPSK	Upper	-23.86	-23.62	-20.73	-13	-7.73
2682.50	15	QPSK	Upper Extended	-17.77	-17.99	-14.87	-13	-1.87
2627.50	15	16-QAM	Lower	-23.14	-23.72	-20.41	-13	-7.41
2627.50	15	16-QAM	Lower Extended	-17.58	-18.05	-14.80	-13	-1.80
2682.50	15	16-QAM	Upper	-23.71	-23.88	-20.78	-13	-7.78
2682.50	15	16-QAM	Upper Extended	-18.09	-17.78	-14.92	-13	-1.92
2627.50	15	64-QAM	Lower	-23.06	-23.50	-20.26	-13	-7.26
2627.50	15	64-QAM	Lower Extended	-17.15	-18.09	-14.58	-13	-1.58
2682.50	15	64-QAM	Upper	-23.85	-23.88	-20.86	-13	-7.86
2682.50	15	64-QAM	Upper Extended	-17.79	-18.68	-15.20	-13	-2.20
2627.50	15	256-QAM	Lower	-23.00	-23.36	-20.17	-13	-7.17
2627.50	15	256-QAM	Lower Extended	-18.10	-18.39	-15.23	-13	-2.23
2682.50	15	256-QAM	Upper	-23.76	-23.94	-20.84	-13	-7.84
2682.50	15	256-QAM	Upper Extended	-18.74	-17.78	-15.22	-13	-2.22
2630.00	20	QPSK	Lower	-22.92	-24.03	-20.43	-13	-7.43
2630.00	20	QPSK	Lower Extended	-17.39	-17.88	-14.62	-13	-1.62
2680.00	20	QPSK	Upper	-23.55	-22.84	-20.17	-13	-7.17
2680.00	20	QPSK	Upper Extended	-17.53	-17.99	-14.74	-13	-1.74
2630.00	20	16-QAM	Lower	-22.78	-23.34	-20.04	-13	-7.04
2630.00	20	16-QAM	Lower Extended	-17.77	-18.83	-15.26	-13	-2.26
2680.00	20	16-QAM	Upper	-23.76	-22.97	-20.33	-13	-7.33
2680.00	20	16-QAM	Upper Extended	-17.63	-17.84	-14.72	-13	-1.72
2630.00	20	64-QAM	Lower	-23.29	-22.63	-19.94	-13	-6.94
2630.00	20	64-QAM	Lower Extended	-17.45	-18.62	-14.99	-13	-1.99
2680.00	20	64-QAM	Upper	-23.88	-23.05	-20.44	-13	-7.44
2680.00	20	64-QAM	Upper Extended	-18.93	-17.89	-15.37	-13	-2.37
2630.00	20	256-QAM	Lower	-22.78	-24.71	-20.63	-13	-7.63
2630.00	20	256-QAM	Lower Extended	-17.44	-18.78	-15.05	-13	-2.05
2680.00	20	256-QAM	Upper	-23.77	-23.81	-20.78	-13	-7.78
2680.00	20	256-QAM	Upper Extended	-17.74	-18.27	-14.99	-13	-1.99

Table 7-2. Conducted Band Edge Measurements

Note:

Per ANSI C63.26-2015 Section 6.4.3.1 and KDB 662911 v02r01 Section E)1), the conducted emissions at Antenna 1 and Antenna 2 were first measured separately during MIMO transmission as shown in the section above. The measured values were then summed in linear power units then converted back to dBm.

Lower band edge was investigated at 2620MHz, lower extended band edge at 2619MHz, upper band edge at 2690MHz, and upper extended band edge at 2691MHz.

Sample MIMO Calculation:

At 2622.5 MHz (5MHz BW) in QPSK modulation, the average conducted emission was measured to be -22.89 dBm for Antenna-1 and -24.59 dBm for Antenna-2.

$$\text{Antenna 1} + \text{Antenna 2} = \text{MIMO}$$

$$(-22.89 \text{ dBm} + -24.59 \text{ dBm}) = (0.0051 \text{ mW} + 0.0035 \text{ W}) = 0.0086 \text{ mW} = -20.64 \text{ dBm}$$

FCC ID: QLJ4GRFN-007		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1803150046-01.QLJ	Test Dates: 7/23-8/2/2018	EUT Type: Remote Radio Head		Page 160 of 172

7.6 Radiated Spurious Emissions Measurements – Above 1GHz

§2.1053 §27.53(m)

Test Overview

Radiated spurious emissions measurements are performed using the substitution method described in ANSI/TIA-603-E-2016 with the antenna output ports terminated in 50ohms while the EUT is transmitting at maximum power. Measurements on signals operating above 1GHz are performed using vertically and horizontally polarized broadband horn antennas.

Test Procedures Used

KDB 971168 D01 v03r01 – Section 5.8

ANSI/TIA-603-E-2016 – Section 2.2.12

Test Settings

1. RBW = 1MHz
2. VBW \geq 3 x RBW
3. Span = 1.5 times the OBW
4. No. of sweep points \geq 2 x span / RBW
5. Detector = RMS
6. Trace mode = Max Hold
7. The trace was allowed to stabilize

FCC ID: QLJ4GRFN-007		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1803150046-01.QLJ	Test Dates: 7/23-8/2/2018	EUT Type: Remote Radio Head		Page 161 of 172

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.





Figure 7-4. Radiated Test Setup > 1GHz

Test Notes


- 1) The EUT was tested all possible test configurations and positioning. The worst case emissions are reported with the EUT positioning, modulations, and channel bandwidth configurations shown in the tables below.
- 2) This unit was tested while powered by a -48VDC power supply.
- 3) The EUT was tested while transmitting from both antenna ports simultaneously with both ports terminated in 50ohms.
- 4) The spectrum is measured from 9kHz to the 10th harmonic of the fundamental frequency of the transmitter. The worst-case emissions are reported.
- 5) Emissions below 18GHz were measured at a 3 meter test distance while emissions above 18GHz were measured at a 1 meter test distance with the application of a distance correction factor.
- 6) The "-" shown in the following RSE tables are used to denote a noise floor measurement.

FCC ID: QLJ4GRFN-007		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1803150046-01.QLJ	Test Dates: 7/23-8/2/2018	EUT Type: Remote Radio Head		Page 162 of 172

Band 7



Plot 7-275. Radiated Spurious Plot 1-18GHz (Band 7 – Mid Channel - 10.0MHz QPSK)



08:06:37 30.07.2018

Plot 7-276. Radiated Spurious Plot above 18GHz (Band 7 – Mid Channel - 10.0MHz QPSK)

FCC ID: QLJ4GRFN-007		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1803150046-01.QLJ	Test Dates: 7/23-8/2/2018	EUT Type: Remote Radio Head		Page 163 of 172

OPERATING FREQUENCY: 2625.00 MHz
 CHANNEL: 2800
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 10.0 MHz
 DISTANCE: 3 meters
 LIMIT: -13 dBm

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBi]	Spurious Emission Level [dBm]	Margin [dB]
5250.00	V	360	216	-66.18	10.72	-55.46	-42.5
6000.00	V	178	218	-64.28	11.41	-52.88	-39.9
7875.00	V	194	158	-68.90	11.31	-57.59	-44.6
10500.00	V	-	-	-67.15	12.60	-54.55	-41.5

Table 7-3. Radiated Spurious Data (Band 7 – Low Channel)

OPERATING FREQUENCY: 2655.00 MHz
 CHANNEL: 3100
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 10.0 MHz
 DISTANCE: 3 meters
 LIMIT: -13 dBm

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBi]	Spurious Emission Level [dBm]	Margin [dB]
5310.00	V	130	199	-70.51	10.69	-59.82	-46.8
6000.00	V	178	218	-64.27	11.41	-52.87	-39.9
7965.00	V	178	194	-68.04	11.22	-56.82	-43.8
10620.00	V	-	-	-67.01	12.58	-54.43	-41.4

Table 7-4. Radiated Spurious Data (Band 7 – Mid Channel)

FCC ID: QLJ4GRFN-007		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1803150046-01.QLJ	Test Dates: 7/23-8/2/2018	EUT Type: Remote Radio Head		Page 164 of 172

OPERATING FREQUENCY: 2685.00 MHz
 CHANNEL: 3400
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 10.0 MHz
 DISTANCE: 3 meters
 LIMIT: -13 dBm

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBi]	Spurious Emission Level [dBm]	Margin [dB]
5370.00	V	117	145	-70.47	10.69	-59.78	-46.8
6000.00	V	181	218	-64.54	11.41	-53.14	-40.1
8055.00	V	-	-	-68.58	11.17	-57.41	-44.4
10740.00	V	-	-	-67.72	12.61	-55.11	-42.1

Table 7-5. Radiated Spurious Data (Band 7 – High Channel)

7.7 Radiated Spurious Emissions Measurements – Below 1GHz

§2.1053 §27.53(m)

FCC ID: QLJ4GRFN-007		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1803150046-01.QLJ	Test Dates: 7/23-8/2/2018	EUT Type: Remote Radio Head		Page 165 of 172

Test Overview

Measurements on signals operating below 1GHz are performed using horizontally and vertically polarized broadband antennas. All measurements are performed as RMS measurements while the EUT is operating at maximum power, and at the appropriate frequencies.

Test Procedures Used

KDB 971168 D01 v03r01 – Section 5.8

ANSI/TIA-603-E-2016 – Section 2.2.12

Test Settings

Quasi-Peak Field Strength Measurements

1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. RBW = 120kHz (for emissions from 30MHz – 1GHz)
3. Detector = RMS
4. Sweep time = auto couple
5. Trace mode = max hold
6. Trace was allowed to stabilize

FCC ID: QLJ4GRFN-007		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1803150046-01.QLJ	Test Dates: 7/23-8/2/2018	EUT Type: Remote Radio Head	Page 166 of 172	

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.





Figure 7-5. Radiated Test Setup < 1GHz

Test Notes

- 1) The EUT was tested all possible test configurations and positioning. The worst case emissions are reported with the EUT positioning, modulations, and channel bandwidth configurations shown in the tables below.
- 2) This unit was tested while powered by a -48VDC power supply.
- 3) Emissions were measured at a 3m test distance.
- 4) The spectrum is measured from 30MHz to 1GHz. The worst-case emissions are reported.
- 5) The pre-scan plots below are performed using Max Hold traces but final measurements were made using Trace Averaging.

FCC ID: QLJ4GRFN-007		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1803150046-01.QLJ	Test Dates: 7/23-8/2/2018	EUT Type: Remote Radio Head		Page 167 of 172



Plot 7-277. Radiated Spurious Plot Below 1GHz (Band 7 – Mid Channel - 10.0MHz QPSK)

OPERATING FREQUENCY: 2655.00 MHz
 CHANNEL: 3100
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 10.0 MHz
 DISTANCE: 3 meters
 LIMIT: -13 dBm

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBd]	Spurious Emission Level [dBm]	Margin [dB]
36.00	V	110	236	-33.22	-22.90	-56.12	-43.1
42.00	V	110	236	-32.88	-17.37	-50.25	-37.2
57.50	V	110	236	-48.48	-10.04	-58.52	-45.5
68.00	H	110	217	-57.95	-9.08	-67.03	-54.0
80.00	H	100	222	-54.56	-7.17	-61.73	-48.7
101.60	V	110	201	-47.11	-8.57	-55.68	-42.7
124.00	V	110	201	-48.52	-9.46	-57.98	-45.0
129.00	H	110	222	-49.80	-9.12	-58.91	-45.9

Plot 7-278. Radiated Spurious Measurement Below 1GHz (Band 7 – Mid Channel - 10.0MHz QPSK)

FCC ID: QLJ4GRFN-007		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1803150046-01.QLJ	Test Dates: 7/23-8/2/2018	EUT Type: Remote Radio Head		Page 168 of 172

7.8 Frequency Stability / Temperature Variation

§2.1055 §27.54

Test Overview and Limit

Frequency stability testing is performed in accordance with the guidelines of ANSI C63.26-2015. The frequency stability of the transmitter is measured by:

- a.) **Temperature:** The temperature is varied from -30°C to +50°C in 10°C increments using an environmental chamber.
- b.) **Primary Supply Voltage:** The primary supply voltage is varied from 85% to 115% of the supply voltage. For hand-carried, battery-powered equipment, primary supply voltage is reduced to the battery operating end point which shall be specified by the manufacturer.

For Part 27, the frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block.

Test Procedure Used

ANSI C63.26-2015 Section 5.6

Test Settings

1. The carrier frequency of the transmitter is measured at room temperature (20°C to provide a reference).
2. The equipment is turned on in a “standby” condition for fifteen minutes before applying power to the transmitter. Measurement of the carrier frequency of the transmitter is made within one minute after applying power to the transmitter.
3. Frequency measurements are made at 10°C intervals ranging from -30°C to +50°C. A period of at least one half-hour is provided to allow stabilization of the equipment at each temperature level.

Test Setup

The EUT was connected via an RF cable to a spectrum analyzer with the EUT placed inside an environmental chamber.

Test Notes

None

FCC ID: QLJ4GRFN-007		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1803150046-01.QLJ	Test Dates: 7/23-8/2/2018	EUT Type: Remote Radio Head		Page 169 of 172

Band 7 Frequency Stability Measurements

\$2.1055 \$27.54

OPERATING FREQUENCY: 2,655,000,000 Hz
 CHANNEL: 3100
 REFERENCE VOLTAGE: -48.00 VDC

VOLTAGE (%)	POWER (VDC)	TEMP (°C)	FREQUENCY (Hz)	Freq. Dev. (Hz)	Deviation (%)
100 %	-48.00	+ 20 (Ref)	2,654,999,806	-194	-0.0000073
100 %		- 30	2,654,998,746	-1,254	-0.0000472
100 %		- 20	2,655,001,116	1,116	0.0000420
100 %		- 10	2,654,999,700	-300	-0.0000113
100 %		0	2,655,000,600	600	0.0000226
100 %		+ 10	2,655,000,923	923	0.0000348
100 %		+ 20	2,654,999,940	-60	-0.0000023
100 %		+ 30	2,654,999,338	-662	-0.0000249
100 %		+ 40	2,655,000,015	15	0.0000006
100 %		+ 50	2,654,999,288	-712	-0.0000268
85 %		-40.80	+ 20	2,654,999,600	-400
BATT. ENDPOINT	-55.20	+ 20	2,654,999,874	-126	-0.0000047

Table 7-6. Frequency Stability Data (Band 7)

Note:

Based on the results of the frequency stability test at the center channel the frequency deviation results measured are very small. As such it is determined that the channels at the band edge would remain in-band when the maximum measured frequency deviation noted during the frequency stability tests is applied. Therefore the device is determined to remain operating in band over the temperature and voltage range as tested.

FCC ID: QLJ4GRFN-007		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1803150046-01.QLJ	Test Dates: 7/23-8/2/2018	EUT Type: Remote Radio Head		Page 170 of 172

Band 7 Frequency Stability Measurements
§2.1055 §27.54




Figure 7-6. Frequency Stability Graph (Band 7)

FCC ID: QLJ4GRFN-007		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1803150046-01.QLJ	Test Dates: 7/23-8/2/2018	EUT Type: Remote Radio Head		Page 171 of 172

8.0 CONCLUSION

The data collected relate only to the item(s) tested and show that the **Tecore Networks Remote Radio Head** **FCC ID: QLJ4GRFN-007** complies with all the requirements of Part 27 of the FCC Rules for LTE operation only.

FCC ID: QLJ4GRFN-007		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1803150046-01.QLJ	Test Dates: 7/23-8/2/2018	EUT Type: Remote Radio Head	Page 172 of 172	