Test Report Addendum

Test Mode	Channel	Conducted Output Power
AMPS	991	25.80
AMPS	384	25.50
AMPS	799	25.15
CDMA	1013	25.70
CDMA	384	25.45
CDMA	777	25.10
PCS	25	23.90
PCS	600	23.50
PCS	1175	23.20


Agilent
R L
Freq/Channel
Model: 2115i Power Out CDMA C-1013
Ref 25.7 dBm
#Atten 30 dB
#Avg
Log
10
dB/
Offst
16.2
dB
#LgAv
100
V1 S2
S3 FS
¤(f):
FTun
Swp
Center 824.70 MHz
Span 10 MHz
#Res BW 3 MHz
#VBW 3 MHz
Sweep 1.066 ms (2000 pts)
Center Freq
824.700000 MHz
Start Freq
819.700000 MHz
Stop Freq
829.700000 MHz
CF Step
1.00000000 MHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
Model: 2115i Power Out CDMA C-384
Ref 25.45 dBm
#Atten 30 dB
#Avg
Log
10
dB/
Offst
16.2
dB
#LgAv
100
V1 S2
S3 FS
¤(f):
FTun
Swp
Center 836.52 MHz
Span 10 MHz
#Res BW 3 MHz
#VBW 3 MHz
Sweep 1.066 ms (2000 pts)
Center Freq
836.520000 MHz
Start Freq
831.520000 MHz
Stop Freq
841.520000 MHz
CF Step
1.00000000 MHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
Model: 2115i Power Out CDMA C-384
Ref 25.45 dBm
#Atten 30 dB
#Avg
Log
10
dB/
Offst
16.2
dB
#LgAv
100
V1 S2
S3 FS
¤(f):
FTun
Swp
Center 836.52 MHz
Span 10 MHz
#Res BW 3 MHz
#VBW 3 MHz
Sweep 1.066 ms (2000 pts)
Center Freq
836.520000 MHz
Start Freq
831.520000 MHz
Stop Freq
841.520000 MHz
CF Step
1.00000000 MHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
Model: 2115i Power Out CDMA C-777
Ref 25.1 dBm
#Atten 30 dB
#Avg
Log
10
dB/
Offst
16.2
dB
#LgAv
100
W1 S2
S3 FS
¤(f):
FTun
Swp
Center 848.31 MHz
Span 10 MHz
#Res BW 3 MHz
#VBW 3 MHz
Sweep 1.066 ms (2000 pts)
Center Freq
848.310000 MHz
Start Freq
843.310000 MHz
Stop Freq
853.310000 MHz
CF Step
1.00000000 MHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
Model: 2115i Power Out PCS C-25
Ref 23.9 dBm
#Atten 30 dB
#Avg
Log
10
dB/
Offst
16.5
dB
#LgAv
100
V1 S2
S3 FS
¤(f):
FTun
Swp
Center 1.851 25 GHz
Span 10 MHz
#Res BW 3 MHz
#VBW 3 MHz
Sweep 1.066 ms (2000 pts)
Center Freq
1.85125000 GHz
Start Freq
1.84625000 GHz
Stop Freq
1.85625000 GHz
CF Step
1.00000000 MHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Copyright 2000-2002 Agilent Technologies


Agilent
R L
Freq/Channel
Model: 2115i Power Out PCS C-600
Ref 23.5 dBm
#Atten 30 dB
#Avg
Log
10
dB/
Offst
16.5
dB
#LgAv
100
V1 S2
S3 FS
¤(f):
FTun
Swp
Center 1.880 00 GHz
Span 10 MHz
#Res BW 3 MHz
#VBW 3 MHz
Sweep 1.066 ms (2000 pts)
Center Freq
1.88000000 GHz
Start Freq
1.87500000 GHz
Stop Freq
1.88500000 GHz
CF Step
1.00000000 MHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
Model: 2115i Power Out PCS C-600
Ref 23.5 dBm
#Atten 30 dB
#Avg
Log
10
dB/
Offst
16.5
dB
#LgAv
100
V1 S2
S3 FS
¤(f):
FTun
Swp
Center 1.880 00 GHz
Span 10 MHz
#Res BW 3 MHz
#VBW 3 MHz
Sweep 1.066 ms (2000 pts)
Center Freq
1.88000000 GHz
Start Freq
1.87500000 GHz
Stop Freq
1.88500000 GHz
CF Step
1.00000000 MHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
Model: 2115i Power Out PCS C-1175
Ref 23.2 dBm
#Atten 30 dB
#Avg
Log
10
dB/
Offst
16.5
dB
#LgAv
100
W1 S2
S3 FS
¤(f):
FTun
Swp
Center 1.908 75 GHz
Span 10 MHz
#Res BW 3 MHz
#VBW 3 MHz
Sweep 1.066 ms (2000 pts)
Center Freq
1.90875000 GHz
Start Freq
1.90375000 GHz
Stop Freq
1.91375000 GHz
CF Step
1.00000000 MHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
Model: 2115i Con Spurs FM C-991
Mkr1 2.247 GHz
Ref 25.8 dBm
#Atten 30 dB
-34.31 dBm
#Peak
Log
10
dB/
Offst
16.2
dB
Dl
-13.0
dBm
#LgAv
V1 S2
S3 FC
¤(f):
FTun
Swp
Center 1.255 GHz
Span 2.49 GHz
#Res BW 1 MHz
#VBW 1 MHz
Sweep 4.265 ms (2000 pts)
Center Freq
1.25500000 GHz
Start Freq
10.0000000 MHz
Stop Freq
2.50000000 GHz
CF Step
249.000000 MHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Copyright 2000-2002 Agilent Technologies


Agilent
R L
Freq/Channel
Model: 2115i Con Spurs FM C-384
Mkr1 1.507 GHz
Ref 25.5 dBm
#Atten 30 dB
-36.82 dBm
#Peak
Log
10
dB/
Offst
16.2
dB
Dl
-13.0
dBm
#LgAv
M1 S2
S3 FC
¤(f):
FTun
Swp
Center 1.255 GHz
Span 2.49 GHz
#Res BW 1 MHz
#VBW 1 MHz
Sweep 4.265 ms (2000 pts)
Center Freq
1.25500000 GHz
Start Freq
10.0000000 MHz
Stop Freq
2.50000000 GHz
CF Step
249.000000 MHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
Model: 2115i Con Spurs FM C-799
Mkr1 2.476 GHz
Ref 25.15 dBm
#Atten 30 dB
-33.85 dBm
#Peak
Log
10
dB/
Offst
16.2
dB
Dl
-13.0
dBm
#LgAv
V1 S2
S3 FC
¤(f):
FTun
Swp
Center 1.255 GHz
Span 2.49 GHz
#Res BW 1 MHz
#VBW 1 MHz
Sweep 4.265 ms (2000 pts)
Center Freq
1.25500000 GHz
Start Freq
10.0000000 MHz
Stop Freq
2.50000000 GHz
CF Step
249.000000 MHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Copyright 2000-2002 Agilent Technologies