

Request for Modular/Limited Modular Approval

Subject: Manufacturer's Declaration for		☐ - Split Modula		
	☐ - Limited Modular Approval	☐ - Limited Spli	t Modular A	pproval
Confidentiality Request for: QOQRS9	16AC			
	asic Requirements – FCC Part 15.212(a)			
	Limited Module Description Must be Fi pproval Requirement	illed Out on the Fo		ment Met
The modular transmitter must have its own		hat the module	Require	ment Met
does not have to rely upon the shielding promodular transmitter emissions to comply we between the RF circuitry of the module and installed. Such coupling may result in non-capacitors may be located external to the sh	ovided by the device into which it is install ith FCC limits. It is also intended to preve any wires or circuits in the device into whe compliant operation. The physical crystal	led in order for all ent coupling hich the module is	⊠ - YES	□ - NO(*)
Details: The module contains a metal shield which covers all RF components and circuitry. The shield is located on the top of the board and covers all of it except the area where the PCB trace antenna is.				
2. The modular transmitter must have buffere ensure that the module will comply with FO over-modulation. 15.212(a)(1)(ii)			⊠ - YES	□ - NO(*)
Details: Data to the modulation circuit is	buffered as described in the operational c	description provided	d with the app	lication.
3. The modular transmitter must have its own ensure that the module will comply with FG supplying circuitry in the device into which	CC requirements regardless of the design of	of the power	⊠ - YES	□ - NO(*)
Details: The module is fully internally regulated, except for the last stage PA. The user manual indicates the host supply range to use, within which the compliance with the FCC requirements is ensured. The user manual also warns that not fulfilling this design requirement would cause a deviation from the manufacturer's integration guidance, which would prevent our FCC ID to be used, and would make the OEM liable.				
4. The modular transmitter must comply with 15.203, 15.204(b), 15.204(c), 15.212(a), an attached or employ a "unique" antenna co antenna, including the cable). The "profess to modules but can apply to limited modula	d 2.929(b). The antenna must either be per upler (at all connections between the modulional installation" provision of § 15.203 i	rmanently ule and the is not applicable	⊠ - YES	□ - NO(*)
Details: For RS916AC1: PCB antenna, which is permanently attached. For RS916AC0: The module connects to its antenna using an RF pad which is considered a non-standard connector. The reference external antenna tested and approved with this device may be found in the users manual provided with the application.				
5. The modular transmitter must be tested in a inside another device during testing. This is complying with Part 15 emission limits reg Unless the transmitter module will be batte requirements found in Section 15.207. AC the module must not contain ferrites, unless 15.27(a)). The length of these lines shall be least 10 centimeters to insure that there is n equipment. Any accessories, peripherals, or shall be unmodified or commercially availated.	intended to demonstrate that the module ardless of the device into which it is event by powered, it must comply with the AC lips or DC power lines and data input/output lips they will be marketed with the module (so length typical of actual use or, if that length typical of actual use of the module soupport equipment connected to the module of support equipment connected to the module of the	is capable of sually installed. ine conducted ines connected to see Section gth is unknown, at e and supporting ule during testing	⊠ - YES	□ - NO(*)
Details: The module was tested stand-alor	ne as shown in test setup photographs file	ed with this applicat	tion.	



Modular Approval Requirement			Requirement Met	
6.	The modular transmitter must be labeled with its own FCC ID number, or use an electron display (see KDB Publication 784748). If using a permanently affixed label with its own FCC ID number, if the FCC ID is not visible when the module is installed inside another device, then the outside of the device into which the module is installed must also display a label referring to the enclosed module. This exterior label can use wording such as the following: "Contains Transmitter Module FCC ID: XYZMODEL1" or "Contains FCC ID: XYZMODEL1." Any similar wording that expresses the same meaning may be used. The Grantee may either provide such a label, an example of which must be included in the application for equipment authorization, or, must provide adequate instructions along with the module which explain this requirement. In the latter case, a copy of these instructions must be included in the application for equipment authorization. If the modular transmitter uses an electronic display of the FCC identification number, the information must be readily accessible and visible on the modular transmitter or on the device in which it is installed. If the module is installed inside another device, then the outside of the device into which the module is installed must display a label referring to the enclosed module. This exterior label can use wording such as the following: "Contains FCC certified transmitter module(s)." Any similar wording that expresses the same meaning may be used. The user manual must include instructions on how to access the electronic display. A copy of these instructions must be included in the application for equipment authorization. 15.212(a)(1)(vi)	⊠ - YES	□ - NO(*)	
	Details: There is a label on the module as shown in the labeling exhibit filed with this application. He instructions are shown in the installation manual filed with this application.	ost specific la	beling	
7.	The modular transmitter must comply with all specific rule or operating requirements applicable to the transmitter, including all the conditions provided in the integration instructions by the grantee. A copy of these instructions must be included in the application for equipment authorization. For example, there are very strict operational and timing requirements that must be met before a transmitter is authorized for operation under Section 15.231. For instance, data transmission is prohibited, except for operation under Section 15.231(e), in which case there are separate field strength level and timing requirements. Compliance with these requirements must be assured. 15.212(a)(1)(vii)	⊠ - YES	□ - NO(*)	
	Details: The module complies with FCC Part 15C requirements. Instructions to the OEM installer are installation manual filed with this application.	re provided in	the	
8.	The modular transmitter must comply with any applicable RF exposure requirements. For example, FCC Rules in Sections 2.1091, 2.1093 and specific Sections of Part 15, including 15.319(i), 15.407(f), 15.253(f) and 15.255(g), require that Unlicensed PCS, UNII and millimeter wave devices perform routine environmental evaluation for RF Exposure to demonstrate compliance. In addition, spread spectrum transmitters operating under Section 15.247 are required to address RF Exposure compliance in accordance with Section 15.247(b)(4). Modular transmitters approved under other Sections of Part 15, when necessary, may also need to address certain RF Exposure concerns, typically by providing specific installation and operating instructions for users, installers and other interested parties to ensure compliance. 15.212(a)(1)(viii)	⊠ - YES	□ - NO(*)	
	Details: The module meets Portable exclusion levels as shown in the RF exposure information filed with this application.			



Limited Module Description – When Applicable

* If a module does NOT meet one or more of the above 8 requirements, the applicant may request Limited Modular Approval (LMA). This Limited Modular Approval (LMA) is applied with the understanding that the applicant will demonstrate and will retain control over the final installation of the device, such that compliance of the end product is always assured. Operating condition(s) for the LMA: the module is only approved for use when installed in devices produced by grantee. A description regarding how control of the end product, into which the module will be installed, will be maintained by the applicant/manufacturer, such that full compliance of the end product is always ensured, should be provided here.

Details: N/A

Software Considerations – KDB 594280 / KDB 442812 (One of the following 2 items must be applied)			
Requirement Requirement Met		et	
 For non-Software Defined Radio transmitter modules where software is used to ensure compliance of the device, technical description must be provided about how such control is implemented to ensure prevention of third-party modification; see KDB Publication 594280. 	☑ - Provided in SeparateCover Letter	□ - N/A	
Details: The wireless protocol stacks and related radio functionalities are hardcoded in the low-level firmware of the modules and can not be modified or adjusted by the OEMs and/or by the end users.			
 For <u>Software Defined Radio (SDR)</u> devices, transmitter module applications must provide a software security description; see KDB Publication 442812. 	- Provided in Separate Cover Letter	⊠ - N/A	
Details: N/A			

Split Modular Requirements			
Requirement Provided		Manual	
 For split modular transmitters, specific descriptions for secure communications between front-end and control sections, including authentication and restrictions on third-party modifications; also, instructions to third-party integrators on how control is maintained. 	☐ - Provided in Separate Cover Letter	⊠ - N/A	
Details: N/A			



OEM Integration Manual Guidance – KDB 996369 D03 Section 2				
Clear and Specific Instructions Describing the Conditions, Limitations, and Procedures				
for third-parties to use and/or integrate the module into a host device.				
Requirement				
,		□ - No,		
		If No, and LMA applies, the applicant ca	n optionally choose to not	
		make the following detailed info public.		
I- 41.: d1- : d1 f		to be basic integration instructions for		
Is this module intended for	⊠ - YES	information below must still be inclu		
sale to third parties?		description. If the applicant wishes to ke		
		this will require a separate statement co		
		module is not for sale to third partie		
		instructions are internal confide		
Item	s required to be in the manu	al – See KDB 996369 D03, Section 2		
		ormation to be in the installation manual.	Modular transmitter	
		all these items indicating clearly when the		
		Not Applicable". Also if a module is limite		
		structions may not need to be detailed and		
		this should include a cover letter as cited		
1. List of applicable FCC rules. K				
	lated to the transmitter.			
2. Summarize the specific operatio		69 D03 Section 2.3		
		ss, reduction of power for point to point		
	onal installation info	ss, reduction of power for point to point		
3. Limited Module Procedures. KE				
		s to verify the host meets the necessary		
limiting condition		s to verify the nost meets the necessary	☐ - All Items shown to	
		te how control will be maintained such	the left are provided in	
	s ensured, such as Class II for		the Modular Integration	
4. Trace antenna designs. KDB 99		new nosts, etc.	Guide (or UM) for Full	
		ectors, isolation requirements, tests for	Modular Approval (MA)	
		res for ensuring compliance. If	or LMA.	
		tial must be identified and information	of LWA.	
	perational description.	tial must be identified and information	□ A T34A 1:	
5. RF exposure considerations. KD			☐ - An LMA applies	
		w host manufacturers to use the module.	and is approved ONLY	
		the host manufacturer to define	for use by the grantee in	
		y) and second additional text needed to be	their own products, and	
	nd user in the host product ma		not intended for sale to	
6. Antennas. KDB 996369 D03, Se		nuuis.	3 rd parties as provided in	
		all applicable professional installer	a separate cover letter. Therefore the	
		hall also identify the antenna types	information shown to the	
		-directional" is not considered a type)	left is found in the	
7. Label and compliance information			theory of operation.	
*	*	vide a physical or e-label stating	theory of operation.	
	D: " with their finished produc			
8. Information on test modes and a				
		ion by host integrators including		
	essary for stand-alone and sim			
	ion on how to configure test m			
9. Additional testing, Part 15 Subp				
ζ, 2		•		
G' 1				
Sincerely,				
// >				
By:	Enrico T	Caddeo / Senior Certifications Lead	27 July 2023	

(Print name / title)

(Date)

(Signature)