

ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT

INTENTIONAL RADIATOR CERTIFICATION TO FCC PART 22 SUBPART H, PART 24 SUBPART E REQUIREMENT

	OF
Product Name:	3G Feature Phone
Brand Name:	Mobiwire
Model No.:	Aponi
Model Difference:	N/A
FCC ID:	QPN-APONI
Report No.:	E2/2016/40080
Issue Date:	May. 18, 2016
FCC Rule Part:	2 , 22H & 24E
Prepared for:	MobiWire SAS 79 AVENUE FRANCOIS ARAGO 92000 NANTERRE France.
Prepared by:	SGS Taiwan Ltd. Electronics & Communication Laboratory No.2, Keji 1st Rd., Guishan District, Taoyuan City, Taiwan 333

Note: This report shall not be reproduced except in full, without the written approval of SGS Taiwan Ltd. This document may be altered or revised by SGS Taiwan Ltd. personnel only, and shall be noted in the revision section of the document.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained to so days only. 除非另有說明,此報告結果僅對測试之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



VERIFICATION OF COMPLIANCE

Applicant:	MobiWire SAS 79 AVENUE FRANCOIS ARAGO 92000 NANTERRE France.
Product Name:	3G Feature Phone
Brand Name:	Mobiwire
Model No.:	Aponi
Model Difference:	N/A
FCC ID:	QPN-APONI
File Number:	E2/2016/40080
Date of test:	Apr. 27, 2016 ~ May. 13, 2016
Date of EUT Received:	Apr. 27, 2016

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Electronics & Communication Laboratory The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in TIA/EIA-603-C-2004 and the energy emitted by the sample EUT tested as described in this report is in compliance with conducted and radiated emission limits.

The test results of this report relate only to the tested sample identified in this report.

Test By:	Aken Huang	Date	May. 18, 2016
Prepared By:	Aken Huang / Engineer	Date	May. 18, 2016
Approved By:	Yuri Tsai / Clerk Tin Chang Jim Chang / Asst. Manager	- Date	May. 18, 2016

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Revision History

Report Number	Revision	Description	Issue Date
E2/2016/40080	Rev.00	Initial creation of document	May. 18, 2016

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Table of Contents

1.	GEN	ERAL PRODUCT INFORMATION	. 6
	1.1.	Product Description	. 6
	1.2.	Product Feature of Equipment Under Test	. 7
	1.3.	Test Methodology of Applied Standards	. 8
	1.4.	Test Facility	. 8
	1.5.	Special Accessories	. 8
	1.6.	Equipment Modifications	. 8
2.	SYS	FEM TEST CONFIGURATION	. 9
	2.1.	EUT Configuration	. 9
	2.2.	EUT Exercise	. 9
	2.3.	Test Procedure	. 9
	2.4.	Measurement Results Explanation Example	10
	2.5.	Final Amplifier Voltage and Current Information:	10
	2.6.	Configuration of Tested System	
3.		MARY OF TEST RESULTS 1	
4.	DES	CRIPTION OF TEST MODES 1	
	4.1.	The Worst Test Modes and Channel Details	
5.			
6.			
	6.1.	Standard Applicable	
	6.2.	Test Set-up	
	6.3.	Measurement Procedure	15
	6.4.	Measurement Equipment Used	
	6.5.	Measurement Result	
7.		ECTIVE RADIATED POWER AND EQUIVALENT ISOTROPIC RADIATED POWER	
	7.1.	SUREMENT1 Standard Applicable	
	7.2.	Test SET-UP	
	7.3.	Measurement Procedure	
	7.4.	Measurement Equipment Used	
	7.5.	Measurement Result: (Peak) –using option of peak measurement	23



8.	осс	UPIED BANDWIDTH MEASUREMENT	24
	8.1.	Standard Applicable	.24
	8.2.	Test Set-up	.24
	8.3.	Measurement Procedure	. 24
	8.4.	Measurement Equipment Used	. 25
	8.5.	Measurement Result	26
9.	OUT	OF BAND EMISSION AT ANTENNA TERMINALS	30
	9.1.	Standard Applicable	.30
	9.2.	Test SET-UP	30
	9.3.	Measurement Procedure	. 30
	9.4.	Measurement Equipment Used	. 31
	9.5.	Measurement Result:	.31
10.	FIEL	D STRENGTH OF SPURIOUS RADIATION MEASUREMENT	40
	10.1.	Standard Applicable	40
	10.2.	EUT Setup	40
	10.3.	Measurement Procedure:	. 42
	10.4.	Measurement Equipment Used:	.43
	10.5.	Measurement Result :	. 44
11.		QUENCY STABILITY MEASUREMENT	
	11.1.	Standard Applicable:	56
	11.2.	Test Set-up:	56
	11.3.	Measurement Procedure:	. 56
	11.4.	Measurement Equipment Used:	. 57
	11.5.	Measurement Result:	58
12.	PEAI	K TO AVERAGE RATIO	60
	12.1.	Standard Applicable	60
	12.2.	Test SET-UP	60
	12.3.	Measurement Procedure	. 60
	12.4.	Measurement Equipment Used	. 61
	12.5.	Measurement Result	. 61



1. GENERAL PRODUCT INFORMATION

1.1. Product Description

General:

Product Name:	3G Featu	3G Feature Phone		
Brand Name:	Mobiwire			
Model No.:	Aponi			
Model difference:	N/A			
Hardware Version:	NL01D			
Software Version:	V01_160	V01_160422_MBW_APONI_SKU1_MP.rar		
USB Cable	Model No.: M026B0500100; Supplier: SHENZHEN FKY-QY HARDWARE ELECTRONIC CO.,LTD			
Headset	Model No.: JWEP0944-M01R; Supplier: Huizhou Ju Wei Electronics Co., Ltd.			
	3.7Vdc fr	3.7Vdc from Rechargeable Li-ion Battery		
Power Supply:	Battery:	Model No.: 5C-1000; Supplier: Ningbo Veken Weike Battery Co.Ltd.		

GPRS:

Cellular Phone Standards Fre- quency Range and Power	Operating Frequency	Rated Power	
	GPRS 850	824.2 MHz– 848.8 MHz	33dBm
	GPRS 1900	1850.2MHz – 1909.8MHz	30dBm
Type of Emission:	GPRS 850	248KGXW	
	GPRS 1900	250KGXW	

Max ERP/EIRP measurement result:

	dBm		W
GPRS 850 Band	30.16	ERP	1.038
GPRS 1900 Band	28.26	EIRP	0.670

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised that information contaited even or files the Company. Any unauthorized alteration, forgery or falsification of the content or ap-terminant is unavity and defined merein. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



1.2. Product Feature of Equipment Under Test

The equipment under Test (Hereafter Called: EUT) is supporting, GSM and Bluetooth features, and below is details of information.

Product Feature			
Product Name:	3G Feature Phone		
Brand Name:	Mobiwire		
Model No.:	Aponi		
Model Difference:	N/A		
FCC ID:	QPN-APONI		
GSM Operating Band(s)	GSM 850/1900MHz		
GPRS Multi Slot Class	GPRS Class 12 / Class 12		
Bluetooth Version	Bluetooth V2.1		

Note: The above EUT information was declared by manufacturer. Please refer to the specifications or user's manual for more detailed description.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



1.3. Test Methodology of Applied Standards

FCC 47 CFR Part 2, 22, 24

ANSI / TIA / EIA 603C-C-2004

KDB971168 D01 Power Meas license Digital System v02r02

TS 151 010-1 is used to set, and measure the output power.

Note:

- 1. All test items have been performed and record as per the above standards.
- 2. The composite system is compliance with FCC Subpart B is authorized under the certification procedure.

1.4. Test Facility

SGS Taiwan Ltd. Electronics & Communication Laboratory No.2, Keji 1st Rd., Guishan District, Taoyuan City, Taiwan 333. (TAF code 0513)

FCC Registration Numbers are: 628985

Canada Registration Number: 4620A-5.

1.5. Special Accessories

No special accessories were used during testing.

1.6. Equipment Modifications

There were no modifications incorporated into the EUT.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非方力就明,此報告點本性可利純之体的可見,可可把成物理能報知及、今報度本庭本公司資源可引,不可可加度表。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



2. SYSTEM TEST CONFIGURATION

2.1. EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

2.2. EUT Exercise

The EUT (Transmitter) was operated in the continuous transmission mode employed with the simulator of the Base Station that fixates at test default channels to fix the Tx frequency which was for the purpose of the measurements.

2.3. Test Procedure

2.3.1 Conducted Measurement at Antenna Port

According to measurement procured TIA/EIA 603C, the EUT is placed on a turn table which is 0.8 m above ground plane. A low loss of RF cable was used to connect the antenna port of EUT to measurement equipment.

2.3.2 Radiated Emissions (ERP/EIRP)

According to measurement procured TIA/EIA 603C, The EUT is a placed on as turn table which is 0.8 m above ground plane. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both Horizontal and Vertical. In order to find out the max. emission, the relative positions of this hand-held transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna according to the requirements in Section 8 and 13.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



2.4. Measurement Results Explanation Example

For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level. **Note:**

The spectrum analyzer offset is derived from RF cable loss and attenuator factor.

Following shows an offset computation example with cable loss and attenuator.

Low Band: Offset = RF cable loss (dB) + attenuation factor (dB) = 13.5 (dB)

High Band: Offset = RF cable loss (dB) + attenuation factor (dB) = 13.6 (dB)

2.5. Final Amplifier Voltage and Current Information:

Test Mode	DC voltage (V)	DC current (mA)
GPRS 850	3.7	365
GPRS 1900	3.7	268

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-

tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



2.6. Configuration of Tested System

Fig. 2-1 Configuration of Tested System (Fixed Channel-Conducted)




Fig. 2-2 Configuration of Tested System (Fixed Channel-Radiated)




Table 2-1 Equipment Used in

ltem	Equipment	Mfr/Brand	Model/ Type No.	Series No.	Data Cable	Power Cord
1.	Radio Communication Analyzer	Anritsu	8820C	6201107337	shielded	Un-shielded
2.	DC Power Supply	Agilent	E3640A	MY53130054	N/A	N/A
3.	Test Software	DRTU	N/A	N/A	N/A	N/A
4.	Adapter	Dongguan AoHai Power Technol- ogy Co., Ltd.	A85-50100 0	N/A	N/A	N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非方方机则,此我告惑本性對測風之体前具實、问时起体過度体通知及、今年服育不經本公司音運計了, 个可可加視衷。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

Report No.: E2/2016/40080 Page: 12 of 63



3. SUMMARY OF TEST RESULTS

FCC Rules	Description Of Test	Result
§2.1046(a)	RF Power Output	Compliant
§2.1046(a) §22.913(a)(2) §24.232(c)	ERP/ EIRP measurement	Compliant
§2.1049(h)	Occupied Bandwidth	Compliant
§2.1051 §22.917(a) §24.238(a)	Out of Band Emissions at Antenna Terminals and Band Edge	Compliant
§2.1053 §22.917(a) §24.238(a)	Field Strength of Spurious Radiation	Compliant
§24.232(d)	Peak to Average Ratio	Compliant
§2.1055(a)(1) §22.355 §24.235	Frequency Stability	Compliant

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



4. DESCRIPTION OF TEST MODES

4.1. The Worst Test Modes and Channel Details

- 1. The EUT has been tested under operating condition.
- 2. Pre-Scan has been conducted to determine the worst-case mode from all possible combinations between available modulations, data rates, XYZ axis and antenna ports. The worst case was found as listed below. Following channel(s) was (were) selected for the final test as listed below:

BAND	ERP/EIRP	RADIATED EMISSION		
GPRS 850	E2-plan	E2-plan		
GPRS 1900	E2-plan	E2-plan		

GSM/GPRS/EDGE MODE

TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	MODE				
ERP	128 to 251	128, 190, 251	GPRS 850				
EIRP	512 to 810	512, 661, 810	GPRS 1900				
FREQUENCY STABILITY	128 to 251	190	GPRS 850				
FREQUENCESTABLE	512 to 810	661	GPRS 1900				
OCCUPIED BANDWIDTH	128 to 251	128, 190, 251	GPRS 850				
OCCOPIED BANDWIDTH	512 to 810	512, 661, 810	GPRS 1900				
PEAK TO AVERAGE RATIO	128 to 251	128, 190, 251	GPRS 850				
FEAR TO AVERAGE RATIO	512 to 810	512, 661, 810	GPRS 1900				
BAND EDGE	128 to 251	128, 251	GPRS 850				
BANDEDGE	512 to 810	512, 810	GPRS 1900				
CONDCUDETED EMISSION	128 to 251	128, 190, 251	GPRS 850				
	512 to 810	512, 661, 810	GPRS 1900				
RADIATED EMISSION	128 to 251	128, 190, 251	GPRS 850				
RADIATED EMISSION	512 to 810	512, 661, 810	GPRS 1900				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained to so days only. 除非另有說明,此報告結果僅對測试之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



5. MEASUREMENT UNCERTAINTY

Test Items	Uncertainty			
RF Power Output	+/- 1.10 dB			
ERP/ EIRP measurement	Vertical Polarization = +/- 4.74dB Horizontal Polarization =+/- 4.62dB			
99% Occupied Bandwidth	+/- 5.19 Hz			
Out of Band Emissions at Antenna	+/- 0.70 dB			
Terminals and Band Edge				
Peak to Average Ratio	+/- 0.70 dB			
Frequency Stability vs. Temperature	+/- 5.19 Hz			
Frequency Stability vs. Voltage	+/- 5.19 Hz			
Temperature	+/- 0.65 °C			
Humidity	+/- 4.6 %			
DC / AC Power Source	DC= +/- 0.13%, AC=+/- 0.2%			

Radiated Spurious Emission:

	9kHz-30MHz: +/-2.87dB
	30MHz - 180MHz: +/- 3.37dB
Measurement uncertainty	180MHz -417MHz: +/- 3.19dB
(Polarization : Vertical)	0.417GHz-1GHz: +/- 3.19dB
	1GHz - 18GHz: +/- 4.04dB
	18GHz - 40GHz: +/- 4.04dB

	9kHz-30MHz: +/-2.87dB
	30MHz - 167MHz: +/- 4.22dB
Measurement uncertainty	167MHz -500MHz: +/- 3.44dB
(Polarization : Horizontal)	0.5GHz-1GHz: +/- 3.39dB
	1GHz - 18GHz: +/- 4.08dB
	18GHz - 40GHz: +/- 4.08dB

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised at the fullest extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.




6. RF CONDUCTED OUTPUT POWER MEASUREMENT

6.1. Standard Applicable

A base station simulator was used to establish communication with the EUT. Its parameters were set to transmit the maximum power on the EUT. The measured power in the radio frequency on the transmitter output terminals.

6.2. Test Set-up



Note: Measurement setup for testing on Antenna connector

6.3. Measurement Procedure

The transmitter output was connected to a calibrated attenuator, the other end of which was connected to a power meter. Transmitter output was read off the power meter in dBm. The power output at the transmitter antenna port was determined by adding the value of the attenuator to the power meter reading. TS 151 010-1 is reference to conduct the test measurement of output power.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



6.4. Measurement Equipment Used

	Conducted Emission Test Site									
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.					
ТҮРЕ		NUMBER	NUMBER	CAL.						
Spectrum Analyzer	KEYSIGHT	N9010A	MY54510568	04/14/2016	04/13/2017					
Communication Tester	Anritsu	MT8820C	6201107337	05/27/2015	05/26/2016					
Coaxial Cable 30cm	WOKEN	00100A1F1A19 5C	RF01	12/12/2015	12/11/2016					
Temperature Chamber	TERCHY	MHK-120LK	1020582	06/23/2015	06/22/2016					
DC Block	PASTERNACK	PE8210	RF29	12/12/2015	12/11/2016					
Splitter	RF-LAMBAD	RFLT2W1G18 G	RF35	12/12/2015	12/11/2016					
Attenuator	WOKEN	218FS-10	RF23	12/12/2015	12/11/2016					
DC Power Supply	Agilent	E3640A	MY53140006	05/04/2016	05/03/2017					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised at the fullest extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



6.5. Measurement Result **RF Conducted Output Power** GPRS/EDGE (GMSK; 8-PSK) Result:

EUT Mode	Frequency	СН	Peak Power (1DN 1UP) Class 8	Average Burst Power (1DN 1UP) Class 8	Peak Power (1DN 2UP) Class 10	Average Burst Power (1DN 2UP) Class 10	Peak Power (1DN 3UP) Class 12	Average Burst Power (1DN 3UP) Class 12	Peak Power (1DN 4UP) Class 12	Average Burst Power (1DN 4UP) Class 12
	(MHz)	100	(dBm)	(dBm)	(dBm)	(dBm)	(dBm)	(dBm)	(dBm)	(dBm)
GPRS	824.2	128	32.70	32.60	31.50	31.40	29.80	29.60	28.80	28.70
850	836.6	190	32.80	32.70	31.60	31.50	29.80	29.70	30.00	28.80
	848.8	251	32.70	32.60	31.60	31.40	29.80	29.60	28.80	28.70
0000	1850.2	512	30.20	30.10	29.00	28.90	27.30	27.20	26.50	26.30
GPRS 1900	1880.0	661	30.00	29.90	28.90	28.70	27.20	27.00	26.40	26.20
	1909.8	810	29.90	29.70	28.70	28.60	27.00	26.90	26.20	26.10

Minimum Communications Power Measurement PCS 1900 band

PCL		0	1	2	3	4	5	6	7	8
Output po (dBm)	wer	29.9	27.8	26.3	24.3	22.5	20.5	18.6	16.6	14.6

PCL	9	10	11	12	13	14	15
Output power (dBm)	12.7	10.7	8.8	6.9	4.4	2.6	1.4

Note: The EUT output power was controlled by simulator. Set Communication Tester CMU200 PCL as above, and get the mobile phone output power reading.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



7. EFFECTIVE RADIATED POWER AND EQUIVALENT ISOTROPIC RADIATED POWER MEASUREMENT


7.1. Standard Applicable

FCC 22.913(a) Mobile station is limited to 7W.

FCC 24.232(b) Mobile station is limited to 2W.

7.2. Test SET-UP

(A) Radiated Power Test Set-Up, Frequency Below 1000MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained to so days only. 除非另有說明,此報告結果僅對測试之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



(B) Radiated Power Test Set-UP Frequency Over 1 GHz



(C) Substituted Method Test Set-UP



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



7.3. Measurement Procedure

- 1. The testing follows the Measurement Procedure of FCC KDB 971168 D01
- 2. The EUT was placed on a non-conductive turntable using a non-conductive support. The radiated emission at the fundamental frequency was measured at 3 m with a test antenna and EMI spectrum analyzer.
- During the measurement, the EUT was communication with the station. The highest emission was recorded with the rotation of the turntable and the lowering of the test antenna from 4m to 1m. The reading was recorded and the field strength (E in dBuV/m) was calculated
- 4. The testing follows the Measurement Procedure of FCC KDB 971168 D01
- 5. The substitution horn antenna is substituted for EUT at the same position and signals generator export the CW signal to the substitution antenna via a tx cable. Rotated the Turn Table and moved receiving antenna to find the maximum radiation power. Adjust output power level of S.G to get a Value of spectrum reading equal to "Read Value" of step b. Record the power level of S.G.
- 6. ERP = S.G. output (dBm) + Antenna Gain (dBd) Cable Loss (dB)
- 7. ERP = S.G. output (dBm) + Antenna Gain (dBd) Cable Loss (dB)
- 8. Spectrum setting:

(1) Detector = Peak, marker the highest value of the detector by maximum hold, set RBW wide enough to capture the entire signal of emission, and VBW > =3xRBW.

(2) KDB 971168 D01 is adopted, and the procedure as lists under item 4, Measurement of the Average Power over the Fundamental Signal Bandwidth, is followed to set correspondingly for the acquisition of proper measurement data.

Set frequency = nominal signal center frequency;

Set span = 2 X occupied BW;

Set RBW ≈ 1~5% of the span, not to exceed 1 MHz

Set VBW = 3 x RBW;

Select average power (RMS) detector

Set sweep time and number of measurement points to achieve a minimum of 1 millisecond/pt

integration time (ex. Point = 601 points, then sweet time = $601*10^{-3} = 6s$.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document does not exonerate parties to a transaction, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Activate trace averaging routine over a minimum of 100 sweeps; Activate marker/span pair and set span = signal or channel bandwidth; Activate the band/interval power marker function; Record the band power level;

Record adjusted value as the average signal power level. Then activate the occupied bandwidth measurement function.

The proper adjustment due to limitation of spectrum capability is given compensated to spectrum with conversion factor of 10*log (TBW/RBW), where TBW is the transmission of UE exceeding the maximum BW UE can extends, and RBW is the resolution BW in UE.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



7.4. Measurement Equipment Used

SGS 966 Chamber No.C									
Nome of Equipment	Manufacturer	Medel	Serial	Calibration	Calibration				
Name of Equipment	Manufacturer	Model	Number	Date	Due				
EMI Test Receiver	R&S	ESU 40	100363	04/12/2016	04/11/2017				
Broadband Antenna	TESEQ	CBL 6112D	35240	10/28/2015	10/27/2016				
Broadband Antenna	TESEQ	CBL 6112D	35243	11/09/2015	11/08/2016				
Horn Antenna	ETS-Lindgren	3117	00143272	12/16/2015	12/15/2016				
Horn Antenna	ETS-Lindgren	3117	00143279	11/05/2015	11/04/2016				
Horn Antenna	Schwarzbeck	BBHA9170	184	12/11/2015	12/10/2016				
Horn Antenna	Schwarzbeck	BBHA9170	185	07/24/2015	07/23/2016				
Pre Amplifier	EMC Instruments	EMC330	980096	12/12/2015	12/11/2016				
Pre Amplifier	EMC Instruments	EMC0011830	980199	12/12/2015	12/11/2016				
Pre Amplifier	R&S	SCU-18	10204	12/12/2015	12/11/2016				
Pre Amplifier	R&S	SCU-26	100780	12/12/2015	12/11/2016				
Pre Amplifier	EMC Instruments	EMC184045B	980135	12/12/2015	12/11/2016				
Coaxial Cable	Huber+Suhner	RG 214/U	966Rx 9K-30M	12/12/2015	12/11/2016				
Coaxial Cable	Huber+Suhner	RG 214/U SUCOFLEX 104	966Rx 30M-3G	12/12/2015	12/11/2016				
Coaxial Cable	Huber+Suhner	SUCOFLEX 104	966Rx 1G-18G	12/12/2015	12/11/2016				
Coaxial Cable	Huber+Suhner	mini 141-12 SUCOFLEX 104	966Rx 18G-40G	12/12/2015	12/11/2016				
Coaxial Cable	Huber+Suhner	SUCOFLEX 104	966Tx 30M-18G	12/12/2015	12/11/2016				
Coaxial Cable	Huber+Suhner	SUCOFLEX 102	966Tx 18G-40G	12/12/2015	12/11/2016				
Attenuator	WOKEN	218FS-10	RF27	12/12/2015	12/11/2016				
Communication Tester	Anritsu	MT8820C	6201107337	05/27/2015	05/26/2016				
Site NSA	SGS	966 Chamber C	SAC-C	03/04/2016	03/03/2017				
Site VSWR	SGS	966 Chamber C	SAC-C	03/04/2016	03/03/2017				
DC Power Supply	HOLA	DP-3003	D7070035	05/04/2016	05/03/2017				
Controller	MF	MF-7802	N/A	N.C.R.	N.C.R.				
Antenna Master	MF	N/A	N/A	N.C.R.	N.C.R.				
Turn Table	MF	N/A	N/A	N.C.R.	N.C.R.				
Test Software	World-Pallas	Dr. E	V 3.0 Lite	N.C.R.	N.C.R.				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised at the fullest extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



	EUT	Measurement								
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit		
	MHz		V/H	dBm	dBd	dB	dBm	dBm		
	924.2	824.2	824.2	128	V	16.82	5.48	-3.36	18.94	38.45
	024.2	120	Н	24.81	5.48	-3.36	26.93	38.45		
GPRS 850	836.6	190	V	18.93	5.46	-3.28	21.11	38.45		
GF N3 030			Н	26.59	5.46	-3.28	28.77	38.45		
	848.8	251	V	20.19	5.45	-3.1	22.54	38.45		
	848.8		Н	27.81	5.45	-3.1	30.16	38.45		

7.5. Measurement Result: (Peak) –using option of peak measurement

Remark :

(1) The RBW, VBW of SPA for frequency RBW=300 KHz, VBW=1MHz

	EUT		Measurement						
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit	
	MHz		V/H	dBm	dBi	dB	dBm	dBm	
	1850.2 512	1950.2	510	V	13.16	9.59	-5.04	17.71	33.01
		512	Н	21.96	9.59	-5.04	26.51	33.01	
GPRS 1900	1880.0	661	V	15.33	9.69	-5.15	19.87	33.01	
GFINS 1900	1000.0	001	Н	23.1	9.69	-5.15	27.64	33.01	
	1909.8	810	V	15.48	9.79	-5.12	20.15	33.01	
		1909.8 8	010	Н	23.59	9.79	-5.12	28.26	33.01

Remark :

(1)

The RBW, VBW of SPA for frequency RBW=300 KHz, VBW=1MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised that information contaited even or files the Company. Any unauthorized alteration, forgery or falsification of the content or ap-terminant is unavity and defined merein. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




8. OCCUPIED BANDWIDTH MEASUREMENT

8.1. Standard Applicable

The occupied bandwidth is the frequency bandwidth such that, below its lower and above its upper frequency limits, the mean powers radiated are each equal to 0.5 percent of the total mean power.

8.2. Test Set-up



8.3. Measurement Procedure

The EUT's output RF connector was connected with a short cable to the spectrum analyzer, RBW was set to about 1% of emission BW, VBW= 3 times RBW, -26dBc display line was placed on the screen (or 26dB bandwidth), the occupied bandwidth is the delta frequency between the two points where the display line intersects the signal trace. Then set RBW to 99% bandwidth, RBW= 1%, VBW= 3 RBW, with span > 2 * Signal BW, set % Power = 99%.

NOTE: For the plot of bandwidth measurement, the marker of the 99% bandwidth is diamond-shape while the marker of the 26dB BW is arrow-mark

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



8.4. Measurement Equipment Used

	Conducted Emission Test Site								
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.				
ТҮРЕ		NUMBER	NUMBER	CAL.					
Spectrum Analyzer	KEYSIGHT	N9010A	MY54510568	04/14/2016	04/13/2017				
Communication Tester	Anritsu	MT8820C	6201107337	05/27/2015	05/26/2016				
Coaxial Cable 30cm	WOKEN	00100A1F1A19 5C	RF01	12/12/2015	12/11/2016				
Temperature Chamber	TERCHY	MHK-120LK	1020582	06/23/2015	06/22/2016				
DC Block	PASTERNACK	PE8210	RF29	12/12/2015	12/11/2016				
Splitter	RF-LAMBAD	RFLT2W1G18 G	RF35	12/12/2015	12/11/2016				
Attenuator	WOKEN	218FS-10	RF23	12/12/2015	12/11/2016				
DC Power Supply	Agilent	E3640A	MY53140006	05/04/2016	05/03/2017				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised at the fullest extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



8.5. Measurement Result

99% Bandwidth

Frequency	СН	99% Bandwidth (kHz)
(MHz)		GPRS 850
824.20	128	245.20
836.60	190	244.96
848.80	251	244.07

Frequency	СН	99% Bandwidth (kHz)
(MHz)		GPRS 1900
1850.20	512	247.60
1880.00	661	247.32
1909.80	810	249.16


26dB Bandwidth

Frequency	СН	26dB Bandwidth (kHz)
(MHz)		GPRS 850
824.20	128	321.30
836.60	190	312.60
848.80	251	317.70


Frequency	СН	26dB Bandwidth (kHz)
(MHz)	•	GPRS 1900
1850.20	512	311.30
1880.00	661	325.10
1909.80	810	327.10



99% & 26dB Bandwidth Test Data **GPRS 850 Channel Low**



GPRS 850 Channel Mid




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are relatined to so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



GPRS 850 Channel High



GPRS 1900 Channel Low




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are relatined to so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



GPRS 1900 Channel Mid



GPRS 1900 Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are relatined to so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



9. OUT OF BAND EMISSION AT ANTENNA TERMINALS

9.1. Standard Applicable


FCC §22.917(a), §24.238(a) the magnitude of each spurious and harmonic emission that can be detected when the equipment is operated under the conditions specified in the instruction manual and/ or alignment procedure, shall not be less than 43 + 10 log (mean output power in watts) dBc below the mean power output outside a license's frequency block (-13dBm).

Band Edge Measurement:

FCC §27.53(h)

Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 1 megahertz or greater. However, in the 1 megahertz bands immediately outside and adjacent to the licensee's frequency block, a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power.

9.2. Test SET-UP



9.3. Measurement Procedure

Conducted Emission

The RF output of the transceiver was connected to a spectrum analyzer through appropriate attenuation The resolution bandwidth of the spectrum analyzer was set at 1MHz, sufficient scans were taken to show the out of band Emissions if any up to 10th harmonic.

- 1. To connect Antenna Port of EUT to Spectrum.
- 2. Set RBW = 1MHz & VBW = 1MHz on Spectrum.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law.



- 3. Allow trace to fully stabilize
- 4. Repeat above procedures until all default test channel measured were complete.

Band Edge

- To connect Antenna Port of EUT to Spectrum. 1.
- The band edge of low and high channels for the highest RF powers was measured. Set-2. ting RBW \geq 1% EBW.
- 3. Allow trace to fully stabilize
- 4. Repeat above procedures until all default test channel measured were complete.

9.4. Measurement Equipment Used

Conducted Emission Test Site								
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.			
TYPE		NUMBER	NUMBER	CAL.				
Spectrum Analyzer	KEYSIGHT	N9010A	MY54510568	04/14/2016	04/13/2017			
Communication Tester	Anritsu	MT8820C	6201107337	05/27/2015	05/26/2016			
Coaxial Cable 30cm	WOKEN	00100A1F1A19 5C	RF01	12/12/2015	12/11/2016			
Temperature Chamber	TERCHY	MHK-120LK	1020582	06/23/2015	06/22/2016			
DC Block	PASTERNACK	PE8210	RF29	12/12/2015	12/11/2016			
Splitter	RF-LAMBAD	RFLT2W1G18 G	RF35	12/12/2015	12/11/2016			
Attenuator	WOKEN	218FS-10	RF23	12/12/2015	12/11/2016			
DC Power Supply	Agilent	E3640A	MY53140006	05/04/2016	05/03/2017			

9.5. Measurement Result:

Refer to next pages.

NOTE: The occurrence of the spike on the conducted emission is the signal of the fundamental emission.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


除非方力就明,此報告點本性可利純之体的可見,可可把成物理能報知及、今報度本庭本公司資源可引,不可可加度表。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



	PM May 05, 2016		NUM AUTO	and the second second	SING			ictesters Ansatyteer - 31	R Keynight Spi
Frequency	CE 1 2 3 4 3 4 PE Plustered	TRA	Type: Log-Pwr	in i	Trig: Free R	NO: Fast	PN	reg 1.5150	11.34
Auto Tuni	2 6 GHz 93 dBm	r3 2.47 -25.	MK	2	#AUDIL 401	Sent Low	3.6 dB	Ref Offset 1 Ref 36.50	10 dE/div
Center Fre 1.515000000 GH							¥1		165
Start Fre 30,00000 MH	-1109 404	3	فاستحدد فارتيا ويتورز أرزان						350 155
Stop Fre 3.000000000 GH				- Brang Sur		4-+1	tandari la referencia	*****	43 6 53 5
CF Ste 297.000000 MH Auto Ma	3.000 GHz (1001 pts)	600 ms	Sweep 3.	FUNCTIO	1.0 MHz	#VBW	x	1.0 MHz	Start 30 M Res BW
Freq Offse 0 H	-				32,95 dBn -26,69 dBn -25,93 dBn	0 MHz 4 GHz 6 GHz	826.0 1.648.4 2.472.6	Ť	1 N 1 2 N 1 3 N 1 4 5 6
					-				8 9 10 11
			STATUS						00

Out of Band emission at antenna terminals – GPRS 850 Channel Lowest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Center Freq 1.515000000	PNO: Fest	Trig: Free Run #Atten: 40 dB	Avg Type: Log-Pwr	C2-59:11 PM May 05, 2016 TRACE 12:3:4:3:1 TYPE IN WARKARD OET P. N. N. N. N. N.	Frequency
Ref Offset 13.6 dB			Mk	r3 2.509 8 GHz -26.28 dBm	Auto Tune
55 (5.5 (5.5)	*1				Center Free 1.515000000 GH
15 0 79 6		\Diamond^2			Start Free 30,000000 MH
13 0 43 0 53 5	in a subsection of the section of th				Stop Free 3.000000000 GH
Res BW 1.0 MHz	#VBW	1.0 MHz	Sweep 3	Stop 3.000 GHz 600 ms (1001 pts)	CF Step 297.000000 MH Auto Mar
1 N 1 T 2 N 1 T 1 3 N 1 T 2 4 5 5 7	837.8 MHz .673 2 GHz .609 8 GHz	33.04 dBm -26.08 dBm -26.28 dBm		-	Freq Offse 0 H
8					

Out of Band emission at antenna terminals – GPRS 850 Channel Mid

Reynight Spectrum Anunyzer - Skrept	SA DC SERVER JULY	ALION AUTO	62-59:26 PM Nay 05, 2016			
enter Freq 6.500000	PNO: Fast C Trig: Free Run	Avg Type: Log-Pwr	TRACE	Frequency		
Ref Offset 13.6 dB Mkr1 4.827 GHz -23.01 dBm -23.01 dBm						
55 55				Center Fre 6 50000000 GH		
50 50	1		-1100,404	Start Fre 3.00000000 Gi		
	مىرىنى ئەتىنىلى ھارىرا بويغىن ئەرلىرىنى بەر مەرىيى بەر مەرىيى مەرىيى بەر يەرىيى مەرىيى بەر مەرىيى بەر مەرىيى بە مەرىيى ئەرىيى بەر يەرىيى بەر يەرىي	an a	and a set of a set o	Stop Fr 10.00000000 Gi		
Res BW 1.0 MHz	#VBW 1.0 MHz	Sweep 1	Stop 10.000 GHz 1.67 ms (1001 pts)	CF Sto 700,000000 M Auto M		
1 N 1 f 2 3 4 5	4.827 GHz -23.01 dBm		-	Freq Offs 01		
6 7 8 9 9 1						
al		ETÁTUS				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised at the fullest extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




32 PM Hay 05, 2016 Center Freq 1.515000000 GHz Avg Type: Log-Pwr Frequency Trig: Free Run PNO: Fast C Auto Tune Mkr3 2.546 4 GHz -25.35 dBm Ref Offset 13.6 dB Ref 36.50 dBm Center Freq 1.515000000 GHz Start Freq 30.000000 MHz Q^2 ٠ Stop Freq 3.00000000 GH Stop 3.000 GHz Sweep 3.600 ms (1001 pts) Start 30 MHz #Res BW 1.0 MHz CF Step 297.000000 MH #VBW 1.0 MHz FUNCTION 697 6 GHz 26.97 dBm 25.35 dBm Freq Offset 0 Hz

Out of Band emission at antenna terminals – GPRS 850 Channel Highest

enter Freq 6.5000000	PNO: Fast C IFGain:Low	Trig: Free Run #Atten: 40 dB	Avg Type: L		52 PM Nay 05, 2016 TRACE 1 2 3 4 9 TYPE POINT NEW OFF	Frequency
Ref Offset 13.6 dB Ref 36.50 dBm -23.04 dBm						
55 16.5						Center Fre 6 50000000 GH
950 15 0	1				1100.000	Start Fre 3,000000000 GH
	and and a second se	and provide and a second s	الموسل دارم د میرون میلوز با میکور با در اور می مرابع	and in the first of a first of the second	honnyi, beliyya di daka tergi yang 100 (* hafa seri	Stop Fre 10:00000000 GH
tart 3.000 GHz Res BW 1.0 MHz		W 1.0 MHz		veep 11.67 m	10.000 GHz is (1001 pts)	CF Ste 700.000000 MH Auto Ma
1 N 1 T 2 2 3 4 5 5 6 6 7 7 8	5.085 GHz	-23.04 dBm			+	Freq Offse 0 H
9					_	


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





Band edge emission at antenna terminals – GPRS 850 Channel Lowest

Band edge emission at antenna terminals – GPRS 850 Channel Highest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Chiefwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s). 除非另有说明:此報告結果僅對測試之樣品負責、同時此提品僅保留的人気。本報告未變本公司書面許可,不可能分複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unjoinder on the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-reporting of this document is unjoinder on the partoence to the fullow to the total to the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



RL AP SD G DC	STINE IN		04-12:51 PM May 05, 2016	
enter Freq 1.51500000		Avg Type: Log-Pwr		Frequency
Ref Offset 13.6 dB		MI	(r1 1,850 6 GHz 30,38 dBm	Auto Tun
Pg 255 156 550				Center Fre 1.515000000 GH
5 4D 15 4 25 4			-1103.004	Start Fre 30,000000 MH
19 4 19 4 19 4	nan ann an Star an Star ann	an a		Stop Fre 3.00000000 GH
tart 30 MHz Res BW 1.0 MHz	#VBW 1.0 MHz		Stop 3.000 GHz .600 ms (1001 pts)	CF Ste 297,000000 Mit Auto Mit
NR MODE TRC SCL X	1,850 6 GHz 30.38 dBm	FUNCTION FUNCTION WOTH	FUNCTION VALUE ×	Freq Offs
4			-	01
5 7 8 9 9 10				

Out of Band emission at antenna terminals – GPRS 1900 Channel Lowest

nter Freq 11.5000	PNO: Fast G IFGain:Low	Trig: Free Run #Atten: 40 dB	Avg Type: Log-Pwr	D413:06 PM Hay 05, 2016 TRACE 12:04 TYPE TYPE DEMONSTRACE DET P N N H M N	Frequency
dB/div Ref 36.60 dBm Mkr1 18.776 GHz -22.20 dBm					Auto Tun
6					Center Fre 11.500000000 GH
ю Х			And the Address of th	1 20.000	Start Fre 3,000000000 GH
					Stop Fre 20 00000000 GH
art 3.000 GHz les BW 1.0 MHz	#VB	V 1.0 MHz	Sweep 2	Stop 20.000 GHz 8.33 ms (1001 pts)	CF Ste 1.70000000 GF Auto Mo
R MODE TRC SCL	× 18.776 GHz	Ý FL -22.20 dBm	NCTION FUNCTION WIBTH	FUNCTION VALUE	Auto M
				-	Freq Offse

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised at the fullest extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



	actrum Analyzer - S						
Center F		000000 GHz PNO: Fer	stree Ru #Atten: 40 dB	Avg	Type: Log-Pwr	THACE TO A CONTRACT OF THE CON	Frequency
10 dE/div	Ref Offset 1 Ref 36.60		W #Atten: 40 0D	L.	Mk	r1 1,880 3 GHz 29,75 dBm	Auto Tune
25.5 15.6 5.0				1			Center Fred 1.515000000 GHz
340 134 234						- (1 00 ABM	Start Free 30,000000 MH
20 4 				farrynd fyr dan fferran			Stop Free 3.000000000 GH
tart 30 M Res BW	1.0 MHz	*	VBW 1.0 MHz	FLANCTION	Sweep 3.	Stop 3.000 GHz .600 ms (1001 pts)	CF Step 297,000000 MH Auto Ma
1 N 1 2 3 4 5 6		1.880 3 GHz	29.75 dBm				Freq Offse 0 H
7 8 9 10 11							
00					STATUS		

Out of Band emission at antenna terminals – GPRS 1900 Channel Mid

11.04	11.5000000	PNO: Fast G	Trig: Free Run #Atten: 40 dB	Ave	g Type: Log-Pwr	D4:14:26 PM May 05, 20 TRACE 1 2 3 4 TYPE PLYMAN DET PLYMAN	Frequency
0 dB/div R	of Offset 13.6 dB of 36.60 dBm				M	kr1 19.473 GH -22.23 dBr	Z Auto Tune
69 255 156							Center Free 11.500000000 GH
5 240 5 A						-1100 -	Start Free 3,000000000 GH
54 54 34		1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 -		nday ng bigat (^{ng an}			Stop Fre 20.000000000 GH
tart 3.000 G Res BW 1.0	MHz	#VBV	V 1.0 MHz		and the second se	Stop 20.000 GH 8.33 ms (1001 pt	
KR MODE TRC SC 1 N 1 f 2 3 4		19.473 GHz	-22.23 dBm	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	Freq Offse 0 H
6 7 8 9 0						_	
					status	1 1	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised at the fullest extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Center Freq 1.515000000 GHz Frequency Avg Type: Log-Pwr Trig: Free Run #Atten: 40 dB PNO: Fast C Auto Tune 1.910 0 GHz 28.87 dBm Mkr1 Ref Offset 13.6 dB Ref 36.60 dBm Center Freq 1.515000000 GHz Start Freq 30.000000 MHz Stop Freq 3.00000000 GH Stop 3.000 GHz Sweep 3.600 ms (1001 pts) Start 30 MHz #Res BW 1.0 MHz CF Step 297.000000 MH #VBW 1.0 MHz 1.910 0 GHz 28.87 dBm Freq Offset OH

Out of Band emission at antenna terminals – GPRS 1900 Channel Highest

enter Freq 11.500000	PNO: Fast () Trig:	Free Run en: 40 dB	g Type: Log-Pwr	THACE 1 2 3 4 5 THACE 1 2 3 4 5 THERE IN CONTRACTOR	Frequency
Ref Offset 13.6 dl	B	1. 40 GB	Mk	r1 19.830 GHz -22.48 dBm	Auto Tun
56 56					Center Fre 11.500000000 GH
40				-1102/-	Start Fre 3.000000000 GH
	alarine ar an	and a second and a second as a second	and and a set of the start of the		Stop Fre 20 00000000 GH
art 3.000 GHz Res BW 1.0 MHz	#VBW 1.0 M			Stop 20.000 GHz .33 ms (1001 pts)	CF Ste 1,70000000 GH Auto Mo
	X Ŷ	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE .	
	and the second sec	FUNCTION 18 dBm	- FUNCTION WIDTH	FUNCTION/VALUE	Freq Offs 01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





Band edge emission at antenna terminals – GPRS 1900 Channel Lowest

Band edge emission at antenna terminals – GPRS 1900 Channel Highest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




10. FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT 10.1. Standard Applicable

According to FCC §2.1053,

FCC §22.917(a), §24.238(a) the magnitude of each spurious and harmonic emission that can be detected when the equipment is operated under the conditions specified in the instruction manual and/ or alignment procedure, shall not be less than 43 + 10 log (mean output power in watts) dBc below the mean power output outside a license's frequency block (-13dBm).

10.2. EUT Setup

(A) Radiated Emission Test Set-UP Frequency Below 30MHz.




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


時非另有説明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90.tr。本報告未經本公司書面許可,不可能份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



(B) Radiated Emission Test Set-Up, Frequency form 30MHz to 1000MHz



(C) Radiated Emission Test Set-UP Frequency Over 1 GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-participant discussed the function of the content of the function. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



10.3. Measurement Procedure:

The EUT was placed on a non-conductive; the measurement antenna was placed at a distance of 3 meters from the EUT. During the tests, the antenna height and the EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. This maximization process was repeated with the EUT positioned in each of its three orthogonal orientations.

The frequency range up to tenth harmonic was investigated for each of three fundamental frequencies (low, middle and high channels). Once spurious emission was identified, the power of the emission was determined using the substitution method.

The spurious emissions attenuation was calculated as the difference between radiated power at the fundamental frequency and the spurious emissions frequency.

ERP= S.G. output (dBm) + Antenna Gain (dBd) – Cable Loss (dB)

EIRP = S.G. output (dBm) + Antenna Gain (dBi) – Cable Loss (dB)

EIRP (dBm) = SG Level(dBm) + Antenna Gain(dBi) + Cable Loss(dB)

Note : "F" : denotes Fundamental Frequency. ; "H" : denotes Harmonic Frequency. "E" : denotes Band Edge Frequency. ; "S" : denotes Spurious Frequency. "---" : denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law.



10.4. Measurement Equipment Used:

SGS 966 Chamber No.C								
Nome of Equipment	Manufaaturar	Model	Serial Number	Calibration	Calibration			
Name of Equipment	Manufacturer	woder	Serial Number	Date	Due			
EMI Test Receiver	R&S	ESU 40	100363	04/12/2016	04/11/2017			
Broadband Antenna	TESEQ	CBL 6112D	35240	10/28/2015	10/27/2016			
Broadband Antenna	TESEQ	CBL 6112D	35243	11/09/2015	11/08/2016			
Horn Antenna	ETS-Lindgren	3117	00143272	12/16/2015	12/15/2016			
Horn Antenna	ETS-Lindgren	3117	00143279	11/05/2015	11/04/2016			
Horn Antenna	Schwarzbeck	BBHA9170	184	12/11/2015	12/10/2016			
Horn Antenna	Schwarzbeck	BBHA9170	185	07/24/2015	07/23/2016			
Pre Amplifier	EMC Instruments	EMC330	980096	12/12/2015	12/11/2016			
Pre Amplifier	EMC Instruments	EMC0011830	980199	12/12/2015	12/11/2016			
Pre Amplifier	R&S	SCU-18	10204	12/12/2015	12/11/2016			
Pre Amplifier	R&S	SCU-26	100780	12/12/2015	12/11/2016			
Pre Amplifier	EMC Instruments	EMC184045B	980135	12/12/2015	12/11/2016			
Coaxial Cable	Huber+Suhner	RG 214/U	966Rx 9K-30M	12/12/2015	12/11/2016			
Coaxial Cable	Huber+Suhner	RG 214/U SUCOFLEX 104	966Rx 30M-3G	12/12/2015	12/11/2016			
Coaxial Cable	Huber+Suhner	SUCOFLEX 104	966Rx 1G-18G	12/12/2015	12/11/2016			
Coaxial Cable	Huber+Suhner	mini 141-12 SUCOFLEX 104	966Rx 18G-40G	12/12/2015	12/11/2016			
Coaxial Cable	Huber+Suhner	SUCOFLEX 104	966Tx 30M-18G	12/12/2015	12/11/2016			
Coaxial Cable	Huber+Suhner	SUCOFLEX 102	966Tx 18G-40G	12/12/2015	12/11/2016			
Attenuator	WOKEN	218FS-10	RF27	12/12/2015	12/11/2016			
Communication Tester	Anritsu	MT8820C	6201107337	05/27/2015	05/26/2016			
Site NSA	SGS	966 Chamber C	SAC-C	03/04/2016	03/03/2017			
Site VSWR	SGS	966 Chamber C	SAC-C	03/04/2016	03/03/2017			
DC Power Supply	HOLA	DP-3003	D7070035	05/04/2016	05/03/2017			
Controller	MF	MF-7802	N/A	N.C.R.	N.C.R.			
Antenna Master	MF	N/A	N/A	N.C.R.	N.C.R.			
Turn Table	MF	N/A	N/A	N.C.R.	N.C.R.			
Test Software	World-Pallas	Dr. E	V 3.0 Lite	N.C.R.	N.C.R.			

Note: N.C.R refers to Not Calibrated Required


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised at the fullest extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



10.5. Measurement Result :

Radiated Spurious Emission Measurement Result: GPRS 850 Mode

Operation Mode :	GPRS_850	Test Date :	2016/5/10
Fundamental Frequency :	824.2 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH Low	Test Engineer :	Pony
EUT Pol. :	Н	Measurement Antenna Pol. :	Vertical



Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
47.46	S	-46.27	-36.85	-8.64	-0.77	-13	-33.27
64.92	S	-43.87	-40.54	-2.42	-0.92	-13	-30.87
94.99	S	-56.88	-53.15	-2.60	-1.14	-13	-43.88
154.16	S	-53.14	-52.38	0.82	-1.58	-13	-40.14
385.02	S	-47.21	-48.57	3.64	-2.29	-13	-34.21
775.93	S	-58.02	-60.46	5.49	-3.06	-13	-45.02
1648.40	Н	-40.63	-44.82	8.90	-4.72	-13	-27.63
2472.60	Н	-53.11	-57.65	10.38	-5.84	-13	-40.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



GPRS 850

Operation Mode :

EUT Pol. :	н	Test Engineer : Measurement Antenna Pol. :	Pony Horizontal
2R 14 19 14			DAVE 27 TH BE

Test Date :

 Line and	innay	110.00	IT I I	

Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
30.97	S	-54.35	-32.14	-21.56	-0.65	-13	-41.35
168.71	S	-60.67	-61.68	2.42	-1.42	-13	-47.67
249.22	S	-60.03	-61.29	3.15	-1.89	-13	-47.03
267.65	S	-55.81	-56.96	3.09	-1.95	-13	-42.81
379.20	S	-58.22	-59.62	3.66	-2.26	-13	-45.22
774.96	S	-62.60	-65.15	5.49	-2.94	-13	-49.60
1648.40	Н	-36.13	-40.32	8.90	-4.72	-13	-23.13
2472.60	Н	-49.80	-54.35	10.38	-5.84	-13	-36.80



GPRS 850

Operation Mode :

Fundamental Free Operation Band :	quency: 836.6 MHz Tx CH Mid	Temp. / Humi. : Test Engineer :	22.7deg_C/57RH Pony
EUT Pol. :	Н	Measurement Antenna	Pol. : Vertical
28			
12			part 22 To Pi
13400411 22-	×		
	_		_
/u- :			
-04			
-98 -7 11 11	2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	sins Frequency [Milz]	JML5 10

Test Date :

Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
51.34	S	-39.18	-31.82	-6.53	-0.83	-13	-26.18
72.68	S	-53.40	-50.72	-1.67	-1.01	-13	-40.40
166.77	S	-58.72	-59.37	2.21	-1.56	-13	-45.72
218.18	S	-58.58	-61.18	4.32	-1.71	-13	-45.58
310.33	S	-58.06	-59.89	3.79	-1.96	-13	-45.06
378.23	S	-50.23	-51.65	3.66	-2.25	-13	-37.23
1673.20	Н	-41.76	-45.97	8.99	-4.78	-13	-28.76

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised at the fullest extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



GPRS 850

Operation Mode :

undamental Frequency : peration Band : UT Pol. :	836.6 MHz Tx CH Mid H	Temp. / Humi. : Test Engineer : Measurement Antenna Pol. :	22.7deg_C/57RH Pony Horizontal
2R 1A -			
14			gart 77 Tv Pú
	*		
-04 -98 30		sins zsucs	102

Test Date :

Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
52.31	S	-46.96	-39.94	-6.14	-0.88	-13	-33.96
110.51	S	-62.72	-58.09	-3.39	-1.24	-13	-49.72
168.71	S	-61.71	-62.72	2.42	-1.42	-13	-48.71
363.68	S	-56.60	-58.06	3.70	-2.24	-13	-43.60
399.57	S	-60.93	-62.11	3.60	-2.43	-13	-47.93
776.90	S	-62.44	-64.82	5.49	-3.12	-13	-49.44
1673.20	Н	-34.36	-38.57	8.99	-4.78	-13	-21.36
4183.00	Н	-45.72	-50.50	12.37	-7.59	-13	-32.72



GPRS 850

Operation Mode :

• F • • • • • • • • • • •				
Fundamental Frequency :	848.8 MHz	Temp. / Humi. :	22.7deg_C/57RH	
Operation Band :	Tx CH High	Test Engineer :	Pony	
EUT Pol. :	н	Measurement Antenna Pol.	: Vertical	
21				
28				
14-				
14			part 22 Tx Pic	
(invount)				
ng transfer to the second sec				
-16 700 ×				

Test Date :

30 2523.5 Sins	25025 10000
----------------	-------------

	Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin	
				Output Level	Gain	Loss			
_	MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB	
	35.82	S	-50.95	-32.83	-17.39	-0.73	-13	-37.95	
	75.59	S	-55.46	-52.84	-1.59	-1.02	-13	-42.46	
	173.56	S	-56.01	-57.37	2.92	-1.56	-13	-43.01	
	220.12	S	-52.62	-55.27	4.40	-1.75	-13	-39.62	
	375.32	S	-51.32	-52.69	3.67	-2.30	-13	-38.32	
	604.24	S	-62.57	-64.31	4.74	-3.00	-13	-49.57	
	1697.60	Н	-40.09	-44.36	9.07	-4.80	-13	-27.09	



GPRS 850

Operation Mode :

Fundamental Frequency : Operation Band : EUT Pol. :	848.8 MHz Tx CH High H	Temp. / Humi. : Test Engineer : Measurement Antenna Pol. :	22.7deg_C/57RH Pony Horizontal
78. 14 -			
14			gave 22 To Bil
-5% × ×	*		
-98-		stits sensy [Witz]	1 10000


Test Date :

Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
37.76	S	-37.37	-20.86	-15.82	-0.70	-13	-24.37
117.30	S	-59.47	-55.11	-3.08	-1.28	-13	-46.47
166.77	S	-62.42	-63.06	2.21	-1.56	-13	-49.42
376.29	S	-57.81	-59.21	3.67	-2.27	-13	-44.81
528.58	S	-64.55	-66.12	4.26	-2.68	-13	-51.55
776.90	S	-62.61	-64.99	5.49	-3.12	-13	-49.61
1697.60	Н	-30.65	-34.92	9.07	-4.80	-13	-17.65
2546.40	Н	-46.79	-51.36	10.48	-5.91	-13	-33.79



Radiated Spurious Emission Measurement Result: GPRS 1900 Mode

Operation Mode :	GPRS_1900	Test Date :	2016/5/10
Fundamental Frequency :	1850.2 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH Low	Test Engineer :	Pony
EUT Pol. :	Н	Measurement Antenna Pol. :	Vertical



Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
63.95	S	-48.58	-47.24	-0.40	-0.93	-13.01	-35.57
176.47	S	-57.97	-61.74	5.36	-1.59	-13.01	-44.96
240.49	S	-60.07	-63.92	5.69	-1.85	-13.01	-47.06
377.26	S	-49.90	-53.47	5.81	-2.25	-13.01	-36.89
578.05	S	-63.12	-67.12	6.67	-2.67	-13.01	-50.11
776.90	S	-60.29	-64.82	7.64	-3.12	-13.01	-47.28
3700.40	Н	-44.46	-49.61	12.30	-7.15	-13.01	-31.45
7400.80	Н	-43.81	-44.57	10.82	-10.05	-13.01	-30.80

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised at the fullest extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Operation Mode :

-04

opolation model	01110_1000	loor Bate l	2010/0/10
Fundamental Frequency :	1850.2 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH Low	Test Engineer :	Pony
EUT Pol. :	Н	Measurement Antenna Pol. :	Horizontal
1			
28.			
14			
15			
14			part 24 To Pic
28- 			
4	Ť		

Test Date :

GPRS 1900

30		507.5	tixit5 Frequency [Mit	7	15002.5		20000
Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
33.88	S	-49.50	-31.93	-16.88	-0.68	-13.01	-36.49
77.53	S	-53.48	-53.09	0.61	-1.00	-13.01	-40.47
167.74	S	-59.96	-62.91	4.46	-1.51	-13.01	-46.95
242.43	S	-61.45	-65.24	5.61	-1.81	-13.01	-48.44
377.26	S	-59.88	-63.45	5.81	-2.25	-13.01	-46.87
642.07	S	-64.76	-69.06	7.04	-2.74	-13.01	-51.75
3700.40	Н	-37.61	-42.76	12.30	-7.15	-13.01	-24.60
7400.80	Н	-45.63	-46.39	10.82	-10.06	-13.01	-32.62

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised at the fullest extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Operation Mode :

GPRS 1900

indamental Frequency : peration Band :	1880.0 MHz Tx CH Mid	Temp. / Humi. : Test Engineer :	22.7deg_C/57RH Pony	
EUT Pol. : H		Measurement Antenna Pol. :	-	
28				
14-				
14			part 24 Tr Pi	
-12				
	* *			
-56 -				
70- 1 -M				
-98-		A		

Test Date :

Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
51.34	S	-41.04	-35.83	-4.38	-0.83	-13.01	-28.03
140.58	S	-45.61	-45.42	1.21	-1.40	-13.01	-32.60
211.39	S	-52.37	-56.79	6.12	-1.71	-13.01	-39.36
313.24	S	-49.20	-53.02	5.94	-2.12	-13.01	-36.19
379.20	S	-48.63	-52.18	5.81	-2.26	-13.01	-35.62
898.15	S	-55.27	-59.73	7.79	-3.33	-13.01	-42.26
3760.00	Н	-45.92	-51.02	12.30	-7.21	-13.01	-32.91
5640.00	Н	-47.05	-50.89	12.66	-8.81	-13.01	-34.04
7520.00	Н	-43.38	-43.86	10.70	-10.22	-13.01	-30.37

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised at the fullest extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Operation Mode :	GPRS_1900	Test Date :	2016/5/10	
Fundamental Frequency :	1880.0 MHz	Temp. / Humi. :	22.7deg_C/57RH	
Operation Band :	Tx CH Mid	Test Engineer :	Pony	
EUT Pol. :	Н	Measurement Antenna Pol. :	Horizontal	
78				
14 -				
14			part 24 Tz Pic	
1000ugut				
	*			
/0				
-04 - -us -				
301	MD71.5	10015 150075 Juency [Mil/2]	annan c	

Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
62.98	S	-42.11	-40.60	-0.53	-0.98	-13.01	-29.10
167.74	S	-62.25	-65.20	4.46	-1.51	-13.01	-49.24
233.70	S	-63.68	-67.96	6.05	-1.76	-13.01	-50.67
380.17	S	-56.63	-60.17	5.81	-2.27	-13.01	-43.62
533.43	S	-66.14	-69.74	6.41	-2.81	-13.01	-53.13
896.21	S	-51.89	-56.07	7.78	-3.61	-13.01	-38.88
3760.00	Н	-39.93	-45.02	12.30	-7.21	-13.01	-26.92
5640.00	Н	-44.45	-48.30	12.66	-8.81	-13.01	-31.44

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised at the fullest extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



GPRS_1900

Operation Mode :

undamental Frequency :		Temp. / Humi. :	22.7deg_C/57RH
peration Band :	Tx CH High	Test Engineer :	Pony
UT Pol. :	Н	Measurement Antenna	Pol.: Vertical
1			
28			
14 			
14			part 24 T
100 La			-
The second secon	*		
-va - va			
70 - 1			
-04			
-98-71 11 1 30	si22.5	tixits Enguropy [Milt]	15007.5

Test Date :

Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
62.98	S	-50.99	-49.48	-0.53	-0.98	-13.01	-37.98
105.66	S	-62.62	-60.31	-1.10	-1.20	-13.01	-49.61
178.41	S	-57.42	-61.51	5.56	-1.47	-13.01	-44.41
382.11	S	-47.54	-51.09	5.80	-2.25	-13.01	-34.53
539.25	S	-64.35	-68.20	6.41	-2.56	-13.01	-51.34
742.95	S	-59.37	-63.95	7.61	-3.03	-13.01	-46.36
3819.60	Н	-44.96	-49.99	12.30	-7.27	-13.01	-31.95
5729.40	Н	-45.64	-49.44	12.69	-8.90	-13.01	-32.63



GPRS_1900

Operation Mode :

opolation model	01110_1000	loor Bato l	2010/0/10	
Fundamental Frequency :	1909.8 MHz	Temp. / Humi. :	22.7deg_C/57RH	
Operation Band :	Tx CH High	Test Engineer :	Pony	
EUT Pol. :	Н	Measurement Antenna Pol. :	Horizontal	
28				
14-				
			part 24 To Pic	
14				
1007041611 Becky	Ŷ			
-10				
70 - 1				
-M -				
sm i i i i i	MUT-5	10015 150075 uency [Mitz]		

Test Date :

Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
33.88	S	-42.29	-24.72	-16.88	-0.68	-13.01	-29.28
168.71	S	-62.47	-65.62	4.57	-1.42	-13.01	-49.46
242.43	S	-66.51	-70.30	5.61	-1.81	-13.01	-53.50
357.86	S	-56.41	-60.11	5.87	-2.17	-13.01	-43.40
457.77	S	-61.86	-65.57	6.29	-2.58	-13.01	-48.85
677.96	S	-65.27	-69.56	7.37	-3.09	-13.01	-52.26
3819.60	Н	-39.30	-44.33	12.30	-7.27	-13.01	-26.29
5729.40	Н	-41.99	-45.78	12.69	-8.90	-13.01	-28.98




11. FREQUENCY STABILITY MEASUREMENT

11.1. Standard Applicable:

The frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block.

11.2. Test Set-up:

Temperature Chamber



Variable DC Power Supply

Note: Measurement setup for testing on Antenna connector.

11.3. Measurement Procedure:

The equipment under test was connected to an external AC or DC power supply and input rated voltage. RF output was connected to a frequency counter or spectrum analyzer via feed through attenuators. The EUT was placed inside the temperature chamber. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and measure EUT 25°C operating frequency as reference frequency. Turn EUT off and set the chamber temperature to -30°C. After the temperature stabilized for approximately 30 minutes recorded the frequency. Repeat step measure with 10°C increased per stage until the highest temperature of +50°C reached.

Set chamber temperature to 25 . Use a variable AC power supply / DC power source to power the EUT and set the voltage to rated voltage. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and recorded the frequency.

Reduce the input voltage to specify extreme voltage variation (+/- 15%) and endpoint as declared by the manufacturer, record the maximum frequency change.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



11.4. Measurement Equipment Used:

Conducted Emission Test Site								
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.			
ТҮРЕ		NUMBER	NUMBER	CAL.				
Spectrum Analyzer	KEYSIGHT	N9010A	MY54510568	04/14/2016	04/13/2017			
Communication Tester	Anritsu	MT8820C	6201107337	05/27/2015	05/26/2016			
Coaxial Cable 30cm	WOKEN	00100A1F1A19 5C	RF01	12/12/2015	12/11/2016			
Temperature Chamber	TERCHY	MHK-120LK	1020582	06/23/2015	06/22/2016			
DC Block	PASTERNACK	PE8210	RF29	12/12/2015	12/11/2016			
Splitter	RF-LAMBAD	RFLT2W1G18 G	RF35	12/12/2015	12/11/2016			
Attenuator	WOKEN	218FS-10	RF23	12/12/2015	12/11/2016			
DC Power Supply	Agilent	E3640A	MY53140006	05/04/2016	05/03/2017			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised at the fullest extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



11.5. Measurement Result:

FREQUENCY ERROR vs. VOLTAGE

Reference Frequency: GPRS 850 Mid Channel 836.6 MHz						
		Limit: +/- 2.5 ppm				
Power Supply	Environment	Frequency				
Vdc	Temperature ()	(MHz)	Delta (Hz)	Limit (Hz)		
	. ,	()				
4.2	20	836599987	0	2091		
3.7	20	836599987	0	2091		
3.6	20	836599985	-2	2091		
3.2	20	836599985	-1	2091		
(End point)	20	000039900	-1	2091		

FREQUENCY ERROR vs. TEMPERATURE

Reference Frequency: GPRS 850 Mid Channel 836.6 MHz						
		Limit: +/- 2.5 ppm				
Power Supply	Environment	Frequency				
Vdc	Temperature ()	(MHz)	Delta (Hz)	Limit (Hz)		
3.7	55	836599983.1	-3	2091		
3.7	50	836599986.2	0	2091		
3.7	40	836599983.5	-3	2091		
3.7	30	836599985.2	-1	2091		
3.7	20	836599987	0	2091		
3.7	10	836599985.8	-1	2091		
3.7	0	836599984.9	-2	2091		
3.7	-10	836599983.7	-3	2091		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised at the fullest extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



FREQUENCY ERROR vs. VOLTAGE

Reference Frequency: GPRS 1900 Mid Channel 1880 MHz						
		Limit: +/- 2.5 ppm				
Power Supply	Environment	Frequency				
Vdc	Temperature ()	(MHz)	Delta (Hz)	Limit (Hz)		
4.2	20	1880000019	-2	4700		
3.7	20	1880000022	0	4700		
3.6	20	1880000020	-1	4700		
3.2	20	1990000022	1	4700		
(End point)	20	1880000023	Ι	4700		

FREQUENCY ERROR vs. TEMPERATURE

Reference Frequency: GPRS 1900 Mid Channel 1880 MHz						
		Limit: +/- 2.5 ppm)			
Power Supply	Environment	Frequency				
Vdc	Temperature ()	(MHz)	Delta (Hz)	Limit (Hz)		
3.7	55	1880000023	2	4700		
3.7	50	1880000022	1	4700		
3.7	40	1880000021	-1	4700		
3.7	30	1880000021	-1	4700		
3.7	20	1880000022	0	4700		
3.7	10	1880000021	0	4700		
3.7	0	1880000019	-3	4700		
3.7	-10	1880000024	3	4700		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised at the fullest extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




12. PEAK TO AVERAGE RATIO

12.1. Standard Applicable

The peak-to-average ration (PAR) of the transmission may not exceed 13dB.

12.2. Test SET-UP



12.3. Measurement Procedure

- 1. KDB 971168 D01 is employed as the following procedure is proper adjusted accordingly:
- 2. Set resolution/measurement bandwidth \geq signal's occupied bandwidth; & internal =1ms
- 3. Set the number of counts to a value that stabilizes the measured CCDF curve.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



12.4. Measurement Equipment Used

Conducted Emission Test Site								
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.			
TYPE		NUMBER	NUMBER	CAL.				
Spectrum Analyzer	KEYSIGHT	N9010A	MY54510568	04/14/2016	04/13/2017			
Communication Tester	Anritsu	MT8820C	6201107337	05/27/2015	05/26/2016			
Coaxial Cable 30cm	WOKEN	00100A1F1A19 5C	RF01	12/12/2015	12/11/2016			
Temperature Chamber	TERCHY	MHK-120LK	1020582	06/23/2015	06/22/2016			
DC Block	PASTERNACK	PE8210	RF29	12/12/2015	12/11/2016			
Splitter	RF-LAMBAD	RFLT2W1G18 G	RF35	12/12/2015	12/11/2016			
Attenuator	WOKEN	218FS-10	RF23	12/12/2015	12/11/2016			
DC Power Supply	Agilent	E3640A	MY53140006	05/04/2016	05/03/2017			

12.5. Measurement Result


Tabular Results:

Frequency (MHz)	СН	Peak-to-Average Ratio (dB)
(GPRS
1850.20	512	9.31
1880.00	661	9.42
1909.80	810	9.48

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised at the fullest extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Measurement Results:



GPRS 1900 Channel Low


GPRS 1900 Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are relatined to so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





GPRS 1900 Channel High

~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.