




Radiated Spurious Emission
(802.11ac, ch100, 1 GHz-8 GHz)




Radiated Spurious Emission
(802.11ac, ch100, 8GHz-18GHz)




Radiated Spurious Emission
(802.11ac, ch100, 18GHz-26.5GHz)



Radiated Spurious Emission
(802.11ac, ch100, 26.5 GHz-40 GHz)




Radiated Spurious Emission
(802.11ac 40m, ch46, 30MHz-1GHz)




Radiated Spurious Emission
(802.11ac 40m, ch46, 1 GHz-8 GHz)


<p style="text-align: center;">Radiated Spurious Emission (802.11ac 40m, ch46, 8GHz-18GHz)</p>	<p style="text-align: center;">Radiated Spurious Emission (802.11ac 40m, ch46, 18GHz-26.5GHz)</p>
<p style="text-align: center;">Radiated Spurious Emission (802.11ac 40m, ch46, 26.5 GHz-40 GHz)</p>	<p style="text-align: center;">Radiated Spurious Emission (802.11ac 40m, ch54, 30MHz-1GHz)</p>
<p style="text-align: center;">Radiated Spurious Emission (802.11ac 40m, ch54, 1 GHz-8 GHz)</p>	<p style="text-align: center;">Radiated Spurious Emission (802.11ac 40m, ch54, 8GHz-18GHz)</p>




Radiated Spurious Emission
(802.11ac 40m, ch54, 18GHz-26.5GHz)




Radiated Spurious Emission
(802.11ac 40m, ch54, 26.5 GHz-40 GHz)




Radiated Spurious Emission
(802.11ac 40m, ch102, 30MHz-1GHz)



Radiated Spurious Emission
(802.11ac 40m, ch102, 1 GHz-8 GHz)



Radiated Spurious Emission
(802.11ac 40m, ch102, 8GHz-18GHz)




Radiated Spurious Emission
(802.11ac 40m, ch102, 18GHz-26.5GHz)

<p align="center">Radiated Spurious Emission (802.11ac 40m, ch102, 26.5 GHz-40 GHz)</p>	<p align="center">Radiated Spurious Emission (802.11ac 80m, ch42, 30MHz-1GHz)</p>
<p align="center">Radiated Spurious Emission (802.11ac 80m, ch42, 1 GHz-8 GHz)</p>	<p align="center">Radiated Spurious Emission (802.11ac 80m, ch42, 8GHz-18GHz)</p>
<p align="center">Radiated Spurious Emission (802.11ac 80m, ch42, 18GHz-26.5GHz)</p>	<p align="center">Radiated Spurious Emission (802.11ac 80m, ch42, 26.5 GHz-40 GHz)</p>


Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
Tel: 0086-23-88069965


FAX: 0086-23-88608777




Radiated Spurious Emission
(802.11ac 80, ch58, 30MHz-1GHz)




Radiated Spurious Emission
(802.11ac 80, ch58, 1 GHz-8 GHz)




Radiated Spurious Emission
(802.11ac 80, ch58, 8GHz-18GHz)




Radiated Spurious Emission
(802.11ac 80, ch58, 18GHz-26.5GHz)




Radiated Spurious Emission
(802.11ac 80, ch58, 26.5 GHz-40 GHz)




Radiated Spurious Emission
(802.11ac 80m, ch106, 30MHz-1GHz)




Radiated Spurious Emission
(802.11ac 80m, ch106, 1 GHz-8 GHz)




Radiated Spurious Emission
(802.11ac 80m, ch106, 8GHz-18GHz)




Radiated Spurious Emission
(802.11ac 80m, ch106, 18GHz-26.5GHz)



Radiated Spurious Emission
(802.11ac 80m, ch106, 26.5 GHz-40 GHz)



Radiated Spurious Emission
(802.11ac 80, ch42, 30MHz-1GHz)




Radiated Spurious Emission
(802.11ac 80, ch42, 1 GHz-8 GHz)


Second supply

Chongqing Academy of Information and Communication Technology


Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
Tel: 0086-23-88069965 FAX: 0086-23-88608777




Radiated Spurious Emission
(802.11ac 80, ch42, 8GHz-18GHz)




Radiated Spurious Emission
(802.11ac 80, ch42, 18GHz-26.5GHz)




Radiated Spurious Emission
(802.11ac 80, ch42, 26.5 GHz-40 GHz)



Radiated Spurious Emission
(802.11ac 80m, ch58, 30MHz-1GHz)




Radiated Spurious Emission
(802.11ac 80m, ch106, 1 GHz-8 GHz)



Radiated Spurious Emission
(802.11ac 80m, ch106, 8GHz-18GHz)

<p>Level in dBμV/m vs Frequency in Hz. Shows a sharp peak at approximately 5.8 GHz. FCC Part 15 Peak is at 75 dBμV/m, FCC Part 15 Average is at 55 dBμV/m.</p>	<p>Level in dBμV/m vs Frequency in GHz. Shows a peak at approximately 10.5 GHz. FCC Part 15 Peak is at 75 dBμV/m, FCC Part 15 Average is at 55 dBμV/m.</p>
<p>Radiated Spurious Emission (802.11ac 80m, ch58, 18GHz-26.5GHz)</p>	<p>Radiated Spurious Emission (802.11ac 80m, ch58, 26.5 GHz-40 GHz)</p>
<p>Level in dBμV/m vs Frequency in GHz. Shows a peak at approximately 0.3 GHz. FCC Part 15 Peak is at 75 dBμV/m, FCC Part 15 Average is at 55 dBμV/m.</p>	<p>Level in dBμV/m vs Frequency in GHz. Shows a peak at approximately 1.5 GHz. FCC Part 15 Peak is at 75 dBμV/m, FCC Part 15 Average is at 55 dBμV/m.</p>
<p>Radiated Spurious Emission (802.11ac 80, ch106, 30MHz-1GHz)</p>	<p>Radiated Spurious Emission (802.11ac 80, ch106, 1 GHz-8 GHz)</p>
<p>Level in dBμV/m vs Frequency in Hz. Shows a peak at approximately 5.8 GHz. FCC Class B is at 45 dBμV/m, FCC Part 15 Average is at 55 dBμV/m.</p>	<p>Level in dBμV/m vs Frequency in GHz. Shows a peak at approximately 5.8 GHz. FCC Part 15 Peak is at 75 dBμV/m, FCC Part 15 Average is at 55 dBμV/m.</p>
<p>Radiated Spurious Emission (802.11ac 80, ch106, 8GHz-18GHz)</p>	<p>Radiated Spurious Emission (802.11ac 80, ch106, 18GHz-26.5GHz)</p>



Radiated Spurious Emission
(802.11ac 80, ch106, 26.5 GHz-40 GHz)

RSE-11A-CH40-30M-1G

Frequency (MHz)	Result (dBμV/m)	ARpl (dB)	PMea (dBμV/m)	Polarity
32.0	10.72	-15.7	26.42	V
35.2	9.33	-14.9	24.23	V
56.1	11.67	-11.7	23.37	H
102.6	10.27	-12.8	23.07	V
195.2	10.14	-12.8	22.94	V
331.3	13.59	-8.7	22.29	H

RSE-11A-CH52-1G-8G

Frequency (MHz)	Result (dBμV/m)	ARpl (dB)	PMea (dBμV/m)	Polarity
5689.0	44.69	2.3	42.39	V

Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
Tel: 0086-23-88069965 FAX: 0086-23-88608777

6112.4	43.5	2.6	40.9	H
6599.2	46.24	3.2	43.04	H
6899.6	44.83	4	40.83	H
7291.2	45.02	4	41.02	H
7912.6	44.79	4.5	40.29	V

RSE-11A-CH52-8G-18G

Frequency (MHz)	Result (dB μ V/m)	ARpl (dB)	PMea (dB μ V/m)	Polarity
10518.6	59.8	7.5	52.3	H
11589.4	50.23	9.8	40.43	V
12317.6	50.95	10.7	40.25	V
13391.8	50.1	11.4	38.7	V
14818.2	51.42	13.8	37.62	H
16429.0	52.33	16.5	35.83	V

RSE-11A-CH52-8G-18G (Average)

Frequency (MHz)	Result (dB μ V/m)	ARpl (dB)	PMea (dB μ V/m)	Polarity
10518.6	47.78	7.5	40.28	H

RSE-11A-CH52-30M-1G

Frequency (MHz)	Result (dB μ V/m)	ARpl (dB)	PMea (dB μ V/m)	Polarity
31.5	16.62	-15.7	32.32	V
44.4	30.51	-12.3	42.81	V
61.2	23.76	-12.7	36.46	V
164.2	19.69	-15.2	34.89	H
303.6	25.45	-10.2	35.65	H
461.8	16.49	-6.3	22.79	V

RSE-11A-CH100-1G-8G
Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
 Tel: 0086-23-88069965 FAX: 0086-23-88608777

Frequency (MHz)	Result (dB μ V/m)	ARpl (dB)	PMea (dB μ V/m)	Polarity
5858.4	44.1	2.3	41.8	H
6219.6	44.39	2.8	41.59	V
6534.8	44.54	3.1	41.44	H
6942.6	45.11	3.8	41.31	H
7390.4	44.78	3.7	41.08	V
7809.2	44.79	3.9	40.89	V

RSE-11A-CH100-8G-18G

Frequency (MHz)	Result (dB μ V/m)	ARpl (dB)	PMea (dB μ V/m)	Polarity
9524.6	45.64	5.7	39.94	V
10482.4	47.7	7.5	40.2	H
11661.0	49.49	9.9	39.59	V
12993.0	48.92	10.9	38.02	V
14583.2	49.17	12.7	36.47	V
16168.8	52.72	15.6	37.12	V

RSE-11A-CH100-30M-1G

Frequency (MHz)	Result (dB μ V/m)	ARpl (dB)	PMea (dB μ V/m)	Polarity
31.7	13.11	-15.7	28.81	V
35.3	22.87	-14.9	37.77	V
163.4	21.04	-15.3	36.34	H
192.8	24.58	-13.2	37.78	H
299.0	27.14	-10.2	37.34	V
870.0	23.27	0.6	22.67	V

RSE-11A-CH157-1G-8G

Frequency (MHz)	Result (dB μ V/m)	ARpl (dB)	PMea (dB μ V/m)	Polarity
-----------------	-----------------------	-----------	---------------------	----------

Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
 Tel: 0086-23-88069965 FAX: 0086-23-88608777

6091.4	43.72	2.5	41.22	H
6395.4	44.98	2.8	42.18	H
6691.2	45.27	4	41.27	H
6963.0	44.07	3.7	40.37	V
7451.6	44.9	3.5	41.4	V
7808.2	45.04	3.9	41.14	H

RSE-11A-CH157-8G-18G

Frequency (MHz)	Result (dB μ V/m)	ARpl (dB)	PMea (dB μ V/m)	Polarity
10353.6	47.05	7.8	39.25	V
11636.4	49.18	9.9	39.28	V
12951.8	49.22	11.1	38.12	H
14005.8	51.3	12.4	38.9	H
14936.8	51.64	13.8	37.84	H
16469.0	52.13	16.7	35.43	H

RSE-11A-CH157-30M-1G

Frequency (MHz)	Result (dB μ V/m)	ARpl (dB)	PMea (dB μ V/m)	Polarity
32.4	10.19	-15.8	25.99	V
35.6	12.46	-14.8	27.26	V
53.2	11.83	-11.6	23.43	H
101.3	10.21	-12.7	22.91	H
196.4	11.51	-12.5	24.01	H
857.0	22.68	-0.1	22.78	V
Frequency (MHz)	Result (dB μ V/m)	ARpl (dB)	PMea (dB μ V/m)	Polarity
4038.6	46.39	1.5	44.89	V
4405.4	43.47	1.6	41.87	H
4846.6	42.67	1.2	41.47	H

Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
 Tel: 0086-23-88069965 FAX: 0086-23-88608777

5916.4	43.4	2.3	41.1	H
6485.8	44.66	3	41.66	H
7446.0	44.39	3.5	40.89	H

RSE-11AC-CH48-8G-18G

Frequency (MHz)	Result (dB μ V/m)	ARpl (dB)	PMea (dB μ V/m)	Polarity
10475.0	57.94	7.5	50.44	H
12078.2	49.94	10.3	39.64	H
13133.0	49.39	10.5	38.89	H
14163.2	49.15	12.4	36.75	V
15618.0	50.4	14.4	36	V
16517.0	52.64	16.8	35.84	H

RSE-11AC-CH48-8G-18G (Average)

Frequency (MHz)	Result (dB μ V/m)	ARpl (dB)	PMea (dB μ V/m)	Polarity
10475.0	46.68	7.5	39.18	H

RSE-11AC-CH48-30M-1G

Frequency (MHz)	Result (dB μ V/m)	ARpl (dB)	PMea (dB μ V/m)	Polarity
35.5	12.27	-14.8	27.07	V
51.6	11.4	-11.5	22.9	H
86.7	6.27	-16.5	22.77	H
160.2	6.9	-15.8	22.7	V
335.4	13.5	-9	22.5	V
613.1	19.84	-2.5	22.34	V

RSE-11AC-CH52-1G-8G

Frequency (MHz)	Result (dB μ V/m)	ARpl (dB)	PMea (dB μ V/m)	Polarity
4407.6	44.63	1.6	43.03	V

Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
 Tel: 0086-23-88069965 FAX: 0086-23-88608777

5846.0	44.16	2.2	41.96	H
6309.4	44.76	3	41.76	H
6704.6	46.11	3.9	42.21	H
7054.0	46.07	4.4	41.67	V
7769.8	46.18	4.1	42.08	H

RSE-11AC-CH52-8G-18G

Frequency (MHz)	Result (dB μ V/m)	ARpl (dB)	PMea (dB μ V/m)	Polarity
10520.8	59.94	7.5	52.44	H
11667.0	49.93	9.9	40.03	H
12863.6	49.1	11.1	38	H
13793.4	49.73	11.7	38.03	H
14939.6	51.51	13.8	37.71	H
16348.0	52.3	16.3	36	H

RSE-11AC-CH52-8G-18G (Average)

Frequency (MHz)	Result (dB μ V/m)	ARpl (dB)	PMea (dB μ V/m)	Polarity
10520.8	48.84	7.5	41.34	H

RSE-11AC-CH52-30M-1G

Frequency (MHz)	Result (dB μ V/m)	ARpl (dB)	PMea (dB μ V/m)	Polarity
32.6	10.49	-15.7	26.19	V
36.2	9.47	-14.5	23.97	V
59.6	10.76	-12.4	23.16	H
109.7	9.27	-13.1	22.37	H
319.2	12.9	-9.6	22.5	H
556.3	17.91	-4.5	22.41	H

RSE-11AC-CH100-1G-8G
Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
 Tel: 0086-23-88069965 FAX: 0086-23-88608777

Frequency (MHz)	Result (dB μ V/m)	ARpl (dB)	PMea (dB μ V/m)	Polarity
3812.2	44.49	1.7	42.79	V
4548.6	43.75	1.3	42.45	H
5063.6	43.54	4.9	38.64	V
6277.0	44.22	2.9	41.32	V
7129.6	45.37	4.1	41.27	H
7958.6	44.96	4.5	40.46	H

RSE-11AC-CH100-8G-18G

Frequency (MHz)	Result (dB μ V/m)	ARpl (dB)	PMea (dB μ V/m)	Polarity
10520.0	49.14	7.5	41.64	H
11691.0	50.75	10	40.75	H
12641.0	50.94	10.7	40.24	V
14184.2	50.05	12.4	37.65	H
15216.8	50.74	14.1	36.64	V
16309.8	51.62	16.1	35.52	V

RSE-11AC-CH100-30M-1G

Frequency (MHz)	Result (dB μ V/m)	ARpl (dB)	PMea (dB μ V/m)	Polarity
34.2	8.32	-15.3	23.62	V
97.4	9.38	-13.5	22.88	V
122.7	13.06	-15	28.06	V
241.0	11.22	-11.5	22.72	V
426.0	16.02	-6.8	22.82	V
738.6	21.57	-1.1	22.67	V

RSE-11AC(40M)-CH46-1G-8G

Frequency (MHz)	Result (dB μ V/m)	ARpl (dB)	PMea (dB μ V/m)	Polarity
-----------------	-----------------------	-----------	---------------------	----------

Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
 Tel: 0086-23-88069965 FAX: 0086-23-88608777

4026.4	44.06	1.5	42.56	H
4271.0	44.1	1.1	43	H
4825.8	43.85	1.3	42.55	H
5897.6	43.27	2.4	40.87	V
6406.4	44.51	2.9	41.61	H
7029.8	46.81	4.4	42.41	V

RSE-11AC(40M)-CH46-8G-18G

Frequency (MHz)	Result (dB μ V/m)	ARpl (dB)	PMea (dB μ V/m)	Polarity
10456.0	56.31	7.5	48.81	H
12163.0	49.98	10.6	39.38	V
13707.2	50.67	11.6	39.07	V
14909.4	50.67	13.8	36.87	V
16622.6	53.09	16.7	36.39	V
17685.2	54.75	17.9	36.85	H

RSE-11AC(40M)-CH46-8G-18G (Average)

Frequency (MHz)	Result (dB μ V/m)	ARpl (dB)	PMea (dB μ V/m)	Polarity
10456.0	45.81	7.5	38.31	H
17685.2	43.89	17.9	25.99	H

RSE-11AC(40M)-CH46-30M-1G

Frequency (MHz)	Result (dB μ V/m)	ARpl (dB)	PMea (dB μ V/m)	Polarity
34.1	12.15	-15.3	27.45	V
48.0	11.98	-11.8	23.78	V
122.7	13.21	-15	28.21	V
255.0	11.36	-10.9	22.26	V
532.6	17.45	-5.3	22.75	H

Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
 Tel: 0086-23-88069965 FAX: 0086-23-88608777

904.9	23.44	1	22.44	V
-------	-------	---	-------	---

RSE-11AC(40M)-CH54-1G-8G

Frequency (MHz)	Result (dB μ V/m)	ARpl (dB)	PMea (dB μ V/m)	Polarity
3802.8	44.52	1.5	43.02	H
4004.0	43.73	1.4	42.33	V
4424.2	43.71	1.5	42.21	V
6376.4	44.78	2.8	41.98	V
7197.4	44.76	4	40.76	H
7736.4	45.36	3.9	41.46	H

RSE-11AC(40M)-CH54-8G-18G

Frequency (MHz)	Result (dB μ V/m)	ARpl (dB)	PMea (dB μ V/m)	Polarity
10535.6	56.31	7.6	48.71	H
12260.6	49.42	10.9	38.52	H
13293.2	49.95	11.3	38.65	H
14100.8	49.64	12.4	37.24	H
15211.6	50.8	14	36.8	V
16314.8	52.19	16.2	35.99	V

RSE-11AC(40M)-CH54-8G-18G (Average)

Frequency (MHz)	Result (dB μ V/m)	ARpl (dB)	PMea (dB μ V/m)	Polarity
10535.6	45.07	7.6	37.47	H

RSE-11AC(40M)-CH54-30M-1G

Frequency (MHz)	Result (dB μ V/m)	ARpl (dB)	PMea (dB μ V/m)	Polarity
31.7	9.75	-15.8	25.55	V
34.5	10.75	-15.3	26.05	V
102.8	9.89	-12.9	22.79	V

Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
 Tel: 0086-23-88069965 FAX: 0086-23-88608777

192.8	9.44	-13.1	22.54	H
407.5	15.4	-7.2	22.6	H
843.4	22.25	-0.2	22.45	V

RSE-11AC(40M)-CH102-1G-8G

Frequency (MHz)	Result (dB μ V/m)	ARpl (dB)	PMea (dB μ V/m)	Polarity
3819.2	45.96	1.8	44.16	V
4451.6	44.3	1.5	42.8	H
5034.0	43.37	4.8	38.57	V
5931.4	44.81	2.3	42.51	H
7027.8	46.05	4.4	41.65	V
7874.6	47.39	4.1	43.29	V

RSE-11AC(40M)-CH102-8G-18G

Frequency (MHz)	Result (dB μ V/m)	ARpl (dB)	PMea (dB μ V/m)	Polarity
11714.2	48.71	10	38.71	H
12699.0	50.28	10.8	39.48	V
14013.2	49.74	12.4	37.34	V
15203.2	50.31	14	36.31	H
16306.6	51.95	16.1	35.85	V
17712.0	53.76	17.9	35.86	H

RSE-11AC(40M)-CH102-30M-1G

Frequency (MHz)	Result (dB μ V/m)	ARpl (dB)	PMea (dB μ V/m)	Polarity
32.2	10.52	-15.8	26.32	V
35.6	12.82	-14.8	27.62	V
103.8	9.71	-12.8	22.51	H
261.8	11.5	-10.8	22.3	V

Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
 Tel: 0086-23-88069965 FAX: 0086-23-88608777

441.1	16	-6.7	22.7	V
832.5	22.2	-0.3	22.5	H

RSE-11AC(80M)-CH42-1G-8G

Frequency (MHz)	Result (dB μ V/m)	ARpl (dB)	PMea (dB μ V/m)	Polarity
4126.8	43.82	1.1	42.72	V
4401.6	43.85	1.5	42.35	H
4779.6	43.9	1.5	42.4	H
5775.8	43.61	2.2	41.41	H
7036.2	45.87	4.4	41.47	H
7747.8	46.05	4	42.05	H

RSE-11AC(80M)-CH42-8G-18G

Frequency (MHz)	Result (dB μ V/m)	ARpl (dB)	PMea (dB μ V/m)	Polarity
10419.2	56.63	7.6	49.03	H
11243.4	47.31	8.1	39.21	H
12232.2	50.39	10.8	39.59	H
13200.8	49.31	10.7	38.61	V
14011.0	49.93	12.4	37.53	H
15245.4	52.06	14.2	37.86	H

RSE-11AC(80M)-CH42-8G-18G (Average)

Frequency (MHz)	Result (dB μ V/m)	ARpl (dB)	PMea (dB μ V/m)	Polarity
10419.2	44.24	7.6	36.64	H

RSE-11AC(80M)-CH42-30M-1G

Frequency (MHz)	Result (dB μ V/m)	ARpl (dB)	PMea (dB μ V/m)	Polarity
31.8	9.61	-15.8	25.41	V
32.7	10.66	-15.7	26.36	V

Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
 Tel: 0086-23-88069965 FAX: 0086-23-88608777

48.3	11.91	-11.8	23.71	H
101.3	10.48	-12.7	23.18	V
199.0	10.12	-12.4	22.52	V
420.3	15.79	-6.9	22.69	V

RSE-11AC(80M)-CH58-1G-8G

Frequency (MHz)	Result (dB μ V/m)	ARpl (dB)	PMea (dB μ V/m)	Polarity
4232.2	43.87	1.3	42.57	H
4761.4	44.07	1.5	42.57	H
5756.0	45.05	2.3	42.75	H
6401.0	43.7	2.8	40.9	V
7068.0	44.43	4.3	40.13	V
7720.8	45.09	3.8	41.29	H

RSE-11AC(80M)-CH58-8G-18G

Frequency (MHz)	Result (dB μ V/m)	ARpl (dB)	PMea (dB μ V/m)	Polarity
10571.6	50.86	7.6	43.26	V
12185.8	49.23	10.6	38.63	H
13174.2	49.76	10.5	39.26	V
14038.4	49.39	12.4	36.99	H
15185.8	50.83	13.9	36.93	V
16963.0	53.46	17.4	36.06	V

RSE-11AC(80M)-CH58-30M-1G

Frequency (MHz)	Result (dB μ V/m)	ARpl (dB)	PMea (dB μ V/m)	Polarity
32.6	14.17	-15.7	29.87	V
45.1	23.47	-12.1	35.57	V
59.0	18.86	-12.3	31.16	V

Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
 Tel: 0086-23-88069965 FAX: 0086-23-88608777

105.6	20.64	-12.9	33.54	V
234.0	18.77	-11.8	30.57	V
597.2	19.39	-2.8	22.19	H

RSE-11AC(80M)-CH106-1G-8G

Frequency (MHz)	Result (dB μ V/m)	ARpl (dB)	PMea (dB μ V/m)	Polarity
3579.4	44.05	1.1	42.95	V
4119.6	44.66	1.1	43.56	V
4699.4	43	1.1	41.9	H
5981.6	42.83	1.9	40.93	V
6412.2	43.7	2.9	40.8	H
7048.6	45.43	4.4	41.03	H

RSE-11AC(80M)-CH106-8G-18G

Frequency (MHz)	Result (dB μ V/m)	ARpl (dB)	PMea (dB μ V/m)	Polarity
11735.4	49.7	10	39.7	H
12649.0	51.49	10.7	40.79	V
13462.4	50.77	11.3	39.47	V
15263.8	52.04	14.3	37.74	H
16308.6	51.89	16.1	35.79	V
17222.4	53.82	17.6	36.22	V

RSE-11AC(80M)-CH106-30M-1G

Frequency (MHz)	Result (dB μ V/m)	ARpl (dB)	PMea (dB μ V/m)	Polarity
33.4	12.1	-15.5	27.6	V
44.1	21.05	-12.4	33.45	V
105.1	16.92	-12.9	29.82	V
182.3	16.48	-14.5	30.98	V

Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
 Tel: 0086-23-88069965 FAX: 0086-23-88608777

275.1	18.94	-10.9	29.84	H
502.9	17.21	-5.7	22.91	H

RSE-11AC(80M)-CH155-1G-8G

Frequency (MHz)	Result (dB μ V/m)	ARpl (dB)	PMea (dB μ V/m)	Polarity
3826.6	46.01	2	44.01	H
4288.2	43.53	1.1	42.43	V
4793.2	43.42	1.5	41.92	H
6384.0	44.38	2.8	41.58	H
6678.2	45.44	3.9	41.54	H
7075.6	45.06	4.3	40.76	H

RSE-11N-CH100-30M-1G

Frequency (MHz)	Result (dB μ V/m)	ARpl (dB)	PMea (dB μ V/m)	Polarity
34.4	11.96	-15.2	27.16	V
52.7	11.81	-11.5	23.31	H
108.9	9.67	-12.9	22.57	V
196.8	10.36	-12.4	22.76	H
348.7	14.22	-8.5	22.72	H
798.3	21.77	-0.8	22.57	V

RSE-11N-CH100-8G-18G

Frequency (MHz)	Result (dB μ V/m)	ARpl (dB)	PMea (dB μ V/m)	Polarity
10276.6	48.51	7.6	40.91	V
12217.0	50.1	10.7	39.4	V
13715.6	52.52	11.6	40.92	H
14931.0	52.02	13.8	38.22	V
16364.6	51.37	16.3	35.07	V
17219.0	53.36	17.6	35.76	H

Chongqing Academy of Information and Communication Technology

Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
 Tel: 0086-23-88069965 FAX:0086-23-88608777

RSE-11N-CH100-1G-8G

Frequency (MHz)	Result (dB μ V/m)	ARpl (dB)	PMea (dB μ V/m)	Polarity
5816.2	45.31	2.1	43.21	H
6111.2	44.09	2.6	41.49	H
6437.0	45.52	2.9	42.62	H
6760.4	44.61	3.6	41.01	V
7172.4	44.92	4	40.92	V
7728.0	43.73	3.8	39.93	V

RSE-11N-CH60-30M-1G

Frequency (MHz)	Result (dB μ V/m)	ARpl (dB)	PMea (dB μ V/m)	Polarity
31.4	15.42	-15.7	31.12	V
36.1	22.23	-14.7	36.93	V
44.7	30.63	-12.2	42.83	V
168.5	20.05	-15	35.05	H
197.3	24.19	-12.5	36.69	H
300.6	26.97	-10.2	37.17	V

RSE-11N-CH60-8G-18G

Frequency (MHz)	Result (dB μ V/m)	ARpl (dB)	PMea (dB μ V/m)	Polarity
10601.0	55.3	7.6	47.7	H
12568.2	50.46	10.5	39.96	H
14037.8	51.23	12.4	38.83	H
15243.4	53.25	14.2	39.05	H
16313.0	52.64	16.1	36.54	V
17524.4	53.66	17.7	35.96	V

RSE-11N-CH60-8G-18G (Average)
Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
 Tel: 0086-23-88069965 FAX: 0086-23-88608777

Frequency (MHz)	Result (dBμV/m)	ARpl (dB)	PMea (dBμV/m)	Polarity
10601.0	44.8	7.6	37.2	H

RSE-11N-CH60-1G-8G

Frequency (MHz)	Result (dBμV/m)	ARpl (dB)	PMea (dBμV/m)	Polarity
5723.2	44.46	2.3	42.16	H
6052.2	43.63	2.4	41.23	H
6336.0	46.42	2.9	43.52	H
6744.0	45.52	3.7	41.82	H
7221.6	45.14	3.9	41.24	H
7756.4	45.75	4	41.75	H

RSE-11N-CH40-30M-1G

Frequency (MHz)	Result (dBμV/m)	ARpl (dB)	PMea (dBμV/m)	Polarity
31.8	12.21	-15.7	27.91	V
34.7	24.35	-15.1	39.45	V
63.9	25.22	-13.3	38.52	V
171.5	19.06	-14.9	33.96	H
206.5	20.78	-13.2	33.98	H
296.1	26.09	-10.3	36.39	V

RSE-11N(40M)-CH46-1G-8G

Frequency (MHz)	Result (dBμV/m)	ARpl (dB)	PMea (dBμV/m)	Polarity
3824.0	46.01	1.9	44.11	H
4272.8	43.94	1	42.94	H
4578.4	43.88	1.1	42.78	H
5766.4	42.83	2.3	40.53	V
6647.4	45.88	3.5	42.38	H
7298.0	44.7	4	40.7	H

Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
 Tel: 0086-23-88069965 FAX: 0086-23-88608777

RSE-11N(40M)-CH46-8G-18G

Frequency (MHz)	Result (dB μ V/m)	ARpl (dB)	PMea (dB μ V/m)	Polarity
10462.0	55.93	7.5	48.43	V
12533.2	50.7	10.4	40.3	V
14124.8	49.44	12.4	37.04	V
15689.6	50.33	14.6	35.73	V
16777.4	52.01	16.9	35.11	V
17596.8	54.29	17.7	36.59	V

RSE-11N(40M)-CH46-8G-18G (Average)

Frequency (MHz)	Result (dB μ V/m)	ARpl (dB)	PMea (dB μ V/m)	Polarity
10462.0	44.96	7.5	37.46	V
17596.8	42.87	17.7	25.17	V

RSE-11N(40M)-CH46-30M-1G

Frequency (MHz)	Result (dB μ V/m)	ARpl (dB)	PMea (dB μ V/m)	Polarity
34.8	22.33	-15.1	37.43	V
48.6	30.55	-11.8	42.35	V
61.1	26.92	-12.8	39.72	V
199.0	25.9	-12.4	38.3	V
279.4	25.83	-10.8	36.63	V
620.1	19.77	-2.5	22.27	V

RSE-11N(40M)-CH54-1G-8G

Frequency (MHz)	Result (dB μ V/m)	ARpl (dB)	PMea (dB μ V/m)	Polarity
5775.8	45.61	2.2	43.41	V
6158.4	44.78	2.8	41.98	H
6510.8	45.06	3	42.06	H

Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
 Tel: 0086-23-88069965 FAX: 0086-23-88608777

6921.6	46.23	3.9	42.33	V
7280.4	44.23	3.9	40.33	H
7777.8	45	4	41	V

RSE-11N(40M)-CH54-8G-18G

Frequency (MHz)	Result (dB μ V/m)	ARpl (dB)	PMea (dB μ V/m)	Polarity
10534.6	55.67	7.6	48.07	H
11725.0	48.97	10	38.97	H
13079.0	48.59	10.7	37.89	H
14011.8	50.16	12.4	37.76	H
15288.6	52.07	14.4	37.67	H
16968.6	54.59	17.4	37.19	V

RSE-11N(40M)-CH54-8G-18G (Average)

Frequency (MHz)	Result (dB μ V/m)	ARpl (dB)	PMea (dB μ V/m)	Polarity
10534.6	44.08	7.6	36.48	H
16968.6	43.69	17.4	26.29	V

RSE-11N(40M)-CH54-30M-1G

Frequency (MHz)	Result (dB μ V/m)	ARpl (dB)	PMea (dB μ V/m)	Polarity
32.5	17.73	-15.7	33.43	V
35.5	21.75	-14.8	36.55	V
48.6	31.42	-11.8	43.22	V
164.5	17.62	-15.6	33.22	H
199.0	26.49	-12.4	38.89	V
293.1	26.36	-10.5	36.86	V

RSE-11N(40M)-CH102-1G-8G

Frequency (MHz)	Result (dB μ V/m)	ARpl (dB)	PMea (dB μ V/m)	Polarity
-----------------	-----------------------	-----------	---------------------	----------

Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
 Tel: 0086-23-88069965 FAX: 0086-23-88608777

5814.2	44.53	2.1	42.43	V
6183.8	42.94	2.9	40.04	V
6547.2	45.08	3.1	41.98	H
6896.6	44.38	4	40.38	H
7350.8	44.22	3.9	40.32	V
7774.2	45.33	4	41.33	H

RSE-11N(40M)-CH102-8G-18G

Frequency (MHz)	Result (dB μ V/m)	ARpl (dB)	PMea (dB μ V/m)	Polarity
10720.8	47.1	7.5	39.6	H
12161.6	50.23	10.6	39.63	V
13730.6	49.53	11.7	37.83	V
15121.8	50.65	13.6	37.05	H
16312.2	51.61	16.1	35.51	H
17440.4	52.38	17.8	34.58	H

RSE-11N(40M)-CH102-30M-1G

Frequency (MHz)	Result (dB μ V/m)	ARpl (dB)	PMea (dB μ V/m)	Polarity
35.2	12.3	-15	27.3	V
51.7	11.42	-11.5	22.92	V
101.8	10.1	-12.8	22.9	H
250.0	11.84	-11.2	23.04	H
451.2	15.82	-6.8	22.62	H
795.7	21.94	-0.7	22.64	H

RSE-11AC(80M)-CH42-1G-8G

Frequency (MHz)	Result (dB μ V/m)	ARpl (dB)	PMea (dB μ V/m)	Polarity
3469.2	45.1	1.3	43.8	V
3860.4	44.34	1.8	42.54	V

Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
 Tel: 0086-23-88069965 FAX: 0086-23-88608777

4221.8	43.57	1.2	42.37	H
6388.2	44.3	2.8	41.5	V
7052.6	44.96	4.4	40.56	V
7470.0	44.81	3.4	41.41	H

RSE-11AC(80M)-CH42-8G-18G

Frequency (MHz)	Result (dB μ V/m)	ARpl (dB)	PMea (dB μ V/m)	Polarity
10437.2	47.61	7.6	40.01	H
12169.0	49.01	10.6	38.41	V
12910.4	50.48	11.2	39.28	H
14003.4	50	12.4	37.6	H
15219.4	51.47	14.1	37.37	H
16347.8	52.02	16.3	35.72	V

RSE-11AC(80M)-CH42-30M-1G

Frequency (MHz)	Result (dB μ V/m)	ARpl (dB)	PMea (dB μ V/m)	Polarity
32.1	10.18	-15.8	25.98	V
35.4	13.06	-14.8	27.86	V

RSE-11AC(80M)-CH58-1G-8G

Frequency (MHz)	Result (dB μ V/m)	ARpl (dB)	PMea (dB μ V/m)	Polarity
3535.0	44.79	1.2	43.59	H
3828.6	45.54	2	43.54	H
4175.6	44.17	1.1	43.07	H
5766.4	43.58	2.3	41.28	V
6395.0	43.99	2.8	41.19	H
7061.6	44.57	4.4	40.17	V

RSE-11AC(80M)-CH58-8G-18G
Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
 Tel: 0086-23-88069965 FAX: 0086-23-88608777

Frequency (MHz)	Result (dB μ V/m)	ARpl (dB)	PMea (dB μ V/m)	Polarity
9408.0	46.03	5.9	40.13	V
10609.0	54.05	7.6	46.45	V
12657.8	49.36	10.7	38.66	V
13750.8	51.18	11.7	39.48	V
15005.6	50.79	13.7	37.09	H
16366.2	51.13	16.3	34.83	V

RSE-11AC(80M)-CH58-8G-18G (Average)

Frequency (MHz)	Result (dB μ V/m)	ARpl (dB)	PMea (dB μ V/m)	Polarity
10609.0	41.74	7.6	34.14	V

RSE-11AC(80M)-CH58-30M-1G

Frequency (MHz)	Result (dB μ V/m)	ARpl (dB)	PMea (dB μ V/m)	Polarity
32.1	10.23	-15.8	26.03	V
33.6	11.81	-15.5	27.31	V
49.0	11.48	-11.8	23.28	H

RSE-11AC(80M)-CH106-1G-8G

Frequency (MHz)	Result (dB μ V/m)	ARpl (dB)	PMea (dB μ V/m)	Polarity
2922.2	44.89	1.7	43.19	H
3476.0	44.02	1.2	42.82	V
4162.2	44.85	1.2	43.65	V
6364.0	44.06	2.8	41.26	V
7095.0	45.46	4.2	41.26	V
7783.4	45.33	4	41.33	V

RSE-11AC(80M)-CH106-8G-18G

Frequency	Result	ARpl (dB)	PMea (dB μ V/m)	Polarity
-----------	--------	-----------	---------------------	----------

Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
 Tel: 0086-23-88069965 FAX: 0086-23-88608777



(MHz)	(dB μ V/m)			
9133.8	47.49	4.8	42.69	H
10483.2	46.4	7.5	38.9	H
11642.0	48.87	9.9	38.97	H
14003.0	49.13	12.4	36.73	H
14918.6	53.63	13.8	39.83	H
16305.0	53.96	16.1	37.86	V

RSE-11AC(80M)-CH106-30M-1G

Frequency (MHz)	Result (dB μ V/m)	ARpl (dB)	PMea (dB μ V/m)	Polarity
32.4	10.24	-15.8	26.04	V
35.3	12.15	-14.9	27.05	V
66.1	8.86	-14.1	22.96	V

Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
Tel: 0086-23-88069965 FAX: 0086-23-88608777



6.9 Frequency Stability

Manufacturers ensured the EUT meet the requirement of frequency stability, such that an emission is maintained within the band of operation under all conditions of normal operation as specified in the user's manual.(According to15.407(g)).



6.10 AC Powerline Conducted Emission

Method of Measurement: ANSI C63.10-2013-clause 6.2

1.The one EUT cable configuration and arrangement and mode of operation that produced the emission with the highest amplitude relative to the limit is selected for the final measurement, while applying the appropriate modulating signal to the EUT.

2.If the EUT is relocated from an exploratory test site to a final test site, the highest emissions shall be remaximized at the final test location before final ac power-line conducted emission measurements are performed.

3.The final test on all current-carrying conductors of all of the power cords to the equipment that comprises the EUT (but not the cords associated with other non-EUT equipment in the system) is then performed for the full frequency range for which the EUT is being tested for compliance without further variation of the EUT arrangement, cable positions, or EUT mode of operation.

4.If the EUT is comprised of equipment units that have their own separate ac power connections, e.g., floor-standing equipment with independent power cords for each shelf that are able to connect directly to the ac power network, each current-carrying conductor of one unit is measured while the other units are connected to a second (or more) LISN(s). All units shall be separately measured. If a power strip is provided by the manufacturer, to supply all of the units making up the EUT, only the conductors in the power cord of the power strip shall be measured.


If the EUT uses a detachable antenna, these measurements shall be made with a suitable dummy load connected to the antenna output terminals; otherwise, the tests shall be made with the antenna connected and, if adjustable, fully extended. When measuring the ac conducted emissions from a device that operates between 150 kHz and 30 MHz a non-detachable antenna may be replaced with a dummy load for the measurements within the fundamental emission band of the transmitter, but only for those measurements.

Record the six highest EUT emissions relative to the limit of each of the current-carrying conductors of the power cords of the equipment that comprises the EUT over the frequency range specified by the procuring or regulatory agency. Diagram or photograph the test setup that was used. See Clause 8 for full reporting requirements.

Measurement Uncertainty:

Measurement Uncertainty	1.97db (k=2)
-------------------------	--------------

Test Setup



Test

Condition

Voltage (V)	Frequency (Hz)
120	60

Measurement Result and limit:

(Quasi-peak-average Limit)


Frequency range (MHz)	Quasi-peak Limit (dB μ V)	Average Limit (dB μ V)	Conclusion
0.15 to 0.5	66 to 56	56 to 46	P
0.5 to 5	56	46	
5 to 30	60	50	

NOTE: The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.5 MHz.

CB06	/
------	---

Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
 Tel: 0086-23-88069965 FAX: 0086-23-88608777



Frequency (MHz)	QuasiPeak (dBµV)	Average (dµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Filter	Correction (dB)
0.235819	---	23.42	52.24	28.83	15000.0	9.000	L1	ON	9.6
0.235819	37.83	---	62.24	24.41	15000.0	9.000	L1	ON	9.6
0.433575	---	29.74	47.18	17.44	15000.0	9.000	N	ON	9.0
0.433575	41.05	---	57.18	16.13	15000.0	9.000	N	ON	9.0
0.515663	---	32.54	46.00	13.46	15000.0	9.000	N	ON	9.6
0.515663	41.25	---	56.00	14.75	15000.0	9.000	N	ON	9.6
0.754463	---	28.96	46.00	17.04	15000.0	9.000	N	ON	9.6
0.754463	37.79	---	56.00	18.21	15000.0	9.000	N	ON	9.6
1.866375	---	26.59	46.00	19.41	15000.0	9.000	N	ON	9.7
1.866375	35.04	---	56.00	20.96	15000.0	9.000	N	ON	9.7
4.209600	---	25.50	46.00	20.50	15000.0	9.000	N	ON	9.7
4.209600	33.10	---	56.00	22.90	15000.0	9.000	N	ON	9.7

Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
 Tel: 0086-23-88069965 FAX: 0086-23-88608777



Report No.: 123W00020-WIFI 5G RF

Annex A EUT Photos

See the document "I23W00020-External Photos".

See the document "I23W00020-Internal Photos".

Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
Tel: 0086-23-88069965 FAX: 0086-23-88608777



Report No.: 123W00020-WIFI 5G RF

ANNEX B Deviations from Prescribed Test Methods

No deviation from Prescribed Test Methods.

END OF REPORT

Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
Tel: 0086-23-88069965 FAX: 0086-23-88608777