

Test Report Serial No.:	082205O8F-T6	64-S24CW	Report Rev. No.:	Revision 0
Report Issue Date:	Oct. 01, 2005	Test Date(s):	May 26, August 22-	-26 & 30, 2005
Description of Test:	RF Exposure	SAR	FCC §2.1093	IC RSS-102

APPENDIX D - SAR TEST SETUP PHOTOGRAPHS


Applicant:	Palm	lm, Inc. FCC		O8FJIMI	IC ID:	3905A-JIMI	Model:	Treo XXX	Palm
DUT Type:	pe: Portable Dual-Band PCS/Cellular CDMA 2000 Phone with Bluetooth and 802.11b WLAN SDIO Card								
2005 Celltech Labs Inc. This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.							113 of 132		




Test Report Serial No.:	082205O8F-T6	64-S24CW	Report Rev. No.:	Revision 0
Report Issue Date:	Oct. 01, 2005	Test Date(s):	May 26, August 22-	-26 & 30, 2005
Description of Test:	RF Exposure	SAR	FCC §2.1093	IC RSS-102

HEAD SAR TEST SETUP PHOTOGRAPHS

Left Head Section / Cheek-Touch Position







Applicant:	Palm	, Inc.	FCC ID:	O8FJIMI	IC ID:	3905A-JIMI	Model:	Treo XXX	Pole
DUT Type:	Portal	ole Dual-	Band PCS/Ce	ellular CDMA 2	000 Phone v	ith Bluetooth and	802.11b WL	AN SDIO Card	
2005 Celltech L	elltech Labs Inc. This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.								114 of 13



Test Report Serial No.:	082205O8F-T6	64-S24CW	Report Rev. No.:	Revision 0	
Report Issue Date:	Oct. 01, 2005	Test Date(s):	May 26, August 22-	-26 & 30, 2005	
Description of Test:	RF Exposure	SAR	FCC §2.1093	IC RSS-102	

HEAD SAR TEST SETUP PHOTOGRAPHS

Left Head Section / Ear-Tilt Position (15°)







Applicant:	Palm	, Inc.	FCC ID:	O8FJIMI	IC ID:	3905A-JIMI	Model:	Treo XXX	Pole
DUT Type:	Portable Dual-Band PCS/Cellular CDMA 2000 Phone with Bluetooth and 802.11b WLAN SDIO Card								
2005 Celltech L	litech Labs Inc. This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.							115 of 132	



Test Report Serial No.:	082205O8F-T6	64-S24CW	Report Rev. No.:	Revision 0	
Report Issue Date:	Oct. 01, 2005	Test Date(s):	May 26, August 22-26 & 30, 2005		
Description of Test:	RF Exposure	SAR	FCC §2.1093	IC RSS-102	

HEAD SAR TEST SETUP PHOTOGRAPHS Right Head Section / Cheek-Touch Position







Applicant:	Palm,	Inc.	FCC ID:	O8FJIMI	IC ID:	3905A-JIMI	Model:	Treo XXX	Pole
DUT Type:	Portabl	Portable Dual-Band PCS/Cellular CDMA 2000 Phone with Bluetooth and 802.11b WLAN SDIO Card							
2005 Celltech L	Labs Inc. This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.						116 of 132		



Test Report Serial No.:	082205O8F-T6	64-S24CW	Report Rev. No.:	Revision 0
Report Issue Date:	Oct. 01, 2005	Test Date(s):	May 26, August 22-	-26 & 30, 2005
Description of Test:	RF Exposure	SAR	FCC §2.1093	IC RSS-102

HEAD SAR TEST SETUP PHOTOGRAPHS

Right Head Section / Ear-Tilt Position (15°)







Applicant:	Palm	, Inc.	FCC ID:	O8FJIMI	IC ID:	3905A-JIMI	Model:	Treo XXX	Pollo
DUT Type:	Portable Dual-Band PCS/Cellular CDMA 2000 Phone with Bluetooth and 802.11b WLAN SDIO Card							•	
2005 Celltech L	relltech Labs Inc. This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.							117 of 132	





Test Report Serial No.:	082205O8F-T6	64-S24CW	Report Rev. No.:	Revision 0
Report Issue Date:	Oct. 01, 2005	Test Date(s):	May 26, August 22-	-26 & 30, 2005
Description of Test:	RF Exposure	SAR	FCC §2.1093	IC RSS-102

BODY-WORN SAR TEST SETUP PHOTOGRAPHS

DUT with Fitted Leather Pouch and Swivel Belt-Clip (SKU#3179WW), & Generic Ear-Microphone Accessories (2.5 cm Fitted Pouch & Swivel Belt-Clip Separation Distance from Back Side of DUT to Planar Phantom)

(3.5 cm Separation Distance from Back of 802.11b SDIO Card to Planar Phantom)










Applicant:	Palm	, Inc.	FCC ID:	O8FJIMI	IC ID:	3905A-JIMI	Model:	Treo XXX	Oct of		
DUT Type:	Portab	Portable Dual-Band PCS/Cellular CDMA 2000 Phone with Bluetooth and 802.11b WLAN SDIO Card									
2005 Celltech L	5 Celltech Labs Inc. This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.							118 of 132			




Test Report Serial No.:	082205O8F-T6	64-S24CW	Report Rev. No.:	Revision 0	
Report Issue Date:	Oct. 01, 2005	Test Date(s):	May 26, August 22-26 & 30, 2005		
Description of Test:	RF Exposure	SAR	FCC §2.1093	IC RSS-102	

BODY-WORN SAR TEST SETUP PHOTOGRAPHS

DUT with 1.5 cm Air-Gap Spacing from Front Keypad Side to Planar Phantom 2.5 cm Separation Distance from Front of 802.11b SDIO Card to Planar Phantom With Generic Ear-Microphone Accessory










Applicant:	Palm	, Inc.	FCC ID:	O8FJIMI	IC ID:	3905A-JIMI	Model:	Treo XXX	Pole
DUT Type: Portable Dual-Band PCS/Cellular CDMA 2000 Phone with Bluetooth and 802.11b WLAN SDIO Card									
2005 Celltech Labs Inc. This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.					119 of 132				





Test Report Serial No.:	082205O8F-T6	664-S24CW	Report Rev. No.:	Revision 0	
Report Issue Date:	Oct. 01, 2005	Test Date(s):	May 26, August 22-26 & 30, 2005		
Description of Test:	RF Exposure	SAR	FCC §2.1093	IC RSS-102	

BODY-WORN SAR TEST SETUP PHOTOGRAPHS

DUT with 1.5 cm Air-Gap Spacing from Back Side of DUT to Planar Phantom 2.5 cm Separation Distance from Back of 802.11b SDIO Card to Planar Phantom With Generic Ear-Microphone Accessory









Applicant:	Palm, In	ic. FCC ID:	O8FJIMI	IC ID:	3905A-JIMI	Model:	Treo XXX	Pogler)
DUT Type: Portable Dual-Band PCS/Cellular CDMA 2000 Phone with Bluetooth and 802.11b WLAN SDIO Card								
2005 Celltech Labs Inc. This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.					120 of 132			