

Date: 2003-04-14

TEST REPORT

Page 1 of 23

No.: HM109126

FCC PART 15 SUBPART C CERTIFICATION REPORT

FOR LOW POWER TRANSMITTER

TEST REPORT No.: HM109126

Equipment Under Test [EUT]:

Radiofrequency Electronic Anti-shoptheft

System

Model Number:

EG909

Applicant:

Shenzhen Ronghua Electronic Co., Ltd.

FCC ID:

QQ7EGUARDEAS02

10 Dai Wang Street. Taipo Industrial Estate, N. T., Hong Kong Tel: (852) 2666 1888 Fax: (852) 2664 4353 Homepage: www.hkstc.org F-mail·hkstc@hkstc.com





Date: 2003-04-14 **TEST REPORT** Page 2 of 23

No.: HM109126

CONTENT:

	Cover Content Conclusion	Page 1 of 23 Page 2-3 of 23 Page 4 of 23
<u>1.0</u>	General Details	
1.1	Test Laboratory	Page 5 of 23
1.2	Applicant Details Applicant HKSTC Code Number for Applicant Manufacturer	Page 5 of 23
1.3	Equipment Under Test [EUT] Description of EUT operation	Page 6 of 23
1.4	Date of Order	Page 6 of 23
1.5	Submitted Sample	Page 6 of 23
1.6	Test Duration	Page 6 of 23
1.7	Country of Origin	Page 6 of 23
1.8	Additional Information of EUT	Page 7 of 23
2.0	Technical Details	
2.1	Investigations Requested	Page 8 of 23
2.2	Test Standards and Results Summary	Page 8 of 23
<u>3.0</u>	Test Results	
3.1	Emission	Page 9-15 of 23
3.2	Bandwidth Measurement	Page 16-17 of 23



Date: 2003-04-14 **TEST REPORT** Page 3 of 23

No.: HM109126

Appendix A

List of Measurement Equipment Page 18 of 23

Appendix B

Duty Cycle Correction During 100 msec Page 19-21 of 23

Appendix C

Photographs Page 22-23 of 23



Date: 2003-04-14

TEST REPORT

Page 4 of 23

No.: HM109126

CONCLUSION

The submitted product was deemed to have **COMPLIED** after modification by customer with the requirements of Federal Communications Commission [FCC] Rules and Regulations Part 15. The tests were performed in accordance with the standards described above and on Section 2.2 in this Test Report.

Verify by

Patrick Wong for Chief Executive

mail. bleata@bleata aam



Date: 2003-04-14 **TEST REPORT** Page 5 of 23

No.: HM109126

<u>1.0</u> **General Details**

1.1 **Test Laboratory**

The Hong Kong Standards and Testing Centre Ltd. **EMC Laboratory** 10 Dai Wang Street, Taipo Industrial Estate New Territories, Hong Kong

Telephone:

852 2666 1888

Fax:

852 2664 4353

1.2 **Applicant Details Applicant**

SHENZHEN RONGHUA ELECTRONIC CO., LTD. 3/F., Bldg. 524, Bagualing Shenzhen

Telephone:

86 755 8226 1223

Fax:

86 755 8226 2665

HKSTC Code Number for Applicant

SZR003

Manufacturer

SHENZHEN RONGHUA ELECTRONIC CO., LTD. 3/F., Bldg. 524, Bagualing Shenzhen

Telephone:

86 755 8226 1223

Fax:

86 755 8226 2665



Date: 2003-04-14

TEST REPORT

Page 6 of 23

No.: HM109126

Equipment Under Test [EUT] 1.3 **Description of Sample**

Product:

Radiofrequency Electronic Anti-shoptheft System

Manufacturer:

Shenzhen Ronghua Electronic Co., Ltd.

Brand Name: Model Number: **eGUARD**

EG909

Input Voltage:

120Va.c 60Hz

1.3.1 **Description of EUT Operation**

The Equipment Under Test(EUT) is an Shenzhen Ronghua Electronic Co., Ltd., Radiofrequency Electronic Anti-shoptheft System. The transmitter is a 1 button transmitter. The EUT continues to transmit while button is being switch on, Modulation by IC. and tape is pulse modulation.

1.4 **Date of Order**

2002-10-25

1.5 Submitted Sample(s):

4 Samples per model

1.6 **Test Duration**

2003-03-31

1.7 Country of Origin

China

Tel: (852) 2666 1888 Fax: (852) 2664 4353 Homepage: www.hkstc.org



Date: 2003-04-14

TEST REPORT

Page 7 of 23

No.: HM109126

1.8 Additional Information of EUT

User Manual	
Part List	
Circuit Diagram	
Printed Circuit Board [PCE	3] Layout
Block diagram	
FCC ID Label	

Submitted	Not Available
\boxtimes	
$\overline{\boxtimes}$	
$\overline{\boxtimes}$	Ħ
$\overline{\boxtimes}$	Ħ
$\overline{\boxtimes}$	一
☒	Ħ
lime-ell	

E mail blata abkata sam



Date: 2003-04-14

TEST REPORT

Page 8 of 23

No.: HM109126

<u>2.0</u> **Technical Details**

2.1 **Investigations Requested**


Perform ElectroMagnetic Interference measurement in accordance with FCC 47CFR [Codes of Federal Regulations] Part 15 and ANSI C63.4:2000 for FCC Certification.

Test Standards and Results Summary Tables 2.2

EMISSION Results Summary									
Test Condition	Test Condition Test Requirement Test Method Class / Test Result								
			Severity	Pass	Failed	N/A			
Field Strength of Fundamental Emissions	FCC 47CFR 15.223	ANSI C63.4:2000	N/A	\boxtimes					
Radiated Emissions, 30MHz to 1GHz	FCC 47CFR 15.209	ANSI C63.4:2000	Class B	☒					
Conducted Emissions on AC, 0.15MHz to 30MHz	FCC 47CFR 15.207	ANSI C63.4:2000	Class B	×					

Note: N/A - Not Applicable

E mailibleta@bleta com





Date: 2003-04-14 TEST REPORT Page 9 of 23

No.: HM109126

<u>3.0</u> **Test Results**

3.1 **Emission**

Radiated Emissions 3.1.1

Test Requirement: Test Method: Test Date:

Mode of Operation:


FCC 47CFR 15.223 ANSI C63.4:2000 2003-03-31 On mode

Test Method:

The sample was placed 0.8m above the ground plane on the OATS *. Measurements in both horizontal and vertical polarities were performed. During the test, each emission was maximized by: having the EUT continuously working, investigate all operating modes, rotated about all 3 axis (X, Y & Z) to obtain worst position, manipulating interconnecting cables, rotating turntable, varying antenna height from 1m to 4m in both horizontal and vertical polarizations. For the Loop antenna, it would be rotated per 45 degree. The emissions worstcase are shown in Test Results of the following pages.

OATS [Open Area Test Site] located at HKSTC with a metal ground plane on filed with the FCC pursuant to section 2.948 of the FCC rules, with Registration Number: 90657.

Test Setup:



Conditions in issuance of Test Report

1. This Report is issued in confidence to the client and it will be strictly treated as such by the Hong Kong Standards and Testing Centre Ltd. It may not be reproduced either in its entirety or in part and it may not be used for advertising. The client to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Hong Kong Standards and Testing Centre Ltd. to his customer, supplier or other persons directly concerned. The Hong Kong Standards and Testing Centre Ltd. will not, without the consent of the client, enter into any discussion of correspondence with any third party concerning the contents of the Report. 2. The report refers only to the sample tested and does not apply to the bulk, unless the sampling has been carried out by the Hong Kong Standards and Testing Centre Ltd. and is stated as such in the Report. 3. In the event of the improper use of the report, the Hong Kong Standards and Testing Centre Ltd. reserves the rights to without it, and to adopt any other remedies which may be appropriate. 4. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Hong Kong Standards and Testing Centre Ltd. 5. The Hong Kong Standards and Testing Centre Ltd. 4. The Hong Kong Standards and Testing Centre Ltd. 5. The Hong Kong Standards and Testing Centre Ltd. 5. The Hong Kong Standards and Testing Centre Ltd. 5. The Hong Kong Standards and Testing Centre Ltd. 5. The Hong Kong Standards and Testing Centre Ltd. 5. The Hong Kong Standards and Testing Centre Ltd. 5. The Hong Kong Standards and Testing Centre Ltd. 5. The Hong Kong Standards and Testing Centre Ltd. 5. The Hong Kong Standards and Testing Centre Ltd. 5. The Hong Kong Standards and Testing Centre Ltd. 5. The Hong Kong Standards and Testing Centre Ltd. 5. The Hong Kong Standards and Testing Centre Ltd. 5. The Hong Kong Standards and Testing Centre Ltd. 5. The Hong Kong

香港新界大埔工業邨大宏街10號 10 Dai Wang Street, Taipo Industrial Estate, N. T., Hong Kong Tel: (852) 2666 1888 Fax: (852) 2664 4353 Homepage: www.hkstc.org

E-mail hketo@hketo com



No.: HM109126

Limits for Field Strength of Fundamental Emissions [FCC 47CFR 15.223]:

Frequency Range of	Field Strength of	Field Strength of
Fundamental	Fundamental Emission	Fundamental Emission
	[Peak]	[Average]
[MHz]	[μV/m]	[μV/m]
1.705-10.00	10,000	1,000

Results:

	Field Strength of Fundamental Emissions Peak Value							
Frequency	Frequency Measured Correction Field Field Limit @3m Antenna							
	Level @3m Factor Strength Strength Polarity							
MHz	MHz dBμV/m dBμV/m μV/m μV/m							
9.50	46.7	11.2	57.9	785.2	10,000	Horizontal		

Field Strength of Fundamental Emissions Average								
Frequency	Frequency Measured Correction Field Field Limit @3m Antenna							
	Level @3m Factor Strength Strength Polarity							
MHz	MHz $dB\mu V/m$ $dB\mu V/m$ $dB\mu V/m$ $\mu V/m$ $\mu V/m$							
9.50	19.4	11.2	30.6	33.9	1,000	Horizontal		

According to FCC 47CFR15.35, the limit on the radio frequency emissions as measured using instrumentation with a peak detector function, corresponding to 20dB above the maximum permitted average limit for the frequency being investigated unless a different peak emission limit is otherwise specified in the rules.

Remarks:

*: Adjusted by Duty Cycle = -27.36dB

*: Linear interpolations

Correction Factor included Antenna Factor and Cable Attenuation.

Calculated measurement uncertainty = 30MHz to 300MHz

300MHz to 1GHz

±3.7dB +3.0dB / -2.7dB

Conditions in issuance of Test Repor

Conditions in issuance of test Report

This Report is issued in confidence to the client and it will be strictly treated as such by the Hong Kong Standards and Testing Centre Ltd. It may not be reproduced either in its entirety or in part and it may not be used for advertising. The client to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Hong Kong Standards and Testing Centre Ltd. It has been consented to the client, enter into any discussion of correspondence with any third party concerning the contents of the Report. 2. The report refers only to the sample tested and does not apply to the bulk unless the sampling has been carried out by the Hong Kong Standards and Testing Centre Ltd. and is stated as such in the Report. 3. In the event of the improper use of the report, the Hong Kong Standards and Testing Centre Ltd. reserves the rights to without it, and to adopt any other remedies which may be appropriate. 4. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Hong Kong Standards and Testing Centre Ltd. 5. The Hong Kong Standards and Testing Centre Ltd. will not be liable for or accept responsibility for any loss or damage howsoever arising from the use of information contained in any of its Reports or investigations. 8. Applicants wishing to use the Report in court proceedings or arbitration shall inform the Hong

香港新界大埔工業邨大宏街10號 10 Dai Wang Street, Taipo Industrial Estate, N. T., Hong Kong Tel: (852) 2666 1888 Fax: (852) 2664 4353 Homepage: www.hkstc.org

E mail bleta@bleta cam



Date: 2003-04-14

TEST REPORT

Page 11 of 23

No.: HM109126

Limited for Radiated Emissions [FCC 47 CFR 15.209 Class B]:

Frequency Range [MHz]	Quasi-Peak Limits [μV/m]
1.705-30	300
30-88	100
88-216	150
216-960	200
Above960	500

The emission limits shown in the above table are based on measurement employing a CISPR quasipeak detector and above 1000MHz are based on measurements employing an average detector.

Results:

Radiated Emissions Quasi-Peak								
Frequency Measured Correction Field Field Limit @3m Antenn								
	Level @3m	Factor	Strength	Strength		Polarity		
MHz	dBμV/m	dBμV/m	dBμV/m	μV/m	μV/m			
28.57	19.2	21.0	40.2	102.3	100	Horizontal		
38.20	15.1	14.4	29.5	29.9	100	Horizontal		
126.10	26.4	9.8	36.2	64.6	150	Horizontal		
158.40	20.1	11.6	31.7	38.5	150	Horizontal		
209.40	18.4	12.6	31.0	35.5	150	Horizontal		
226.70	19.3	13.8	33.1	45.2	200	Horizontal		
255.41	17.6	14.8	32.4	41.7	200	Horizontal		

Remarks:

Linear interpolations

Correction Factor included Antenna Factor and Cable Attenuation.

Calculated measurement uncertainty

30MHz to 300MHz 300MHz to 1GHz

±3.7dB

+3.0dB / -2.7dB

Conditions in issuance of Test Report

1. This Report is issued in confidence to the client and it will be strictly treated as such by the Hong Kong Standards and Testing Centre Ltd. It may not be reproduced. 1. This Report is issued in confidence to the client and it will be strictly treated as such by the Hong Kong Standards and Testing Centre Ltd. It may not be reproduced either in its entirety or in part and it may not be used for advertising. The client to whom the Report it issued may, however, show or send it, or a certified copy thereof prepared by the Hong Kong Standards and Testing Centre Ltd. to his customer, supplier or other persons directly concerned. The Hong Kong Standards and Testing Centre Ltd. will not, without the consent of the client, enter into any discussion of correspondence with any third party concerning the contents of the Report. 2. The report refers only to the sample tested and does not apply to the bulk, unless the sampling has been carried by the Hong Kong Standards and Testing Centre Ltd. and is stated as such in the Report. 3. In the event of the improper use of the report, the Hong Kong Standards and Testing Centre Ltd. reserves the rights to withdraw it, and to adopt any other remedies which may be appropriate. 4, Samples submitted for testing are accepted the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Hong Kong Standards and Testing Centre Ltd. 5. The Hong Kong Standards and Testing Centre Ltd. will not be liable for or accept responsibility for any loss or damage howsoever arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations, 5. Applications wishing to use the Report in court proceedings or arbitration shall inform the Hong Kong Standards and Testing Centre Ltd. In that offect noise to submitting the sample for testing.

香港新界大埔工業邨大宏街10號 10 Dai Wang Street, Taipo Industrial Estate, N. T., Hong Kong Tel: (852) 2666 1888 Fax: (852) 2664 4353 Homepage: www.hkstc.org E mail blata@blata aam



Date: 2003-04-14 **TEST REPORT** Page 12 of 23

No.: HM109126

3.1.1 Conducted Emissions (0.15MHz to 30MHz)

Test Requirement:

FCC 47CFR 15.207

Test Method:

ANSI C63.4:2000

Test Date:

2003-03-31


Mode of Operation:

On mode

Test Method:

The test was performed in accordance with ANSI C63.4:2000, with the following: an initial measurement was performed in peak and average detection mode on the live line. Any emissions recorded within 30dB of the relevant limit line were re-measured using quasi-peak and average detection on the live and neutral lines with the worst case recorded in the table of results.

Test Setup:



Fax: (852) 2664 4353 Homepage: www.hkstc.org

mail. blata@blata aam





Date: 2003-04-14

TEST REPORT

Page 13 of 23

No.: HM109126


Limit for Conducted Emissions (FCC 47 CFR 15.207):

Frequency Range [MHz]	Quasi-Pea [dB ₁	
	Quasi Peak	Average
0.15-0.5	66-56*	56-46*
0.5-5	56	46
5-30	60	50

^{*}Decreases with the Logarithm of the Frequency

Limits for Conducted Emissions Test, please refer to limit lines (Quasi-Peak and Average) in the following diagram labelled as (QP and AV).

Results:





Date: 2003-04-14

TEST REPORT

Page 14 of 23

No.: HM109126

Result:

Conductor	Frequency	Quas	i-Peak	Ave	rage
Live or Neutral	MHz	Level dBμV/m	Limit dBµV/m	Level dB _µ V/m	Limit dBμV/m
Live	18.270	36.2	60	_*_	_*_
Live	18.540	36.0	60	_*_	_*_
Live	18.870	38.3	60	_*_	_*_
Live	18.975	37.7	60	_*_	_*_
Live	19.140	39.3	60	_*_	_*_
Live	19.250	39.3	60	_*_	_*_
Live	19.305	41.9	60	_*_	_*_
Live	19.415	42.7	60	_*_	_*_
Live	19.470	43.6	60	_*_	_*_
Live	19.630	44.0	60	_*_	_*_
Live	19.685	45.2	60	_*_	_*-
Live	19.740	40.9	60	_*_	_*_
Live	19.850	42.7	60	_*_	_*_
Live	19.905	42.6	60	_*_	_*_
Live	19.630	_*_	_*-	11.5	50
Live	19.960	42.8	60	_*_	_*-
Live	20.015	41.3	60	_*_	_*_
Live	20.070	42.9	60	_*_	_*_

Conditions in issuance of Test Report

1. This Report is issued in confidence to the client and it will be strictly treated as such by the Hong Kong Standards and Testing Centre Ltd. It may not be reproduced either in its entirety or in part and it may not be used for advertising. The client to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Hong Kong Standards and Testing Centre Ltd. will not, without the consent of the client, enter into any discussion of correspondence with any third party concerning the contents of the Report. 2. The report refers only to the sample tested and does not apply to the bulk, unless the sampling has been carried out by the Hong Kong Standards and Testing Centre Ltd. and is stated as such in the Report. 3. In the event of the improper use of the report, the Hong Kong Standards and Testing Centre Ltd. and to adopt any other remedies which may be appropriate. 4. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Hong Kong Standards and Testing Centre Ltd. will not be liable for or accept responsibility for any loss or dramage howsever anising from the use information contained in any of its Reports or in any communication whatsoever about its said tests or investigations. 8. Applicants wishing to use the Report in court proceedings or arbitration shall inform the Hong Standards and Testing Centre Ltd.



Date: 2003-04-14

TEST REPORT

Page 15 of 23

No.: HM109126

Result:

Conductor	Frequency	Quasi-Peak		Ave	rage
Live or Neutral	MHz	Level dBμV/m	Limit dBμV/m	Level dBμV/m	Limit dBμV/m
Neutral	0.515	_*_	_*_	14.8	46
Neutral	0.59	_*_	_*_	13.3	46
Neutral	0.755	_*_	_*_	9.9	46
Neutral	19.085	37.1	60	_*_	_*_
Neutral	26.350	34.6	60	_*_	_*-
Neutral	28.420	35.4	60	_*_	_*_
Neutral	29.295	_*_	_*_	8.1	50

Remarks:

Calculated measurement uncertainty = ±2.3dB

E mail blata@blata cam



Date: 2003-04-14

TEST REPORT

Page 16 of 23

No.: HM109126

6dB Bandwidth of Fundamental Emission 3.2

Test Requirement:

FCC 47 CFR 15.227

Test Method:

ANSI C63.4:2000 (Section 13.1.7)

Test Date:

2003-03-31

Mode of Operation:

On mode

Test Method:

The bandwidth is measured at an amplitude level reduced from the reference level by a specified ratio. The reference level is the level of the highest amplitude signal observed from the transmitter at the fundamental frequency. Once the reference level is established, the equipment is conditioned with typical modulating signal to produce the worst-case (i.e. the widest) bandwidth.

Test Setup:

As Test Setup of clause 3.1.1 in this test report.

Fimail hketc@hketc.com



Date: 2003-04-14

TEST REPORT


Page 17 of 23

No.: HM109126

Limits for 6 dB Bandwidth of Fundamental Emission:

Frequency Range [MHz]	26dB Bandwidth [KHz]	FCC Limits * [KHz]
9.5	960	within 1.705-10

6dB Bandwidth of Fundamental Emission



Conditions in issuance of Test Report

1. This Report is issued in confidence to the client and it will be strictly treated as such by the Hong Kong Standards and Testing Centre Ltd. It may not be reproduced either in its entirety or in part and it may not be used for advertising. The client to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Hong Kong Standards and Testing Centre Ltd. In his customer supplier or other persons directly concerned. The Hong Kong Standards and Testing Centre Ltd. will not, without the consent of the client, enter into any discussion of correspondence with any third party concerning the contents of the Report. 2. The report refers only to the sample tested and does not apply to the bulk, unless the sampling has been carried out by the Hong Kong Standards and Testing Centre Ltd. and is stated as such in the Report. 3. In the event of the improper use of the report, the Hong Kong Standards and Testing Centre Ltd. reserves the rights to without it, and to adopt any other remedies which may be appropriate. 4. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Hong Kong Standards and Testing Centre Ltd. 5. The Hong Kong Standards and Testing Centre Ltd. will not be liable for or accept responsibility for any loss or damage howsoever arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations. 6. Applicants wishing to use the Report in court proceedings or arbitration shall inform the Hong Kong Standards and Testing Centre Ltd. In that offset prize to submitting the sample for Lesting.

香港新界大埔工業邨大宏街10號 10 Dai Wang Street, Taipo Industrial Estate, N. T., Hong Kong Tel: (852) 2666 1888 Fax: (852) 2664 4353 Homepage: www.hkstc.org E mail hketa@hketa cam



Date: 2003-04-14

TEST REPORT

Page 18 of 23

No.: HM109126

Appendix A

Test Equipment Audit

Radiated Emission

EQP NO.	DESCRIPTION	MANUFACTURER	MODEL NO.	SERIAL NO.	LAST CAL
EM007	SPECTRUM ANALYZER	HEWLETT PACKARD	HP85660B	3144A21192	07/09/01
EM008	SPECTRUM ANALYZER DISPLAY	HEWLETT PACKARD	HP85662A	3144A20514	07/09/01
EM009	QUASI PEAK ADAPTOR	HEWLETT PACKARD	HP85650A	3303A01702	07/09/01
EM010	RF PRESELECTOR	HEWLETT PACKARD	HP85685A	3221A01410	07/09/01
EM011	ATTENNUATOR/SWITCH	HEWLETT PACKARD	HP11713A	2508A10595	07/09/01
EM012	PRE-AMPLIFIER	HEWLETT PACKARD	HP8449B	3008A00262	07/09/01
EM013	CONTROLLER (COMPUTER), COLOR MONITOR, KEYBOARD & MOUSE FLOPPY DRIVE	HEWLETT PACKARD HEWLETT PACKARD HEWLETT PACKARD	HP9000 HP A1097C HP9133L	6226A60314 3151J39517 2623A02468	СМ
EM020	HORN ANTENNA	EMCO	3115	4032	19/07/00
EM022	LOOP ANTENNA	EMCO	6502	1189-2424	04/08/00
EM072	SIGNAL GENERATOR	HEWLETT PACKARD	8640B	1948A11892	N/A
EM083	HKSTC OPEN AREA TEST SITE	HKSTC	N/A	N/A	14/02/02
EM131	PORTABLE SPECTRUM ANALYSER	HEWLETT PACKARD	8595EM	3710A00155	18/12/01
EM145	EMI TEST RECEIVER	R&S	ESCS 30	830245/021	22/07/02
EM194	BICONILOG ANTENNA	EMCO	3142B	1795	14/05/02
EM195	ANTENNA POSITIONING MAST	EMCO	2075	2368	N/A
EM196	MULTI-DEVICE CONTROLLER	EMCO	2090	1662	N/A

Conducted Emission

EQP NO.	DESCRIPTION	MANUFACTURER	MODEL NO.	SERIAL NO.	LAST CAL
EM078	VARIAC	SHANGHAI VOLTAGE	TDGC-3/0.5	N/A	СМ
EM081	SMALL SCREENED ROOM	MIKO INST HK	N/A	N/A	04/10/01
EM119	LISN	R&S	ESH3-Z5	0831.5518.52	31/08/00
EM127	ISOLATION TRANSFORMER 220 TO 300	WING SUN	N/A	N/A	СМ
EM142	PULES LIMITER	R&S	ESH3Z2	357.8810.52	04/07/01
EM181	EMI TEST RECEIVER	R&S	ESIB7	100072	28/11/01
EM154	SHIELDING ROOM	SIEMENA MATSUSHITA COMPONENTS	N/A	803-740-057- 99A	02/01/02
EM197	LISN	EMCO	4825/2	1193	28/03/02

Remarks:

CM

Corrective Maintenance

N/A

Not Applicable or Not Available

TBD

To Be Determined

Conditions in issuance of Test Report

1. This Report is issued in confidence to the client and it will be strictly treated as such by the Hong Kong Standards and Testing Centre Ltd. It may not be reproduced 1. This Report is issued in confidence to the client and it will be strictly treated as such by the Hong Kong Standards and Testing Centre Ltd. It may not be reproduced their in its entirety or in part and it may not be used for advertising. The client to whom the Report is issuen, however, show or send it, or a certified copy thereof prepared by the Hong Kong Standards and Testing Centre Ltd. It is not in the standards and Testing Centre Ltd. It is not in the same properties of the Hong Kong Standards and Testing Centre Ltd. will not, without the consent of the client, enter into any discussion of correspondence with any third party concerning the contents of the Report. 2. The report refers only to the sample tested and does not apply to the bulk, unless the sampling has been carried out by the Hong Kong Standards and Testing Centre Ltd. and is stated as such in the Report. 3. In the event of the improper use of the report, the Hong Kong Standards and Testing Centre Ltd. reserves the rights to withdraw it, and to adopt any other remedies which may be appropriate. 4. Samples submitted for testing are acceptating that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Hong Kong Standards and Testing Centre Ltd. Similar than the standards and Testing Centre Ltd. Will not be liable for or accept responsibility for any loss or damage howseever ansing from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations. 5. Applicants wishing to use the Report in court proceedings or arbitration shall inform the Hong Kong Standards and Testing Centre Ltd.

香港新界大埔工業邨大宏街10號 10 Dai Wang Street,

Taipo Industrial Estate, N. T., Hong Kong Tel : (852) 2666 1888

Fax: (852) 2664 4353 Homepage: www.hkstc.org mail. blota@blota aan



Date: 2003-04-14

TEST REPORT

Page 19 of 23

No.: HM109126

Appendix B


Duty Cycle Correction During 100msec

Each function key sends a different series of characters, but each packet period (62.475msec) never exceeds a series of 9 long (300µsec) or short pules. Assuming any combination of short and long pules may be obtained due to encoding the worse case transmit duty cycle would be considered 9 x 300µsec per 62.475msec=4.32% duty cycle. Figure A through C show the characteristics of the pulse train for one of these function.

Remarks:

Duty Cycle Correction = 20Log(0.0432) =-27.3dB

mail hkata@hkata aam





Date: 2003-04-14

TEST REPORT

Page 20 of 23

No.: HM109126

The following figures [Figure A to Figure D] showed the characteristics of the pulse train for one of these functions.

Figure A [Pulse Train]





Figure B [Long & Short Pulse]



Conditions in issuance of Test Report

1. This Report is issued in confidence to the client and it will be strictly treated as such by the Hong Kong Standards and Testing Centre Ltd. It may not be reproduced either in its entirety or in part and it may not be used for advertising. The client to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Hong Kong Standards and Testing Centre Ltd. to his customer, supplier or other persons directly concerned. The Hong Kong Standards and Testing Centre Ltd. will not, without the consent of the client, enter into any discussion of correspondence with any third party concerning the contents of the Report. 2. The report refers only to the sample tested and does not apply to the bulk, unless the sampling has been carried out by the Hong Kong Standards and Testing Centre Ltd. and is stated as such in the Report. 3. In the event of the improper use of the report, the Hong Kong Standards and Testing Centre Ltd. reserves the rights to withdraw it, and to adopt any other remedies which may be appropriate. 4. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Hong Kong Standards and Testing Centre Ltd. 5. The Hong Kong Standards and Testing Centre Ltd. 5. The Hong Kong Standards and Testing Centre Ltd. 5. The Hong Kong Standards and Testing Centre Ltd. 5. The Hong Kong Standards and Testing Centre Ltd. 5. The Hong Kong Standards and Testing Centre Ltd. 5. The Hong Kong Standards and Testing Centre Ltd. 5. The Hong Kong Standards and Testing Centre Ltd. 5. The Hong Kong Standards and Testing Centre Ltd. 5. The Hong Kong Standards and Testing Centre Ltd. 5. The Hong Kong Standards and Testing Centre Ltd. 5. The Hong Kong Standards and Testing Centre Ltd. 5. The Hong Kong Standards and Testing Centre Ltd. 5. The Hong Kong Standards and Testing Centre Ltd. 5. The Hong Kong Standards and Testing Centre Ltd. 5. The Hong Kon

香港新界大埔工業邨大宏街10號 10 Dai Wang Street, Taipo Industrial Estate, N. T., Hong Tel: (852) 2666 1888 Fax: (852) 2664 4353 Homepage: www.hkstc.org E mail hkata@hkata cam





Date: 2003-04-14

TEST REPORT

Page 21 of 23

No.: HM109126

Figure C [Stop Frequency 9.88MHz]





Figure D [Start Frequency 8.92MHz]



Conditions in issuance of Test Report

1. This Report is issued in confidence to the client and it will be strictly treated as such by the Hong Kong Standards and Testing Centre Ltd. It may not be reproduced either in its entirety or in part and it may not be used for advertising. The client to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Hong Kong Standards and Testing Centre Ltd. to his customer, supplier or other persons directly concerned. The Hong Kong Standards and Testing Centre Ltd will not, without the consent of the client, enter into any discussion of correspondence with any third party concerning the contents of the Report. 2. The report refers only to the sample tested and does not apply to the bulk unless the sampling has been carried out by the Hong Kong Standards and Testing Centre Ltd. and is stated as such in the Report. 3. In the event of the improper use of the report, the Hong Kong Standards and Testing Centre Ltd. reserves the rights to withdraw it, and to adopt any other remedies which may be appropriate. 4. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Hong Kong Standards and Testing Centre Ltd. services the contraction of the Standards and Testing Centre Ltd. will not be liable for or accept responsibility for any loss or damage howseever arising from the use information contained in any of its Reports or in any communication whatsoever about its said tests or investigations. 6. Applicants wishing to use the Report in court proceedings or arbitration shall inform the Hong Kong Standards and Testing Centre Ltd.

香港新界大埔工業邨大宏街10號 10 Dai Wang Street, Taipo Industrial Estate, N. T., Hong Kong Tel: (852) 2666 1888 Fax: (852) 2664 4353 Homepage: www.hkstc.org E mail hketa@hketa cam



Date: 2003-04-14

TEST REPORT

Page 22 of 23

No.: HM109126


Appendix C

Photographs of EUT


Front View of the product




Rear View of the product



Inner Circuit Top View



Inner Circuit Bottom View



Conditions in issuance of Test Report

1. This Report is issued in confidence to the client and it will be stirictly busined as such by the Hong Kong Standards and Testing Centre Ltd. It may not be reproduced wither in the entirety or in part and it may not be reproduced wither in the entirety or in part and it may not be deserting. The client to when the Report is issued may, however, above or send it, or a certified copy behind prepared by the input, shorp Standards and Testing Centre Ltd. In this customer, supplier or other persons directly concern. The Hong Kong Standards and Testing Centre Ltd. In the client, without the consist of the client, enter into any discoustion of correspondence with any third party concerning the sometima at the Report Ltd. The report referre only to the sample tested and fices not apply to the book unless the sample has been carried out by the Hong Kong Standards and Testing Centre Ltd. In many and the standard and testing Centre Ltd. In receive the registration of the standards and Testing Centre Ltd. In receive the registration of the standards and Testing Centre Ltd. In receive the registration of the standards and Testing Centre Ltd. In receive the registration of the basis of, or to the instrument for, any legal action against the Hong Kong Standards and Testing Centre Ltd. The Hong Kong Standards are Testing Centr

香港新界大埔工業邨大宏街10號 10 Dai Wang Street, Taipo Industrial Estate, N. T., Hong Kong Tel: (852) 2666 1888 Fax: (852) 2664 4353 Homepage: www.hksto.org E-mail: hketn@hketn.com



Date: 2003-04-14


TEST REPORT

Page 23 of 23

No.: HM109126

Photographs of EUT

Measurement of Radiated Emission Test Set Up



End of Document