

FCC Test Report Test report no.: EMC_638FCC22-24_2004_GSM

FCC Part 22,24 / RSS 132,133 Model: G3111 G3211 G3311 FCC ID: QQL-Q2426 IC ID: 4481A-Q2426





Bluetooth Qualification Test Facility (BQTF) **CTIA** Authorized Test Lab

FCC listed # 101450

IC recognized # 3925

CETECOM Inc.

411 Dixon Landing Road + Milpitas, CA 95035 + U.S.A.

Phone: + 1 (408) 586 6200 • Fax: + 1 (408) 586 6299 • E-mail: info@cetecomusa.com • <u>http://www.cetecom.com</u> *CETECOM* Inc. is a Delaware Corporation with Corporation number: 2113686 Board of Directors: Dr. Harald Ansorge, Dr. Klaus Matkey, Hans Peter May



Table of Contents

1	General information
1.1	Notes
1.2	Testing laboratory
1.3	Details of applicant
1.4	Application details
1.5	Test item
1.6	Test standards
2	Technical test
2.1	Summary of test results
2.2	Test report
1	General information

1.1 Notes

The test results of this test report relate exclusively to the test item specified in 1.5. The CETECOM Inc. does not assume responsibility for any conclusions and generalisations drawn from the test results with regard to other specimens or samples of the type of the equipment represented by the test item. The test report may only be reproduced or published in full. Reproduction or publication of extracts from the report requires the prior written approval of the CETECOM Inc.

TEST REPORT PREPARED BY: EMC Engineer: Harpreet Sidhu

1.2 Testing laboratory

CETECOM Inc. 411 Dixon Landing Road, Milpitas, CA-95035, USA Phone: +1 408 586 6200 Fax: +1 408 586 6299 E-mail: <u>lothar.schmidt@cetecomusa.com</u> Internet: <u>www.cetecom.com</u>



Test report no.: EMC_638FCC22-24_2004_GSM

Issue date: 2004-07-26

1.3 **Details of applicant**

Name	:	AirLink Communications, Inc.
Street	:	3159 Corporate Place
City / Zip Code	:	Fremont, CA 94545
Country	:	USA
Contact	:	Jim Baichtal
Telephone	:	+1 510 264 5401
Tele-fax	:	+1 510 264 5422
e-mail	:	jim@airlink.com

1.4 **Application details**

Date of receipt test item	:	2004-04-02
Date of test	:	2004-04-02/03/04

1.5 Test item		
Manufacturer	:	Applicant
Marketing Name	:	Redwing GPRS
		Raven GPRS
		PinPoint GPRS
Model No.	:	G3111
		G3211
		G3311
Description	:	GSM 850/1900 Data Modems
FCC-ID	:	QQL-Q2426
IC-ID	:	4481A-Q2426

Additional information

Frequency	:	824.2MHz – 848.8MHz for GSM 850,
		1850.2MHz – 1909.8MHz for PCS 1900
Type of modulation	:	GMSK
Number of channels	:	124 for GSM-850, 299 for PCS-1900
Antenna	:	External
Output power	:	31.83dBm (1.52W) max. ERP measured in GSM-850
		27.11dBm (514.04mW) max. EIRP measured in PCS-1900
Extreme temp. Tolerance	:	Lower:-30°C Upper: +50°C

1.6 **Test standards**

FCC Part 22,24 / RSS132,133 r1

These GSM modems carry pre-certified Wavecom module model# Q2426-SK with FCC ID: O9EQ2426-SK. This test report covers full radiated testing as per FCC 22/24 on all three models. All conducted measurements are covered under test report# GOM20304-7780-T-47



Test report no.: EMC_638FCC22-24_2004_GSM

2 Technical test

2.1 Summary of test results

No deviations from the technical specification(s) were ascertained in the course of the tests Performed		
Final Verdict: (only "passed" if all single measurements are "passed")	Passed	

Technical responsibility for area of testing:

		Lothar Schmidt	lamide
2004-07-26	EMC & Radio	(Technical Manager)	Jeconomic F
Date	Section	Name	Signature

Responsible for test report and project leader:

2004-07-26 EMC & Radio Harpreet Sidhu (EMC Engineer)

Date

Section

Name

Signature



2.2 Test report

TEST REPORT

Test report no.: EMC_638FCC22-24_2004_GSM



TEST REPORT REFERENCE

PARAMETER TO BE MEASURED	PARAGRAPH		PAGE
POWER OUTPUT	§ 22.913(A) / § 24.232 (B)	7	
EMISSION LIMITS TRANSMITTER	§2.1051 / §24.238		16
RECEIVER RADIATED EMISSIONS	§ 2.1053 / RSS-133		80
CONDUCTED EMISSIONS	§ 15.107/207		86
TEST EQUIPMENT AND ANCILLARIES USE	D FOR TESTS		87
BLOCK DIAGRAMS			88



POWER OUTPUT

§ 22.913(a) / § 24.232 (b)

Summary:

During the process of testing, the EUT was controlled via Rhode & Schwarz Universal Radio Communication tester (CMU 200) to ensure max. Power transmission and proper modulation.

This paragraph contains average output power, peak output power, EIRP & ERP measurements for the EUT. In all cases, the peak output power is within the specified limits.

Method of Measurements:

The EUT was set up for the max. Output power with pseudo random data modulation.

The power was measured with R&S Spectrum Analyzer ESIB 40 (peak)

These measurements were done at 3 frequencies,

824.2 MHz, 836.6 MHz and 848.8 MHz (bottom, middle and top of operational frequency range) for GSM-850 1850.2 MHz, 1880.0 MHz and 1909.8 MHz (bottom, middle and top of operational frequency range) for PCS-1900



Test report no.: EMC_638FCC22-24_2004_GSM

Issue date: 2004-07-26

Page 8 (88)

ERP (GSM-850)

§22.913(a)

Limits:

Power Control Level	Burst Peak ERP
5	≤38.45dBm (7W)

EIRP

Frequency (MHz)	Power Control Level Burst Peak (dBm)		k
		EIRP	ERP
824.2	5	33.97	31.83
836.6	5	32.95	30.81
848.8	5	30.58	28.44
Measurement uncertainty		±0.5 dB	

ANALYZER SETTINGS: RBW = VBW = 3MHz




§22.913(a)

Issue date: 2004-07-26

Page 9 (88)

EIRP (GSM-850) CHANNEL 128



§22.913(a)

Test report no.: EMC_638FCC22-24_2004_GSM

Issue date: 2004-07-26

Page 10 (88)

EIRP (GSM-850) CHANNEL 190


Marker: 836.58998 MHz 32.95 dBm Level [dBm] 35 30 20 10 0 -10 -20 831.6M 834M 836M 838M 841.6M Frequency [Hz]



Page 11 (88)

EIRP (GSM-850) CHANNEL 251

§22.913(a)





Test report no.: EMC_638FCC22-24_2004_GSM

Issue date: 2004-07-26

Page 12 (88)

EIRP (PCS-1900)

§24.232(b)

Limits:

Power Control Level	Burst Peak EIRP
0	≤33dBm (1W)

EIRP

Frequency (MHz)	Power Control Level	Burst Peak (dBm) EIRP
1850.2	0	24.04
1880.0	0	26.20
1909.8	0	27.11
Measurement uncertainty	±0.5 dB	


ANALYZER SETTINGS: RBW = VBW = 3MHz

§24.232(b)

Issue date: 2004-07-26

Page 13 (88)

EIRP (PCS-1900) CHANNEL 512



§24.232(b)

Issue date: 2004-07-26

Page 14 (88)

EIRP (PCS-1900) CHANNEL 661

Marker: 1.88001002 GHz 26.2 dBm Level [dBm] 40 30 $\langle \rangle$ 20 10 0 -10 -20 1.875G 1.88G 1.885G 1.878G 1.882G

Frequency [Hz]




§24.232(b)

Issue date: 2004-07-26

Page 15 (88)

EIRP (PCS-1900) CHANNEL 810



Test report no.: EMC_638FCC22-24_2004_GSM

Issue date: 2004-07-26

Page 16 (88)

EMISSION LIMITS TRANSMITTER

§2.1051 / §24.238

Measurement Procedure:

The following steps outline the procedure used to measure the radiated emissions from the EUT. The site is constructed in accordance with ANSI C63.4 – 1992 requirements and is recognised by the FCC. The spectrum was scanned from 30 MHz to the 10th harmonic of the highest frequency generated within the equipment, which is the transmitted carrier that can be as high as 848.8MHz for GSM-850 & 1910 MHz for PCS-1900 The resolution bandwidth is set as outlined in Part 24.238. The spectrum was scanned with the mobile station transmitting at carrier frequencies that pertain to low, mid and high channels of the GSM-850 & PCS-1900 bands.

The final Radiated emission test procedure is as follows:

a) The test item was placed on a 0.8 meter high non-conductive stand at a 3 meter test distance from the receive antenna.

b) The antenna output was terminated in a 50-ohm load.

c) A double-ridged wave guide antenna was placed on an adjustable height antenna mast 3 meters from the test item for emission measurements.

d) Detected emissions were maximized at each frequency by rotating the test item and adjusting the receive antenna height and polarization. The maximum meter reading was recorded. The radiated emission measurements of all non-harmonic and harmonics of the transmit frequency through the 10th harmonic were measured with peak detector and 1MHz bandwidth. If the harmonic could not be detected above the noise floor, the ambient level was recorded. The equivalent power into a dipole antenna was determined by the substitution method described for ERP measurements.

Measurement Limit:

Sec. 24.238 Emission Limits.

(a) On any frequency outside a licensee's frequency block (e.g. A, D, B, etc.) within the USPCS spectrum, the power of any emission shall be attenuated below the transmitter power (P, in Watts) by at least 43+10Log(P) dB. The specification that emissions shall be attenuated below the transmitter power (P) by at least 43+10 log (P) dB, translates in the relevant power range (1 to 0.001 W) to -13 dBm. At 1 W the specified minimum attenuation becomes 43 dB and relative to a 30 dBm (1 W) carrier becomes a limit of -13 dBm. At 0.001 W (0 dBm) the minimum attenuation is 13 dB, which again yields a limit of -13 dBm. In this way a translation of the specification from relative to absolute terms is carried out.

Measurement Results:

Radiated emissions measurements were made only at the upper, middle, and lower carrier frequencies of the GSM-850 & PCS-1900 bands. It was decided that measurements at these three carrier frequencies would be sufficient to demonstrate compliance with emissions limits because it was seen that all the significant spurs occur well outside the band and no radiation was seen from a carrier in one block of the GSM-850 & PCS-1900 band into any of the other blocks respectively. The equipment must still, however, meet emissions requirements with the carrier at all frequencies over which it is capable of operating and it is the manufacturer's responsibility to verify this.

Note: Radiated spurious emissions were done on all three models.

G3111(Redwing GPRS)G3211(Raven GPRS)G3311(PinPoint GPRS)



RESULTS OF RADIATED TESTS GSM-850: G3111 (Redwing GPRS)

Harmonics	Tx ch-128 Freq. (MHz)	Level (dBm)	Tx ch-190 Freq. (MHz)	Level (dBm)	Tx ch-251 Freq. (MHz)	Level (dBm)
2	1648.4	nf	1673.2	nf	1697.6	nf
3	2472.6	nf	2509.8	nf	2546.4	nf
4	3296.8	-57.51	3346.4	nf	3395.2	nf
5	4121	-55.02	4183	nf	4244	-56.93
6	4945.2	nf	5019.6	nf	5092.8	nf
7	5769.4	nf	5856.2	nf	5941.6	nf
8	6593.6	nf	6692.2	nf	6790.4	-43.79
9	7417.8	-43.50	7529.4	-46.81	7639.2	nf
10	8242	nf	8366	nf	8488	nf



RADIATED SPURIOUS EMISSIONS (GSM-850) Tx @ 824.2MHz: 30MHz - 1GHz

Spurious emission limit -13dBm

Antenna: vertical


SWEEP TABLE: "FCC 22 Spur 30M-1G"

Start	Stop	Detector	Meas.	RBW/VBW
Frequency	Frequency		Time	
30MHz	1GHz	Max Peak	Coupled	1 MHz

Note:

1.The peak above the limit line is the carrier freq.

2. This plot is valid for low, mid & high channels of all three models(worst-case plot)





RADIATED SPURIOUS EMISSIONS (GSM-850) Tx @ 824.2MHz: 30MHz - 1GHz

Spurious emission limit -13dBm

Antenna: horizontal


SWEEP TABLE: "FCC 22 Spur 30M-1G"

Start	Stop	Detector	Meas.	RBW/VBW
Frequency	Frequency		Time	
30MHz	1GHz	Max Peak	Coupled	1 MHz

Note:

1. The peak above the limit line is the carrier freq.

2. This plot is valid for low, mid & high channels of all three models(worst-case plot)






RADIATED SPURIOUS EMISSIONS (GSM-850) Tx @ 824.2MHz: 1GHz – 1.58GHz

Spurious emission limit -13dBm

SWEEP TABLE: "FCC 22 Spur 1-1.58G"

Start	Stop	Detector	Meas.	RBW/VBW
Frequency	Frequency		Time	






RADIATED SPURIOUS EMISSIONS (GSM-850) Tx @ 824.2MHz: 1.58GHz – 3GHz

Spurious emission limit -13dBm

SWEEP TABLE: "FCC 22 Spur 1.58-3G"

Start	Stop	Detector	Meas.	RBW/VBW
Frequency	Frequency		Time	
1.58GHz	3GHz	Max Peak	Coupled	1 MHz






RADIATED SPURIOUS EMISSIONS (GSM-850) Tx @ 824.2MHz: 3GHz – 9GHz

Spurious emission limit -13dBm

SWEEP TABLE: "FCC 22 Spur 3-9G"

Start	Stop	Detector	Meas.	RBW/VBW
Frequency	Frequency		Time	
3GHz	9GHz	Max Peak	Coupled	1 MHz






RADIATED SPURIOUS EMISSIONS (GSM-850) Tx @ 836.6MHz: 1GHz – 1.58GHz

Spurious emission limit -13dBm

SWEEP TABLE: "FCC 22 Spur 1-1.58G"

Start	Stop	Detector	Meas.	RBW/VBW
Frequency	Frequency		Time	
1GHz	1.58GHz	Max Peak	Coupled	1 MHz






RADIATED SPURIOUS EMISSIONS (GSM-850) Tx @ 836.6MHz: 1.58GHz – 3GHz

Spurious emission limit -13dBm

SWEEP TABLE: "FCC 22 Spur 1.58-3G"

Start	Stop	Detector	Meas.	RBW/VBW
Frequency	Frequency		Time	
1.58GHz	3GHz	Max Peak	Coupled	1 MHz






RADIATED SPURIOUS EMISSIONS (GSM-850) Tx @ 836.6MHz: 3GHz – 9GHz

Spurious emission limit -13dBm

SWEEP TABLE: "FCC 22 Spur 3-9G"

Start	Stop	Detector	Meas.	RBW/VBW
Frequency	Frequency		Time	
3GHz	9GHz	Max Peak	Coupled	1 MHz






RADIATED SPURIOUS EMISSIONS (GSM-850) Tx @ 848.8MHz: 1GHz – 1.58GHz

Spurious emission limit -13dBm

SWEEP TABLE: "FCC 22 Spur 1-1.58G"

Start	Stop	Detector	Meas.	RBW/VBW
Frequency	Frequency		Time	
1GHz	1.58GHz	Max Peak	Coupled	1 MHz






RADIATED SPURIOUS EMISSIONS (GSM-850) Tx @ 848.8MHz: 1.58GHz – 3GHz

Spurious emission limit –13dBm

SWEEP TABLE: "FCC 22 Spur 1.58-3G"

Start	Stop	Detector	Meas.	RBW/VBW
Frequency	Frequency		Time	
1.58GHz	3GHz	Max Peak	Coupled	1 MHz






RADIATED SPURIOUS EMISSIONS (GSM-850) Tx @ 848.8MHz: 3GHz – 9GHz

Spurious emission limit -13dBm

SWEEP TABLE: "FCC 22 Spur 3-9G"

Start	Stop	Detector	Meas.	RBW/VBW
Frequency	Frequency		Time	
3GHz	9GHz	Max Peak	Coupled	1 MHz





RESULTS OF RADIATED TESTS GSM-850: G3211 (Raven GPRS)

Harmonics	Tx ch-128 Freq. (MHz)	Level (dBm)	Tx ch-190 Freq. (MHz)	Level (dBm)	Tx ch-251 Freq. (MHz)	Level (dBm)
2	1648.4	nf	1673.2	nf	1697.6	nf
3	2472.6	nf	2509.8	nf	2546.4	nf
4	3296.8	nf	3346.4	nf	3395.2	nf
5	4121	-57.46	4183	nf	4244	nf
6	4945.2	nf	5019.6	nf	5092.8	nf
7	5769.4	nf	5856.2	nf	5941.6	nf
8	6593.6	nf	6692.2	nf	6790.4	nf
9	7417.8	-48.21	7529.4	nf	7639.2	nf
10	8242	nf	8366	nf	8488	nf




RADIATED SPURIOUS EMISSIONS (GSM-850) Tx @ 824.2MHz: 1GHz – 1.58GHz

Spurious emission limit -13dBm

SWEEP TABLE: "FCC 22 Spur 1-1.58G"

Start	Stop	Detector	Meas.	RBW/VBW
Frequency	Frequency		Time	
1GHz	1.58GHz	Max Peak	Coupled	1 MHz






RADIATED SPURIOUS EMISSIONS (GSM-850) Tx @ 824.2MHz: 1.58GHz – 3GHz

Spurious emission limit –13dBm

SWEEP TABLE: "FCC 22 Spur 1.58-3G"

Start	Stop	Detector	Meas.	RBW/VBW
Frequency	Frequency		Time	
1.58GHz	3GHz	Max Peak	Coupled	1 MHz






RADIATED SPURIOUS EMISSIONS (GSM-850) Tx @ 824.2MHz: 3GHz – 9GHz

Spurious emission limit -13dBm

SWEEP TABLE: "FCC 22 Spur 3-9G"

Start	Stop	Detector	Meas.	RBW/VBW
Frequency	Frequency		Time	
3GHz	9GHz	Max Peak	Coupled	1 MHz






RADIATED SPURIOUS EMISSIONS (GSM-850) Tx @ 836.6MHz: 1GHz – 1.58GHz

Spurious emission limit -13dBm

SWEEP TABLE: "FCC 22 Spur 1-1.58G"

Start	Stop	Detector	Meas.	RBW/VBW
Frequency	Frequency		Time	
1GHz	1.58GHz	Max Peak	Coupled	1 MHz






RADIATED SPURIOUS EMISSIONS (GSM-850) Tx @ 836.6MHz: 1.58GHz – 3GHz

Spurious emission limit –13dBm

SWEEP TABLE: "FCC 22 Spur 1.58-3G"

Start	Stop	Detector	Meas.	RBW/VBW
Frequency	Frequency		Time	
1.58GHz	3GHz	Max Peak	Coupled	1 MHz






RADIATED SPURIOUS EMISSIONS (GSM-850) Tx @ 836.6MHz: 3GHz – 9GHz

Spurious emission limit -13dBm

SWEEP TABLE: "FCC 22 Spur 3-9G"

Start	Stop	Detector	Meas.	RBW/VBW
Frequency	Frequency		Time	
3GHz	9GHz	Max Peak	Coupled	1 MHz






RADIATED SPURIOUS EMISSIONS (GSM-850) Tx @ 848.8MHz: 1GHz – 1.58GHz

Spurious emission limit -13dBm

SWEEP TABLE: "FCC 22 Spur 1-1.58G"

Start	Stop	Detector	Meas.	RBW/VBW
Frequency	Frequency		Time	
1GHz	1.58GHz	Max Peak	Coupled	1 MHz






RADIATED SPURIOUS EMISSIONS (GSM-850) Tx @ 848.8MHz: 1.58GHz – 3GHz

Spurious emission limit -13dBm

SWEEP TABLE: "FCC 22 Spur 1.58-3G"

Start	Stop	Detector	Meas.	RBW/VBW
Frequency	Frequency		Time	
1.58GHz	3GHz	Max Peak	Coupled	1 MHz






RADIATED SPURIOUS EMISSIONS (GSM-850) Tx @ 848.8MHz: 3GHz – 9GHz

Spurious emission limit -13dBm

SWEEP TABLE: "FCC 22 Spur 3-9G"

Start	Stop	Detector	Meas.	RBW/VBW
Frequency	Frequency		Time	
3GHz	9GHz	Max Peak	Coupled	1 MHz





RESULTS OF RADIATED TESTS GSM-850: G3311 (PinPoint GPRS)

Harmonics	Tx ch-128 Freq. (MHz)	Level (dBm)	Tx ch-190 Freq. (MHz)	Level (dBm)	Tx ch-251 Freq. (MHz)	Level (dBm)
2	1648.4	nf	1673.2	nf	1697.6	nf
3	2472.6	-41.51	2509.8	nf	2546.4	nf
4	3296.8	nf	3346.4	-57.45	3395.2	nf
5	4121	-57.82	4183	nf	4244	nf
6	4945.2	nf	5019.6	nf	5092.8	nf
7	5769.4	nf	5856.2	nf	5941.6	nf
8	6593.6	-46.02	6692.2	-46.86	6790.4	-43.48
9	7417.8	nf	7529.4	nf	7639.2	nf
10	8242	nf	8366	nf	8488	nf




RADIATED SPURIOUS EMISSIONS (GSM-850) Tx @ 824.2MHz: 1GHz – 1.58GHz

Spurious emission limit -13dBm

SWEEP TABLE: "FCC 22 Spur 1-1.58G"

Start	Stop	Detector	Meas.	RBW/VBW
Frequency	Frequency		Time	
1GHz	1.58GHz	Max Peak	Coupled	1 MHz






RADIATED SPURIOUS EMISSIONS (GSM-850) Tx @ 824.2MHz: 1.58GHz – 3GHz

Spurious emission limit -13dBm

SWEEP TABLE: "FCC 22 Spur 1.58-3G"

Start	Stop	Detector	Meas.	RBW/VBW
Frequency	Frequency		Time	
1.58GHz	3GHz	Max Peak	Coupled	1 MHz






RADIATED SPURIOUS EMISSIONS (GSM-850) Tx @ 824.2MHz: 3GHz – 9GHz

Spurious emission limit -13dBm

SWEEP TABLE: "FCC 22 Spur 3-9G"

Start	Stop	Detector	Meas.	RBW/VBW
Frequency	Frequency		Time	
3GHz	9GHz	Max Peak	Coupled	1 MHz






RADIATED SPURIOUS EMISSIONS (GSM-850) Tx @ 836.6MHz: 1GHz – 1.58GHz

Spurious emission limit -13dBm

SWEEP TABLE: "FCC 22 Spur 1-1.58G"

Start	Stop	Detector	Meas.	RBW/VBW
Frequency	Frequency		Time	
1GHz	1.58GHz	Max Peak	Coupled	1 MHz






RADIATED SPURIOUS EMISSIONS (GSM-850) Tx @ 836.6MHz: 1.58GHz – 3GHz

Spurious emission limit -13dBm

SWEEP TABLE: "FCC 22 Spur 1.58-3G"

Start	Stop	Detector	Meas.	RBW/VBW
Frequency	Frequency		Time	
1.58GHz	3GHz	Max Peak	Coupled	1 MHz






RADIATED SPURIOUS EMISSIONS (GSM-850) Tx @ 836.6MHz: 3GHz – 9GHz

Spurious emission limit -13dBm

SWEEP TABLE: "FCC 22 Spur 3-9G"

Start	Stop	Detector	Meas.	RBW/VBW
Frequency	Frequency		Time	
3GHz	9GHz	Max Peak	Coupled	1 MHz






RADIATED SPURIOUS EMISSIONS (GSM-850) Tx @ 848.8MHz: 1GHz – 1.58GHz

Spurious emission limit -13dBm

SWEEP TABLE: "FCC 22 Spur 1-1.58G"

Start	Stop	Detector	Meas.	RBW/VBW
Frequency	Frequency		Time	
1GHz	1.58GHz	Max Peak	Coupled	1 MHz






RADIATED SPURIOUS EMISSIONS (GSM-850) Tx @ 848.8MHz: 1.58GHz – 3GHz

Spurious emission limit –13dBm

SWEEP TABLE: "FCC 22 Spur 1.58-3G"

Start	Stop	Detector	Meas.	RBW/VBW
Frequency	Frequency		Time	
1.58GHz	3GHz	Max Peak	Coupled	1 MHz






RADIATED SPURIOUS EMISSIONS (GSM-850) Tx @ 848.8MHz: 3GHz – 9GHz

Spurious emission limit -13dBm

SWEEP TABLE: "FCC 22 Spur 3-9G"

Start	Stop	Detector	Meas.	RBW/VBW
Frequency	Frequency		Time	
3GHz	9GHz	Max Peak	Coupled	1 MHz





RESULTS OF RADIATED TESTS PCS-1900: G3111 (Redwing GPRS)

Harmonic	Tx ch-512 Freq.(MHz)	Level (dBm)	Tx ch-661 Freq. (MHz)	Level (dBm)	Tx ch-810 Freq. (MHz)	Level (dBm)
2	3700.4	-37.79	3760	-42.77	3819.6	-46.37
3	5550.6	-33.36	5640	-36.07	5729.4	-40.41
4	7400.8	-25.51	7520	-27.41	7639.2	-34.83
5	9251	-42.04	9400	nf	9549	nf
6	11101.2	-42.34	11280	nf	11458.8	nf
7	12951.4	nf	13160	nf	13368.6	nf
8	14801.6	nf	15040	nf	15278.4	nf
9	16651.8	nf	16920	nf	17188.2	nf
10	18502	nf	18800	nf	19098	nf




RADIATED SPURIOUS EMISSIONS Tx @ 1850.2MHz: 30MHz - 1GHz

Spurious emission limit –13dBm

Antenna: vertical

intennativer tical						
SWEEP TABLE: "FCC 24 Spur 30M-1G"						
Stop	Detector	Meas.	RBW/VBW			
Frequency		Time				
1GHz	Max Peak	Coupled	1 MHz			
	BLE: "FCC 2 Stop Frequency	BLE: "FCC 24 Spur 30M- Stop Detector Frequency	BLE: ''FCC 24 Spur 30M-1G'' Stop Detector Meas. Frequency Time			

Note: This plot is valid for low, mid & high channels of all three models (worst-case plot)






RADIATED SPURIOUS EMISSIONS Tx @ 1850.2MHz: 30MHz - 1GHz

Spurious emission limit –13dBm

Antenna: horizontal

Antenna:	Antenna: norizontai						
SWEEP TABLE: "FCC 24 Spur 30M-1G"							
Start	Stop	Detector	Meas.	RBW/VBW			
Frequency	Frequency		Time				
30MHz	1GHz	Max Peak	Coupled	1 MHz			

Note: This plot is valid for low, mid & high channels of all three models (worst-case plot)





RADIATED SPURIOUS EMISSIONS Tx @ 1850.2MHz: 1GHz – 3GHz


Spurious emission limit -13dBm

SWEEP TABLE: "FCC Spuri 1-3G"

Start	Stop	Detector	Meas.	RBW/VBW
Frequency	Frequency		Time	
1GHz	3GHz	Max Peak	Coupled	1 MHz

This plot is valid for all three models (worst-case plot)

Note: The peak above the limit line is the carrier freq. at ch-512.






RADIATED SPURIOUS EMISSIONS Tx @ 1850.2MHz: 3GHz – 18GHz

Spurious emission limit –13dBm

SWEEP TABLE: "FCC Spuri 3-18G"

Start	Stop	Detector	Meas.	RBW/VBW
Frequency	Frequency		Time	
3GHz	18GHz	Max Peak	Coupled	1 MHz





RADIATED SPURIOUS EMISSIONS Tx @ 1880MHz: 1GHz – 3GHz


Spurious emission limit –13dBm

SWEEP TABLE: "FCC Spuri 1-3G"

Start	Stop	Detector	Meas.	RBW/VBW
Frequency	Frequency		Time	
1GHz	3GHz	Max Peak	Coupled	1 MHz

This plot is valid for all three models (worst-case plot)

Note: The peak above the limit line is the carrier freq. at ch-661.






RADIATED SPURIOUS EMISSIONS Tx @ 1880MHz: 3GHz – 18GHz

Spurious emission limit –13dBm

SWEEP TABLE: "FCC Spuri 3-18G"

Start	Stop	Detector	Meas.	RBW/VBW
Frequency	Frequency		Time	
3GHz	18GHz	Max Peak	Coupled	1 MHz






RADIATED SPURIOUS EMISSIONS Tx @ 1909.8MHz: 1GHz – 3GHz Spurious emission limit –13dBm

SWEEP TABLE: "FCC Spuri 1-3G"

SWEEL IA	DLE. FUUS	<i>pun 1-</i> 50		
Start	Stop	Detector	Meas.	RBW/VBW
Frequency	Frequency		Time	
1GHz	3GHz	Max Peak	Coupled	1 MHz

Note: The peak above the limit line is the carrier freq. at ch-810.






RADIATED SPURIOUS EMISSIONS Tx @ 1909.8MHz: 3GHz – 18GHz

Spurious emission limit -13dBm

SWEEP TABLE: "FCC Spuri 3-18G"

Start	Stop	Detector	Meas.	RBW/VBW
Frequency	Frequency		Time	
3GHz	18GHz	Max Peak	Coupled	1 MHz



Test report no.: EMC_638FCC22-24_2004_GSM

Page 58 (88)


RADIATED SPURIOUS EMISSIONS 18GHz – 19.1GHz

Spurious emission limit –13dBm

SWEEP TABLE: "FCC 24 spuri 18-19.1G"

Start	Stop	Detector	Meas.	RBW/VBW
Frequency	Frequency		Time	
18GHz	19.1GHz	Max Peak	Coupled	1 MHz

Note: This plot is valid for low, mid & high channels (worst-case plot)





RESULTS OF RADIATED TESTS PCS-1900: G3211 (Raven GPRS)

Harmonic	Tx ch-512 Freq.(MHz)	Level (dBm)	Tx ch-661 Freq. (MHz)	Level (dBm)	Tx ch-810 Freq. (MHz)	Level (dBm)
2	3700.4	-46.38	3760	-48.12	3819.6	-49.82
3	5550.6	-39.40	5640	-47.70	5729.4	-46.62
4	7400.8	-29.24	7520	-38.82	7639.2	-36.25
5	9251	nf	9400	nf	9549	nf
6	11101.2	nf	11280	nf	11458.8	nf
7	12951.4	nf	13160	nf	13368.6	nf
8	14801.6	nf	15040	nf	15278.4	nf
9	16651.8	nf	16920	nf	17188.2	nf
10	18502	nf	18800	nf	19098	nf




RADIATED SPURIOUS EMISSIONS Tx @ 1850.2MHz: 1GHz – 3GHz

Spurious emission limit -13dBm

SWEEP TABLE: "FCC Spuri 1-3G"

Start	Stop	Detector	Meas.	RBW/VBW
Frequency	Frequency		Time	
1GHz	3GHz	Max Peak	Coupled	1 MHz






RADIATED SPURIOUS EMISSIONS Tx @ 1850.2MHz: 3GHz – 18GHz

Spurious emission limit –13dBm

SWEEP TABLE: "FCC Spuri 3-18G"

Start	Stop	Detector	Meas.	RBW/VBW
Frequency	Frequency		Time	
3GHz	18GHz	Max Peak	Coupled	1 MHz






RADIATED SPURIOUS EMISSIONS Tx @ 1880MHz: 1GHz – 3GHz

Spurious emission limit -13dBm

SWEEP TABLE: "FCC Spuri 1-3G"

Start	Stop	Detector	Meas.	RBW/VBW
Frequency	Frequency		Time	
1GHz	3GHz	Max Peak	Coupled	1 MHz






RADIATED SPURIOUS EMISSIONS Tx @ 1880MHz: 3GHz – 18GHz

Spurious emission limit –13dBm

SWEEP TABLE: "FCC Spuri 3-18G"

Start	Stop	Detector	Meas.	RBW/VBW
Frequency	Frequency		Time	
3GHz	18GHz	Max Peak	Coupled	1 MHz






RADIATED SPURIOUS EMISSIONS Tx @ 1909.8MHz: 1GHz – 3GHz

Spurious emission limit –13dBm

SWEEP TABLE: "FCC Spuri 1-3G"

Start	Stop	Detector	Meas.	RBW/VBW
Frequency	Frequency		Time	
1GHz	3GHz	Max Peak	Coupled	1 MHz






RADIATED SPURIOUS EMISSIONS Tx @ 1909.8MHz: 3GHz – 18GHz

Spurious emission limit –13dBm

SWEEP TABLE: "FCC Spuri 3-18G"

Start	Stop	Detector	Meas.	RBW/VBW
Frequency	Frequency		Time	
3GHz	18GHz	Max Peak	Coupled	1 MHz



Test report no.: EMC_638FCC22-24_2004_GSM

Page 66 (88)


RADIATED SPURIOUS EMISSIONS 18GHz – 19.1GHz

Spurious emission limit -13dBm

SWEEP TABLE: "FCC 24 spuri 18-19.1G"

Start	Stop	Detector	Meas.	RBW/VBW
Frequency	Frequency		Time	
18GHz	19.1GHz	Max Peak	Coupled	1 MHz

Note: This plot is valid for low, mid & high channels (worst-case plot)





RESULTS OF RADIATED TESTS PCS-1900: G3311 (PinPoint GPRS)

Harmonic	Tx ch-512 Freq.(MHz)	Level (dBm)	Tx ch-661 Freq. (MHz)	Level (dBm)	Tx ch-810 Freq. (MHz)	Level (dBm)
2	3700.4	-30.29	3760	-32.97	3819.6	-36.54
3	5550.6	-36.81	5640	-42.49	5729.4	-46.99
4	7400.8	-31.71	7520	-37.70	7639.2	-46.76
5	9251	nf	9400	nf	9549	nf
6	11101.2	nf	11280	nf	11458.8	nf
7	12951.4	nf	13160	nf	13368.6	nf
8	14801.6	nf	15040	nf	15278.4	nf
9	16651.8	nf	16920	nf	17188.2	nf
10	18502	nf	18800	nf	19098	nf




RADIATED SPURIOUS EMISSIONS Tx @ 1850.2MHz: 1GHz – 3GHz

Spurious emission limit –13dBm

SWEEP TABLE: "FCC Spuri 1-3G"

Start	Stop	Detector	Meas.	RBW/VBW
Frequency	Frequency		Time	
1GHz	3GHz	Max Peak	Coupled	1 MHz






RADIATED SPURIOUS EMISSIONS Tx @ 1850.2MHz: 3GHz – 18GHz

Spurious emission limit -13dBm

SWEEP TABLE: "FCC Spuri 3-18G"

Start	Stop	Detector	Meas.	RBW/VBW
Frequency	Frequency		Time	
3GHz	18GHz	Max Peak	Coupled	1 MHz






RADIATED SPURIOUS EMISSIONS Tx @ 1880MHz: 1GHz – 3GHz

Spurious emission limit –13dBm

SWEEP TABLE: "FCC Spuri 1-3G"

Start	Stop	Detector	Meas.	RBW/VBW
Frequency	Frequency		Time	
1GHz	3GHz	Max Peak	Coupled	1 MHz






RADIATED SPURIOUS EMISSIONS Tx @ 1880.0MHz: 3GHz – 18GHz

Spurious emission limit –13dBm

SWEEP TABLE: "FCC Spuri 3-18G"

Start	Stop	Detector	Meas.	RBW/VBW
Frequency	Frequency		Time	
3GHz	18GHz	Max Peak	Coupled	1 MHz






RADIATED SPURIOUS EMISSIONS Tx @ 1909.8MHz: 1GHz – 3GHz

Spurious emission limit –13dBm

SWEEP TABLE: "FCC Spuri 1-3G"

Start	Stop	Detector	Meas.	RBW/VBW
Frequency	Frequency		Time	
1GHz	3GHz	Max Peak	Coupled	1 MHz






RADIATED SPURIOUS EMISSIONS Tx @ 1909.8MHz: 3GHz – 18GHz

Spurious emission limit -13dBm

SWEEP TABLE: "FCC Spuri 3-18G"

Start	Stop	Detector	Meas.	RBW/VBW
Frequency	Frequency		Time	
3GHz	18GHz	Max Peak	Coupled	1 MHz



Test report no.: EMC_638FCC22-24_2004_GSM

Page 74 (88)


RADIATED SPURIOUS EMISSIONS 18GHz – 19.1GHz

Spurious emission limit -13dBm

SWEEP TABLE: "FCC 24 spuri 18-19.1G"

Start	Stop	Detector	Meas.	RBW/VBW
Frequency	Frequency		Time	
18GHz	19.1GHz	Max Peak	Coupled	1 MHz

Note: This plot is valid for low, mid & high channels (worst-case plot)



Test report no.: EMC_638FCC22-24_2004_GSM

Issue date: 2004-07-26

Page 75 (88)

CETECOM

RADIATED SPURIOUS EMISSIONS (IDLE MODE)

Note: Plots under this section are valid for all three models for both 850/1900bands (worst-case plots)


Antenna: vertical

EUT in Idle Mode: 30MHz – 1GHz

Spurious emission limit -13dBm

SWEEP TABLE: "FCC 24 Spur 30M-1G"

Start	Stop	Detector	Meas.	RBW/VBW
Frequency	Frequency		Time	
30MHz	1GHz	Max Peak	Coupled	1 MHz






RADIATED SPURIOUS EMISSIONS (IDLE MODE) Antenna: horizontal EUT in Idle Mode: 30MHz – 1GHz

Spurious emission limit –13dBm

SWEEP TABLE: "FCC 24 Spur 30M-1G"

Start	Stop	Detector	Meas.	RBW/VBW
Frequency	Frequency		Time	
30MHz	1GHz	Max Peak	Coupled	1 MHz






RADIATED SPURIOUS EMISSIONS EUT in Idle Mode: 1GHz – 3GHz

Spurious emission limit –13dBm

SWEEP TABLE: "FCC Spuri 1-3G"

Start	Stop	Detector	Meas.	RBW/VBW
Frequency	Frequency		Time	
1GHz	3GHz	Max Peak	Coupled	1 MHz






RADIATED SPURIOUS EMISSIONS EUT in Idle Mode: 3GHz – 18GHz

Spurious emission limit –13dBm

SWEEP TABLE: "FCC 24 spuri 3-18G"

Start	Stop	Detector	Meas.	RBW/VBW
Frequency	Frequency		Time	
3GHz	18GHz	Max Peak	Coupled	1 MHz




RADIATED SPURIOUS EMISSIONS EUT in Idle Mode: 18GHz – 19.1GHz

Spurious emission limit –13dBm

SWEEP TABLE: "FCC 24 spuri 18-19.1G"

Start	Stop	Detector	Meas.	RBW/VBW
Frequency	Frequency		Time	
18GHz	19.1GHz	Max Peak	Coupled	1 MHz





Test report no.: EMC_638FCC22-24_2004_GSM

Issue date: 2004-07-26

Page 80 (88)

RECEIVER RADIATED EMISSIONS

§ 2.1053 / RSS-133

NOTE:

The radiated emissions were done with different settings, using the relevant pre-amplifiers for the relevant frequency ranges. This is the reason that the graphs show different noise levels. In the range between 3GHz and 19.1GHz very short cable connections to the antenna was used to minimize the noise level.
Plots under this section are valid for all three models (worst-case plots)

Limits		SUBCLAUSE § 15.209
Frequency (MHz)	Field strength (µV/m)	Measurement distance (m)
0.009 - 0.490	2400/F (kHz)	300
0.490 - 1.705	24000/F (kHz)	30
1.705 - 30.0	30	30
30 - 88	100	3
88 - 216	150	3
216 - 960	200	3
Above 960	500	3




RECEIVER RADIATED EMISSIONS EUT in Idle Mode: 30MHz – 1GHz Antenna: vertical

SWEEP TABLE: "FCC Spur 30M-1G" Start Stop Detector Meas. Frequency Frequency Time 30MHz 1GHz Max Peak 100KHz

RBW/VBW

Issue date: 2004-07-26

Coupled





RECEIVER RADIATED EMISSIONS EUT in Idle Mode: 30MHz – 1GHz Antenna: horizontal


SWEEP TABLE: "FCC Spur 30M-1G"StartStopDetectorMeas.RBW/VBWFrequencyFrequencyTime30MHz1GHzMax PeakCoupled100KHz

Marker: 397.39479 MHz 40.7 dBµV/m Level [dBµV/m] 60 50 40 14 30 www.huthmi AM 20 10 0 70M 30M 50M 100M 200M 300M 500M 700M 1G Frequency [Hz]

RECEIVER RADIATED EMISSIONS EUT in Idle Mode: 1GHz – 3GHz

SWEEP TABLE: "FCC Spuri 1-3G"

Start	Stop	Detector	Meas.	RBW/VBW
Frequency	Frequency		Time	
1GHz	3GHz	Max Peak	Coupled	1 MHz






RECEIVER RADIATED EMISSIONS EUT in Idle Mode: 3GHz – 18GHz

SWEEP TABLE: "FCC spuri 3-18G"

Start	Stop	Detector	Meas.	RBW/VBW
Frequency	Frequency		Time	
3GHz	18GHz	Max Peak	Coupled	1 MHz






RECEIVER RADIATED EMISSIONS EUT in Idle Mode: 18GHz – 19.1GHz

SWEEP TABLE: "FCC spuri 18-19.1G"

Start	Stop	Detector	Meas.	RBW/VBW
Frequency	Frequency		Time	
18GHz	19.1GHz	Max Peak	Coupled	1 MHz





§ 15.107/207

Test report no.: EMC_638FCC22-24_2004_GSM

Issue date: 2004-07-26

Page 86 (88)

CONDUCTED EMISSIONS

Measured with AC/DC power adapter plugged in LISN

Technical specification: 15.107 / 15.207 (Revised as of August 20, 2002)


Limit

Frequency of Emission (MHz)	Conducted Limit (dBµV)			
	Quasi-Peak	Average		
0.15 - 0.5	66 to 56*	56 to 46*		
0.5 – 5	56	46		
5 - 30	60	50		
* Decreases with locarithm of the frequency				

* Decreases with logarithm of the frequency

ANALYZER SETTINGS: RBW = 10KHz V








TEST EQUIPMENT AND ANCILLARIES USED FOR TESTS

No	Instrument/Ancillary	Туре	Manufacturer	Serial No.
01	Spectrum Analyzer	ESIB 40	Rohde & Schwarz	100107
02	Spectrum Analyzer	FSEM 30	Rohde & Schwarz	826880/010
03	Signal Generator	SMY02	Rohde & Schwarz	836878/011
04	Power-Meter	NRVD	Rohde & Schwarz	0857.8008.02
05	Biconilog Antenna	3141	EMCO	0005-1186
06	Horn Antenna (1-18GHz)	SAS-200/571	AH Systems	325
07	Horn Antenna (18-26.5GHz)	3160-09	EMCO	1240
08	Power Splitter	11667B	Hewlett Packard	645348
09	Climatic Chamber	VT4004	Voltsch	G1115
10	High Pass Filter	5HC2700	Trilithic Inc.	9926013
11	High Pass Filter	4HC1600	Trilithic Inc.	9922307
12	Pre-Amplifier	JS4-00102600	Miteq	00616
13	Power Sensor	URV5-Z2	Rohde & Schwarz	DE30807
14	Digital Radio Comm. Tester	CMD-55	Rohde & Schwarz	847958/008
15	Universal Radio Comm. Tester	CMU 200	Rohde & Schwarz	832221/06



BLOCK DIAGRAMS Radiated Testing



ANECHOIC CHAMBER