



Test Mode: LTE band 2(QPSKRB Size 50 & RB Offset 0)



Date: 6.AUG.2016 08:04:07


Lowest channel



Date: 6.AUG.2016 08:08:23


Highest channel

Test Mode: LTE band 2(QPSKRB Size 50 & RB Offset 49)



Date: 6.AUG.2016 08:04:56


Lowest channel



Date: 6.AUG.2016 08:09:02


Highest channel

Test Mode: LTE band 2(QPSKRB Size 100 & RB Offset 0)



Date: 6.AUG.2016 08:05:16


Lowest channel



Date: 6.AUG.2016 08:09:23


Highest channel

Test Mode: LTE band 2(16QAMRB Size 1 & RB Offset 0)



Date: 6.AUG.2016 08:03:18


Lowest channel



Date: 6.AUG.2016 08:07:03


Highest channel

Test Mode: LTE band 2(16QAMRB Size 1 & RB Offset 99)



Date: 6.AUG.2016 08:03:30


Lowest channel



Date: 6.AUG.2016 08:07:43


Highest channel

Test Mode: LTE band 2(16QAMRB Size 50 & RB Offset 0)



Date: 6.AUG.2016 08:04:26


Lowest channel



Date: 6.AUG.2016 08:08:36


Highest channel

Test Mode: LTE band 2(16QAMRB Size 50 & RB Offset 49)



Date: 6.AUG.2016 08:04:38


Lowest channel



Date: 6.AUG.2016 08:08:49


Highest channel

Test Mode: LTE band 2(16QAMRB Size 100 & RB Offset 0)



Date: 6.AUG.2016 08:05:28

Lowest channel




Date: 6.AUG.2016 08:09:33

Highest channel


## LTE band 4 part: 1.4MHz:

Test Mode:	LTE band 4(QPSKRB Size 1 & RB Offset 0)
------------	---



Date: 10.AUG.2016 04:52:17


Lowest channel



Date: 10.AUG.2016 04:55:46


Highest channel

Test Mode:	LTE band 4(QPSKRB Size 1 & RB Offset 5)
------------	---



Date: 10.AUG.2016 04:52:59


Lowest channel



Date: 10.AUG.2016 04:56:22


Highest channel

Test Mode: LTE band 4(QPSKRB Size 3 & RB Offset 0)



Date: 10.AUG.2016 04:54:00


Lowest channel



Date: 10.AUG.2016 04:56:37


Highest channel

Test Mode: LTE band 4(QPSKRB Size 3 & RB Offset 2)



Date: 10.AUG.2016 04:54:35


Lowest channel



Date: 10.AUG.2016 04:57:15


Highest channel

Test Mode: LTE band 4(QPSK RB Size 6 & RB Offset 0)



Date: 10.AUG.2016 04:54:54


Lowest channel



Date: 10.AUG.2016 04:57:31


Highest channel

Test Mode: LTE band 4(16QAMRB Size 1 & RB Offset 0)



Date: 10.AUG.2016 04:52:36


Lowest channel



Date: 10.AUG.2016 04:55:57


Highest channel

Test Mode: LTE band 4(16QAMRB Size 1 & RB Offset 5)



Date: 10.AUG.2016 04:52:48


Lowest channel



Date: 10.AUG.2016 04:56:10


Highest channel

Test Mode: LTE band 4(16QAMRB Size 3 & RB Offset 0)



Date: 10.AUG.2016 04:54:11

Lowest channel




Date: 10.AUG.2016 04:56:50

Highest channel




Test Mode: LTE band 4(16QAMRB Size 3 & RB Offset 2)



Date: 10.AUG.2016 04:54:22


Lowest channel



Date: 10.AUG.2016 04:57:03


Highest channel

Test Mode: LTE band 4(16QAMRB Size 6 & RB Offset 0)



Date: 10.AUG.2016 04:55:06

Lowest channel




Date: 10.AUG.2016 04:57:42

Highest channel


3MHz:

Test Mode: LTE band 4(QPSKRB Size 1 & RB Offset 0)



Date: 10.AUG.2016 04:59:02


Lowest channel



Date: 10.AUG.2016 05:02:05


Highest channel

Test Mode: LTE band 4(QPSK RB Size 1 & RB Offset 14)



Date: 10.AUG.2016 04:59:40



Lowest channel



Date: 10.AUG.2016 05:02:40

Highest channel

Test Mode: LTE band 4(QPSKRB Size 8 & RB Offset 0)





Date: 10.AUG.2016 05:00:14

Date: 10.AUG.2016 05:02:58

Lowest channel

Highest channel

Test Mode: LTE band 4(QPSK RB Size 8 & RB Offset 7)




Date: 10.AUG.2016 05:00:55

Date: 10.AUG.2016 05:04:13

Lowest channel


Highest channel

Test Mode: LTE band 4(QPSK RB Size 15 & RB Offset 0)



Date: 10.AUG.2016 05:01:20


Lowest channel



Date: 10.AUG.2016 05:04:36


Highest channel

Test Mode: LTE band 4(16QAMRB Size 1 & RB Offset 0)



Date: 10.AUG.2016 04:59:16


Lowest channel



Date: 10.AUG.2016 05:02:19


Highest channel

Test Mode: LTE band 4(16QAMRB Size 1 & RB Offset 14)



Date: 10.AUG.2016 04:59:28


Lowest channel



Date: 10.AUG.2016 05:02:30


Highest channel

Test Mode: LTE band 4(16QAMRB Size 8 & RB Offset 0)



Date: 10.AUG.2016 05:00:28


Lowest channel



Date: 10.AUG.2016 05:03:14


Highest channel

Test Mode: LTE band 4(16QAMRB Size 8 & RB Offset 7)



Date: 10.AUG.2016 05:00:42


Lowest channel



Date: 10.AUG.2016 05:03:26


Highest channel

Test Mode: LTE band 4(16QAMRB Size 15 & RB Offset 0)



Date: 10.AUG.2016 05:01:30

Lowest channel




Date: 10.AUG.2016 05:04:48

Highest channel


5MHz:

Test Mode: LTE band 4(QPSKRB Size 1 & RB Offset 0)



Date: 10.AUG.2016 05:06:04


Lowest channel



Date: 10.AUG.2016 05:10:28


Highest channel

Test Mode: LTE band 4(QPSKRB Size 1 & RB Offset 24)



Date: 10.AUG.2016 05:06:42


Lowest channel



Date: 10.AUG.2016 05:11:18


Highest channel

Test Mode: LTE band 4(QPSKRB Size 12 & RB Offset 0)



Date: 10.AUG.2016 05:07:04


Lowest channel



Date: 10.AUG.2016 05:11:50


Highest channel

Test Mode: LTE band 4(QPSKRB Size 12 & RB Offset 11)



Date: 10.AUG.2016 05:07:54

Lowest channel




Date: 10.AUG.2016 05:12:45

Highest channel




Test Mode: LTE band 4(QPSKRB Size 25 & RB Offset 0)



Date: 10.AUG.2016 05:08:30


Lowest channel



Date: 10.AUG.2016 05:13:38


Highest channel

Test Mode: LTE band 4(16QAMRB Size 1 & RB Offset 0)



Date: 10.AUG.2016 05:06:18


Lowest channel



Date: 10.AUG.2016 05:10:51


Highest channel

Test Mode: LTE band 4(16QAMRB Size 1 & RB Offset 24)



Date: 10.AUG.2016 05:06:30


Lowest channel



Date: 10.AUG.2016 05:11:06


Highest channel

Test Mode: LTE band 4(16QAMRB Size 12 & RB Offset 0)



Date: 10.AUG.2016 05:07:28


Lowest channel



Date: 10.AUG.2016 05:12:05


Highest channel

Test Mode: LTE band 4(16QAMRB Size 12 & RB Offset 11)



Date: 10.AUG.2016 05:07:39


Lowest channel



Date: 10.AUG.2016 05:12:21


Highest channel

Test Mode: LTE band 4(16QAMRB Size 25 & RB Offset 0)



Date: 10.AUG.2016 05:08:49

Lowest channel




Date: 10.AUG.2016 05:13:52

Highest channel


10MHz:

Test Mode: LTE band 4(QPSKRB Size 1 & RB Offset 0)



Date: 10.AUG.2016 05:15:27


Lowest channel



Date: 10.AUG.2016 05:21:02


Highest channel

Test Mode: LTE band 4(QPSKRB Size 1 & RB Offset 49)



Date: 10.AUG.2016 05:16:13


Lowest channel



Date: 10.AUG.2016 05:21:23


Highest channel

Test Mode: LTE band 4(QPSKRB Size 25 & RB Offset 0)



Date: 10.AUG.2016 05:16:58


Lowest channel



Date: 10.AUG.2016 05:23:38


Highest channel

Test Mode: LTE band 4(QPSKRB Size 25 & RB Offset 24)



Date: 10.AUG.2016 05:18:07


Lowest channel



Date: 10.AUG.2016 05:24:32


Highest channel

Test Mode: LTE band 4(QPSKRB Size 50 & RB Offset 0)



Date: 10.AUG.2016 05:19:07


Lowest channel



Date: 10.AUG.2016 05:25:01


Highest channel

Test Mode: LTE band 4(16QAMRB Size 1 & RB Offset 0)



Date: 10.AUG.2016 05:15:46


Lowest channel



Date: 10.AUG.2016 05:20:46


Highest channel

Test Mode: LTE band 4(16QAMRB Size 1 & RB Offset 49)



Date: 10.AUG.2016 05:16:01


Lowest channel



Date: 10.AUG.2016 05:21:40


Highest channel

Test Mode: LTE band 4(16QAMRB Size 25 & RB Offset 0)



Date: 10.AUG.2016 05:17:21


Lowest channel



Date: 10.AUG.2016 05:23:59


Highest channel

Test Mode: LTE band 4(16QAMRB Size 25 & RB Offset 24)



Date: 10.AUG.2016 05:17:39


Lowest channel



Date: 10.AUG.2016 05:24:13


Highest channel

Test Mode: LTE band 4(16QAMRB Size 50 & RB Offset 0)



Date: 10.AUG.2016 05:19:23

Lowest channel




Date: 10.AUG.2016 05:25:21

Highest channel




15MHz:

Test Mode: LTE band 4(QPSKRB Size 1 & RB Offset 0)



Date: 10.AUG.2016 05:43:40


Lowest channel



Date: 10.AUG.2016 05:47:55


Highest channel

Test Mode: LTE band 4(QPSKRB Size 1 & RB Offset 74)



Date: 10.AUG.2016 05:44:19


Lowest channel



Date: 10.AUG.2016 05:47:37


Highest channel

Test Mode: LTE band 4(QPSKRB Size 36 & RB Offset 0)



Date: 10.AUG.2016 05:44:44


Lowest channel



Date: 10.AUG.2016 05:48:49


Highest channel

Test Mode: LTE band 4(QPSKRB Size 36 & RB Offset 37)



Date: 10.AUG.2016 05:45:27


Lowest channel



Date: 10.AUG.2016 05:49:30


Highest channel

Test Mode: LTE band 4(QPSKRB Size 75 & RB Offset 0)



Date: 10.AUG.2016 05:45:50


Lowest channel



Date: 10.AUG.2016 05:49:51


Highest channel

Test Mode: LTE band 4(16QAMRB Size 1 & RB Offset 0)



Date: 10.AUG.2016 05:43:56


Lowest channel



Date: 10.AUG.2016 05:48:09


Highest channel

Test Mode: LTE band 4(16QAMRB Size 1 & RB Offset 74)



Date: 10.AUG.2016 05:44:08


Lowest channel



Date: 10.AUG.2016 05:47:26


Highest channel

Test Mode: LTE band 4(16QAMRB Size 36 & RB Offset 0)



Date: 10.AUG.2016 05:44:57


Lowest channel



Date: 10.AUG.2016 05:49:05


Highest channel

Test Mode: LTE band 4(16QAMRB Size 36 & RB Offset 37)



Date: 10.AUG.2016 05:45:13


Lowest channel



Date: 10.AUG.2016 05:49:17


Highest channel

Test Mode: LTE band 4(16QAMRB Size 75 & RB Offset 0)



Date: 10.AUG.2016 05:46:01

Lowest channel




Date: 10.AUG.2016 05:50:03

Highest channel


20MHz:

Test Mode: LTE band 4(QPSKRB Size 1 & RB Offset 0)



Date: 10.AUG.2016 05:51:44


Lowest channel



Date: 10.AUG.2016 05:54:26


Highest channel

Test Mode: LTE band 4(QPSKRB Size 1 & RB Offset 99)



Date: 10.AUG.2016 05:52:16


Lowest channel



Date: 10.AUG.2016 05:55:01


Highest channel

Test Mode: LTE band 4(QPSKRB Size 50 & RB Offset 0)



Date: 10.AUG.2016 05:52:40


Lowest channel



Date: 10.AUG.2016 05:55:17


Highest channel

Test Mode: LTE band 4(QPSKRB Size 50 & RB Offset 49)



Date: 10.AUG.2016 05:53:22


Lowest channel



Date: 10.AUG.2016 05:55:56


Highest channel

Test Mode: LTE band 4(QPSKRB Size 100 & RB Offset 0)



Date: 10.AUG.2016 05:53:35


Lowest channel



Date: 10.AUG.2016 05:56:11


Highest channel

Test Mode: LTE band 4(16QAMRB Size 1 & RB Offset 0)



Date: 10.AUG.2016 05:51:56

Lowest channel




Date: 10.AUG.2016 05:54:38

Highest channel




Test Mode: LTE band 4(16QAMRB Size 1 & RB Offset 99)



Date: 10.AUG.2016 05:52:07


Lowest channel



Date: 10.AUG.2016 05:54:50


Highest channel

Test Mode: LTE band 4(16QAMRB Size 50 & RB Offset 0)



Date: 10.AUG.2016 05:52:56


Lowest channel



Date: 10.AUG.2016 05:55:30


Highest channel

Test Mode: LTE band 4(16QAMRB Size 50 & RB Offset 49)



Date: 10.AUG.2016 05:53:07


Lowest channel



Date: 10.AUG.2016 05:55:42


Highest channel

Test Mode: LTE band 4(16QAMRB Size 100 & RB Offset 0)



Date: 10.AUG.2016 05:53:45

Lowest channel




Date: 10.AUG.2016 05:56:22

Highest channel

LTE band 7 part:


5MHz:

Test Mode: LTE band 7(QPSK RB Size 1 & RB Offset 0)



Date: 10.AUG.2016 06:09:12


Lowest channel



Date: 10.AUG.2016 06:16:36


Highest channel

Test Mode: LTE band 7(QPSK RB Size 1 & RB Offset 24)



Date: 10.AUG.2016 06:09:58


Lowest channel



Date: 10.AUG.2016 06:16:04


Highest channel

Test Mode: LTE band 7(QPSK RB Size 12 & RB Offset 0)



Date: 10.AUG.2016 06:10:51


Lowest channel



Date: 10.AUG.2016 06:17:23


Highest channel

Test Mode: LTE band 7(QPSK RB Size 12 & RB Offset 11)



Date: 10.AUG.2016 06:11:40


Lowest channel



Date: 10.AUG.2016 06:18:06


Highest channel

Test Mode: LTE band 7(QPSK RB Size 25 & RB Offset 0)



Date: 10.AUG.2016 06:12:07


Lowest channel



Date: 10.AUG.2016 06:18:32


Highest channel

Test Mode: LTE band 7(16QAM RB Size 1 & RB Offset 0)



Date: 10.AUG.2016 06:09:27


Lowest channel



Date: 10.AUG.2016 06:16:24


Highest channel

Test Mode: LTE band 7(16QAM RB Size 1 & RB Offset 24)



Date: 10.AUG.2016 06:09:47


Lowest channel



Date: 10.AUG.2016 06:16:52


Highest channel

Test Mode: LTE band 7(16QAM RB Size 12 & RB Offset 0)



Date: 10.AUG.2016 06:11:08


Lowest channel



Date: 10.AUG.2016 06:17:34


Highest channel

Test Mode: LTE band 7(16QAM RB Size 12 & RB Offset 11)



Date: 10.AUG.2016 06:11:26


Lowest channel



Date: 10.AUG.2016 06:17:50


Highest channel

Test Mode: LTE band 7(16QAM RB Size 25 & RB Offset 0)



Date: 10.AUG.2016 06:12:19

Lowest channel




Date: 10.AUG.2016 06:18:45

Highest channel


10MHz:

Test Mode: LTE band 7(QPSK RB Size 1 & RB Offset 0)



Date: 10.AUG.2016 06:20:12


Lowest channel



Date: 10.AUG.2016 06:55:37


Highest channel

Test Mode: LTE band 7(QPSK RB Size 1 & RB Offset 49)



Date: 10.AUG.2016 06:20:57

Lowest channel




Date: 10.AUG.2016 06:56:27

Highest channel




**Test Mode: LTE band 7(QPSK RB Size 25 & RB Offset 0)**



Date: 10.AUG.2016 06:21:49


Lowest channel



Date: 10.AUG.2016 06:56:53


Highest channel

**Test Mode: LTE band 7(QPSK RB Size 25 & RB Offset 24)**



Date: 10.AUG.2016 06:22:25


Lowest channel



Date: 10.AUG.2016 06:57:39


Highest channel

Test Mode: LTE band 7(QPSK RB Size 50 & RB Offset 0)



Date: 10.AUG.2016 06:22:45


Lowest channel



Date: 10.AUG.2016 06:58:02


Highest channel

Test Mode: LTE band 7(16QAM RB Size 1 & RB Offset 0)



Date: 10.AUG.2016 06:20:24


Lowest channel



Date: 10.AUG.2016 06:55:53


Highest channel

Test Mode: LTE band 7(16QAM RB Size 1 & RB Offset 49)



Date: 10.AUG.2016 06:21:14


Lowest channel



Date: 10.AUG.2016 06:56:15


Highest channel

Test Mode: LTE band 7(16QAM RB Size 25 & RB Offset 0)



Date: 10.AUG.2016 06:22:01


Lowest channel



Date: 10.AUG.2016 06:57:09


Highest channel

Test Mode: LTE band 7(16QAM RB Size 25 & RB Offset 24)



Date: 10.AUG.2016 06:22:12


Lowest channel



Date: 10.AUG.2016 06:57:23


Highest channel

Test Mode: LTE band 7(16QAM RB Size 50 & RB Offset 0)



Date: 10.AUG.2016 06:22:56

Lowest channel




Date: 10.AUG.2016 06:58:16

Highest channel


15MHz:

Test Mode: LTE band 7(QPSK RB Size 1 & RB Offset 0)



Date: 10.AUG.2016 06:28:23


Lowest channel



Date: 10.AUG.2016 06:50:05


Highest channel

Test Mode: LTE band 7(QPSK RB Size 1 & RB Offset 74)



Date: 10.AUG.2016 06:29:01


Lowest channel



Date: 10.AUG.2016 06:50:48


Highest channel

Test Mode: LTE band 7(QPSK RB Size 36 & RB Offset 0)



Date: 10.AUG.2016 06:29:31


Lowest channel



Date: 10.AUG.2016 06:51:24


Highest channel

Test Mode: LTE band 7(QPSK RB Size 36 & RB Offset 37)



Date: 10.AUG.2016 06:30:08


Lowest channel



Date: 10.AUG.2016 06:52:11


Highest channel

Test Mode: LTE band 7(QPSK RB Size 75 & RB Offset 0)



Date: 10.AUG.2016 06:30:28


Lowest channel



Date: 10.AUG.2016 06:52:36


Highest channel

Test Mode: LTE band 7(16QAM RB Size 1 & RB Offset 0)



Date: 10.AUG.2016 06:28:34


Lowest channel



Date: 10.AUG.2016 06:50:19


Highest channel

**Test Mode:** LTE band 7(16QAM RB Size 1 & RB Offset 74)



Date: 10.AUG.2016 06:28:50


Lowest channel



Date: 10.AUG.2016 06:50:35


Highest channel

**Test Mode:** LTE band 7(16QAM RB Size 36 & RB Offset 0)



Date: 10.AUG.2016 06:29:43

Lowest channel




Date: 10.AUG.2016 06:51:39

Highest channel




Test Mode: LTE band 7(16QAM RB Size 36 & RB Offset 37)



Date: 10.AUG.2016 06:29:54


Lowest channel



Date: 10.AUG.2016 06:51:55


Highest channel

Test Mode: LTE band 7(16QAM RB Size 75 & RB Offset 0)



Date: 10.AUG.2016 06:30:42

Lowest channel




Date: 10.AUG.2016 06:52:51

Highest channel


20MHz:

Test Mode: LTE band 7(QPSK RB Size 1 & RB Offset 0)



Date: 10.AUG.2016 06:36:48


Lowest channel



Date: 10.AUG.2016 06:45:22


Highest channel

Test Mode: LTE band 7(QPSK RB Size 1 & RB Offset 99)



Date: 10.AUG.2016 06:37:35


Lowest channel



Date: 10.AUG.2016 06:46:08


Highest channel

Test Mode: LTE band 7(QPSK RB Size 50 & RB Offset 0)



Date: 10.AUG.2016 06:38:09


Lowest channel



Date: 10.AUG.2016 06:46:35


Highest channel

Test Mode: LTE band 7(QPSK RB Size 50 & RB Offset 49)



Date: 10.AUG.2016 06:39:02



Lowest channel



Date: 10.AUG.2016 06:47:30

Highest channel

Test Mode: LTE band 7(QPSK RB Size 100 & RB Offset 0)





Date: 10.AUG.2016 06:39:18

Date: 10.AUG.2016 06:47:49

Lowest channel

Highest channel

Test Mode: LTE band 7(16QAM RB Size 1 & RB Offset 0)




Date: 10.AUG.2016 06:37:01

Date: 10.AUG.2016 06:45:36

Lowest channel


Highest channel

Test Mode: LTE band 7(16QAM RB Size 1 & RB Offset 99)



Date: 10.AUG.2016 06:37:22


Lowest channel



Date: 10.AUG.2016 06:45:53


Highest channel

Test Mode: LTE band 7(16QAM RB Size 50 & RB Offset 0)



Date: 10.AUG.2016 06:38:21


Lowest channel



Date: 10.AUG.2016 06:46:53


Highest channel

Test Mode: LTE band 7(16QAM RB Size 50 & RB Offset 49)



Date: 10.AUG.2016 06:38:43


Lowest channel



Date: 10.AUG.2016 06:47:10


Highest channel

Test Mode: LTE band 7(16QAM RB Size 100 & RB Offset 0)



Date: 10.AUG.2016 06:43:38

Lowest channel




Date: 10.AUG.2016 06:48:03

Highest channel


## LTE band 17 part: 5MHz:

Test Mode:	LTE band 17(QPSK RB Size 1 & RB Offset 0)
------------	---



Date: 10.AUG.2016 04:30:33


Lowest channel



Date: 10.AUG.2016 04:33:50


Highest channel

Test Mode:	LTE band 17(QPSK RB Size 1 & RB Offset 24)
------------	--



Date: 10.AUG.2016 04:31:17


Lowest channel



Date: 10.AUG.2016 04:34:35


Highest channel

Test Mode: LTE band 17(QPSK RB Size 12 & RB Offset 0)



Date: 10.AUG.2016 04:31:51


Lowest channel



Date: 10.AUG.2016 04:34:51


Highest channel

Test Mode: LTE band 17(QPSK RB Size 12 & RB Offset 11)



Date: 10.AUG.2016 04:32:30

Lowest channel




Date: 10.AUG.2016 04:35:32

Highest channel




Test Mode: LTE band 17(QPSK RB Size 25 & RB Offset 0)



Date: 10.AUG.2016 04:32:57


Lowest channel



Date: 10.AUG.2016 04:35:54


Highest channel

Test Mode: LTE band 17(16QAM RB Size 1 & RB Offset 0)



Date: 10.AUG.2016 04:30:49


Lowest channel



Date: 10.AUG.2016 04:34:05


Highest channel

Test Mode: LTE band 17(16QAM RB Size 1 & RB Offset 24)



Date: 10.AUG.2016 04:31:06


Lowest channel



Date: 10.AUG.2016 04:34:24


Highest channel

Test Mode: LTE band 17(16QAM RB Size 12 & RB Offset 0)



Date: 10.AUG.2016 04:32:06


Lowest channel



Date: 10.AUG.2016 04:35:04


Highest channel

Test Mode: LTE band 17(16QAM RB Size 12 & RB Offset 11)



Date: 10.AUG.2016 04:32:18


Lowest channel



Date: 10.AUG.2016 04:35:17


Highest channel

Test Mode: LTE band 17(16QAM RB Size 25 & RB Offset 0)



Date: 10.AUG.2016 04:33:08

Lowest channel




Date: 10.AUG.2016 04:36:04

Highest channel


10MHz:

Test Mode: LTE band 17(QPSK RB Size 1 & RB Offset 0)



Date: 10.AUG.2016 04:37:43


Lowest channel



Date: 10.AUG.2016 04:42:26


Highest channel

Test Mode: LTE band 17(QPSK RB Size 1 & RB Offset 49)



Date: 10.AUG.2016 04:38:26


Lowest channel



Date: 10.AUG.2016 04:43:10


Highest channel

Test Mode: LTE band 17(QPSK RB Size 25 & RB Offset 0)



Date: 10.AUG.2016 04:38:50


Lowest channel



Date: 10.AUG.2016 04:43:39


Highest channel

Test Mode: LTE band 17(QPSK RB Size 25 & RB Offset 24)



Date: 10.AUG.2016 04:39:31


Lowest channel



Date: 10.AUG.2016 04:44:22


Highest channel

Test Mode: LTE band 17(QPSK RB Size 50 & RB Offset 0)



Date: 10.AUG.2016 04:39:57


Lowest channel



Date: 10.AUG.2016 04:44:44


Highest channel

Test Mode: LTE band 17(16QAM RB Size 1 & RB Offset 0)



Date: 10.AUG.2016 04:38:01


Lowest channel



Date: 10.AUG.2016 04:42:38


Highest channel

Test Mode: LTE band 17(16QAM RB Size 1 & RB Offset 49)



Date: 10.AUG.2016 04:38:14


Lowest channel



Date: 10.AUG.2016 04:42:58


Highest channel

Test Mode: LTE band 17(16QAM RB Size 25 & RB Offset 0)



Date: 10.AUG.2016 04:39:03


Lowest channel



Date: 10.AUG.2016 04:43:52


Highest channel

Test Mode: LTE band 17(16QAM RB Size 25 & RB Offset 24)



Date: 10.AUG.2016 04:39:17


Lowest channel



Date: 10.AUG.2016 04:44:05


Highest channel

Test Mode: LTE band 17(16QAMRB Size 50 & RB Offset 0)



Date: 10.AUG.2016 04:40:08

Lowest channel






Date: 10.AUG.2016 04:44:58

Highest channel



## 6.10 ERP, EIRP Measurement

Test Requirement:	24.232 (c), part 27.50(c), part 27.50(d), part 27.50 (h)
Test Method:	FCC part2.1046
Limit:	LTE Band 2: 2W EIRP LTE Band 4: 1W EIRP LTE Band 7: 2W EIRP LTE Band 17: 3W EIRP
Test setup:	<p><b>Below 1GHz</b></p>  <p><b>Above 1GHz</b></p>  <p><b>Substituted method:</b></p> 

<p>Test Procedure:</p>	<ol style="list-style-type: none"> <li>1. The EUT was placed on an non-conductive turntable using a non-conductive support. The radiated emission at the fundamental frequency was measured at 3 m with a test antenna and EMI spectrum analyzer.</li> <li>2. During the measurement, the EUT was communication with the station. The highest emission was recorded with the rotation of the turntable and the lowering of the test antenna from 4m to 1m. The reading was recorded and the field strength (E in dBuV/m) was calculated.</li> <li>3. ERP in frequency band below 1GHz were measured using a substitution method. The EUT was replaced by dipole antenna connected, the S.G. output was recorded and ERP was calculated as follows:  <math display="block">\text{ERP} = \text{S.G. output (dBm)} + \text{Antenna Gain (dBd)} - \text{Cable Loss (dB)}</math> </li> <li>4. EIRP in frequency band above 1GHz were measured using a substitution method. The EUT was replaced by or horn antenna connected, the S.G. output was recorded and EIRP was calculated as follows:  <math display="block">\text{EIRP} = \text{S.G. output (dBm)} + \text{Antenna Gain (dBi)} - \text{Cable Loss (dB)}</math> </li> <li>5. The worse case was relating to the conducted output power.</li> </ol>
<p>Test Instruments:</p>	<p>Refer to section 5.8 for details</p>
<p>Test mode:</p>	<p>Refer to section 5.3 for details</p>
<p>Test results:</p>	<p>Passed</p>

Measurement Data (worst case):

LTE band 2 part

Lowest channel

Frequency (MHz)	UL Channel	Modulation	BW (MHz)	EUT Pol.	Antenna Pol.	EIRP(dBm)	Limit (dBm)	Result
1.4MHz(RB size 1 & RB offset 0)								
1850.70	18607	QPSK	1.4	H	V	18.42	33.00	Pass
					H	15.24		
1850.70	18607	16QAM	1.4	H	V	18.13		
					H	15.10		
1.4MHz(RB size 3 & RB offset 0)								
1850.70	18607	QPSK	1.4	H	V	17.85	33.00	Pass
					H	15.36		
1850.70	18607	16QAM	1.4	H	V	17.42		
					H	14.33		
1.4MHz(RB size 6 & RB offset 0)								
1850.70	18607	QPSK	1.4	H	V	17.28	33.00	Pass
					H	14.83		
1850.70	18607	16QAM	1.4	H	V	17.25		
					H	17.31		

Middle channel

Frequency (MHz)	UL Channel	Modulation	BW (MHz)	EUT Pol.	Antenna Pol.	EIRP(dBm)	Limit (dBm)	Result
1.4MHz(RB size 1 & RB offset 0)								
1880.00	18900	QPSK	1.4	H	V	18.37	33.00	Pass
					H	15.83		
1880.00	18900	16QAM	1.4	H	V	18.38		
					H	15.27		
1.4MHz(RB size 3 & RB offset 0)								
1880.00	18900	QPSK	1.4	H	V	17.97	33.00	Pass
					H	15.64		
1880.00	18900	16QAM	1.4	H	V	17.99		
					H	14.44		
1.4MHz(RB size 6 & RB offset 0)								
1880.00	18900	QPSK	1.40	H	V	17.09	33.00	Pass
					H	14.79		
1880.00	18900	16QAM	1.40	H	V	17.37		
					H	17.40		

### Highest channel

Frequency (MHz)	UL Channel	Modulation	BW (MHz)	EUT Pol.	Antenna Pol.	EIRP(dBm)	Limit (dBm)	Result
1.4MHz(RB size 1 & RB offset 0)								
1909.30	19193	QPSK	1.4	H	V	18.56	33.00	Pass
					H	15.32		
1909.30	19193	16QAM	1.4	H	V	18.27		
					H	15.12		
1.4MHz(RB size 3 & RB offset 0)								
1909.30	19193	QPSK	1.4	H	V	17.68	33.00	Pass
					H	15.42		
1909.30	19193	16QAM	1.4	H	V	17.76		
					H	14.41		
1.4MHz(RB size 6 & RB offset 0)								
1909.30	19193	QPSK	1.4	H	V	17.23	33.00	Pass
					H	14.25		
1909.30	19193	16QAM	1.4	H	V	17.62		
					H	17.25		

### Lowest channel

Frequency (MHz)	UL Channel	Modulation	BW (MHz)	EUT Pol.	Antenna Pol.	EIRP(dBm)	Limit (dBm)	Result
20MHz(RB size 1 & RB offset 0)								
1860.00	18700	QPSK	20	H	V	17.45	33.00	Pass
					H	14.38		
1860.00	18700	16QAM	20	H	V	17.48		
					H	14.32		
20MHz(RB size 50 & RB offset 0)								
1860.00	18700	QPSK	20	H	V	17.24	33.00	Pass
					H	13.92		
1860.00	18700	16QAM	20	H	V	16.28		
					H	14.29		
20MHz(RB size 100 & RB offset 0)								
1860.00	18700	QPSK	20	H	V	17.28	33.00	Pass
					H	14.71		
1860.00	18700	16QAM	20	H	V	18.63		
					H	14.52		

### Middle channel

Frequency (MHz)	UL Channel	Modulation	BW (MHz)	EUT Pol.	Antenna Pol.	EIRP(dBm)	Limit (dBm)	Result
20MHz(RB size 1 & RB offset 0)								
1880.00	18900	QPSK	20	H	V	17.53	33.00	Pass
					H	14.43		
1880.00	18900	16QAM	20	H	V	17.32		
					H	14.47		
20MHz(RB size 50 & RB offset 0)								
1880.00	18900	QPSK	20	H	V	17.11	33.00	Pass
					H	13.83		
1880.00	18900	16QAM	20	H	V	16.92		
					H	14.43		
20MHz(RB size 100 & RB offset 0)								
1880.00	18900	QPSK	20	H	V	17.12	33.00	Pass
					H	14.93		
1880.00	18900	16QAM	20	H	V	18.79		
					H	14.86		

### Highest channel

Frequency (MHz)	UL Channel	Modulation	BW (MHz)	EUT Pol.	Antenna Pol.	EIRP(dBm)	Limit (dBm)	Result
20MHz(RB size 1 & RB offset 0)								
1900.00	19100	QPSK	20	H	V	17.38	33.00	Pass
					H	14.51		
1900.00	19100	16QAM	20	H	V	17.39		
					H	14.28		
20MHz(RB size 50 & RB offset 0)								
1900.00	19100	QPSK	20	H	V	17.26	33.00	Pass
					H	13.37		
1900.00	19100	16QAM	20	H	V	16.38		
					H	14.55		
20MHz(RB size 100 & RB offset 0)								
1900.00	19100	QPSK	20	H	V	17.26	33.00	Pass
					H	14.82		
1900.00	19100	16QAM	20	H	V	18.57		
					H	14.28		

LTE band 4 part

Lowest channel

Frequency (MHz)	UL Channel	Modulation	BW (MHz)	EUT Pol.	Antenna Pol.	EIRP(dBm)	Limit (dBm)	Result
1.4MHz(RB size 1 & RB offset 0)								
1710.70	19957	QPSK	1.4	H	V	20.76	30.00	Pass
					H	13.25		
1710.70	19957	16QAM	1.4	H	V	20.96		
					H	14.57		
1.4MHz(RB size 3 & RB offset 0)								
1710.70	19957	QPSK	1.4	H	V	20.51	30.00	Pass
					H	14.03		
1710.70	19957	16QAM	1.4	H	V	20.43		
					H	13.42		
1.4MHz(RB size 6 & RB offset 0)								
1710.70	19957	QPSK	1.4	H	V	19.63	30.00	Pass
					H	13.01		
1710.70	19957	16QAM	1.4	H	V	20.64		
					H	12.85		

Middle channel

Frequency (MHz)	UL Channel	Modulation	BW (MHz)	EUT Pol.	Antenna Pol.	EIRP(dBm)	Limit (dBm)	Result
1.4MHz(RB size 1 & RB offset 0)								
1732.50	20175	QPSK	1.4	H	V	20.94	30.00	Pass
					H	13.91		
1732.50	20175	16QAM	1.4	H	V	21.16		
					H	14.05		
1.4MHz(RB size 3 & RB offset 0)								
1732.50	20175	QPSK	1.4	H	V	20.66	30.00	Pass
					H	14.17		
1732.50	20175	16QAM	1.4	H	V	20.59		
					H	13.73		
1.4MHz(RB size 6 & RB offset 0)								
1732.50	20175	QPSK	1.4	H	V	19.94	30.00	Pass
					H	12.86		
1732.50	20175	16QAM	1.4	H	V	20.73		
					H	12.73		

### Highest channel

Frequency (MHz)	UL Channel	Modulation	BW (MHz)	EUT Pol.	Antenna Pol.	EIRP(dBm)	Limit (dBm)	Result
1.4MHz(RB size 1 & RB offset 0)								
1754.30	20393	QPSK	1.4	H	V	21.03	30.00	Pass
					H	13.86		
1754.30	20393	16QAM	1.4	H	V	21.25		
					H	14.26		
1.4MHz(RB size 3 & RB offset 0)								
1754.30	20393	QPSK	1.4	H	V	20.34	30.00	Pass
					H	14.06		
1754.30	20393	16QAM	1.4	H	V	20.71		
					H	13.68		
1.4MHz(RB size 6 & RB offset 0)								
1754.30	20393	QPSK	1.4	H	V	19.81	30.00	Pass
					H	12.73		
1754.30	20393	16QAM	1.4	H	V	20.62		
					H	12.54		

### Lowest channel

Frequency (MHz)	UL Channel	Modulation	BW (MHz)	EUT Pol.	Antenna Pol.	EIRP(dBm)	Limit (dBm)	Result
20MHz(RB size 1 & RB offset 0)								
1720.00	20050	QPSK	20	H	V	21.27	30.00	Pass
					H	14.35		
1720.00	20050	16QAM	20	H	V	20.76		
					H	13.61		
20MHz(RB size 50 & RB offset 0)								
1720.00	20050	QPSK	20	H	V	20.17	30.00	Pass
					H	13.21		
1720.00	20050	16QAM	20	H	V	20.25		
					H	13.15		
20MHz(RB size 100 & RB offset 0)								
1720.00	20050	QPSK	20	H	V	18.03	30.00	Pass
					H	10.67		
1720.00	20050	16QAM	20	H	V	18.25		
					H	11.29		

### Middle channel

Frequency (MHz)	UL Channel	Modulation	BW (MHz)	EUT Pol.	Antenna Pol.	EIRP(dBm)	Limit (dBm)	Result
20MHz(RB size 1 & RB offset 0)								
1732.50	20175	QPSK	20	H	V	21.15	30.00	Pass
					H	14.11		
1732.50	20175	16QAM	20	H	V	20.83		
					H	13.80		
20MHz(RB size 50 & RB offset 0)								
1732.50	20175	QPSK	20	H	V	20.20	30.00	Pass
					H	13.00		
1732.50	20175	16QAM	20	H	V	20.26		
					H	13.04		
20MHz(RB size 100 & RB offset 0)								
1732.50	20175	QPSK	20	H	V	18.17	30.00	Pass
					H	10.85		
1732.50	20175	16QAM	20	H	V	18.05		
					H	11.03		

### High channel

Frequency (MHz)	UL Channel	Modulation	BW (MHz)	EUT Pol.	Antenna Pol.	EIRP(dBm)	Limit (dBm)	Result
20MHz(RB size 1 & RB offset 0)								
1745.00	20300	QPSK	20	H	V	21.23	30.00	Pass
					H	14.37		
1745.00	20300	16QAM	20	H	V	20.65		
					H	13.96		
20MHz(RB size 50 & RB offset 0)								
1745.00	20300	QPSK	20	H	V	20.17	30.00	Pass
					H	13.34		
1745.00	20300	16QAM	20	H	V	20.18		
					H	13.42		
20MHz(RB size 100 & RB offset 0)								
1745.00	20300	QPSK	20	H	V	18.25	30.00	Pass
					H	10.54		
1745.00	20300	16QAM	20	H	V	18.32		
					H	11.17		



LTE band 7 part

Lowest channel

Frequency (MHz)	UL Channel	Modulation	BW (MHz)	EUT Pol.	Antenna Pol.	EIRP(dBm)	Limit (dBm)	Result
5MHz(RB size 1 & RB offset 0)								
2502.50	20775	QPSK	5	H	V	12.68	33.00	Pass
					H	15.34		
2502.50	20775	16QAM	5	H	V	12.23		
					H	15.51		
5MHz(RB size 12& RB offset 0)								
2502.50	20775	QPSK	5	H	V	12.06	33.00	Pass
					H	14.77		
2502.50	20775	16QAM	5	H	V	11.83		
					H	14.62		
5MHz(RB size 25& RB offset 0)								
2502.50	20775	QPSK	5	H	V	12.57	33.00	Pass
					H	16.73		
2502.50	20775	16QAM	5	H	V	11.92		
					H	14.84		

Middle channel

Frequency (MHz)	UL Channel	Modulation	BW (MHz)	EUT Pol.	Antenna Pol.	EIRP(dBm)	Limit (dBm)	Result
5MHz(RB size 1 & RB offset 0)								
2535.00	21100	QPSK	5	H	V	12.55	33.00	Pass
					H	15.19		
2535.00	21100	16QAM	5	H	V	12.18		
					H	15.23		
5MHz(RB size 12& RB offset 0)								
2535.00	21100	QPSK	5	H	V	11.87	33.00	Pass
					H	14.64		
2535.00	21100	16QAM	5	H	V	11.63		
					H	14.55		
5MHz(RB size 25& RB offset 0)								
2535.00	21100	QPSK	5	H	V	12.16	33.00	Pass
					H	14.69		
2535.00	21100	16QAM	5	H	V	11.84		
					H	14.78		

### Highest channel

Frequency (MHz)	UL Channel	Modulation	BW (MHz)	EUT Pol.	Antenna Pol.	EIRP(dBm)	Limit (dBm)	Result
5MHz(RB size 1 & RB offset 0)								
2567.50	21425	QPSK	5	H	V	12.63	33.00	Pass
					H	15.24		
2567.50	21425	16QAM	5	H	V	12.26		
					H	15.31		
5MHz(RB size 12& RB offset 0)								
2567.50	21425	QPSK	5	H	V	12.06	33.00	Pass
					H	14.79		
2567.50	21425	16QAM	5	H	V	11.84		
					H	14.63		
5MHz(RB size 25& RB offset 0)								
2567.50	21425	QPSK	5	H	V	12.23	33.00	Pass
					H	14.71		
2567.50	21425	16QAM	5	H	V	12.03		
					H	14.86		

### Lowest channel

Frequency (MHz)	UL Channel	Modulation	BW (MHz)	EUT Pol.	Antenna Pol.	EIRP(dBm)	Limit (dBm)	Result
20MHz(RB size 1 & RB offset 0)								
2510.00	20850	QPSK	20	H	V	12.71	33.00	Pass
					H	16.43		
2510.00	20850	16QAM	20	H	V	13.02		
					H	16.34		
20MHz(RB size 50 & RB offset 0)								
2510.00	20850	QPSK	20	H	V	12.47	33.00	Pass
					H	16.15		
2510.00	20850	16QAM	20	H	V	12.34		
					H	15.58		
20MHz(RB size 100 & RB offset 0)								
2510.00	20850	QPSK	20	H	V	12.13	33.00	Pass
					H	14.81		
2510.00	20850	16QAM	20	H	V	11.86		
					H	15.23		

### Middle channel

Frequency (MHz)	UL Channel	Modulation	BW (MHz)	EUT Pol.	Antenna Pol.	EIRP(dBm)	Limit (dBm)	Result
20MHz(RB size 1 & RB offset 0)								
2535.00	21100	QPSK	20	H	V	12.86	33.00	Pass
					H	16.52		
2535.00	21100	16QAM	20	H	V	12.91		
					H	16.02		
20MHz(RB size 50 & RB offset 0)								
2535.00	21100	QPSK	20	H	V	12.20	33.00	Pass
					H	15.99		
2535.00	21100	16QAM	20	H	V	12.31		
					H	15.60		
20MHz(RB size 100 & RB offset 0)								
2535.00	21100	QPSK	20	H	V	12.04	33.00	Pass
					H	14.89		
2535.00	21100	16QAM	20	H	V	11.71		
					H	15.12		

### High channel

Frequency (MHz)	UL Channel	Modulation	BW (MHz)	EUT Pol.	Antenna Pol.	EIRP(dBm)	Limit (dBm)	Result
20MHz(RB size 1 & RB offset 0)								
2560.00	21350	QPSK	20	H	V	12.49	33.00	Pass
					H	16.37		
2560.00	21350	16QAM	20	H	V	12.75		
					H	16.13		
20MHz(RB size 50 & RB offset 0)								
2560.00	21350	QPSK	20	H	V	12.47	33.00	Pass
					H	16.04		
2560.00	21350	16QAM	20	H	V	12.29		
					H	15.37		
20MHz(RB size 100 & RB offset 0)								
2560.00	21350	QPSK	20	H	V	12.02	33.00	Pass
					H	14.72		
2560.00	21350	16QAM	20	H	V	11.64		
					H	15.87		

**LTE band 17 part  
Lowest channel**

Frequency (MHz)	UL Channel	Modulation	BW (MHz)	EUT Pol.	Antenna Pol.	ERP(dBm)	Limit (dBm)	Result
5MHz(RB size 1 & RB offset 0)								
706.50	23755	QPSK	5	H	V	24.43	34.77	Pass
					H	21.24		
706.50	23755	16QAM	5	H	V	24.61		
					H	21.38		
5MHz(RB size 12 & RB offset 0)								
706.50	23755	QPSK	5	H	V	22.71	34.77	Pass
					H	19.28		
706.50	23755	16QAM	5	H	V	22.43		
					H	19.05		
5MHz(RB size 25 & RB offset 0)								
706.50	23755	QPSK	5	H	V	22.71	34.77	Pass
					H	19.93		
706.50	23755	16QAM	5	H	V	22.71		
					H	19.83		

**Middle channel**

Frequency (MHz)	UL Channel	Modulation	BW (MHz)	EUT Pol.	Antenna Pol.	ERP(dBm)	Limit (dBm)	Result
5MHz(RB size 1 & RB offset 0)								
710.00	23790	QPSK	5	H	V	24.58	34.77	Pass
					H	21.32		
710.00	23790	16QAM	5	H	V	24.71		
					H	21.54		
5MHz(RB size 12 & RB offset 0)								
710.00	23790	QPSK	5	H	V	22.90	34.77	Pass
					H	19.04		
710.00	23790	16QAM	5	H	V	22.75		
					H	18.92		
5MHz(RB size 25 & RB offset 0)								
710.00	23790	QPSK	5	H	V	22.85	34.77	Pass
					H	19.80		
710.00	23790	16QAM	5	H	V	22.80		
					H	19.79		

### Highest channel

Frequency (MHz)	UL Channel	Modulation	BW (MHz)	EUT Pol.	Antenna Pol.	ERP(dBm)	Limit (dBm)	Result
5MHz(RB size 1 & RB offset 0)								
713.50	23825	QPSK	5	H	V	24.63	34.77	Pass
					H	21.48		
713.50	23825	16QAM	5	H	V	24.58		
					H	21.37		
5MHz(RB size 12 & RB offset 0)								
713.50	23825	QPSK	5	H	V	22.81	34.77	Pass
					H	19.05		
713.50	23825	16QAM	5	H	V	22.81		
					H	19.03		
5MHz(RB size 25 & RB offset 0)								
713.50	23825	QPSK	5	H	V	22.71	34.77	Pass
					H	19.53		
713.50	23825	16QAM	5	H	V	22.64		
					H	19.37		

### Lowest channel

Frequency (MHz)	UL Channel	Modulation	BW (MHz)	EUT Pol.	Antenna Pol.	ERP(dBm)	Limit (dBm)	Result
10MHz(RB size 1 & RB offset 0)								
709.00	23780	QPSK	10	H	V	24.71	34.77	Pass
					H	21.65		
709.00	23780	16QAM	10	H	V	24.53		
					H	21.42		
10MHz(RB size 25& RB offset 0)								
709.00	23780	QPSK	10	H	V	24.02	34.77	Pass
					H	20.73		
709.00	23780	16QAM	10	H	V	23.61		
					H	20.73		
10MHz(RB size 50& RB offset 0)								
709.00	23780	QPSK	10	H	V	23.74	34.77	Pass
					H	20.51		
709.00	23780	16QAM	10	H	V	23.64		
					H	20.48		




### Middle channel

Frequency (MHz)	UL Channel	Modulation	BW (MHz)	EUT Pol.	Antenna Pol.	ERP(dBm)	Limit (dBm)	Result
10MHz(RB size 1 & RB offset 0)								
710.00	23790	QPSK	10	H	V	24.74	34.77	Pass
					H	21.74		
710.00	23790	16QAM	10	H	V	24.75		
					H	21.68		
10MHz(RB size 25& RB offset 0)								
710.00	23790	QPSK	10	H	V	23.93	34.77	Pass
					H	20.98		
710.00	23790	16QAM	10	H	V	23.58		
					H	20.69		
10MHz(RB size 50& RB offset 0)								
710.00	23790	QPSK	10	H	V	23.57	34.77	Pass
					H	20.45		
710.00	23790	16QAM	10	H	V	23.57		
					H	20.37		

### Highest channel

Frequency (MHz)	UL Channel	Modulation	BW (MHz)	EUT Pol.	Antenna Pol.	ERP(dBm)	Limit (dBm)	Result
10MHz(RB size 1 & RB offset 0)								
711.00	23800	QPSK	10	H	V	24.63	34.77	Pass
					H	21.84		
711.00	23800	16QAM	10	H	V	24.79		
					H	21.73		
10MHz(RB size 25& RB offset 0)								
711.00	23800	QPSK	10	H	V	23.91	34.77	Pass
					H	21.03		
711.00	23800	16QAM	10	H	V	23.47		
					H	20.81		
10MHz(RB size 50& RB offset 0)								
711.00	23800	QPSK	10	H	V	23.63	34.77	Pass
					H	20.34		
711.00	23800	16QAM	10	H	V	23.71		
					H	20.46		

## 6.11 Field strength of spurious radiation measurement

Test Requirement:	Part 24.238 (a), Part 27.53(g), Part 27.53(m), Part 27.53(h)
Test Method:	FCC part.2.1053
Limit:	LTE Band 2, LTE Band 4 and LTE Band 17: -13dBm, LTE Band 7: -25dBm
Test setup:	<p>Below 1GHz</p>  <p>Above 1GHz</p>  <p>Substituted method:</p> 
Test Procedure:	<ol style="list-style-type: none"> <li>1. The EUT was placed on an non-conductive turntable using a non-conductive support. The radiated emission at the fundamental frequency was measured at 3 m with a test antenna and EMI spectrum analyzer.</li> <li>2. During the tests, the antenna height and the EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. This maximization process was repeated with the EUT positioned in each of its three orthogonal orientations.</li> <li>3. The frequency range up to tenth harmonic was investigated for each of three fundamental frequency (low, middle and high channels). Once spurious emission was identified, the power of the emission</li> </ol>

	<p>was determined using the substitution method.</p> <p>4. The spurious emissions attenuation was calculated as the difference between radiated power at the fundamental frequency and the spurious emissions frequency.</p> $\text{ERP / EIRP} = \text{S.G. output (dBm)} + \text{Antenna Gain(dB/dBi)} - \text{Cable Loss (dB)}$
Test Instruments:	Refer to section 5.8 for details
Test mode:	Refer to section 5.3 for details.
Test results:	Passed

**Measurement Data (worst case):**

**Below 1GHz:**

The emission levels of below 1 GHz are 20 dB lower than the limit so not show in this report.

**Above 1GHz**

For above 1 GHz, all test modes were performed, and just the worst case shown in the report.



LTE band 2 part:

1.4MHz(RB size 1 & RB offset 0) for QPSK

Frequency (MHz)	Spurious Emission		Limit (dBm)	Result
	Polarization	Level (dBm)		
<b>Lowest</b>				
3701.40	Vertical	-15.75	-13.00	Pass
5552.10	V	-15.04		
7402.00	V	-20.05		
3701.40	Horizontal	-19.92		
5552.10	H	-16.09		
7402.00	H	-23.59		
<b>Middle</b>				
3760.00	Vertical	-15.31	-13.00	Pass
5640.00	V	-14.01		
7520.00	V	-24.13		
3760.00	Horizontal	-19.75		
5640.00	H	-15.67		
7520.00	H	-24.13		
<b>Highest</b>				
3816.60	Vertical	-14.85	-13.00	Pass
5724.90	V	-13.89		
7633.20	V	-23.95		
3816.60	Horizontal	-18.91		
5724.90	H	-17.34		
7633.20	H	-24.07		

3MHz(RB size 1 & RB offset 0) for QPSK				
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result
	Polarization	Level (dBm)		
<b>Lowest</b>				
3703.00	Vertical	-16.04	-13.00	Pass
5554.50	V	-15.51		
7406.00	V	-20.16		
3703.00	Horizontal	-19.75		
5554.50	H	-16.47		
7406.00	H	-24.07		
<b>Middle</b>				
3760.00	Vertical	-15.37	-13.00	Pass
5640.00	V	-14.14		
7520.00	V	-24.54		
3760.00	Horizontal	-19.63		
5640.00	H	-15.84		
7520.00	H	-24.06		
<b>Highest</b>				
3817.00	Vertical	-14.94	-13.00	Pass
5725.50	V	-13.53		
7634.00	V	-24.03		
3817.00	Horizontal	-18.93		
5725.50	H	-17.43		
7634.00	H	-24.12		

5MHz(RB size 1 & RB offset 0) for QPSK				
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result
	Polarization	Level (dBm)		
<b>Lowest</b>				
3705.00	Vertical	-15.99	-13.00	Pass
5557.50	V	-15.62		
7410.00	V	-24.15		
3705.00	Horizontal	-21.93		
5557.50	H	-14.02		
7410.00	H	-24.17		
<b>Middle</b>				
3760.00	Vertical	-14.86	-13.00	Pass
5640.00	V	-14.20		
7520.00	V	-24.16		
3760.00	Horizontal	-22.43		
5640.00	H	-13.88		
7520.00	H	-24.11		
<b>Highest</b>				
3815.00	Vertical	-15.90	-13.00	Pass
5722.50	V	-14.17		
7630.00	V	-23.98		
3815.00	Horizontal	-18.45		
5722.50	H	-14.84		
7630.00	H	-24.14		

10MHz(RB size 1 & RB offset 0) for QPSK				
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result
	Polarization	Level (dBm)		
<b>Lowest</b>				
3710.00	Vertical	-16.03	-13.00	Pass
5565.00	V	-15.74		
7420.00	V	-24.13		
3710.00	Horizontal	-21.72		
5565.00	H	-14.25		
7420.00	H	-24.27		
<b>Middle</b>				
3760.00	Vertical	-15.03	-13.00	Pass
5640.00	V	-14.52		
7520.00	V	-24.03		
3760.00	Horizontal	-22.17		
5640.00	H	-14.25		
7520.00	H	-24.26		
<b>Highest</b>				
3810.00	Vertical	-18.53	-13.00	Pass
5715.00	V	-14.76		
7620.00	V	-24.01		
3810.00	Horizontal	-18.77		
5715.00	H	-15.13		
7620.00	H	-23.98		

15MHz(RB size 1 & RB offset 0) for QPSK				
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result
	Polarization	Level (dBm)		
<b>Lowest</b>				
3715.00	Vertical	-18.23	-13.00	Pass
5572.50	V	-17.85		
7430.00	V	-23.74		
3715.00	Horizontal	-21.65		
5572.50	H	-15.54		
7430.00	H	-24.03		
<b>Middle</b>				
3760.00	Vertical	-15.32	-13.00	Pass
5640.00	V	-14.49		
7520.00	V	-24.16		
3760.00	Horizontal	-21.86		
5640.00	H	-16.01		
7520.00	H	-24.14		
<b>Highest</b>				
3805.00	Vertical	-15.34	-13.00	Pass
5707.50	V	-14.66		
7610.00	V	-24.05		
3805.00	Horizontal	-19.16		
5707.50	H	-15.11		
7610.00	H	-24.25		

20MHz(RB size 1 & RB offset 0) for QPSK				
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result
	Polarization	Level (dBm)		
<b>Lowest</b>				
3720.00	Vertical	-18.14	-13.00	Pass
5580.00	V	-16.76		
7440.00	V	-23.18		
3720.00	Horizontal	-21.53		
5580.00	H	-14.79		
7440.00	H	-23.76		
<b>Middle</b>				
3760.00	Vertical	-14.88	-13.00	Pass
5640.00	V	-13.89		
7520.00	V	-23.87		
3760.00	Horizontal	-21.81		
5640.00	H	-15.70		
7520.00	H	-24.10		
<b>Highest</b>				
3800.00	Vertical	-15.05	-13.00	Pass
5700.00	V	-14.41		
7600.00	V	-23.97		
3800.00	Horizontal	-18.53		
5700.00	H	-14.87		
7600.00	H	-24.15		

LTE Band 4 Part:

1.4MHz(RB size 1 & RB offset 0) for QPSK

Frequency (MHz)	Spurious Emission		Limit (dBm)	Result
	Polarization	Level (dBm)		
<b>Lowest</b>				
3421.40	Vertical	-20.83	-13.00	Pass
5132.10	V	-19.22		
6842.80	V	-24.59		
3421.40	Horizontal	-22.05		
5132.10	H	-22.27		
6842.80	H	-24.63		
<b>Middle</b>				
3465.00	Vertical	-22.93	-13.00	Pass
5197.50	V	-16.47		
6930.00	V	-22.86		
3465.00	Horizontal	-23.59		
5197.50	H	-18.36		
6930.00	H	-20.66		
<b>Highest</b>				
3508.60	Vertical	-21.74	-13.00	Pass
5262.90	V	-16.73		
7017.20	V	-24.99		
3508.60	Horizontal	-22.36		
5262.90	H	-20.66		
7017.20	H	-21.23		

3MHz(RB size 1 & RB offset 0) for QPSK				
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result
	Polarization	Level (dBm)		
<b>Lowest</b>				
3423.00	Vertical	-20.91	-13.00	Pass
5134.50	V	-19.36		
6846.00	V	-24.61		
3423.00	Horizontal	-22.14		
5134.50	H	-22.47		
6846.00	H	-23.96		
<b>Middle</b>				
3465.00	Vertical	-23.17	-13.00	Pass
5197.50	V	-16.63		
6930.00	V	-23.47		
3465.00	Horizontal	-24.13		
5197.50	H	-18.52		
6930.00	H	-21.13		
<b>Highest</b>				
3507.00	Vertical	-21.84	-13.00	Pass
5260.50	V	-16.68		
7014.00	V	-25.01		
3507.00	Horizontal	-23.04		
5260.50	H	-21.13		
7014.00	H	-22.09		



5MHz(RB size 1 & RB offset 0) for QPSK				
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result
	Polarization	Level (dBm)		
<b>Lowest</b>				
3425.00	Vertical	-20.94	-13.00	Pass
5137.50	V	-19.36		
6850.00	V	-25.01		
3425.00	Horizontal	-22.43		
5137.50	H	-22.34		
6850.00	H	-24.59		
<b>Middle</b>				
3465.00	Vertical	-23.01	-13.00	Pass
5197.50	V	-16.84		
6930.00	V	-22.94		
3465.00	Horizontal	-23.76		
5197.50	H	-18.54		
6930.00	H	-20.71		
<b>Highest</b>				
3505.00	Vertical	-21.36	-13.00	Pass
5257.50	V	-16.47		
7010.00	V	-24.41		
3505.00	Horizontal	-22.69		
5257.50	H	-20.13		
7010.00	H	-21.75		

10MHz(RB size 1 & RB offset 0) for QPSK				
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result
	Polarization	Level (dBm)		
<b>Lowest</b>				
3430.00	Vertical	-20.71	-13.00	Pass
5145.00	V	-19.43		
6860.00	V	-25.07		
3430.00	Horizontal	-22.62		
5145.00	H	-22.53		
6860.00	H	-24.61		
<b>Middle</b>				
3465.00	Vertical	-23.17	-13.00	Pass
5197.50	V	-16.93		
6930.00	V	-23.08		
3465.00	Horizontal	-23.85		
5197.50	H	-18.64		
6930.00	H	-20.86		
<b>Highest</b>				
3500.00	Vertical	-21.46	-13.00	Pass
5250.00	V	-16.52		
7000.00	V	-24.36		
3500.00	Horizontal	-23.34		
5250.00	H	-20.28		
7000.00	H	-21.37		

15MHz(RB size 1 & RB offset 0) for QPSK				
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result
	Polarization	Level (dBm)		
<b>Lowest</b>				
3435.00	Vertical	-20.63	-13.00	Pass
5152.50	V	-19.14		
6870.00	V	-25.12		
3435.00	Horizontal	-22.58		
5152.50	H	-22.46		
6870.00	H	-24.61		
<b>Middle</b>				
3465.00	Vertical	-23.07	-13.00	Pass
5197.50	V	-16.76		
6930.00	V	-23.31		
3465.00	Horizontal	-23.65		
5197.50	H	-18.29		
6930.00	H	-20.78		
<b>Highest</b>				
3495.00	Vertical	-21.43	-13.00	Pass
5242.50	V	-16.11		
6990.00	V	-24.37		
3495.00	Horizontal	-22.78		
5242.50	H	-20.46		
6990.00	H	-21.53		

20MHz(RB size 1 & RB offset 0) for QPSK				
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result
	Polarization	Level (dBm)		
<b>Lowest</b>				
3440.00	Vertical	-22.32	-13.00	Pass
5160.00	V	-19.26		
6880.00	V	-22.51		
3440.00	Horizontal	-24.66		
5160.00	H	-23.41		
6880.00	H	-25.18		
<b>Middle</b>				
3465.00	Vertical	-21.29	-13.00	Pass
5197.50	V	-18.75		
6930.00	V	-22.86		
3465.00	Horizontal	-24.24		
5197.50	H	-23.41		
6930.00	H	-25.86		
<b>Highest</b>				
3490.00	Vertical	-22.28	-13.00	Pass
5235.00	V	-16.58		
6980.00	V	-24.53		
3490.00	Horizontal	-21.30		
5235.00	H	-18.97		
6980.00	H	-24.89		

LTE Band 7 Part:

5MHz(RB size 1 & RB offset 0) for QPSK

Frequency (MHz)	Spurious Emission		Limit (dBm)	Result
	Polarization	Level (dBm)		
<b>Lowest</b>				
5005.00	Vertical	-28.61	-25.00	Pass
7507.50	V	-25.50		
5005.00	Horizontal	-27.74		
7507.50	H	-26.13		
<b>Middle</b>				
5070.00	Vertical	-25.92	-25.00	Pass
7605.00	V	-27.03		
5070.00	Horizontal	-28.51		
7605.00	H	-27.55		
<b>Highest</b>				
5135.00	Vertical	-25.77	-25.00	Pass
7702.50	V	-27.82		
5135.00	Horizontal	-27.97		
7702.50	H	-27.54		

10MHz(RB size 1 & RB offset 0) for QPSK				
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result
	Polarization	Level (dBm)		
<b>Lowest</b>				
5010.00	Vertical	-27.25	-25.00	Pass
7515.00	V	-26.91		
5010.00	Horizontal	-27.58		
7515.00	H	-27.73		
<b>Middle</b>				
5070.00	Vertical	-26.04	-25.00	Pass
7605.00	V	-27.51		
5070.00	Horizontal	-26.53		
7605.00	H	-27.25		
<b>Highest</b>				
5130.00	Vertical	-26.03	-25.00	Pass
7695.00	V	-26.61		
5130.00	Horizontal	-27.73		
7695.00	H	-26.61		

15MHz(RB size 1 & RB offset 0) for QPSK				
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result
	Polarization	Level (dBm)		
<b>Lowest</b>				
5015.00	Vertical	-28.57	-25.00	Pass
7522.50	V	-26.01		
5015.00	Horizontal	-27.81		
7522.50	H	-26.23		
<b>Middle</b>				
5070.00	Vertical	-25.97	-25.00	Pass
7605.00	V	-27.14		
5070.00	Horizontal	-28.47		
7605.00	H	-27.62		
<b>Highest</b>				
5125.00	Vertical	-25.89	-25.00	Pass
7687.50	V	-27.91		
5125.00	Horizontal	-27.80		
7687.50	H	-27.67		

20MHz(RB size 1 & RB offset 0) for QPSK				
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result
	Polarization	Level (dBm)		
<b>Lowest</b>				
5020.00	Vertical	-27.17	-25.00	Pass
7530.00	V	-26.73		
5020.00	Horizontal	-27.43		
7530.00	H	-26.17		
<b>Middle</b>				
5070.00	Vertical	-25.98	-25.00	Pass
7605.00	V	-27.76		
5070.00	Horizontal	-26.46		
7605.00	H	-27.13		
<b>Highest</b>				
5120.00	Vertical	-25.99	-25.00	Pass
7680.00	V	-26.57		
5120.00	Horizontal	-27.81		
7680.00	H	-26.50		




LTE Band 17 Part:

5MHz(RB size 1 & RB offset 0) for QPSK

Frequency (MHz)	Spurious Emission		Limit (dBm)	Result
	Polarization	Level (dBm)		
<b>Lowest</b>				
1413.00	Vertical	-48.53	-13.00	Pass
2119.50	V	-43.76		
2826.00	V	-41.53		
1413.00	Horizontal	-48.76		
2119.50	H	-47.71		
2826.00	H	-42.06		
<b>Middle</b>				
1420.00	Vertical	-48.47	-13.00	Pass
2130.00	V	-43.92		
2840.00	V	-41.20		
1420.00	Horizontal	-48.57		
2130.00	H	-47.67		
2840.00	H	-41.95		
<b>Highest</b>				
1427.00	Vertical	-49.03	-13.00	Pass
2140.50	V	-47.75		
2854.00	V	-42.13		
1427.00	Horizontal	-48.62		
2140.50	H	-47.73		
2854.00	H	-42.04		

10MHz(RB size 1 & RB offset 0) for QPSK				
Frequency (MHz)	Spurious Emission		Limit (dBm)	Result
	Polarization	Level (dBm)		
<b>Lowest</b>				
1418.00	Vertical	-48.63	-13.00	Pass
2127.00	V	-43.46		
2836.00	V	-41.58		
1418.00	Horizontal	-48.61		
2127.00	H	-47.48		
2836.00	H	-41.87		
<b>Middle</b>				
1420.00	Vertical	-48.79	-13.00	Pass
2130.00	V	-43.53		
2840.00	V	-42.05		
1420.00	Horizontal	-48.41		
2130.00	H	-47.73		
2840.00	H	-42.05		
<b>Highest</b>				
1422.00	Vertical	-49.12	-13.00	Pass
2133.00	V	-47.85		
2844.00	V	-42.36		
1422.00	Horizontal	-48.71		
2133.00	H	-47.62		
2844.00	H	-42.16		

## 6.12 Frequency stability V.S. Temperature measurement

Test Requirement:	FCC Part2.1055(a)(1)(b)
Test Method:	FCC Part2.1055(a)(1)(b)
Limit:	±2.5ppm
Test setup:	 <p><b>Note :</b> Measurement setup for testing on Antenna connector</p>
Test procedure:	<ol style="list-style-type: none"> <li>1. The equipment under test was connected to an external DC power supply and input rated voltage.</li> <li>2. RF output was connected to a frequency counter or spectrum analyzer via feed through attenuators.</li> <li>3. The EUT was placed inside the temperature chamber.</li> <li>4. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and measure EUT 25°C operating frequency as reference frequency.</li> <li>5. Turn EUT off and set the chamber temperature to -30°C. After the temperature stabilized for approximately 30 minutes recorded the frequency.</li> <li>6. Repeat step measure with 10°C increased per stage until the highest temperature of +50°C reached</li> </ol>
Test Instruments:	Refer to section 5.8 for details
Test mode:	Refer to section 5.3 for details
Test results:	Passed
Remark:	All three channels of all modulations have been tested, but only the worst channel and the worst modulation show in this test item.

Measurement Data (the worst channel):

### LTE Band 2(QPSK):

Reference Frequency: LTE Band 2(1.4MHz) Middle channel=18900 channel=1880.00MHz					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.70	-30	198	0.105319	±2.5	Pass
	-20	123	0.065426		
	-10	126	0.067021		
	0	117	0.062234		
	10	104	0.055319		
	20	108	0.057447		
	30	145	0.077128		
	40	169	0.089894		
	50	107	0.056915		
Reference Frequency: LTE Band 2(3MHz) Middle channel=18900 channel=1880.00MHz					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.70	-30	165	0.087766	±2.5	Pass
	-20	123	0.065426		
	-10	130	0.069149		
	0	114	0.060638		
	10	107	0.056915		
	20	102	0.054255		
	30	119	0.063298		
	40	110	0.058511		
	50	144	0.076596		
Reference Frequency: LTE Band 2(5MHz) Middle channel=18900 channel=1880.00MHz					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.70	-30	155	0.082447	±2.5	Pass
	-20	123	0.065426		
	-10	165	0.087766		
	0	120	0.063830		
	10	144	0.076596		
	20	140	0.074468		
	30	147	0.078191		
	40	133	0.070745		
	50	136	0.072340		

Reference Frequency: LTE Band 2(10MHz) Middle channel=18900 channel=1880.00MHz					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.70	-30	155	0.082447	±2.5	Pass
	-20	123	0.065426		
	-10	166	0.088298		
	0	160	0.085106		
	10	150	0.079787		
	20	134	0.071277		
	30	138	0.073404		
	40	133	0.070745		
	50	107	0.056915		
Reference Frequency: LTE Band 2(15MHz) Middle channel=18900 channel=1880.00MHz					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.70	-30	155	0.082447	±2.5	Pass
	-20	182	0.096809		
	-10	122	0.064894		
	0	126	0.067021		
	10	144	0.076596		
	20	107	0.056915		
	30	108	0.057447		
	40	114	0.060638		
	50	116	0.061702		
Reference Frequency: LTE Band 2(20MHz) Middle channel=18900 channel=1880.00MHz					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.70	-30	198	0.105319	±2.5	Pass
	-20	123	0.065426		
	-10	133	0.070745		
	0	165	0.087766		
	10	160	0.085106		
	20	145	0.077128		
	30	124	0.065957		
	40	107	0.056915		
	50	174	0.092553		

**LTE Band 2(16QAM):**

Reference Frequency: LTE Band 2(1.4MHz) Middle channel=18900 channel=1880.00MHz					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.70	-30	187	0.099468	±2.5	Pass
	-20	123	0.065426		
	-10	165	0.087766		
	0	120	0.063830		
	10	144	0.076596		
	20	121	0.064362		
	30	104	0.055319		
	40	108	0.057447		
	50	114	0.060638		
Reference Frequency: LTE Band 2(3MHz) Middle channel=18900 channel=1880.00MHz					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.70	-30	154	0.081915	±2.5	Pass
	-20	165	0.087766		
	-10	123	0.065426		
	0	130	0.069149		
	10	144	0.076596		
	20	140	0.074468		
	30	108	0.057447		
	40	106	0.056383		
	50	114	0.060638		
Reference Frequency: LTE Band 2(5MHz) Middle channel=18900 channel=1880.00MHz					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.70	-30	165	0.087766	±2.5	Pass
	-20	123	0.065426		
	-10	132	0.070213		
	0	130	0.069149		
	10	144	0.076596		
	20	140	0.074468		
	30	170	0.090426		
	40	152	0.080851		
	50	126	0.067021		

Reference Frequency: LTE Band 2(10MHz) Middle channel=18900 channel=1880.00MHz					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.70	-30	166	0.088298	±2.5	Pass
	-20	123	0.065426		
	-10	130	0.069149		
	0	134	0.071277		
	10	128	0.068085		
	20	144	0.076596		
	30	140	0.074468		
	40	127	0.067553		
	50	155	0.082447		
Reference Frequency: LTE Band 2(15MHz) Middle channel=18900 channel=1880.00MHz					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.70	-30	160	0.085106	±2.5	Pass
	-20	132	0.070213		
	-10	104	0.055319		
	0	171	0.090957		
	10	150	0.079787		
	20	123	0.065426		
	30	128	0.068085		
	40	116	0.061702		
	50	110	0.058511		
Reference Frequency: LTE Band 2(20MHz) Middle channel=18900 channel=1880.00MHz					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.70	-30	166	0.088298	±2.5	Pass
	-20	123	0.065426		
	-10	129	0.068617		
	0	132	0.070213		
	10	138	0.073404		
	20	144	0.076596		
	30	107	0.056915		
	40	117	0.062234		
	50	109	0.057979		

**LTE Band 4(QPSK):**

Reference Frequency: LTE Band 4(1.4MHz) Middle channel=20175 channel=1732.50MHz					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.70	-30	199	0.114863	±2.5	Pass
	-20	185	0.106782		
	-10	165	0.095238		
	0	123	0.070996		
	10	130	0.075036		
	20	144	0.083117		
	30	147	0.084848		
	40	170	0.098124		
	50	160	0.092352		
Reference Frequency: LTE Band 4(3MHz) Middle channel=20175 channel=1732.50MHz					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.70	-30	132	0.076190	±2.5	Pass
	-20	130	0.075036		
	-10	155	0.089466		
	0	150	0.086580		
	10	164	0.094661		
	20	123	0.070996		
	30	128	0.073882		
	40	107	0.061760		
	50	117	0.067532		
Reference Frequency: LTE Band 4(5MHz) Middle channel=20175 channel=1732.50MHz					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.70	-30	165	0.095238	±2.5	Pass
	-20	123	0.070996		
	-10	130	0.075036		
	0	138	0.079654		
	10	144	0.083117		
	20	140	0.080808		
	30	135	0.077922		
	40	160	0.092352		
	50	145	0.083694		



Reference Frequency: LTE Band 4(10MHz) Middle channel=20175 channel=1732.50MHz					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.70	-30	165	0.095238	±2.5	Pass
	-20	123	0.070996		
	-10	108	0.062338		
	0	144	0.083117		
	10	146	0.084271		
	20	160	0.092352		
	30	155	0.089466		
	40	150	0.086580		
	50	128	0.073882		
Reference Frequency: LTE Band 4(15MHz) Middle channel=20175 channel=1732.50MHz					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.70	-30	166	0.095815	±2.5	Pass
	-20	132	0.076190		
	-10	130	0.075036		
	0	122	0.070418		
	10	128	0.073882		
	20	120	0.069264		
	30	144	0.083117		
	40	140	0.080808		
	50	137	0.079076		
Reference Frequency: LTE Band 4(20MHz) Middle channel=20175 channel=1732.50MHz					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.70	-30	197	0.113709	±2.5	Pass
	-20	182	0.105051		
	-10	123	0.070996		
	0	126	0.072727		
	10	155	0.089466		
	20	150	0.086580		
	30	144	0.083117		
	40	140	0.080808		
	50	177	0.102165		

**LTE Band 4(16QAM):**

Reference Frequency: LTE Band 4(1.4MHz) Middle channel=20175 channel=1732.50MHz					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.70	-30	165	0.095238	±2.5	Pass
	-20	123	0.070996		
	-10	130	0.075036		
	0	135	0.077922		
	10	152	0.087734		
	20	144	0.083117		
	30	140	0.080808		
	40	139	0.080231		
	50	108	0.062338		
Reference Frequency: LTE Band 4(3MHz) Middle channel=20175 channel=1732.50MHz					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.70	-30	178	0.102742	±2.5	Pass
	-20	156	0.090043		
	-10	123	0.070996		
	0	130	0.075036		
	10	136	0.078499		
	20	137	0.079076		
	30	128	0.073882		
	40	129	0.074459		
	50	144	0.083117		
Reference Frequency: LTE Band 4(5MHz) Middle channel=20175 channel=1732.50MHz					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.70	-30	165	0.095238	±2.5	Pass
	-20	155	0.089466		
	-10	123	0.070996		
	0	135	0.077922		
	10	148	0.085426		
	20	104	0.060029		
	30	117	0.067532		
	40	116	0.066955		
	50	129	0.074459		

Reference Frequency: LTE Band 4(10MHz) Middle channel=20175 channel=1732.50MHz					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.70	-30	155	0.089466	±2.5	Pass
	-20	161	0.092929		
	-10	132	0.076190		
	0	145	0.083694		
	10	122	0.070418		
	20	126	0.072727		
	30	129	0.074459		
	40	104	0.060029		
	50	100	0.057720		
Reference Frequency: LTE Band 4(15MHz) Middle channel=20175 channel=1732.50MHz					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.70	-30	155	0.089466	±2.5	Pass
	-20	123	0.070996		
	-10	166	0.095815		
	0	127	0.073304		
	10	122	0.070418		
	20	124	0.071573		
	30	104	0.060029		
	40	106	0.061183		
	50	108	0.062338		
Reference Frequency: LTE Band 4(20MHz) Middle channel=20175 channel=1732.50MHz					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.70	-30	166	0.095815	±2.5	Pass
	-20	152	0.087734		
	-10	130	0.075036		
	0	120	0.069264		
	10	144	0.083117		
	20	140	0.080808		
	30	133	0.076768		
	40	136	0.078499		
	50	128	0.073882		

**LTE Band 7(QPSK):**

Reference Frequency: LTE Band 7(5MHz) Middle channel=21100 Frequency=2535.00MHz					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.70	-30	199	0.078501	±2.5	Pass
	-20	156	0.061538		
	-10	123	0.048521		
	0	133	0.052465		
	10	165	0.065089		
	20	160	0.063116		
	30	144	0.056805		
	40	140	0.055227		
	50	171	0.067456		
Reference Frequency: LTE Band 7(10MHz) Middle channel=21100 Frequency=2535.00MHz					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.70	-30	188	0.074162	±2.5	Pass
	-20	123	0.048521		
	-10	133	0.052465		
	0	165	0.065089		
	10	120	0.047337		
	20	144	0.056805		
	30	148	0.058383		
	40	155	0.061144		
	50	159	0.062722		
Reference Frequency: LTE Band 7(15MHz) Middle channel=21100 Frequency=2535.00MHz					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.70	-30	122	0.048126	±2.5	Pass
	-20	126	0.049704		
	-10	144	0.056805		
	0	148	0.058383		
	10	155	0.061144		
	20	160	0.063116		
	30	166	0.065483		
	40	132	0.052071		
	50	110	0.043393		
Reference Frequency: LTE Band 7(20MHz) Middle channel=21100 Frequency=2535.00MHz					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.70	-30	199	0.078501	±2.5	Pass
	-20	180	0.071006		
	-10	123	0.048521		
	0	165	0.065089		
	10	145	0.057199		
	20	146	0.057594		
	30	133	0.052465		
	40	136	0.053649		
	50	130	0.051282		

**LTE Band 7(16QAM):**

Reference Frequency: LTE Band 7(5MHz) Middle channel=21100Frequency=2535.00MHz					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.70	-30	166	0.065483	±2.5	Pass
	-20	123	0.048521		
	-10	133	0.052465		
	0	138	0.054438		
	10	126	0.049704		
	20	127	0.050099		
	30	144	0.056805		
	40	146	0.057594		
	50	140	0.055227		
Reference Frequency: LTE Band 7(10MHz) Middle channel=21100 Frequency=2535.00MHz					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.70	-30	152	0.059961	±2.5	Pass
	-20	162	0.063905		
	-10	130	0.051282		
	0	139	0.054832		
	10	166	0.065483		
	20	167	0.065878		
	30	134	0.052860		
	40	123	0.048521		
	50	126	0.049704		
Reference Frequency: LTE Band 7(15MHz) Middle channel=21100 Frequency=2535.00MHz					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.70	-30	155	0.061144	2.5	Pass
	-20	119	0.046943		
	-10	144	0.056805		
	0	146	0.057594		
	10	123	0.048521		
	20	128	0.050493		
	30	174	0.068639		
	40	149	0.058777		
	50	102	0.040237		
Reference Frequency: LTE Band 7(20MHz) Middle channel=21100 Frequency=2535.00MHz					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.70	-30	136	0.053649	2.5	Pass
	-20	122	0.048126		
	-10	145	0.057199		
	0	148	0.058383		
	10	139	0.054832		
	20	127	0.050099		
	30	104	0.041026		
	40	109	0.042998		
	50	114	0.044970		


**LTE Band 17(QPSK):**

Reference Frequency: LTE Band 17(5MHz) Middle channel=23790 channel=710.00MHz					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.70	-30	199	0.280282	±2.5	Pass
	-20	123	0.173239		
	-10	165	0.232394		
	0	122	0.171831		
	10	144	0.202817		
	20	177	0.249296		
	30	180	0.253521		
	40	115	0.161972		
	50	130	0.183099		
Reference Frequency: LTE Band 17(10MHz) Middle channel=23790 channel=710.00MHz					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.70	-30	197	0.277465	±2.5	Pass
	-20	123	0.173239		
	-10	165	0.232394		
	0	160	0.225352		
	10	130	0.183099		
	20	134	0.188732		
	30	144	0.202817		
	40	140	0.197183		
	50	143	0.201408		

**LTE Band 17(16QAM):**

Reference Frequency: LTE Band 17(5MHz) Middle channel=23790 channel=710.00MHz					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.70	-30	166	0.233803	±2.5	Pass
	-20	123	0.173239		
	-10	160	0.225352		
	0	144	0.202817		
	10	148	0.208451		
	20	150	0.211268		
	30	155	0.218310		
	40	122	0.171831		
	50	107	0.150704		
Reference Frequency: LTE Band 17(10MHz) Middle channel=23790 channel=710.00MHz					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.70	-30	132	0.185915	±2.5	Pass
	-20	122	0.171831		
	-10	145	0.204225		
	0	174	0.245070		
	10	108	0.152113		
	20	101	0.142254		
	30	118	0.166197		
	40	116	0.163380		
	50	103	0.145070		

## 6.13 Frequency stability V.S. Voltage measurement

Test Requirement:	FCC Part2.1055(d)(1)(2)
Test Method:	FCC Part2.1055(d)(1)(2)
Limit:	2.5ppm
Test setup:	 <p style="text-align: center;">Temperature Chamber</p> <p style="text-align: center;">Spectrum analyzer      Att.      EUT</p> <p style="text-align: center;">Variable Power Supply</p> <p><b>Note :</b> Measurement setup for testing on Antenna connector</p>
Test procedure:	<ol style="list-style-type: none"> <li>1. Set chamber temperature to 25°C. Use a variable DC power source to power the EUT and set the voltage to rated voltage.</li> <li>2. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and recorded the frequency.</li> <li>3. Reduce the input voltage to specify extreme voltage variation (+/- 15%) and endpoint, record the maximum frequency change.</li> </ol>
Test Instruments:	Refer to section 5.8 for details
Test mode:	Refer to section 5.3 for details, and all channels have been tested, only shows the worst channel data in this report.
Test results:	Passed

**Measurement Data (the worst channel):**

**LTE Band 2(QPSK):**

Reference Frequency: LTE Band 2(1.4MHz) Middle channel=18900 channel=1880.00MHz					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	4.25	99	0.052660	±2.5	Pass
	3.70	63	0.033511		
	3.14	45	0.023936		
Reference Frequency: LTE Band 2(3MHz) Middle channel=18900 channel=1880.00MHz					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	4.25	85	0.045213	±2.5	Pass
	3.70	64	0.034043		
	3.14	90	0.047872		
Reference Frequency: LTE Band 2(5MHz) Middle channel=18900 channel=1880.00MHz					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	4.25	88	0.046809	±2.5	Pass
	3.70	45	0.023936		
	3.14	96	0.051064		
Reference Frequency: LTE Band 2(10MHz) Middle channel=18900 channel=1880.00MHz					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	4.25	77	0.040957	±2.5	Pass
	3.70	74	0.039362		
	3.14	65	0.034574		
Reference Frequency: LTE Band 2(15MHz) Middle channel=18900 channel=1880.00MHz					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	4.25	85	0.045213	±2.5	Pass
	3.70	80	0.042553		
	3.14	63	0.033511		
Reference Frequency: LTE Band 2(20MHz) Middle channel=20175 channel=1880.00MHz					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	4.25	77	0.040957	±2.5	Pass
	3.70	90	0.047872		
	3.14	88	0.046809		



**LTE Band 2(16QAM):**

Reference Frequency: LTE Band 2(1.4MHz) Middle channel=18900 channel=1880.00MHz					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	4.25	65	0.034574	±2.5	Pass
	3.70	90	0.047872		
	3.14	84	0.044681		
Reference Frequency: LTE Band 2(3MHz) Middle channel=18900 channel=1880.00MHz					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	4.25	88	0.046809	±2.5	Pass
	3.70	50	0.026596		
	3.14	66	0.035106		
Reference Frequency: LTE Band 2(5MHz) Middle channel=18900 channel=1880.00MHz					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	4.25	72	0.038298	±2.5	Pass
	3.70	66	0.035106		
	3.14	48	0.025532		
Reference Frequency: LTE Band 2(7MHz) Middle channel=18900 channel=1880.00MHz					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	4.25	77	0.040957	±2.5	Pass
	3.70	80	0.042553		
	3.14	90	0.047872		
Reference Frequency: LTE Band 2(15MHz) Middle channel=18900 channel=1880.00MHz					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	4.25	86	0.045745	±2.5	Pass
	3.70	45	0.023936		
	3.14	92	0.048936		
Reference Frequency: LTE Band 2(20MHz) Middle channel=18900 channel=1880.00MHz					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	4.25	75	0.039894	±2.5	Pass
	3.70	68	0.036170		
	3.14	94	0.050000		

### LTE Band 4(QPSK):

Reference Frequency: LTE Band 4(1.4MHz) Middle channel=20175 channel=1732.50MHz					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	4.25	88	0.050794	±2.5	Pass
	3.70	95	0.054834		
	3.14	46	0.026551		
Reference Frequency: LTE Band 4(3MHz) Middle channel=20175 channel=1732.50MHz					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	4.25	88	0.050794	±2.5	Pass
	3.70	45	0.025974		
	3.14	66	0.038095		
Reference Frequency: LTE Band 4(5MHz) Middle channel=20175 channel=1732.50MHz					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	4.25	72	0.041558	±2.5	Pass
	3.70	73	0.042136		
	3.14	34	0.019625		
Reference Frequency: LTE Band 4(10MHz) Middle channel=20175 channel=1732.50MHz					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	4.25	84	0.048485	±2.5	Pass
	3.70	86	0.049639		
	3.14	59	0.034055		
Reference Frequency: LTE Band 4(15MHz) Middle channel=20175 channel=1732.50MHz					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	4.25	71	0.040981	±2.5	Pass
	3.70	52	0.030014		
	3.14	99	0.057143		
Reference Frequency: LTE Band 4(20MHz) Middle channel=20175 channel=1732.50MHz					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	4.25	90	0.051948	±2.5	Pass
	3.70	85	0.049062		
	3.14	64	0.036941		

**LTE Band 4(16QAM):**

Reference Frequency: LTE Band 4(1.4MHz) Middle channel=20175 channel=1732.50MHz					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	4.25	88	0.050794	±2.5	Pass
	3.70	64	0.036941		
	3.14	72	0.041558		
Reference Frequency: LTE Band 4(3MHz) Middle channel=20175 channel=1732.50MHz					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	4.25	45	0.025974	±2.5	Pass
	3.70	80	0.046176		
	3.14	66	0.038095		
Reference Frequency: LTE Band 4(5MHz) Middle channel=20175 channel=1732.50MHz					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	4.25	43	0.024820	±2.5	Pass
	3.70	60	0.034632		
	3.14	78	0.045022		
Reference Frequency: LTE Band 4(10MHz) Middle channel=20175 channel=1732.50MHz					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	4.25	80	0.046176	±2.5	Pass
	3.70	45	0.025974		
	3.14	60	0.034632		
Reference Frequency: LTE Band 4(15MHz) Middle channel=20175 channel=1732.50MHz					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	4.25	81	0.046753	±2.5	Pass
	3.70	46	0.026551		
	3.14	97	0.055988		
Reference Frequency: LTE Band 4(20MHz) Middle channel=20175 channel=1732.50MHz					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	4.25	90	0.051948	±2.5	Pass
	3.70	55	0.031746		
	3.14	84	0.048485		

**LTE Band 7(QPSK):**

Reference Frequency: LTE Band 7(5MHz) Middle channel=21100 Frequency=2535.00MHz					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	4.25	87	0.034320	±2.5	Pass
	3.70	56	0.022091		
	3.14	94	0.037081		
Reference Frequency: LTE Band 7(10MHz) Middle channel=21100 Frequency=2535.00MHz					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	4.25	77	0.030375	±2.5	Pass
	3.70	80	0.031558		
	3.14	49	0.019329		
Reference Frequency: LTE Band 7(15MHz) Middle channel=21100 Frequency=2535.00MHz					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	4.25	63	0.024852	±2.5	Pass
	3.70	82	0.032347		
	3.14	79	0.031164		
Reference Frequency: LTE Band 7(20MHz) Middle channel=21100 Frequency=2535.00MHz					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	4.25	90	0.035503	±2.5	Pass
	3.70	74	0.029191		
	3.14	80	0.031558		

**LTE Band 7(16QAM):**

Reference Frequency: LTE Band 7(5MHz) Middle channel=21100 Frequency=2535.00MHz					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	4.25	99	0.039053	±2.5	Pass
	3.70	85	0.033531		
	3.14	74	0.029191		
Reference Frequency: LTE Band 7(10MHz) Middle channel=21100 Frequency=2535.00MHz					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	4.25	84	0.033136	±2.5	Pass
	3.70	67	0.026430		
	3.14	79	0.031164		
Reference Frequency: LTE Band 7(15MHz) Middle channel=21100 Frequency=2535.00MHz					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	4.25	80	0.031558	±2.5	Pass
	3.70	79	0.031164		
	3.14	76	0.029980		
Reference Frequency: LTE Band 7(20MHz) Middle channel=21100 Frequency=2535.00MHz					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	4.25	88	0.034714	±2.5	Pass
	3.70	86	0.033925		
	3.14	46	0.018146		

**LTE Band 17(QPSK):**

Reference Frequency: LTE Band 17(5MHz) Middle channel=23790 channel=710.00MHz					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	4.25	90	0.126761	±2.5	Pass
	3.70	80	0.112676		
	3.14	74	0.104225		
Reference Frequency: LTE Band 17(10MHz) Middle channel=23790 channel=710.00MHz					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	4.25	86	0.121127	±2.5	Pass
	3.70	94	0.132394		
	3.14	71	0.100000		

**LTE Band 17(16QAM):**

Reference Frequency: LTE Band 17(5MHz) Middle channel=23790 channel=710.00MHz					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	4.25	85	0.119718	±2.5	Pass
	3.70	64	0.090141		
	3.14	90	0.126761		
Reference Frequency: LTE Band 17(10MHz) Middle channel=23790 channel=710.00MHz					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	4.25	99	0.139437	±2.5	Pass
	3.70	64	0.090141		
	3.14	78	0.109859		