





				LT	FE Ban	d 7-5M	-17			
				-	QP					
	ltiView 🗄	Spectrum								▼
Re • Atl	f Level 27. t	.00 dBm Offse 20 dB SWT	t 7.0 41.84 µs (~6.9	00 dB = RBW 1 9 ms) = VBW 3	00 kHz 00 kHz Mode A	Auto FFT				
	cupied Ba	ndwidth							M1[1]	 1Pk Max -10.35 dBm 2.49995000 GHz
20 dB		H1 15.670 dBm	т <i>у</i> ~		m			~~{\$	D1[1]	0.56 dE
10 dB	m		Ĭ							
0 dBm	1									
-10-de	Bm	H2 -10.330	dBm					<u><u>d</u>1</u>	h	
-20 a	Bm		, -						- ~ ~~	
-30 di	Bm									
-40 di	Bm									
-50 di	P.m.									
-60 di										
-70 di CF 2	.5025 GHz	z		1001 pt	is is	1	.0 MHz/			Span 10.0 MHz
	nrker Table pe ∣ Ref		X-Value 2.49995 G		Y-Value 10.35 dBm		Function		Function F	
M	1	1	2.5002323 C 2.5047577 C	Hz -	10.35 dBm 10.58 dBm 10.53 dBm	Occ Bw			4.5254745	25 MHz
		1	2.5047577 G 5.101 M	HZ	10.53 dBm 0.56 dB					08.07.2017
		Л						Measuring	•••••••	08.07.2017 14:23:34
Date:	8.JUL.2017	14:23:33								
					Chann	el Low				
	ItiView	.00 dBm Offse		00 dB = RBW 1	00 kHz					∇
At	t cupied Ba	20 dB SWT	41.84 µs (~6.9	9 ms) = VBW 3	00 kHz Mode	Auto FFT				1Pk Max
20 dB	m								M1[1]	-10.02 dBm 2.53245300 GHz
10 dB	m	H1 15.880 dBm	Ţ.	~~~~~		······	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	D1[1]	0.44 dE 5.08900 MHz
0.49										
0 dBm			MX							
-10-d	Bm	H2 -10.120	dBm					Ĩ.	~	
~20.dt	вт — — — — — — — — — — — — — — — — — — —	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	~~							+
-30 di	Bm									
-40 di	Bm									
-40 di -50 di										
-50 di	Bm									
-50 di	Bm									
-50 di -60 di -70 di <u>CF 2</u>	Bm			1001 pt	5		.0 MHz/			Span 10.0 MHz
-50 di -60 di -70 di <u>CF 2</u> 2 Ma T	Bm Bm .535 GHz arker Tablo pe Ref	e Trc	X-Value		Y-Value		.0 MHz/ Function		Function R	
-50 di -60 di -70 di <u>CF 2</u> 2 Ma <u>Ty</u> M T	Bm Bm .535 GHz arker Table pe Ref 11	e Trc	2.532453 G 2.5327423 G 2.5372577 G	Hz - SHz	Y-Value 10.02 dBm 10.60 dBm	Occ Bw				Result
-50 di -60 di CF 2 2 2 Ma Ty Ty	8m 8m .535 GHz arker Table pe Ref 11 2	e Trc 1 1	2.532453 G 2.5327423 G	Hz - SHz	Y-Value 10.02 dBm				Function F 4.5154845	Result 15 MHz
-50 dt -50 dt -70 dt -7	8m	e Trc 1 1 1 1	2.532453 G 2.5327423 G 2.5372577 G	Hz - SHz	Y-Value 10.02 dBm 10.60 dBm				Function R	Result 15 MHz
-50 d -50 d -70 d CF 2 2 M M M T T D	8m 8m .535 GHz arker Table pe Ref 11 2	e Trc 1 1 1 1	2.532453 G 2.5327423 G 2.5372577 G	Hz - SHz	Y-Value 10.02 dBm 10.60 dBm 10.11 dBm 0.44 dB	Occ Bw			Function F 4.5154845	Result 15 MHz
-50 dl -60 dl -70 dl -7	8m 8m 	e 1 1 1 1 1 1 1 1 1 1 1 1 1	2.532453 G 2.5327423 G 2.5372577 G 5.089 M	Hz - SHz	Y-Value 10.02 dBm 10.60 dBm	Occ Bw			Function F 4.5154845	Result 15 MHz 0 9.07.2017 14:22:27
-50 dl -50 dl -70 dl -7	Bm Bm .535 GHz .535 GHz In Ker 1 2 1 8.JUL 2017 ItiView	e i Trc 1 1 1 1 1 1 1 1 1 1 1 1 1	2.532453 G 2.5327423 G 2.5372577 G 5.089 M	Hz - SHz Hz	Y-Value 10.02 dBm 10.60 dBm 10.11 dBm 0.44 dB Chanr	occ Bw			Function F 4.5154845	Result 15 MHz
-50 d -60 d -70 d	Bm Bm .535 GHz .535 GHz In Ker 1 2 1 8.JUL 2017 ItiView	e 1 Trc 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2.532453 G 2.5327423 G 2.5372577 G 5.089 M	Hz - SHz Hz	Y-Value 10.02 dBm 10.60 dBm 10.11 dBm 0.44 dB Chanr	occ Bw			Function R 4.5154845:	Result 15 MHz 0 9.07.2017 14:22:27
-50 dl -60 dl -70 dl -7	Brn Brn 535 GHz arker Table pe Refi 1 2 1 1 8.JUL2017 ItiView f Level 27. t cupied Ba	e 1 Trc 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2.532453 G 2.5327423 G 2.5372577 G 5.089 M	Hz - SHz Hz	Y-Value 10.02 dBm 10.60 dBm 10.11 dBm 0.44 dB Chanr	occ Bw			Function R 4.5154845:	Result 15 MHz 00.07.2017 14:22:27 2 14:22:27 2 2 2 2 2 2 2 2 2 2 2 2 2
-50 dl -60 dl -70 dl -7	am am .535 GHz .535 GHz rker Tablo pe Ref 1 2 1 M1 8.JUL2017 the second s	e 1 Trc 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2.532453 G 2.5327423 G 2.5372577 G 5.089 M	Hz - SHz Hz	Y-Value 10.02 dBm 10.60 dBm 10.11 dBm 0.44 dB Chanr	occ Bw			Function F 4.5154845:	Result 15 MHz ■ 06.07.2017 14:22:27 ■ 19: Max ■ 10.91 dBm 2.56493600 dBm
-50 dl -60 dl -70 dl -7	Bm 	e 1 Trc 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2.532453 G 2.5327423 G 2.5372577 G 5.089 M	Hz - SHz Hz	Y-Value 10.02 dBm 10.60 dBm 10.11 dBm 0.44 dB Chanr	occ Bw			Function F 4.5154845:	Result 15 MHz 00.07.2017 14:22:27 2 14:22:27 2 2 2 2 2 2 2 2 2 2 2 2 2
-50 dl -60 dl -70 dl CF 2 2 M ₂ Ty M T D Defe: 1 CC 2 M 1 2 M ₂ 2 M ₂ 1 CC 2 M ₂ 2 M ₂ 1 CC 2 M ₂ 2 M ₂ 1 CC 2 M ₂ 2 M ₂ 2 M ₂ 1 CC 1 CC 1 CC 1 CC 1 CC 1 CC 1 CC 1 C	Bm Bm S35 GHz rker Tables Pe Ref 1 2 1 1 8.JUL 2017 ItiView f Level 27. cupied Ba m	e 1 1 1 1 1 1 1 1 1 1 1 1 1	2.532453 G 2.5327423 G 2.5372577 G 5.089 M	Hz - SHz Hz	Y-Value 10.02 dBm 10.60 dBm 10.11 dBm 0.44 dB Chanr	occ Bw			Function F 4.5154845:	Result 15 MHz 00.07.2017 14:22:27 2 14:22:27 2 2 2 2 2 2 2 2 2 2 2 2 2
-50 dl -60 dl -70 dl CF 2 2 2 Me T T T T D Defe: 1 Of 2 dl 1 0 dl 0 dl 0 dl 0 dl	Bm Bm 535 GHz 1535 GHz 11 1 2 11 11 1 2 11 11 1 2 11 11	e 1 Trc 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2.532453 G 2.5327423 G 2.5372577 G 5.089 M	Hz - SHz Hz	Y-Value 10.02 dBm 10.60 dBm 10.11 dBm 0.44 dB Chanr	occ Bw			Function F 4.5154845:	Result 15 MHz 00.07.2017 14:22:27 2 14:22:27 2 2 2 2 2 2 2 2 2 2 2 2 2
-50 dl -60 dl -72 dl -72 dl -72 M -77 dl -77 dl -77 dl -77 dl -77 dl -77 dl -77 dl -77 dl -77 dl -77 dl -70	am am am <u>535 GHz</u> <u>535 GHz</u> <u>13</u> <u>1</u> <u>1</u> <u>1</u> <u>1</u> <u>1</u> <u>1</u> <u>1</u> <u>1</u>	e 1 1 1 1 1 1 1 1 1 1 1 1 1	2.532453 G 2.5327423 G 2.5372577 G 5.089 M	Hz - SHz Hz	Y-Value 10.02 dBm 10.60 dBm 10.11 dBm 0.44 dB Chanr	occ Bw			Function F 4.5154845:	Result 15 MHz 00.07.2017 14:22:27 2 14:22:27 2 2 2 2 2 2 2 2 2 2 2 2 2
-50 dl -60 dl -70 dl -7	am am am <u>535 GHz</u> <u>535 GHz</u> <u>13</u> <u>1</u> <u>1</u> <u>1</u> <u>1</u> <u>1</u> <u>1</u> <u>1</u> <u>1</u>	e 1 1 1 1 1 1 1 1 1 1 1 1 1	2.532453 G 2.5327423 G 2.5372577 G 5.089 M	Hz - SHz Hz	Y-Value 10.02 dBm 10.60 dBm 10.11 dBm 0.44 dB Chanr	occ Bw			Function F 4.5154845:	Result 15 MHz 00.07.2017 14:22:27 2 14:22:27 2 2 2 2 2 2 2 2 2 2 2 2 2
-50 dl -60 dl -70 dl -7	Bm 	e 1 1 1 1 1 1 1 1 1 1 1 1 1	2.532453 G 2.5327423 G 2.5372577 G 5.089 M	Hz - SHz Hz	Y-Value 10.02 dBm 10.60 dBm 10.11 dBm 0.44 dB Chanr	occ Bw			Function F 4.5154845:	Result 15 MHz 00.07.2017 14:22:27 2 14:22:27 2 2 2 2 2 2 2 2 2 2 2 2 2
-50 dl -50 dl -70 dl -7	Bm Bm S35 GHz S35 GHz Mrker Tables Ref 1 2 2 1 1 1 8.JUL 2017 ItiView F f Level 27. cupied Ba m Bm Bm Bm Bm	e 1 1 1 1 1 1 1 1 1 1 1 1 1	2.532453 G 2.5327423 G 2.5372577 G 5.089 M 5.089 M	Hz - SHz Hz	Y-Value 10.02 dBm 10.60 dBm 10.11 dBm 0.44 dB Chanr	occ Bw			Function F 4.5154845:	Result 15 MHz 00.07.2017 14:22:27 2 14:22:27 2 2 2 2 2 2 2 2 2 2 2 2 2
-50 dl -60 dl -70 dl CF 2 2 Me Ty T T T D Dolo:	Bm Bm S35 GHz S35 GHz S35 GHz Ref 1 2 1 M1 1 2 1 M1 1 2 1 M1 1 2 1 M1 1 2 1 M1 1 2 1 M1 1 2 1 M1 1 2 1 M1 M1 M1 M1 M1 M1 M1 M1 M1	e 1 1 1 1 1 1 1 1 1 1 1 1 1	2.532453 G 2.5327423 G 2.5372577 G 5.089 M 5.089 M	Hz - SHz Hz	Y-Value 10.02 dBm 10.60 dBm 10.11 dBm 0.44 dB Chanr	occ Bw			Function F 4.5154845:	Result 15 MHz 00.07.2017 14:22:27 2 14:22:27 2 2 2 2 2 2 2 2 2 2 2 2 2
-50 d -60 d -70 d -70 d -70 d -70 d -70 d -70 d -70 d -80 d -80 d -80 d -80 d -80 d -80 d	BmBmBmBmBmBmBmBmBmBmBJUL_2017BJUL_2017BJUL_2017BJUL_2017Bm	e Trc 1 1 1 1 1 1 1 1 1 1 1 1 1	2.532453 G 2.5327423 G 2.5372577 G 5.089 M 5.089 M	Hz - SHz Hz	Y-Value 10.02 dBm 10.60 dBm 10.11 dBm 0.44 dB Chanr		Function		Function F 4.5154845:	Result 15 MHz 00.07.2017 14:22:27 2 14:22:27 2 2 2 2 2 2 2 2 2 2 2 2 2
-50 dl -60 dl -70 dl -7	am am am am am am am am am am	e Trc 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2.532453 G 2.5327423 G 2.5372577 G 5.089 M 5.089 M	Hz	V-Value 10.02 dBm 10.10 dBm 10.11 dBm 0.44 dB Chann 00 kHz 00 kHz Mode /				Function R 4.5154845: 	Result 15 MHz 00.07.2017 14:22:27 2 14:22:27 2 2 2 2 2 2 2 2 2 2 2 2 2
-50 dl -60 dl -70 dl CF 2 2 Ma T T T D Dete: 2 Ma • Att • O dl • Att • O dl • O	am	e Trc 1 1 1 1 1 1 1 1 1 1 1 1 1	2.522433 G 2.532742 2.5372457 5.089 M 5.089 M 41.94 µ5 (~6.5 41.94 µ5 (~6.5)	Hz	V-Value 10.02 dBm 10.10 dBm 10.11 dBm 0.44 dB Chann 00 kHz 00 kHz Mode / 10.11 10.11 dBm 10.11 dBm	Coc Bw	Function	Meesuring	Function R	Result 15 MHz 06.07,2017 14:22:27 (v 0.155 MDR -10,51 dBr -10,51 dBr 5.12000 MHz 5.12000 MHz Span 10.0 MHz Result
-50 dl -60 dl -70 dl CF 2 2 Ma T T T D Dette: 2 Ma 4 0 db -80 dl -80 dl	am	e Trc 1 1 1 1 1 1 1 1 1 1 1 1 1	2.522453 G 2.5327425 2.5327425 5.089 M 5.089 M 41.84 µs (~6.5 41.84 µs (~6.5 2.5655225 G 2.5655225 G	Hz	V-Value 10.02 dBm 10.10 dBm 10.11 dBm 0.44 dB Chann 00 kHz 00 kHz Mode / 10.11 10.11 dBm 10.11 dBm		Function	Meesuring	Function R 4.5154845:	Result 15 MHz 06.07,2017 14:22:27 (v 0.155 MDR -10,51 dBr -10,51 dBr 5.12000 MHz 5.12000 MHz Span 10.0 MHz Result
-50 dl -60 dl -70 dl CF 2 2 Me T T T D Date: * Att * A	am	e Trc 1 1 1 1 1 1 1 1 1 1 1 1 1	2.522433 G 2.532742 2.5372457 5.089 M 5.089 M 41.94 µ5 (~6.5 41.94 µ5 (~6.5)	Hz	V-Value 10.02 dBm 10.10 dBm 10.11 dBm 0.44 dB Chann 00 kHz 00 kHz Mode /	Coc Bw	Function	Measuring	Function R	Result 15 MHz 00.07.2017 14:22:27
-50 dl -60 dl -70 dl CF 2 2 M T T D Dete: 2 0 db 0 den -80 dl -80	am	e Trc 1 1 1 1 1 1 1 1 1 1 1 1 1	2.522453 G 2.5327425 2.5327425 5.089 M 5.089 M 41.84 µs (~6.5 41.84 µs (~6.5 2.5655225 G 2.5655225 G	Hz	V-Value 10.02 dBm 10.10 dBm 10.11 dBm 0.44 dB Chann 00 kHz 00 kHz Mode / 10.11 10.11 dBm 10.11 dBm	Coc Bw	Function	Measuring	Function R 4.5154845;	Result 15 MHz 00.07.2017 14:22:27 2:56493600 GHz 0.14 dē 5.12000 MHz 5.12000 MHz Span 10.0 MHz Result 25 MHz
-50 dl -60 dl -70 dl -7	am am am am am am am am am am	e Trc 1 1 1 1 1 1 1 1 1 1 1 1 1	2.522453 G 2.5327425 2.5327425 5.089 M 5.089 M 41.84 µs (~6.5 41.84 µs (~6.5 2.5655225 G 2.5655225 G	Hz	V-Value 10.02 dBm 10.60 dBm 10.11 dBm 0.44 dB Chanr 00 kHz 00 kHz Mode J 10.51 dBm 10.62 dBm 10.62 dBm 0.14 dB	Coc Bw	Function	Measuring	Function R 4.5154845;	Result 15 MHz 00.07.2017 14:22:27 2:56493600 GHz 0.14 dē 5.12000 MHz 5.12000 MHz Span 10.0 MHz Result 25 MHz

















5.3. Conducted Spurious Emissions

LIMIT


Part 24.238 and Part 22.917 and Part 27.53 h(1) specify that the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P) dB$.

The specification that emissions shall be attenuated below the transmitter power (P) by at least 43 + 10 log (P) dB, translates in the relevant power range (1 to 0.001 W) to -13 dBm. At 1 W the specified minimum attenuation becomes 43 dB and relative to a 30 dBm (1 W) carrier becomes a limit of -13 dBm. At 0.001 W (0 dBm) the minimum attenuation is 13 dB, which again yields a limit of -13 dBm. In this way a translation of the specification from relative to absolute terms is carried out.

LTE Band 7

Part 27.53 m(4) For mobile digital stations, the attenuation factor shall be not less than $40 + 10 \log (P) dB$ on all frequencies between the channel edge and 5 megahertz from the channel edge, $43 + 10 \log (P) dB$ on all frequencies between 5 megahertz and X megahertz from the channel edge, and 55 + 10 log (P) dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. Limit <-25 dBm

TEST CONFIGURATION



TEST PROCEDURE

- 1. The RF output of the transceiver was connected to a spectrum analyzer through appropriate attenuation.
- 2. The resolution bandwidth of the spectrum analyzer was set at 1MHz, sufficientscans were taken to show the out of band Emissions if any up to 10th harmonic.
- 3. For the out of band: Set the RBW= 1MHz, VBW = 3MHz, Start=30MHz, Stop= 10th harmonic.

TEST MODE:

Please refer to the clause 3.3

TEST RESULTS

☑ Passed □ Not Applicable

