






GSM1900_512



GSM1900_810



GPRS1900_512



GPRS1900_810



EGPRS1900_512



EGPRS1900_810




8.5 Appendix E: Conducted Spurious Emission

Test Result

| Band | Channel | Frequency Rang(Mhz) | Value(dBm) | Limit(dBm) | Verdict |
|-----------|---------|---------------------|------------|------------|---------|
| GSM850 | 128 | 30~1000 | -42.26 | -13 | PASS |
| GSM850 | 128 | 1000~10000 | -38.24 | -13 | PASS |
| GSM850 | 190 | 30~1000 | -42.52 | -13 | PASS |
| GSM850 | 190 | 1000~10000 | -33.25 | -13 | PASS |
| GSM850 | 251 | 30~1000 | -41.27 | -13 | PASS |
| GSM850 | 251 | 1000~10000 | -35.06 | -13 | PASS |
| GPRS850 | 128 | 30~1000 | -42.76 | -13 | PASS |
| GPRS850 | 128 | 1000~10000 | -32.85 | -13 | PASS |
| GPRS850 | 190 | 30~1000 | -42.55 | -13 | PASS |
| GPRS850 | 190 | 1000~10000 | -33.25 | -13 | PASS |
| GPRS850 | 251 | 30~1000 | -42.61 | -13 | PASS |
| GPRS850 | 251 | 1000~10000 | -33.28 | -13 | PASS |
| EGPRS850 | 128 | 30~1000 | -42.17 | -13 | PASS |
| EGPRS850 | 128 | 1000~10000 | -38.42 | -13 | PASS |
| EGPRS850 | 190 | 30~1000 | -42.32 | -13 | PASS |
| EGPRS850 | 190 | 1000~10000 | -38.51 | -13 | PASS |
| EGPRS850 | 251 | 30~1000 | -42.11 | -13 | PASS |
| EGPRS850 | 251 | 1000~10000 | -38.51 | -13 | PASS |
| GSM1900 | 512 | 30~1000 | -42.21 | -13 | PASS |
| GSM1900 | 512 | 1000~20000 | -31.68 | -13 | PASS |
| GSM1900 | 661 | 30~1000 | -42.64 | -13 | PASS |
| GSM1900 | 661 | 1000~20000 | -32.04 | -13 | PASS |
| GSM1900 | 810 | 30~1000 | -43.38 | -13 | PASS |
| GSM1900 | 810 | 1000~20000 | -31.80 | -13 | PASS |
| GPRS1900 | 512 | 30~1000 | -42.73 | -13 | PASS |
| GPRS1900 | 512 | 1000~20000 | -31.81 | -13 | PASS |
| GPRS1900 | 661 | 30~1000 | -42.59 | -13 | PASS |
| GPRS1900 | 661 | 1000~20000 | -31.85 | -13 | PASS |
| GPRS1900 | 810 | 30~1000 | -43.02 | -13 | PASS |
| GPRS1900 | 810 | 1000~20000 | -32.07 | -13 | PASS |
| EGPRS1900 | 512 | 30~1000 | -43.21 | -13 | PASS |
| EGPRS1900 | 512 | 1000~20000 | -31.81 | -13 | PASS |
| EGPRS1900 | 661 | 30~1000 | -43.01 | -13 | PASS |
| EGPRS1900 | 661 | 1000~20000 | -31.77 | -13 | PASS |
| EGPRS1900 | 810 | 30~1000 | -43.14 | -13 | PASS |
| EGPRS1900 | 810 | 1000~20000 | -31.87 | -13 | PASS |




Test Graphs



GSM850_128




GSM850_128



GSM850_190




GSM850_190



GSM850_251




GSM850_251



GPRS850_128




GPRS850_128




GPRS850_190




GPRS850_190



GPRS850_251




GPRS850_251



EGPRS850_128




EGPRS850_128



EGPRS850_190




EGPRS850_190



EGPRS850_251




EGPRS850_251



GSM1900_512




GSM1900_512



GSM1900_661




GSM1900_661



GSM1900_810




GSM1900_810



GPRS1900_512




GPRS1900_512



GPRS1900_661




GPRS1900_661



GPRS1900_810




GPRS1900_810



EGPRS1900_512




EGPRS1900_512



EGPRS1900_661



EGPRS1900_661



EGPRS1900_810



EGPRS1900_810

**8.6 Appendix F: Frequency Stability**

Test Result

| Voltage | | | | | | | |
|-----------|---------|---------------|------------------|----------------|-----------------|-------------|---------|
| Band | Channel | Voltage (Vdc) | Temperature (°C) | Deviation (Hz) | Deviation (ppm) | Limit (ppm) | Verdict |
| GSM850 | 128 | VL | TN | -9.59 | -0.011634 | 2.5 | PASS |
| GSM850 | 128 | VN | TN | -11.20 | -0.013593 | 2.5 | PASS |
| GSM850 | 128 | VH | TN | -7.10 | -0.008618 | 2.5 | PASS |
| GSM850 | 190 | VL | TN | -3.39 | -0.004052 | 2.5 | PASS |
| GSM850 | 190 | VN | TN | -5.84 | -0.006985 | 2.5 | PASS |
| GSM850 | 190 | VH | TN | -0.03 | -0.000039 | 2.5 | PASS |
| GSM850 | 251 | VL | TN | -6.26 | -0.007379 | 2.5 | PASS |
| GSM850 | 251 | VN | TN | 0.65 | 0.000761 | 2.5 | PASS |
| GSM850 | 251 | VH | TN | -1.13 | -0.001331 | 2.5 | PASS |
| GPRS850 | 128 | VL | TN | -7.10 | -0.008618 | 2.5 | PASS |
| GPRS850 | 128 | VN | TN | -4.68 | -0.005680 | 2.5 | PASS |
| GPRS850 | 128 | VH | TN | -5.33 | -0.006463 | 2.5 | PASS |
| GPRS850 | 190 | VL | TN | -6.75 | -0.008066 | 2.5 | PASS |
| GPRS850 | 190 | VN | TN | -7.52 | -0.008992 | 2.5 | PASS |
| GPRS850 | 190 | VH | TN | 0.97 | 0.001158 | 2.5 | PASS |
| GPRS850 | 251 | VL | TN | -1.03 | -0.001217 | 2.5 | PASS |
| GPRS850 | 251 | VN | TN | 2.29 | 0.002701 | 2.5 | PASS |
| GPRS850 | 251 | VH | TN | 1.29 | 0.001521 | 2.5 | PASS |
| EGPRS850 | 128 | VL | TN | -6.59 | -0.007991 | 2.5 | PASS |
| EGPRS850 | 128 | VN | TN | -1.13 | -0.001371 | 2.5 | PASS |
| EGPRS850 | 128 | VH | TN | -4.55 | -0.005523 | 2.5 | PASS |
| EGPRS850 | 190 | VL | TN | -5.00 | -0.005982 | 2.5 | PASS |
| EGPRS850 | 190 | VN | TN | -6.13 | -0.007332 | 2.5 | PASS |
| EGPRS850 | 190 | VH | TN | -6.94 | -0.008297 | 2.5 | PASS |
| EGPRS850 | 251 | VL | TN | -7.75 | -0.009129 | 2.5 | PASS |
| EGPRS850 | 251 | VN | TN | -8.81 | -0.010384 | 2.5 | PASS |
| EGPRS850 | 251 | VH | TN | -3.07 | -0.003614 | 2.5 | PASS |
| GSM1900 | 512 | VL | TN | 30.25 | 0.016351 | 2.5 | PASS |
| GSM1900 | 512 | VN | TN | 25.18 | 0.013611 | 2.5 | PASS |
| GSM1900 | 512 | VH | TN | 26.54 | 0.014344 | 2.5 | PASS |
| GSM1900 | 661 | VL | TN | 24.21 | 0.012880 | 2.5 | PASS |
| GSM1900 | 661 | VN | TN | 24.02 | 0.012777 | 2.5 | PASS |
| GSM1900 | 661 | VH | TN | 20.47 | 0.010888 | 2.5 | PASS |
| GSM1900 | 810 | VL | TN | 21.63 | 0.011327 | 2.5 | PASS |
| GSM1900 | 810 | VN | TN | 22.54 | 0.011800 | 2.5 | PASS |
| GSM1900 | 810 | VH | TN | 21.99 | 0.011513 | 2.5 | PASS |
| GPRS1900 | 512 | VL | TN | 22.21 | 0.012006 | 2.5 | PASS |
| GPRS1900 | 512 | VN | TN | 23.67 | 0.012791 | 2.5 | PASS |
| GPRS1900 | 512 | VH | TN | 22.83 | 0.012337 | 2.5 | PASS |
| GPRS1900 | 661 | VL | TN | 19.53 | 0.010390 | 2.5 | PASS |
| GPRS1900 | 661 | VN | TN | 22.05 | 0.011729 | 2.5 | PASS |
| GPRS1900 | 661 | VH | TN | 25.41 | 0.013515 | 2.5 | PASS |
| GPRS1900 | 810 | VL | TN | 20.34 | 0.010650 | 2.5 | PASS |
| GPRS1900 | 810 | VN | TN | 19.15 | 0.010025 | 2.5 | PASS |
| GPRS1900 | 810 | VH | TN | 21.28 | 0.011141 | 2.5 | PASS |
| EGPRS1900 | 512 | VL | TN | 30.22 | 0.016333 | 2.5 | PASS |
| EGPRS1900 | 512 | VN | TN | 25.05 | 0.013541 | 2.5 | PASS |
| EGPRS1900 | 512 | VH | TN | 24.31 | 0.013140 | 2.5 | PASS |



| | | | | | | | |
|-----------|-----|----|----|-------|----------|-----|------|
| EGPRS1900 | 661 | VL | TN | 23.37 | 0.012433 | 2.5 | PASS |
| EGPRS1900 | 661 | VN | TN | 31.09 | 0.016538 | 2.5 | PASS |
| EGPRS1900 | 661 | VH | TN | 19.82 | 0.010544 | 2.5 | PASS |
| EGPRS1900 | 810 | VL | TN | 24.54 | 0.012848 | 2.5 | PASS |
| EGPRS1900 | 810 | VN | TN | 25.96 | 0.013592 | 2.5 | PASS |
| EGPRS1900 | 810 | VH | TN | 19.18 | 0.010042 | 2.5 | PASS |



| Temperature | | | | | | | |
|-------------|---------|---------------|------------------|----------------|-----------------|-------------|---------|
| Band | Channel | Voltage (Vdc) | Temperature (°C) | Deviation (Hz) | Deviation (ppm) | Limit (ppm) | Verdict |
| GSM850 | 128 | VN | -30 | -6.78 | -0.008226 | 2.5 | PASS |
| GSM850 | 128 | VN | -20 | -6.72 | -0.008148 | 2.5 | PASS |
| GSM850 | 128 | VN | -10 | -11.69 | -0.014180 | 2.5 | PASS |
| GSM850 | 128 | VN | 0 | -8.52 | -0.010341 | 2.5 | PASS |
| GSM850 | 128 | VN | 10 | -7.30 | -0.008853 | 2.5 | PASS |
| GSM850 | 128 | VN | 20 | -5.29 | -0.006424 | 2.5 | PASS |
| GSM850 | 128 | VN | 30 | -6.42 | -0.007795 | 2.5 | PASS |
| GSM850 | 128 | VN | 40 | -5.10 | -0.006189 | 2.5 | PASS |
| GSM850 | 128 | VN | 50 | -10.46 | -0.012692 | 2.5 | PASS |
| GSM850 | 190 | VN | -30 | -4.58 | -0.005480 | 2.5 | PASS |
| GSM850 | 190 | VN | -20 | -6.46 | -0.007718 | 2.5 | PASS |
| GSM850 | 190 | VN | -10 | -1.68 | -0.002007 | 2.5 | PASS |
| GSM850 | 190 | VN | 0 | -0.16 | -0.000193 | 2.5 | PASS |
| GSM850 | 190 | VN | 10 | -2.42 | -0.002894 | 2.5 | PASS |
| GSM850 | 190 | VN | 20 | -3.13 | -0.003743 | 2.5 | PASS |
| GSM850 | 190 | VN | 30 | -4.88 | -0.005827 | 2.5 | PASS |
| GSM850 | 190 | VN | 40 | -2.91 | -0.003473 | 2.5 | PASS |
| GSM850 | 190 | VN | 50 | -5.84 | -0.006985 | 2.5 | PASS |
| GSM850 | 251 | VN | -30 | -4.29 | -0.005059 | 2.5 | PASS |
| GSM850 | 251 | VN | -20 | -9.43 | -0.011107 | 2.5 | PASS |
| GSM850 | 251 | VN | -10 | -8.14 | -0.009585 | 2.5 | PASS |
| GSM850 | 251 | VN | 0 | -0.29 | -0.000342 | 2.5 | PASS |
| GSM850 | 251 | VN | 10 | -4.07 | -0.004793 | 2.5 | PASS |
| GSM850 | 251 | VN | 20 | -5.49 | -0.006466 | 2.5 | PASS |
| GSM850 | 251 | VN | 30 | -2.81 | -0.003309 | 2.5 | PASS |
| GSM850 | 251 | VN | 40 | -6.72 | -0.007912 | 2.5 | PASS |
| GSM850 | 251 | VN | 50 | -5.00 | -0.005896 | 2.5 | PASS |
| GPRS850 | 128 | VN | -30 | -4.20 | -0.005092 | 2.5 | PASS |
| GPRS850 | 128 | VN | -20 | -5.71 | -0.006934 | 2.5 | PASS |
| GPRS850 | 128 | VN | -10 | -9.23 | -0.011203 | 2.5 | PASS |
| GPRS850 | 128 | VN | 0 | -3.55 | -0.004309 | 2.5 | PASS |
| GPRS850 | 128 | VN | 10 | -6.55 | -0.007952 | 2.5 | PASS |
| GPRS850 | 128 | VN | 20 | -2.36 | -0.002860 | 2.5 | PASS |
| GPRS850 | 128 | VN | 30 | -4.07 | -0.004936 | 2.5 | PASS |
| GPRS850 | 128 | VN | 40 | -5.55 | -0.006738 | 2.5 | PASS |
| GPRS850 | 128 | VN | 50 | -6.59 | -0.007991 | 2.5 | PASS |
| GPRS850 | 190 | VN | -30 | -4.91 | -0.005866 | 2.5 | PASS |
| GPRS850 | 190 | VN | -20 | -7.94 | -0.009494 | 2.5 | PASS |
| GPRS850 | 190 | VN | -10 | -3.68 | -0.004399 | 2.5 | PASS |
| GPRS850 | 190 | VN | 0 | -6.68 | -0.007988 | 2.5 | PASS |
| GPRS850 | 190 | VN | 10 | -0.58 | -0.000695 | 2.5 | PASS |
| GPRS850 | 190 | VN | 20 | -3.10 | -0.003705 | 2.5 | PASS |
| GPRS850 | 190 | VN | 30 | 0.81 | 0.000965 | 2.5 | PASS |
| GPRS850 | 190 | VN | 40 | -3.03 | -0.003628 | 2.5 | PASS |
| GPRS850 | 190 | VN | 50 | -2.97 | -0.003550 | 2.5 | PASS |
| GPRS850 | 251 | VN | -30 | 0.52 | 0.000609 | 2.5 | PASS |
| GPRS850 | 251 | VN | -20 | 2.81 | 0.003309 | 2.5 | PASS |
| GPRS850 | 251 | VN | -10 | -1.65 | -0.001940 | 2.5 | PASS |
| GPRS850 | 251 | VN | 0 | -6.78 | -0.007988 | 2.5 | PASS |
| GPRS850 | 251 | VN | 10 | -0.68 | -0.000799 | 2.5 | PASS |
| GPRS850 | 251 | VN | 20 | -4.04 | -0.004755 | 2.5 | PASS |



| | | | | | | | |
|----------|-----|----|-----|--------|-----------|-----|------|
| GPRS850 | 251 | VN | 30 | 1.19 | 0.001407 | 2.5 | PASS |
| GPRS850 | 251 | VN | 40 | -3.42 | -0.004032 | 2.5 | PASS |
| GPRS850 | 251 | VN | 50 | -2.55 | -0.003005 | 2.5 | PASS |
| EGPRS850 | 128 | VN | -30 | -1.16 | -0.001410 | 2.5 | PASS |
| EGPRS850 | 128 | VN | -20 | -0.87 | -0.001058 | 2.5 | PASS |
| EGPRS850 | 128 | VN | -10 | -9.81 | -0.011908 | 2.5 | PASS |
| EGPRS850 | 128 | VN | 0 | -1.36 | -0.001645 | 2.5 | PASS |
| EGPRS850 | 128 | VN | 10 | 1.03 | 0.001254 | 2.5 | PASS |
| EGPRS850 | 128 | VN | 20 | -6.59 | -0.007991 | 2.5 | PASS |
| EGPRS850 | 128 | VN | 30 | -9.17 | -0.011125 | 2.5 | PASS |
| EGPRS850 | 128 | VN | 40 | -10.65 | -0.012927 | 2.5 | PASS |
| EGPRS850 | 128 | VN | 50 | -7.88 | -0.009558 | 2.5 | PASS |
| EGPRS850 | 190 | VN | -30 | -11.17 | -0.013353 | 2.5 | PASS |
| EGPRS850 | 190 | VN | -20 | -5.65 | -0.006754 | 2.5 | PASS |
| EGPRS850 | 190 | VN | -10 | -7.72 | -0.009223 | 2.5 | PASS |
| EGPRS850 | 190 | VN | 0 | -6.42 | -0.007680 | 2.5 | PASS |
| EGPRS850 | 190 | VN | 10 | -6.84 | -0.008181 | 2.5 | PASS |
| EGPRS850 | 190 | VN | 20 | -10.43 | -0.012465 | 2.5 | PASS |
| EGPRS850 | 190 | VN | 30 | -7.30 | -0.008722 | 2.5 | PASS |
| EGPRS850 | 190 | VN | 40 | -0.16 | -0.000193 | 2.5 | PASS |
| EGPRS850 | 190 | VN | 50 | -4.26 | -0.005094 | 2.5 | PASS |
| EGPRS850 | 251 | VN | -30 | -10.88 | -0.012818 | 2.5 | PASS |
| EGPRS850 | 251 | VN | -20 | -8.68 | -0.010232 | 2.5 | PASS |
| EGPRS850 | 251 | VN | -10 | -5.91 | -0.006961 | 2.5 | PASS |
| EGPRS850 | 251 | VN | 0 | -1.61 | -0.001902 | 2.5 | PASS |
| EGPRS850 | 251 | VN | 10 | -6.78 | -0.007988 | 2.5 | PASS |
| EGPRS850 | 251 | VN | 20 | -4.81 | -0.005668 | 2.5 | PASS |
| EGPRS850 | 251 | VN | 30 | -2.74 | -0.003233 | 2.5 | PASS |
| EGPRS850 | 251 | VN | 40 | -0.26 | -0.000304 | 2.5 | PASS |
| EGPRS850 | 251 | VN | 50 | -4.20 | -0.004945 | 2.5 | PASS |
| GSM1900 | 512 | VN | -30 | 36.03 | 0.019474 | 2.5 | PASS |
| GSM1900 | 512 | VN | -20 | 49.72 | 0.026873 | 2.5 | PASS |
| GSM1900 | 512 | VN | -10 | 55.31 | 0.029892 | 2.5 | PASS |
| GSM1900 | 512 | VN | 0 | 50.33 | 0.027204 | 2.5 | PASS |
| GSM1900 | 512 | VN | 10 | 47.59 | 0.025721 | 2.5 | PASS |
| GSM1900 | 512 | VN | 20 | 54.30 | 0.029351 | 2.5 | PASS |
| GSM1900 | 512 | VN | 30 | 48.07 | 0.025983 | 2.5 | PASS |
| GSM1900 | 512 | VN | 40 | 53.14 | 0.028723 | 2.5 | PASS |
| GSM1900 | 512 | VN | 50 | 50.98 | 0.027553 | 2.5 | PASS |
| GSM1900 | 661 | VN | -30 | 24.89 | 0.013241 | 2.5 | PASS |
| GSM1900 | 661 | VN | -20 | 26.44 | 0.014065 | 2.5 | PASS |
| GSM1900 | 661 | VN | -10 | 22.24 | 0.011832 | 2.5 | PASS |
| GSM1900 | 661 | VN | 0 | 21.63 | 0.011506 | 2.5 | PASS |
| GSM1900 | 661 | VN | 10 | 18.11 | 0.009634 | 2.5 | PASS |
| GSM1900 | 661 | VN | 20 | 23.79 | 0.012657 | 2.5 | PASS |
| GSM1900 | 661 | VN | 30 | 22.86 | 0.012159 | 2.5 | PASS |
| GSM1900 | 661 | VN | 40 | 19.53 | 0.010390 | 2.5 | PASS |
| GSM1900 | 661 | VN | 50 | 18.50 | 0.009840 | 2.5 | PASS |
| GSM1900 | 810 | VN | -30 | 20.92 | 0.010955 | 2.5 | PASS |
| GSM1900 | 810 | VN | -20 | 21.99 | 0.011513 | 2.5 | PASS |
| GSM1900 | 810 | VN | -10 | 21.73 | 0.011377 | 2.5 | PASS |
| GSM1900 | 810 | VN | 0 | 24.09 | 0.012611 | 2.5 | PASS |
| GSM1900 | 810 | VN | 10 | 21.41 | 0.011208 | 2.5 | PASS |
| GSM1900 | 810 | VN | 20 | 25.54 | 0.013372 | 2.5 | PASS |
| GSM1900 | 810 | VN | 30 | 24.05 | 0.012594 | 2.5 | PASS |



| | | | | | | | |
|-----------|-----|----|-----|-------|----------|-----|------|
| GSM1900 | 810 | VN | 40 | 32.64 | 0.017091 | 2.5 | PASS |
| GSM1900 | 810 | VN | 50 | 26.41 | 0.013829 | 2.5 | PASS |
| GPRS1900 | 512 | VN | -30 | 25.51 | 0.013785 | 2.5 | PASS |
| GPRS1900 | 512 | VN | -20 | 17.34 | 0.009371 | 2.5 | PASS |
| GPRS1900 | 512 | VN | -10 | 25.54 | 0.013803 | 2.5 | PASS |
| GPRS1900 | 512 | VN | 0 | 18.02 | 0.009737 | 2.5 | PASS |
| GPRS1900 | 512 | VN | 10 | 26.83 | 0.014501 | 2.5 | PASS |
| GPRS1900 | 512 | VN | 20 | 33.00 | 0.017834 | 2.5 | PASS |
| GPRS1900 | 512 | VN | 30 | 25.09 | 0.013559 | 2.5 | PASS |
| GPRS1900 | 512 | VN | 40 | 22.76 | 0.012302 | 2.5 | PASS |
| GPRS1900 | 512 | VN | 50 | 23.50 | 0.012704 | 2.5 | PASS |
| GPRS1900 | 661 | VN | -30 | 20.76 | 0.011042 | 2.5 | PASS |
| GPRS1900 | 661 | VN | -20 | 18.92 | 0.010064 | 2.5 | PASS |
| GPRS1900 | 661 | VN | -10 | 20.11 | 0.010699 | 2.5 | PASS |
| GPRS1900 | 661 | VN | 0 | 19.98 | 0.010630 | 2.5 | PASS |
| GPRS1900 | 661 | VN | 10 | 19.31 | 0.010270 | 2.5 | PASS |
| GPRS1900 | 661 | VN | 20 | 23.83 | 0.012674 | 2.5 | PASS |
| GPRS1900 | 661 | VN | 30 | 19.08 | 0.010149 | 2.5 | PASS |
| GPRS1900 | 661 | VN | 40 | 21.99 | 0.011695 | 2.5 | PASS |
| GPRS1900 | 661 | VN | 50 | 18.05 | 0.009600 | 2.5 | PASS |
| GPRS1900 | 810 | VN | -30 | 23.18 | 0.012138 | 2.5 | PASS |
| GPRS1900 | 810 | VN | -20 | 23.60 | 0.012358 | 2.5 | PASS |
| GPRS1900 | 810 | VN | -10 | 24.09 | 0.012611 | 2.5 | PASS |
| GPRS1900 | 810 | VN | 0 | 23.70 | 0.012409 | 2.5 | PASS |
| GPRS1900 | 810 | VN | 10 | 16.08 | 0.008419 | 2.5 | PASS |
| GPRS1900 | 810 | VN | 20 | 21.11 | 0.011056 | 2.5 | PASS |
| GPRS1900 | 810 | VN | 30 | 17.53 | 0.009180 | 2.5 | PASS |
| GPRS1900 | 810 | VN | 40 | 16.66 | 0.008723 | 2.5 | PASS |
| GPRS1900 | 810 | VN | 50 | 17.18 | 0.008994 | 2.5 | PASS |
| EGPRS1900 | 512 | VN | -30 | 24.09 | 0.013018 | 2.5 | PASS |
| EGPRS1900 | 512 | VN | -20 | 23.05 | 0.012459 | 2.5 | PASS |
| EGPRS1900 | 512 | VN | -10 | 23.41 | 0.012651 | 2.5 | PASS |
| EGPRS1900 | 512 | VN | 0 | 17.72 | 0.009580 | 2.5 | PASS |
| EGPRS1900 | 512 | VN | 10 | 16.95 | 0.009161 | 2.5 | PASS |
| EGPRS1900 | 512 | VN | 20 | 24.02 | 0.012983 | 2.5 | PASS |
| EGPRS1900 | 512 | VN | 30 | 20.82 | 0.011255 | 2.5 | PASS |
| EGPRS1900 | 512 | VN | 40 | 15.17 | 0.008201 | 2.5 | PASS |
| EGPRS1900 | 512 | VN | 50 | 20.28 | 0.010959 | 2.5 | PASS |
| EGPRS1900 | 661 | VN | -30 | 23.60 | 0.012554 | 2.5 | PASS |
| EGPRS1900 | 661 | VN | -20 | 21.02 | 0.011180 | 2.5 | PASS |
| EGPRS1900 | 661 | VN | -10 | 17.27 | 0.009188 | 2.5 | PASS |
| EGPRS1900 | 661 | VN | 0 | 24.25 | 0.012897 | 2.5 | PASS |
| EGPRS1900 | 661 | VN | 10 | 35.42 | 0.018839 | 2.5 | PASS |
| EGPRS1900 | 661 | VN | 20 | 38.52 | 0.020488 | 2.5 | PASS |
| EGPRS1900 | 661 | VN | 30 | 31.51 | 0.016761 | 2.5 | PASS |
| EGPRS1900 | 661 | VN | 40 | 33.25 | 0.017689 | 2.5 | PASS |
| EGPRS1900 | 661 | VN | 50 | 29.22 | 0.015542 | 2.5 | PASS |
| EGPRS1900 | 810 | VN | -30 | 19.05 | 0.009974 | 2.5 | PASS |
| EGPRS1900 | 810 | VN | -20 | 16.05 | 0.008402 | 2.5 | PASS |
| EGPRS1900 | 810 | VN | -10 | 18.73 | 0.009805 | 2.5 | PASS |
| EGPRS1900 | 810 | VN | 0 | 23.79 | 0.012459 | 2.5 | PASS |
| EGPRS1900 | 810 | VN | 10 | 27.96 | 0.014640 | 2.5 | PASS |
| EGPRS1900 | 810 | VN | 20 | 22.92 | 0.012003 | 2.5 | PASS |
| EGPRS1900 | 810 | VN | 30 | 24.92 | 0.013051 | 2.5 | PASS |
| EGPRS1900 | 810 | VN | 40 | 22.83 | 0.011952 | 2.5 | PASS |



Report No.: CHTEW19060047

Issued: 2019-06-10

| | | | | | | | |
|-----------|-----|----|----|-------|----------|-----|------|
| EGPRS1900 | 810 | VN | 50 | 25.76 | 0.013490 | 2.5 | PASS |
|-----------|-----|----|----|-------|----------|-----|------|

-----End of the Report -----