

APPENDIX REPORT

Project No.	SHT2009103701EW	Radio Specification	WIFI 2.4G
Test sample No.	YPHT20091037018	Model No.	M5+
Start test date	2020/11/10	Finish date	2020/11/10
Temperature	25°C	Humidity	50%
Test Engineer	Hailey Chen	Auditor	Xiaodong Zheo




Appendix clause	Test item	Result
A	Conducted Peak Output Power	PASS
B	Power Spectral Density	PASS
C	6 dB Bandwidth	PASS
D	99% Occupied Bandwidth	PASS
E	Duty Cycle	PASS
F	Band edge and Spurious Emissions (conducted)	PASS

Appendix A: Conducted Peak Output Power

Type	Channel	Peak Output power (dBm)	Average Output power (dBm)	Limit (dBm)	Result
802.11b	01	11.63	8.97	≤ 30.00	Pass
	06	12.04	9.64		
	11	11.05	8.56		
802.11g	01	13.96	11.18	≤ 30.00	Pass
	06	14.40	11.79		
	11	13.73	11.03		
802.11n (HT20)	01	14.18	12.27	≤ 30.00	Pass
	06	14.68	12.75		
	11	13.91	11.95		

Appendix B: Power Spectral Density

Type	Channel	Power Spectral Density (dBm/30KHz)	Limit (dBm/3KHz)	Result
802.11b	01	-3.08	≤8.00	Pass
	06	-2.82		
	11	-3.07		
802.11g	01	-11.98	≤8.00	Pass
	06	-9.98		
	11	-10.52		
802.11n(HT20)	01	-11.48	≤8.00	Pass
	06	-10.99		
	11	-11.25		


Type:		802.11 b
CH01	 <p>Ref Level 20.00 dBm Offset 1.00 dB RBW 30 kHz Att 30 dB SWI 1.78 ms VBW 100 kHz Mode Auto Sweep Count 100/100 MI[1] 3.08 dBm 2.4127350 GHz CF 2.412 GHz 1001 pts 1.6 MHz/ Span 16.0 MHz Date: 10/NOV/2020 10:58:58</p>	
CH06	 <p>Ref Level 20.00 dBm Offset 1.00 dB RBW 30 kHz Att 30 dB SWI 1.78 ms VBW 100 kHz Mode Auto Sweep Count 100/100 MI[1] 2.82 dBm 2.4377350 GHz CF 2.437 GHz 1001 pts 1.6 MHz/ Span 16.0 MHz Date: 10/NOV/2020 11:08:38</p>	
CH11	 <p>Ref Level 20.00 dBm Offset 1.00 dB RBW 30 kHz Att 30 dB SWI 1.78 ms VBW 100 kHz Mode Auto Sweep Count 100/100 MI[1] -3.07 dBm 2.4627350 GHz CF 2.462 GHz 1001 pts 1.6 MHz/ Span 16.0 MHz Date: 10/NOV/2020 11:11:44</p>	


Type:	802.11 g
CH01	<p>MultiView Spectrum</p> <p>Ref Level 20.00 dBm Offset 1.00 dB BW 30 kHz Att 30 dB SWI 279 us (-1.5 ms) VBW 100 kHz Mode Auto FFT</p> <p>Count 100/100</p> <p>MI[1] -11.96 dBm 2.4057310 GHz</p> <p>1 Frequency Sweep</p> <p>10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm -80 dBm</p> <p>CF 2.412 GHz 1001 pts 2.5 MHz/ Span 25.0 MHz</p> <p>Date: 10/NOV/2009 11:22:41</p>
CH06	<p>MultiView Spectrum</p> <p>Ref Level 20.00 dBm Offset 1.00 dB BW 30 kHz Att 30 dB SWI 279 us (-1.5 ms) VBW 100 kHz Mode Auto FFT</p> <p>Count 100/100</p> <p>MI[1] 9.98 dBm 2.4394730 GHz</p> <p>1 Frequency Sweep</p> <p>10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm -80 dBm</p> <p>CF 2.437 GHz 1001 pts 2.5 MHz/ Span 25.0 MHz</p> <p>Date: 10/NOV/2009 11:25:49</p>
CH11	<p>MultiView Spectrum</p> <p>Ref Level 20.00 dBm Offset 1.00 dB BW 30 kHz Att 30 dB SWI 279 us (-1.5 ms) VBW 100 kHz Mode Auto FFT</p> <p>Count 100/100</p> <p>MI[1] -10.52 dBm 2.4644730 GHz</p> <p>1 Frequency Sweep</p> <p>10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm -80 dBm</p> <p>CF 2.462 GHz 1001 pts 2.5 MHz/ Span 25.0 MHz</p> <p>Date: 10/NOV/2009 11:28:23</p>

Type:	802.11n(HT20)	
CH01	<p>MultiView Spectrum</p> <p>Ref Level 20.00 dBm Offset 1.00 dB BW 30 kHz Att 30 dB SWI 279 us (-1.5 ms) VBW 100 kHz Mode Auto FFT Count 100/100</p> <p>1 Frequency Sweep</p> <p>M1[1] -11.48 dBm 2.4194680 GHz</p> <p>CF 2.412 GHz 1001 pts 2.5 MHz/ Span 25.0 MHz</p> <p>Date: 10.NOV.2009 11:34:01</p>	
CH06	<p>MultiView Spectrum</p> <p>Ref Level 20.00 dBm Offset 1.00 dB BW 30 kHz Att 30 dB SWI 279 us (-1.5 ms) VBW 100 kHz Mode Auto FFT Count 100/100</p> <p>1 Frequency Sweep</p> <p>M1[1] -10.99 dBm 2.4444680 GHz</p> <p>CF 2.437 GHz 1001 pts 2.5 MHz/ Span 25.0 MHz</p> <p>Date: 10.NOV.2009 11:37:07</p>	
CH11	<p>MultiView Spectrum</p> <p>Ref Level 20.00 dBm Offset 1.00 dB BW 30 kHz Att 30 dB SWI 279 us (-1.5 ms) VBW 100 kHz Mode Auto FFT Count 100/100</p> <p>1 Frequency Sweep</p> <p>M1[1] -11.25 dBm 2.4694680 GHz</p> <p>CF 2.462 GHz 1001 pts 2.5 MHz/ Span 25.0 MHz</p> <p>Date: 10.NOV.2009 11:39:32</p>	

Appendix C: 6dB bandwidth

Type	Channel	6dB Bandwidth (MHz)	Limit (MHz)	Result
802.11b	01	9.81	≥0.5	Pass
	06	9.81		
	11	9.81		
802.11g	01	16.41	≥0.5	Pass
	06	16.41		
	11	16.41		
802.11n(HT20)	01	17.67	≥0.5	Pass
	06	17.67		
	11	17.67		







Type:	802.11n(HT20)																												
CH01	<p>Ref Level 20.50 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWI 1.04 ms VBW 300 kHz Mode Auto Sweep Count 500/500</p> <p>1 Frequency Sweep</p> <p>20 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm</p> <p>GF 2.412 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td></td> <td>1</td> <td>2.40315 GHz</td> <td>-13.54 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td></td> <td>1</td> <td>2.41449 GHz</td> <td>-6.41 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>17.67 MHz</td> <td>0.17 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 10/NOV/2020 11:32:45</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1		1	2.40315 GHz	-13.54 dBm			M2		1	2.41449 GHz	-6.41 dBm			D3	M1	1	17.67 MHz	0.17 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1		1	2.40315 GHz	-13.54 dBm																									
M2		1	2.41449 GHz	-6.41 dBm																									
D3	M1	1	17.67 MHz	0.17 dB																									
CH06	<p>Ref Level 20.50 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWI 1.04 ms VBW 300 kHz Mode Auto Sweep Count 500/500</p> <p>1 Frequency Sweep</p> <p>20 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm</p> <p>GF 2.427 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td></td> <td>1</td> <td>2.42815 GHz</td> <td>-13.22 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td></td> <td>1</td> <td>2.43949 GHz</td> <td>-5.93 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>17.67 MHz</td> <td>0.26 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 10/NOV/2020 11:35:41</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1		1	2.42815 GHz	-13.22 dBm			M2		1	2.43949 GHz	-5.93 dBm			D3	M1	1	17.67 MHz	0.26 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1		1	2.42815 GHz	-13.22 dBm																									
M2		1	2.43949 GHz	-5.93 dBm																									
D3	M1	1	17.67 MHz	0.26 dB																									
CH11	<p>Ref Level 20.50 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWI 1.04 ms VBW 300 kHz Mode Auto Sweep Count 500/500</p> <p>1 Frequency Sweep</p> <p>20 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm</p> <p>GF 2.462 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td></td> <td>1</td> <td>2.45315 GHz</td> <td>-13.28 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td></td> <td>1</td> <td>2.46449 GHz</td> <td>-6.08 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>17.67 MHz</td> <td>0.34 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 10/NOV/2020 11:38:10</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1		1	2.45315 GHz	-13.28 dBm			M2		1	2.46449 GHz	-6.08 dBm			D3	M1	1	17.67 MHz	0.34 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1		1	2.45315 GHz	-13.28 dBm																									
M2		1	2.46449 GHz	-6.08 dBm																									
D3	M1	1	17.67 MHz	0.34 dB																									

Appendix D: 99% Occupied Bandwidth

Type	Channel	99% Bandwidth (MHz)	Limit (MHz)	Result
802.11b	01	12.14	-	Pass
	06	12.11		
	11	12.05		
802.11g	01	17.26	-	Pass
	06	17.26		
	11	17.26		
802.11n(HT20)	01	17.89	-	Pass
	06	17.89		
	11	17.89		








Type:	802.11n(HT20)																												
CH01	<p>MultiView Spectrum</p> <p>Ref Level 20.50 dBm Offset 1.00 dB RBW 300 kHz Att 30 dB SWI 1.01 ms VBW 1 MHz Mode Auto Sweep Count 500/500</p> <p>1 Occupied Bandwidth MI[1] 3.97 dBm 2.4152370 GHz</p> <p>GF 2.412 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.415237 GHz</td> <td>-3.97 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.4030689 GHz</td> <td>-11.05 dBm</td> <td>Occ Bw</td> <td>17.892107892 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.4209961 GHz</td> <td>-11.53 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 10/NOV/2020 11:32:53</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.415237 GHz	-3.97 dBm			T1	1		2.4030689 GHz	-11.05 dBm	Occ Bw	17.892107892 MHz	T2	1		2.4209961 GHz	-11.53 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.415237 GHz	-3.97 dBm																									
T1	1		2.4030689 GHz	-11.05 dBm	Occ Bw	17.892107892 MHz																							
T2	1		2.4209961 GHz	-11.53 dBm																									
CH06	<p>MultiView Spectrum</p> <p>Ref Level 20.50 dBm Offset 1.00 dB RBW 300 kHz Att 30 dB SWI 1.01 ms VBW 1 MHz Mode Auto Sweep Count 500/500</p> <p>1 Occupied Bandwidth MI[1] 2.53 dBm 2.4349920 GHz</p> <p>GF 2.437 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.434992 GHz</td> <td>-2.53 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.4280689 GHz</td> <td>-10.54 dBm</td> <td>Occ Bw</td> <td>17.892107892 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.4409961 GHz</td> <td>-10.66 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 10/NOV/2020 11:35:49</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.434992 GHz	-2.53 dBm			T1	1		2.4280689 GHz	-10.54 dBm	Occ Bw	17.892107892 MHz	T2	1		2.4409961 GHz	-10.66 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.434992 GHz	-2.53 dBm																									
T1	1		2.4280689 GHz	-10.54 dBm	Occ Bw	17.892107892 MHz																							
T2	1		2.4409961 GHz	-10.66 dBm																									
CH11	<p>MultiView Spectrum</p> <p>Ref Level 20.50 dBm Offset 1.00 dB RBW 300 kHz Att 30 dB SWI 1.01 ms VBW 1 MHz Mode Auto Sweep Count 500/500</p> <p>1 Occupied Bandwidth MI[1] 2.60 dBm 2.4677240 GHz</p> <p>GF 2.462 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.467724 GHz</td> <td>-2.60 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.4530689 GHz</td> <td>-10.42 dBm</td> <td>Occ Bw</td> <td>17.892107892 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.4709961 GHz</td> <td>-10.38 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 10/NOV/2020 11:38:18</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.467724 GHz	-2.60 dBm			T1	1		2.4530689 GHz	-10.42 dBm	Occ Bw	17.892107892 MHz	T2	1		2.4709961 GHz	-10.38 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.467724 GHz	-2.60 dBm																									
T1	1		2.4530689 GHz	-10.42 dBm	Occ Bw	17.892107892 MHz																							
T2	1		2.4709961 GHz	-10.38 dBm																									

Appendix E: Duty Cycle

Modulation Type	Test Frequency (MHz)	T _{on time} for single burst (ms)	T _{period} (ms)	Duty cycle	1/T _{on time} (kHz)
11b	2437	8.36	8.41	99.4%	0.1
11g	2437	1.38	1.42	97.2%	0.7
11n20	2437	1.17	1.20	97.5%	0.9







11n20






Date: 10/NOV/2020 11:35:31

Appendix F: Band edge and Spurious Emissions (conducted)


Test Item:	Bandedge	Type:	802.11 b																																										
CH01	 <p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.41344 GHz</td> <td>-2.41 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4 GHz</td> <td>-45.68 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.39 GHz</td> <td>-58.27 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.31 GHz</td> <td>-62.99 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td></td> <td>2.389218 GHz</td> <td>-56.77 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 10/NOV/2020 11:14:01</p>			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.41344 GHz	-2.41 dBm			M2	1		2.4 GHz	-45.68 dBm			M3	1		2.39 GHz	-58.27 dBm			M4	1		2.31 GHz	-62.99 dBm			M5	1		2.389218 GHz	-56.77 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.41344 GHz	-2.41 dBm																																									
M2	1		2.4 GHz	-45.68 dBm																																									
M3	1		2.39 GHz	-58.27 dBm																																									
M4	1		2.31 GHz	-62.99 dBm																																									
M5	1		2.389218 GHz	-56.77 dBm																																									
CH11	 <p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.463964 GHz</td> <td>-1.99 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.48333 GHz</td> <td>-55.07 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.5 GHz</td> <td>-60.97 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.483536 GHz</td> <td>-55.46 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 10/NOV/2020 11:12:31</p>			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.463964 GHz	-1.99 dBm			M2	1		2.48333 GHz	-55.07 dBm			M3	1		2.5 GHz	-60.97 dBm			M4	1		2.483536 GHz	-55.46 dBm									
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.463964 GHz	-1.99 dBm																																									
M2	1		2.48333 GHz	-55.07 dBm																																									
M3	1		2.5 GHz	-60.97 dBm																																									
M4	1		2.483536 GHz	-55.46 dBm																																									

Test Item:	Bandedge	Type:	802.11 g																																										
CH01		 <p>Ref Level 20.00 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SWI 1.12 ms VBW 300 kHz Mode Auto Sweep Count 300/300</p> <p>1 Frequency Sweep</p> <p>M1[1] 5.80 dBm 2.414450 GHz M2[1] -38.35 dBm 2.400000 GHz</p> <p>2.31 GHz 1001 pts 11.2 MHz/ 2.422 GHz</p> <p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.41445 GHz</td> <td>-5.80 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4 GHz</td> <td>-38.35 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.39 GHz</td> <td>-47.72 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.31 GHz</td> <td>-62.34 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td></td> <td>2.389218 GHz</td> <td>-47.53 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 10/NOV/2020 11:23:01</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.41445 GHz	-5.80 dBm			M2	1		2.4 GHz	-38.35 dBm			M3	1		2.39 GHz	-47.72 dBm			M4	1		2.31 GHz	-62.34 dBm			M5	1		2.389218 GHz	-47.53 dBm			
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.41445 GHz	-5.80 dBm																																									
M2	1		2.4 GHz	-38.35 dBm																																									
M3	1		2.39 GHz	-47.72 dBm																																									
M4	1		2.31 GHz	-62.34 dBm																																									
M5	1		2.389218 GHz	-47.53 dBm																																									
CH11		 <p>Ref Level 20.00 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SWI 1.03 ms VBW 300 kHz Mode Auto Sweep Count 300/300</p> <p>1 Frequency Sweep</p> <p>M1[1] 5.48 dBm 2.4669850 GHz M2[1] -47.28 dBm 2.4835000 GHz</p> <p>2.452 GHz 1001 pts 4.8 MHz/ 2.5 GHz</p> <p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.466985 GHz</td> <td>-5.48 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4835 GHz</td> <td>-47.28 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.5 GHz</td> <td>-57.04 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.484016 GHz</td> <td>-44.95 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 10/NOV/2020 11:28:35</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.466985 GHz	-5.48 dBm			M2	1		2.4835 GHz	-47.28 dBm			M3	1		2.5 GHz	-57.04 dBm			M4	1		2.484016 GHz	-44.95 dBm										
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.466985 GHz	-5.48 dBm																																									
M2	1		2.4835 GHz	-47.28 dBm																																									
M3	1		2.5 GHz	-57.04 dBm																																									
M4	1		2.484016 GHz	-44.95 dBm																																									


Test Item:	Bandedge	Type:	802.11 n(HT20)
CH01			
CH11			

Test Item:	SE	Type:	802.11 b
<p>CH01 Reference level</p>			
<p>CH01 30MHz~1000MHz</p>			
<p>CH01 1GHz~26GHz</p>			


CH06
Reference level






CH06
30MHz~1000MHz






CH06
1GHz~26GHz



<p>CH11 Reference level</p>	 <p>MultiView Spectrum Ref Level 30.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 1.04 ms VBW 300 kHz Mode Auto Sweep Count 100/100 1 Frequency Sweep M1[1] -2.14 dBm 2.4634690 GHz CF 2.462 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz Date: 10/NOV/2020 11:12:38</p>
<p>CH11 30MHz~1000MHz</p>	 <p>MultiView Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 30.1 ms VBW 300 kHz Mode Auto Sweep Count 10/10 1 Frequency Sweep M1[1] -58.03 dBm 879.5140 MHz M1 -22.140 dBm 30.0 MHz 30001 pts 97.0 MHz/ 1.0 GHz Date: 10/NOV/2020 11:12:54</p>
<p>CH11 1GHz~26GHz</p>	 <p>MultiView Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 250 ms VBW 300 kHz Mode Auto Sweep Count 10/10 1 Frequency Sweep M1[1] -32.09 dBm 4.923333 GHz M1 -22.140 dBm 1.0 GHz 30001 pts 2.5 GHz/ 26.0 GHz Date: 10/NOV/2020 11:13:10</p>


Test Item:	SE	Type:	802.11 g
<p>CH01 Reference level</p>			
<p>CH01 30MHz~1000MHz</p>			
<p>CH01 1GHz~26GHz</p>			

<p>CH06 Reference level</p>	
<p>CH06 30MHz~1000MHz</p>	
<p>CH06 1GHz~26GHz</p>	


<p>CH11 Reference level</p>	 <p>MultiView Spectrum Ref Level 30.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 1.04 ms VBW 300 kHz Mode Auto Sweep Count 100/100 1 Frequency Sweep M1[1] -5.48 dBm 2.464880 GHz CF 2.462 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz Date: 10/NOV/2020 11:28:42</p>
<p>CH11 30MHz~1000MHz</p>	 <p>MultiView Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 30.1 ms VBW 300 kHz Mode Auto Sweep Count 10/10 1 Frequency Sweep M1[1] -59.62 dBm 879.5140 MHz h1 -25.480 dBm 30.0 MHz 30001 pts 97.0 MHz/ 1.0 GHz Date: 10/NOV/2020 11:28:58</p>
<p>CH11 1GHz~26GHz</p>	 <p>MultiView Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 250 ms VBW 300 kHz Mode Auto Sweep Count 10/10 1 Frequency Sweep M1[1] -44.59 dBm 4.925000 GHz h1 -25.480 dBm 1.0 GHz 30001 pts 2.5 GHz/ 26.0 GHz Date: 10/NOV/2020 11:29:14</p>

Test Item:	SE	Type:	802.11 n(HT20)
<p>CH01 Reference level</p>			
<p>CH01 30MHz~1000MHz</p>			
<p>CH01 1GHz~26GHz</p>			


CH06
Reference level



CH06
30MHz~1000MHz



CH06
1GHz~26GHz



<p>CH11 Reference level</p>	<p>MultiView Spectrum Ref Level 30.00 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SWT 1.04 ms VBW 300 kHz Mode Auto Sweep Count 100/100 1 Frequency Sweep M1[1] -6.15 dBm 2.464880 GHz CF 2.462 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz Date: 10/NOV/2020 11:38:49</p>
<p>CH11 30MHz~1000MHz</p>	<p>MultiView Spectrum Ref Level 20.00 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SWT 30.1 ms VBW 300 kHz Mode Auto Sweep Count 10/10 1 Frequency Sweep M1[1] -60.68 dBm 904.7980 MHz M1 -26.150 dBm 30.0 MHz 30001 pts 97.0 MHz/ 1.0 GHz Date: 10/NOV/2020 11:40:05</p>
<p>CH11 1GHz~26GHz</p>	<p>MultiView Spectrum Ref Level 20.00 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SWT 250 ms VBW 300 kHz Mode Auto Sweep Count 10/10 1 Frequency Sweep M1[1] -46.62 dBm 4.923333 GHz M1 -26.150 dBm 1.0 GHz 30001 pts 2.5 GHz/ 26.0 GHz Date: 10/NOV/2020 11:40:21</p>

-----End of Report-----